



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA
ME., MBA.

TMT/Power electricals/S0457/2025

09-09-2025

To,
Power Electrical Engineers,
Mobile: 9848089363
Kukatpally, Hyderabad.

Dear sir,

Sub :- Supply of 20 MT C-TYPE HYDRAULIC PRESS.

This is reference to your enquiry for the hydraulic press; we offer our least possible price as under.

C TYPE PRESS:

1) Tonnage : 20 MT.

S No	Description of the unit	Offer/unit
1.	C Type Hydraulic Press with capacity 20 Tons. with Power pack of 5 HP motor and with complete electrical. Clear pass 350 mm Hydraulic power pack along with motor 5 hp motor Tank 100 lts Yuken vane pump 12 lpm Pressure guage 1 No Level indicator 1 No Section filter 1 No Return line filter 1 No Section strainer 1 no Manifold block 1 no Pressure control valve 1 no	Rs 2,50,000/-



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA

ME., MBA.

	Solenoid operated direction control valve 1 no s Pipes and fittings. Bell housing 1 no Pressure guage 0-250 kg 1 no Flexible houses 2 nos Nylon gear coupling 1 no	
--	---	--

SPECIFICATIONS FOR THE HYDRAULIC PRESS MACHINE WITH 20 Ton

1. Tonnage : 20 M.T.
2. Clearance between Housings : 350mm
3. Daylight : 430 mm
4. Ram stroke. : 200 M.M.
5. Open height. : 530 M.M.
6. Closed height. : 330 M.M.
7. Depth of Throat. : 250 M.M.
8. Ram speeds.
 - a) Approach. : 12 M.M. per Sec.
 - b) Pressing. : 2 M.M. per Sec.
 - c) Return. : 20 M.M. per Sec.
9. Motor capacity. : 5 H.P. (Crompton)
10. Bed size. : 350 x 450 M.M.
12. Cost of Machine. : Rs.2,50,000/- + Taxes.
13. Mode of payment. : As per the quotation.
14. Delivery. : As per the quotation.



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA

ME., MBA.

GENERAL TERMS & CONDITIONS:

- 1 Price quoted per unit ex-work. Hyderabad.
- 2 Following charges are additional to your account.
 - ✓ Freight Charge : As actual to be borne by you.
 - ✓ Sales Tax : 18 % GST.
 - ✓ Packing charge : As actual to be borne by you.
 - ✓ Insurance : As actual to be borne by you.
3. Payment : 50% advance along with order another 25% advance after 3 weeks from first advance and balance before delivery but after inspection at our works.
1. Delivery : 5-6 weeks from date of techno-commercially clear purchase order.
2. Validity : One month from the date of submission.
3. Inspection : Inspection at our works prior to dispatch.
4. Warranty : The machine is warranted for a period of 12 months from the date of dispatch against any manufacturing defects/faulty material or bad workmanship of any part or component but not against any kind of abnormal or improper use of machine. Defective part or component will be replaced or repaired free of cost. Electrical components are outside the scope of this warranty.
5. Commissioning : Erection & commissioning done by you, but if required technical support & guidance provide by us at additional cost.

NOTE:

1. Oil is not in scope of our supply.
2. Raw material for trial is arranged by you at your cost.

We are sure you will find our offer in line with your requirements. Should you require any further clarification please call us on mobile number 9246221106.

Thanking you and assuring you of our best services.



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA
ME., MBA.



For TECHNO MACHINE TOOLS

T.SIVARAMAKRISHNA



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA
ME., MBA.

TMT/Power electricals/S0457/2025

09 -09- 2025

To,
Power Electrical Engineers,
Mobile: 9848089363
Kukatpally, Hyderabad.

Dear sir,

Sub :- Supply of 50 MT C-TYPE HYDRAULIC PRESS.

This is reference to your enquiry for the hydraulic press; we offer our least possible price as under.

C TYPE PRESS:

1) Tonnage : 50 MT.

S No	Description of the unit	Offer
1.	C Type Hydraulic Press with capacity 50 Metric tons. with Power pack of 7.5 HP motor and with complete electrical. Hydraulic power pack along with motor 7.5 hp motor Tank 200 lts Yuken vane pump 16 lpm Piston pump 4.0 lpm Pressure gauge 1 No Level indicator 1 No Section filter 1 No Return line filter 1 No Section strainer 1 no Manifold block 1 no Pressure control valve 1 no Solenoid operated direction control valve 1 no's	Rs 4,30,000/- (Rupees Four Lakhs Thirt Thousand only)



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA

ME., MBA.

	Pipes and fittings. Bell housing 1 no Pressure gauge 0-250 kg 1 no Flexible houses 2 no's Nylon gear coupling 1 no	
2	Punching tools 5 sets	Rs 75,000/- Rupees Seventy-Five Thousand Only

SPECIFICATIONS FOR THE HYDRAULIC PRESS MACHINE WITH 50Ton

1. Tonnage : 50 Ton.
2. Clearance between Housings : 1450mm
3. Daylight : 550 mm
4. Ram stroke. : 350 M.M.
5. Open height. : 450 M.M.
6. Closed height. : 100 M.M.
7. Depth of Throat. : 450 M.M.
9. Ram speeds.
 - a) Approach. : 12 M.M. per Sec.
 - b) Pressing. : 2 M.M. per Sec.
 - c) Return. : 20 M.M. per Sec.
9. Motor capacity. : 10 H.P. (Crompton)
10. Bed size. : 750 x 550 M.M.
12. Cost of Machine. : Rs.4,50,000/- + Taxes.



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA

ME., MBA.

13. Mode of payment. : As per the quotation.

14. Delivery. : As per the quotation.

GENERAL TERMS & CONDITIONS:

1 Price quoted per unit ex-work. Hyderabad.

2 Following charges are additional to your account.

✓ Freight Charge : As actual to be borne by you.

✓ Excise : 12.50%

✓ Sales Tax : 5% Vat.

✓ Packing charge: As actual to be borne by you.

✓ Insurance : As actual to be borne by you.

3 Payment : 50% advance along with order another 25% advance after 3 weeks from first advance and balance before delivery but after inspection at our works.

6. Delivery : 5-6 weeks from date of techno-commercially clear purchase order.

7. Validity : One month from the date of submission.

8. Inspection : Inspection at our works prior to dispatch.

9. Warranty : The machine is warranted for a period of 12 months from the date of dispatch against any manufacturing defects/faulty material or bad workmanship of any part or component but not against any kind of abnormal or improper use of machine. Defective part or component will be replaced or repaired free of cost. Electrical components are outside the scope of this warranty.

10. Commissioning : Erection & commissioning done by you, but if required technical support & guidance provide by us at additional cost.

NOTE:

3. Oil is not in scope of our supply.

4. Raw material for trial is arranged by you at your cost.

We are sure you will find our offer in line with your requirements. Should you require any further clarification please call us on mobile number 9246221106.

Thanking you and assuring you of our best services.



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA
ME., MBA.



For TECHNO MACHINE TOOLS

T. SIVARAMAKRISHNA

TMT/Power electricals/S0457/2025

09 -09- 2025

Survey no:126/A/1, DOOR NO: 4-132-9/A/2, Gandimaisamma X Road,Medchal Malkangiri,
Hyderabad-500043.Telangana, India.- +91 – 9849207176, +91-9246221106



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA
ME., MBA.

TMT/Power electricals/S0457/2025

09 -09- 2025

To,
Power Electrical Engineers,
Mobile: 9848089363
Kukatpally, Hyderabad.

Dear sir,

Sub :-Supply of 30MT C-TYPE HYDRAULIC PRESS.

This is reference to your enquiry for the hydraulic press; we offer our least possible price as under.

C TYPE PRESS:

1) Tonnage : 30 MT.

S No	Description of the unit	Offer
1.	C Type Hydraulic Press with capacity 30 Tons. with Power pack of 7.5 HP motor and with complete electrical. Clear pass 550 mm Hydraulic power pack along with motor 7.5 hp motor Tank 200 lts Yuken vane pump 16 lpm Piston pump 4.0 lpm Pressure gauge 1 No Level indicator 1 No Section filter 1 No Return line filter 1 No Section strainer 1 no Manifold block 1 no Pressure control valve 1 no	Rs 3,80,000/- (Rupees Three Lakhs Eighty Thousand only)



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA
ME., MBA.

	Solenoid operated direction control valve 1 no's Pipes and fittings. Bell housing 1 no Pressure gauge 0-250 kg 1 no Flexible hoses 2 no's Nylon gear coupling 1 no	
--	---	--

SPECIFICATIONS FOR THE HYDRAULIC PRESS MACHINE WITH 30Ton

1. Tonnage : 30 M.T.
2. Clearance between Housings : 550mm
3. Daylight : 630 mm
4. Ram stroke. : 400 M.M.
5. Open height. : 630 M.M.
6. Closed height. : 230 M.M.
7. Depth of Throat. : 450 M.M.
10. Ram speeds.
 - a) Approach. : 12 M.M. per Sec.
 - b) Pressing. : 2 M.M. per Sec.
 - c) Return. : 20 M.M. per Sec.
9. Motor capacity. : 7.5 H.P. (Crompton)
10. Bed size. : 450 x 550 M.M.
12. Cost of Machine. : Rs. 3,80,000/- + Taxes.
13. Mode of payment. : As per the quotation.



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA

ME., MBA.

14. Delivery. : As per the quotation.

GENERAL TERMS & CONDITIONS:

1 Price quoted per unit ex-work. Hyderabad.

2 Following charges are additional to your account.

✓ Freight Charge : As actual to be borne by you.

✓ Sales Tax : 18% extra GST.

✓ Packing charge : As actual to be borne by you.

✓ Insurance : As actual to be borne by you.

3 Payment : 50% advance along with order another 25% advance after 3 weeks from first advance and balance before delivery but after inspection at our works.

11. Delivery : 5-6 weeks from date of techno-commercially clear purchase order.

12. Validity : One month from the date of submission.

13. Inspection : Inspection at our works prior to dispatch.

14. Warranty : The machine is warranted for a period of 12 months from the date of dispatch against any manufacturing defects/faulty material or bad workmanship of any part or component but not against any kind of abnormal or improper use of machine. Defective part or component will be replaced or repaired free of cost. Electrical components are outside the scope of this warranty.

15. Commissioning : Erection & commissioning done by you, but if required technical support & guidance provide by us at additional cost.

NOTE:

1. Oil is not in scope of our supply.

2. Raw material for trial is arranged by you at your cost.

We are sure you will find our offer in line with your requirements. Should you require any further clarification please call us on mobile number 9246221106.

Thanking you and assuring you of our best services.



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA
ME., MBA.

TMT/Power electricals/S0457/2025

09-09-2025

To,
Power Electrical Engineers,
Mobile: 9848089363
Kukatpally, Hyderabad.

Dear sir,

Sub :- Supply of 100 MT C-TYPE PUNCHING PRESS.

This is reference to your enquiry for the hydraulic press; we offer our least possible price as under.

C TYPE PRESS :

1) Tonnage : 100 MT.

S No	Description of the unit	Offer
1.	C Type Hydraulic Press with capacity 100 Metric tons. With Power pack of 15 HP motor and with complete electrical. Hydraulic power pack along with motor 15 hp motor Tank 200 lts Yuken vane pump 180 lpm Piston pump 30.0 lpm Pressure guage 1 No Level indicator 1 No Section filter 1 No Return line filter 1 No Section strainer 1 no Manifold block 1 no Pressure control valve 1 no Solenoid operated direction control valve 1 nos	Rs 5,80,000/- (Rupees Five Lakhs Eighty Thousand only)



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA

ME., MBA.

	Pipes and fittings. Bell housing 1 no Pressure guage 0-250 kg 1 no Flexible houses 2 nos Nylon gear coupling 1 no	
--	---	--

SPECIFICATIONS FOR THE HYDRAULIC PRESS MACHINE WITH 100MT

- | | | | |
|-----|----------------------------|---|------------------------|
| 1. | Tonnage | : | 100 M.T. |
| 2. | Clearance between Housings | : | 450mm |
| 3. | Daylight | : | 250 mm |
| 4. | Ram stroke. | : | 150 M.M. |
| 5. | Open height. | : | 450 M.M. |
| 6. | Closed height. | : | 300 M.M. |
| 7. | Depth of Throat. | : | 350 M.M. |
| 11. | <u>Ram speeds.</u> | | |
| | a) Approach. | : | 12 M.M. per Sec. |
| | b) Pressing. | : | 2 M.M. per Sec. |
| | c) Return. | : | 20 M.M. per Sec. |
| 9. | Motor capacity. | : | 15 H.P. (Crompton) |
| 10. | Bed size. | : | 350 x 300 M.M. |
| 12. | Cost of Machine. | : | Rs.5,80,000/- + Taxes. |
| 13. | Mode of payment. | : | As per the quotation. |
| 14. | Delivery. | : | As per the quotation. |

GENERAL TERMS & CONDITIONS:

- 1 Price quoted per unit ex-work. Hyderabad.
- 2 Following charges are additional to your account.



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA
ME., MBA.

-
- ✓ Freight Charge : As actual to be borne by you.
 - ✓ Sales Tax : 18% GST extra.
 - ✓ Packing charge : As actual to be borne by you.
 - ✓ Insurance : As actual to be borne by you.
 - 3Payment : 50% advance along with order another 25% advance after 3 weeks from first advance and balance before delivery but after inspection at our works.
 - 16. Delivery : 2-3 weeks from date of techno-commercially clear purchase order.
 - 17. Validity : One month from the date of submission.
 - 18. Inspection : Inspection at our works prior to dispatch.
 - 19. Warranty : The machine is warranted for a period of 12 months from the date of dispatch against any manufacturing defects/faulty material or bad workmanship of any part or component but not against any kind of abnormal or improper use of machine. Defective part or component will be replaced or repaired free of cost. Electrical components are outside the scope of this warranty.
 - 20. Commissioning : Erection & commissioning done by you, but if required technical support & guidance provide by us at additional cost.

NOTE:

- 3. Oil is not in scope of our supply.
- 4. Raw material for trial is arranged by you at your cost.

We are sure you will find our offer in line with your requirements. Should you require any further clarification please call us on mobile number 9246221106.

Thanking you and assuring you of our best services.

For TECHNO MACHINE TOOLS

T.SIVARAMAKRISHNA



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA

ME., MBA.

TMT/Power electricals/S0457/2025

09-09-2025

To,
Power Electrical Engineers,
Mobile: 9848089363
Kukatpally, Hyderabad.

Dear Sir,

Sub: - QUOTATION FOR HYDRAULIC SHEARING MACHINE

Thank you very much for your enquiry regarding your requirement of Hydraulic Shearing Machine mainly for MS Sheets. We are glad to inform you that we would be in a position to supply you the required equipment. Given below are the required specifications and description of the machine and our terms and conditions.

S No	Description of the unit	Offer
1.	Hydraulic shearing machine with fixed rake angle and shearing capacity 3 Meters and 4 mm MS Sheet, along with Power pack 10.0 HP motor and other electrical fittings.	Rs 8,45,000/-
2	NC back gauge with 900 mm	Rs 2,90,000/-

SPECIFICATIONS FOR THE HYDRAULIC SHEARING MACHINE WITH CUTTING CAPACITY 3000 M.M. WIDTH AND 4 M.M. THICKNESS.

1. CUTTING CAPACITY IN MS : 3000 X 4 MM.
2. RAKE ANGLE (variable) : 1.5 DEGREES
3. STROKES PER MINUTE : 12-16 Nos
4. NUMBER OF HOLD DOWNS : 13 Nos
5. BACK GAUGE (manual) : 550 M.M.



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA

ME., MBA.

-
- | | | | |
|----|-----------------------|---|------------------|
| 6. | MOTOR HP | : | 10 HP (Crompton) |
| 7 | OVERALL DIMMENSIONS : | | |
| | a) LENGTH | : | 3500 M.M. |
| | b) BREADTH | : | 1200 M.M. |
| | c) HEIGHT | : | 1800 M.M. |
| 8. | BED SIZE. | : | 3000 X 550 M.M. |
| 9. | Balade Thickness | : | 24 mm |

GENERAL TERMS & CONDITIONS:

- 21. Price quoted per unit ex-work. Hyderabad.
- 22. Following charges are additional to your account.
 - ✓ Freight Charge : As actual to be borne by you.
 - ✓ Sales Tax : Extra as applicable
 - ✓ Packing charge : As actual to be borne by you.
 - ✓ Insurance : As actual to be borne by you.
- 23. Payment : 50% advance along with order balance before delivery but after inspection at our works.
- 24. Delivery : With 50% advance 6 weeks from date of advance received
- 25. Validity : One month from the date of submission.
- 26. Inspection : Inspection at our works prior to dispatch.
- 27. Warranty : The machine is warranted for a period of 12 months from the date of dispatch against any manufacturing defects/ faulty material or bad workmanship of any part or component but not against any kind of abnormal or improper use of machine. Defective part or component will be replaced or repaired free of cost. Electrical components are outside the scope of this warranty.
- 28. Commissioning : Erection & commissioning done by you, but required technical support & guidance provide by us at additional cost.

NOTE:



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA
ME., MBA.

1. Oil is not in scope of our supply.
2. Raw material for trial is to be arranged by you at your cost.

We are sure you will find our offer in line with your requirements. Should you require any further clarification please contact 9246221106
Thanking you and assuring you of our best services



For Techno Machine Tools

(T. Sivaramakrishna)



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA
ME., MBA.

TMT/Power electricals/S0457/2025

09 -09- 2025

To,
Power Electrical Engineers,
Mobile: 9848089363
Kukatpally, Hyderabad.

Dear sir,

Sub:- Supply of HYDRAULIC PRESS BRAKE MACHINE.

Thank you very much for your enquiry regarding your requirement of hydraulic press brake. We are glad to inform you that we would be in a position to supply you the required equipment. Given below are the required specifications and description of the machine and our terms and conditions.

PRESS BRAKE :

- 1) Size : 3000 X 4 M.M.
2) Tonnage : 100 M.T.

S No	Description of the unit	Offer
1.	Hydraulic Press Brake with bending capacity 3.0 Meters and 4 mm MS Sheet, 100 MT load capacity with Power pack of 7.5 HP motor along with one set Standard Die and Punch.	Rs 8,50,000/-
2	Nc back gauge up to 750 mm wide	Rs 2,75,000/-

SPECIFICATIONS FOR THE HYDRAULIC PRESS BRAKE MACHINE WITH 3000 M.M. WIDTH AND 4 M.M. THICKNES.

1. Tonnage : 100 M.T.
2. Clearance between Housings : 2500 M.M.



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA

ME., MBA.

-
- | | | | |
|-----|--------------------------|---|---|
| 3. | Bending capacity in M.S. | : | 3000 x 4 M.M. |
| 4. | Ram stroke. | : | 150 M.M. |
| 5. | Open height. | : | 350 M.M. |
| 6. | Closed height. | : | 200 M.M. |
| 7. | Depth of Throat. | : | 300 M.M. |
| 12. | <u>Ram speeds.</u> | | |
| | a) Approach. | : | 22 M.M. per Sec. |
| | b) Pressing. | : | 3 M.M. per Sec. |
| | c) Return. | : | 40 M.M. per Sec. |
| 9. | Motor capacity. | : | 20 H.P. (Crompton) |
| 10. | Punch. | : | 3000 x 185 x 65 M.M.
('GROOSE NECK' type) |
| 11. | Bed size. | : | 3000 x 255 x 75 M.M. |
| 12. | Cost of Machine. | : | Rs.8,50,000/- + Taxes. |
| 13. | Mode of payment. | : | As per the quotation. |
| 14. | Delivery. | : | As per the quotation. |

GENERAL TERMS & CONDITIONS:

29. Price quoted per unit ex-work. Hyderabad.

30. Following charges are additional to your account.

- ✓ Freight Charge : As actual to be borne by you.
- ✓ Sales Tax : Extra as applicable
- ✓ Packing charge : As actual to be borne by you.
- ✓ Insurance : As actual to be borne by you.

31. Payment : 50% advance along with order balance before delivery but after inspection at our works.



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA

ME., MBA.

-
- | | |
|-------------------|---|
| 32. Delivery | : within 45 days |
| 33. Validity | : One month from the date of submission. |
| 34. Inspection | : Inspection at our works prior to dispatch. |
| 35. Warranty | : The machine is warranted for a period of 12 months from the date of dispatch against any manufacturing defects/ faulty material or bad workmanship of any part or component but not against any kind of abnormal or improper use of machine. Defective part or component will be replaced or repaired free of cost. Electrical components are outside the scope of this warranty. |
| 36. Commissioning | : Erection & commissioning done by you, but required technical support & guidance provide by us at additional cost. |

NOTE:

3. Oil is not in scope of our supply.
4. Raw material for trial is to be arranged by you at your cost.

We are sure you will find our offer in line with your requirements. Should you require any further clarification please contact 9246221106
Thanking you and assuring you of our best services





Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA

ME., MBA.

For Techno Machine Tools

(T. Sivaramakrishna)

TMT/Power electricals/S0457/2025

09 -09- 2025



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA
ME., MBA.

TMT/Power electricals/S0457/2025

09-09-2025

To,
Power Electrical Engineers,
Mobile: 9848089363
Kukatpally, Hyderabad.

Dear Sir

SUB :- SUPPLY OF 1000 WIDTH CABLE TRAY PRESS

With reference to our discussions regarding your requirement for press. We are glad to inform you that, we are in a position to supply you the required equipment. The following are the specifications and our terms and conditions.

S No	Description of the unit	Offer
1.	H Frame 100 Ton mechanically operated cable tray press with stroke 60 mm and daylight 250 mm along with electrical panel and auto feeding Along with one die set	Rs 9,70,000/- (Rupees Nine lakhs seventy thousand only)

GENERAL TERMS & CONDITIONS:

1. Price quoted per unit ex-work. Hyderabad.
37. Following charges are additional to your account.
 - ✓ Freight Charge : As actual to be borne by you.
 - ✓ Sales Tax : Extra as applicable
 - ✓ Packing charge : As actual to be borne by you.
 - ✓ Insurance : As actual to be borne by you.
38. Payment : 50% advance along with order balance before delivery but after inspection at our works.
39. Delivery : With 50% advance 2 months from date of advance received
40. Validity : One month from the date of submission.
41. Inspection : Inspection at our works prior to dispatch.
42. Warranty : The machine is warranted for a period of 12 months from the date of dispatch against any manufacturing defects/ faulty



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA

ME., MBA.

material or bad workmanship of any part or component but not against any kind of abnormal or improper use of machine. Defective part or component will be replaced or repaired free of cost. Electrical components are outside the scope of this warranty.

43. Commissioning : Erection & commissioning done by you, but required technical support & guidance provide by us at additional cost.

NOTE:

- 5. Oil is not in scope of our supply.
- 6. Raw material for trial is to be arranged by you at your cost.

We are sure you will find our offer in line with your requirements. Should you require any further clarification please contact 9246221106

Thanking you and assuring you of our best services

For TECHNO MACHINE TOOLS

(T. SIVARAMAKRISHNA)

Note:

Extra dies we will send you the separate quotation as required.



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA
ME., MBA.





Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA

ME., MBA.

TMT/Power electricals/S0457/2025

09 -09- 2025

To,
Power Electrical Engineers,
Mobile: 9848089363
Kukatpally, Hyderabad.

Dear sir,

Sub: - SUPPLY OF ROLL FORMING MACHINE – WITH CABLE TRAY ROLL FORMING MACHINE.

Thank you very much for your enquiry regarding your requirement of roll forming machine mainly for cable tray Section as per your design. We are glad to inform you that we would be in a position to supply you the required equipment. Given below are the required specifications and description of the machine and our terms and conditions.

Prices for 650 mm width machine

The cost of Roll forming machine with cable tray section tooling along with Entry guide, main roll forming machine, side guides, along with drive system is **Rs 72,00,000=00 (Seventy Two Lakhs Only)**

LIST OT EQUIPMENT

- 1) De- Coiler 7 ton
- 2) Leveler with servo motor with 5 kw
- 3) Roll forming machine with 12 passes
- 4) Delivery cutting unit
- 5) EN 31 C/Cable tray profile tooling
- 6) 25 HP Drive with Reduction gear box.
- 7) Delivery 50 ton cutting press



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA

ME., MBA.

De- Coiler 5 ton

Model	: simply supported
Coil weight	: 7 MT Max
Material thickness	: 2.0 MM max
Coil width	: 550 MM
Coil bore	: dia 508 MM
Coil Od	: 1600 MM (max)
Construction	: M. S. Fabricated.
Back tension	: Manual drum brake

Leveler with pinch roller

TECHNICAL SPECIFICATIONS:

Maximum sheet width that can be leveler	: 800 MM
Maximum sheet thickness in MS that can be Leveler	: 2.0 MM
Number of leveling rolls	: 7 nos
No of pinch rolls	: 2 nos
Drive for all rolls spindle drive	: Pinch roll with
Drive hp motor	: 5 kw servo
Make of serve equalient	: ABB or



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA

ME., MBA.

Punching press

Maximum tonnage	: 80 ton
Maximum sheet thickness in MS	: 2.0 MM
No of punching holes per stroke	: 5 rows
Stroke time	: 1.5 sec
Speed per min	: 6 meters max

Roll forming machine with 11 passes

Maximum sheet width that can be formed	: 800 MM
Maximum sheet thickness in MS that can be formed	: 2.0 MM
Minimum sheet thickness in MS that can be formed	: 0.8 MM
Roll shaft diameter	: dia 70 MM
The vertical distance between shafts	: 330 MM
The horizontal distance between shafts	: 550 MM
Number of forming stations	: 12 Nos
Drive (AC)	: 25 HP
Speed of the machine	: 3-6 meters/max



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA

ME., MBA.

Rolls mounting

: cantilever

Description of the equipment

Roll Forming Machine

Main Base

The main base is MS fabricated structure and adequately ribbed to minimize the distortion. It is accurately machined on top and bottom surfaces the threaded holes are made on the bed for positioning the stands.

Entry Guide

The entry side of the machine will be equipped with guide table and the guide wheels bar which will be responsible for centering the leading ends of the strip into the first pass.

Mill stands

The stands are mounted on the bed of the machine the line alignment can be easily done due to guide ways arranged on the bed of the machine. Each forming head consists of a fixed housing and sliding type out board housing. The mill stands will be arranged to locate shafts mounted on anti-friction bearings. For the top shafts the bearings are housed in the cartridge type bearing blocks. The bottom shaft bearings are located in the bored machined in the housings. The bottom arbors are fixed in position whereas the top arbors along with cartridge blocks could be raised or lowered in vertical guides machined in housings.

Roll shafts

The roll shafts will be manufactured from quality steel and will be keyed to locate tooling.

Drive

The drive to the roll former will be by means of a gear box system. The main drive will be provided by means of 15 HP motor. The speed of the roll former is fixed.

Delivery cutting unit

Maximum tonnage

: 50 ton

Maximum sheet thickness in MS

: 2.0 MM



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA

ME., MBA.

Type of press : 4 pillar model

Stroke time : 3.5 sec

Runout table

Length 3000 mm only

GENERAL TERMS & CONDITIONS:

- 44. Price quoted per unit ex-work. Hyderabad.
- 45. Following charges are additional to your account.
 - ✓ Freight Charge : As actual to be borne by you.
 - ✓ Sales Tax : 18% Extra as applicable
 - ✓ Packing charge : As actual to be borne by you.
 - ✓ Insurance : As actual to be borne by you.
- 46. Payment : 50% advance along with order 25% after one month balance before delivery but after inspection at our works.
- 47. Delivery : With 50% advance 3 months from date of advance received
- 48. Validity : 2 month from the date of submission.
- 49. Inspection : Inspection at our works prior to dispatch.
- 50. Warranty : The machine is warranted for a period of 12 months from the date of dispatch against any manufacturing defects/ faulty material or bad workmanship of any part or component but not against any kind of abnormal or improper use of machine. Defective part or component will be replaced or repaired free of cost. Electrical components are outside the scope of this warranty.
- 51. Commissioning : Erection & commissioning done by you, but required technical support & guidance provide by us at additional cost.

NOTE:

- 7. Oil is not in scope of our supply.
- 8. Raw material for trial is to be arranged by you at your cost.

We are sure you will find our offer in line with your requirements. Should you require any further clarification please contact sivaramakrishna 9246221106.

Thanking you and assuring you of our best services.



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA

ME., MBA.

For TECHNO MACHINE TOOLS

(T. SIVARAMAKRISHNA)

SIZE	Thickness	Thickness	Thickness	Length
100X60	0.8	1.00	1.20	3000mm
150X60	0.8	1.00	1.20	3000mm
200X60	0.8	1.00	1.20	3000mm
250X80	0.8	1.00	1.20	3000mm
300X80	0.8	1.00	1.20	3000mm

SIZE	Thickness	Length
100X60	1.50	2500mm
150x60	1.50	2500mm
200X60	1.50	2500mm
250X80	1.50	2500mm
300X80	1.50	2500mm

SIZE	Thickness	Length
100X60	1.60	2500mm
150x60	1.60	2500mm
200X60	1.60	2500mm
250X80	1.60	2500mm
300X80	1.60	2500mm

SIZE	Thickness	Length
100X60	2.00	2500mm
150x60	2.00	2500mm
200X60	2.00	2500mm
250X80	2.00	2500mm
300X80	2.00	2500mm



Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA

ME., MBA.
