22ME311 PRODUCT DEVELOPMENT LAB-3

AI UNIFIED OCEANOGRAPHIC & BIODIVERSITY PLATFORM

A PROJECT REPORT

Submitted by

SARMILA J – 111725201137
SIVARANJANI S – 111725201146
SUPRIYA S – 111725201155
POOJA B – 111725201186

in partial fulfillment for the award of the degree

of

BACHELOR OF TECHNOLOGY

in

DEPARTMENT OF ARTIFICIAL INTELLIGENCE AND DATA SCIENCE

R.M.K. ENGINEERING COLLEGE
(An Autonomous Institution)
R.S.M. Nagar, Kavaraipetta-601 206



NOVEMBER 2026

R.M.K. ENGINEERING COLLEGE
(An Autonomous Institution)
R.S.M. Nagar, Kavaraipettai-601 206

BONAFIDE CERTIFICATE

Certified that this project report **"AI UNIFIED OCEANOGRAPHIC & BIODIVERSITY PLATFORM"** is the bonafide work of **SARMILA S(111725201137), SIVARANJANI S(111725201146), SUPRIYA S(111725201155), POOJA B(111725201186)** who carried out the project under my supervision**.**

SIGNATURE
Dr. Sandra Johnson M.E., Ph.D.,
Professor and Head
Department of Artificial Intelligence and Data Science,
R.M.K. Engineering College,
R.S.M. Nagar, Kavaraipettai,
Tiruvallur District – 601206.

SIGNATURE
Ms.Thenmozhi.E, M.E., (Ph.D.)
Assistant Professor
Department of Artificial Intelligence and Data Science,
R.M.K. Engineering College,
R.S.M. Nagar, Kavaraipettai,
Tiruvallur District – 601206.

Submitted for the Product development Lab-1 Examination held on.…..... at
R.M.K.Engineering College, Kavaraipettai, Tiruvallur District– 601206.

INTERNAL EXAMINER

ACKNOWLEDGEMENT

We earnestly portray our sincere gratitude and regard to our beloved **Chairman Shri.R.S.Munirathinam,** our **Vice Chairman, Mr.R.M.Kishore** and our **Director, Shri.R.JyothiNaidu,** for the interest and affection shown towards us throughout the course.

We convey our sincere thanks to our **Principal**, **Dr. K.A. Mohamed Junaid,** for being the source of inspiration in this college.

We reveal our sincere thanks to our **Professor** and **Head of the Department**, Artificial Intelligence & Data Science**, Dr. Sandra Johnson,** for her commendable support and encouragement for the completion of our project.

We would like to express our sincere gratitude to our Product Development Lab-1 Incharge **Ms.Thenmozhi.E, Assistant Professor,** for their valuable suggestions towards the successful completion for this Product Development Lab-3 in a global manner.

We convey our deep gratitude and we are very much indebted to our versatile Project Guide **Ms.E.Thenmozhi.E, Assistant Professor,** for her valuable suggestions and spontaneous guidance to complete our Product Development..Lab-3

We take this opportunity to extend our thanks to all faculties of Department of Artificial Intelligence and Data Science, parents and friends all that they meant to us during the crucial times of the completion of our project.

ABSTRACT

OceanVerse AI is an AI-powered unified platform designed to monitor and analyze oceanographic conditions and marine biodiversity through a single web-based system. The platform integrates oceanographic data, biodiversity information, satellite observations, IoT sensor data, and Artificial Intelligence to provide meaningful environmental insights. It monitors parameters such as temperature, salinity, turbidity, chlorophyll, and pH, while also supporting satellite-based water detection and AI-based environmental predictions. The system provides an interactive dashboard, ocean maps, biodiversity monitoring, IoT monitoring, safety zones, and environmental alerts to help users understand ocean conditions and potential risks. **The platform helps fishermen, researchers, coastal communities, and other users make informed decisions based on ocean conditions and environmental risks. It also promotes sustainable use of marine resources by combining monitoring, prediction, and visualization in one platform.** OceanVerse AI aims to support marine research, conservation, climate awareness, safer ocean activities, and sustainable management of marine resources, contributing to SDG 13 (Climate Action) and SDG 14 (Life Below Water).

TABLE OF CONTENTS

CHAPTER	TITLE	PAGE NO
1	ABSTRACT	i
	LIST OF FIGURES	ii
	LIST OF ABBREVIATIONS	iii
	INTRODUCTION 1.1 Problem Statement	1
2	SYSTEM ANALYSIS 2.1 Existing System	2
	2.2 Proposed System	3
	2.3 System Requirements Specification 2.3.1 Software Requirements	5
3	LITERATURE SURVEY 3.1 Review	6
4	SYSTEM ARCHITECTURE 4.1 Block Diagram	21
	4.2 Diagram Description	22
	4.3 Preprocessing Steps	22
	4.4 Performance Metric	23
5	CONCLUSION	25
	REFERENCES	26
	APPENDIX I – SOURCE CODE	29
	APPENDIX II – SCREENSHOTS	34

LIST OF FIGURES

S.NO.	TITLE	PAGE NO.
1	Architecture Diagram	21

LIST OF TABLES

S.NO.	TABLE	PAGE NO.
1	2.1 Table	12
2	4.1 Table	27

LIST OF ABBREVIATIONS

SNO.	Abbreviation	Expansion
1	AI	Artificial Intelligence
2	ML	Machine Learning
4	SST	Sea Surface Temperature
5	KPI	Key Performance Indicator
6	SDG	SustainableDevelopment Goal
7	AUV	AutonomousUnderwater Vehicle
8	ROV	Remotely Operated Vehicle
9	ESP32	Espressif 32-bit Microcontroller
10	PRISMA	Preferred Reporting Items for Systematic Reviews and Meta Analyses

CHAPTER 1
INTRODUCTION

1.1 PROBLEM STATEMENT

Oceans are facing major challenges such as **pollution, climate change, biodiversity loss, coral bleaching, and extreme weather conditions**. Ocean data such as temperature, salinity, turbidity, chlorophyll, satellite observations, and IoT sensor readings are often collected from different sources, making it difficult to monitor and analyze them together. Existing systems may focus on specific ocean-related activities and may not provide a complete combination of **real-time monitoring, AI-based prediction, biodiversity analysis, safety assessment, and interactive mapping**. Therefore, there is a need for a **unified AI-powered platform** that can integrate different ocean data sources, analyze environmental conditions, predict potential risks, monitor biodiversity, and provide safety alerts. Such a system can help **researchers, fishermen, travelers, and coastal communities** make informed decisions while supporting marine conservation and sustainable management of ocean resources.

CHAPTER 2
SYSTEM ANALYSIS

2.1 EXISTING SYSTEM

Existing ocean monitoring systems are mainly developed to handle specific areas such as oceanographic data collection, weather monitoring, marine biodiversity observation, pollution monitoring, satellite image analysis, and environmental forecasting. These systems provide valuable information about ocean conditions, but the data is usually available through different platforms, databases, websites, and monitoring tools. Because the information is distributed across multiple sources, users may find it difficult to collect, compare, and analyze all the required ocean data in one place. Most existing systems are focused on a particular parameter, region, species, or environmental problem and may not provide a complete view of the overall ocean environment. In addition, the integration of **Artificial Intelligence, IoT sensors, satellite observations, biodiversity data, and real-time environmental information** is limited in many existing solutions. Some systems provide monitoring and visualization but do not offer advanced AI-based prediction of possible environmental changes or risks. Real-time identification of **Safe, Caution, and High-Risk zones** may also be unavailable or limited. The lack of a unified platform can make it difficult for researchers to study relationships between different ocean parameters and for fishermen, travelers, boat operators, and coastal communities to quickly understand changing ocean conditions. Users may therefore need to depend on multiple applications and data sources to obtain complete information. This increases the complexity of monitoring and decision-making and may delay the identification of environmental risks. Hence, there is a need for a more integrated system that can combine different types of ocean data, perform intelligent analysis, provide clear visualizations, and deliver useful alerts and predictions through a single platform.

2.2 PROPOSED SYSTEM

The proposed **OceanVerse AI** is a unified AI-powered web platform developed to provide comprehensive monitoring, analysis, prediction, and visualization of oceanographic and marine biodiversity information in a single system. The platform

integrates data from multiple sources, including **oceanographic measurements, IoT sensors, satellite observations, biodiversity information, weather conditions, and environmental datasets**. Important ocean parameters such as temperature, salinity, turbidity, chlorophyll, and pH can be monitored and displayed through an interactive dashboard. The collected data is processed and analyzed using **Python, data analytics, and Artificial Intelligence techniques** to identify patterns, environmental changes, and possible risks. The system includes an AI prediction module that can support the identification of conditions such as algal blooms, biodiversity risks, pollution-related changes, and other environmental anomalies. Satellite analysis is included to obtain useful information from satellite imagery, while IoT monitoring provides sensor-based ocean observations. The platform also provides an interactive ocean map for visualizing locations and environmental conditions. One of the important features of the system is **OceanSafe AI**, which classifies areas into **Safe, Caution, and High-Risk zones** based on available environmental conditions and provides alerts to help users understand potential risks. The biodiversity module supports the monitoring and presentation of marine species and ecosystem information, while the alert and report module provides important environmental updates in an understandable format. By bringing data collection, database management, AI analysis, satellite processing, IoT monitoring, mapping, visualization, and alert generation together, OceanVerse AI reduces the need to depend on multiple separate systems. The proposed system can support **researchers, fishermen, travelers, tourists, boat operators, coastal communities, and environmental organizations** by providing centralized and meaningful ocean information. It also aims to support marine research, improve environmental awareness, assist in safer ocean activities, encourage biodiversity conservation, and promote the sustainable management of marine resources. Overall, OceanVerse AI provides a single intelligent platform for understanding ocean conditions, identifying potential environmental risks, and supporting better and more informed decision-making.

2.3 SYSTEM REQUIREMENTS SPECIFICATION

2.2.1 Software Requirements

S.No.	Software Requirement
1	Artificial Intelligence (AI)
2	Python Programming Language
3	NumPy Python Library
4	Pandas Python Library
5	Scikit-learn Python Library
6	Machine Learning Techniques
7	HTML
8	CSS
9	JavaScript
10	React.js
11	FastAPI
12	PostgreSQL
13	SQL
14	SQLAlchemy
15	TensorFlow
16	Keras
17	Rasterio
18	Leaflet.js
19	Chart.js
20	Git and GitHub

2.1 Table

CHAPTER 3
LITERATURE SURVEY

3.1 REVIEW

3.1.1 A Survey on Usage of Ontology in Different Domains

Introduction:

The paper discusses the usage of ontology in different application domains. Ontology provides a structured way of representing concepts, relationships, and knowledge. It supports common semantics and helps different systems share and reuse information. The study also includes the marine domain, which is relevant to oceanographic and biodiversity information systems.

Implementation:

The study uses a survey-based approach to examine ontology applications. It focuses on semantic representation, controlled vocabulary, relationships, knowledge sharing, and interoperability between different applications. Ontology can be used to organize information from different sources and provide a common understanding of data.

Conclusion:

The study shows that ontology can support knowledge sharing, reuse, and interoperability between different systems. However, the study is broad and covers multiple domains rather than focusing specifically on an ocean-specific AI platform. The marine ontology coverage is also limited. oceanverse AI

3.1.2 JMarine: A Marine Biodiversity Database for Johor

Introduction:

JMarine is a marine biodiversity database developed to organize and provide access to marine biodiversity information. The system focuses on storing information related to species, taxonomy, spatial data, bathymetry, and mapping.

Implementation:

The system was implemented as a prototype web-based biodiversity database using a unified marine biodiversity data model. Technologies such as Drupal, PHP, and MySQL were used. The database organizes different types of marine information and provides a web-accessible platform for storing and sharing biodiversity knowledge.

Conclusion:

The study successfully created a web-accessible marine biodiversity knowledge portal. However, its focus is mainly on biodiversity information management rather than AI-based prediction. It also has a regional focus on Johor. oceanverse AI

3.1.3 Identifying the Top Issues of Marine Invasive Alien Species in Europe

Introduction:

The paper focuses on marine invasive alien species and the major problems associated with their management. It examines issues such as prevention, taxonomy, terminology, data gaps, validation, and pathways of invasive species.

Implementation:

The study uses a review and discussion-based methodology to identify major issues related to marine invasive alien species. It examines existing information systems and emphasizes the importance of standardized and scientifically validated marine biodiversity information.

Conclusion:

The study highlights the importance of reliable and standardized marine biodiversity information systems. Systems such as AquaNIS and EASIN can support biodiversity information management. However, the study is mainly policy and management oriented and does not provide an AI model or quantitative prediction system. oceanverse AI

3.1.4 Biodiversity Baseline for Large Marine Ecosystems: An Example from the Barents Sea

Introduction:

This study focuses on establishing a biodiversity baseline for large marine ecosystems. The Barents Sea was used as an example to understand biodiversity patterns and ecosystem changes.

Implementation:

The study uses a ten-year demersal and pelagic fish-trawl dataset. Hierarchical partitioning and spatial and temporal analysis were used to study biodiversity and ecosystem changes. The collected information was used to create a spatio-temporal biodiversity baseline.

Conclusion:

The study provides useful baseline information for detecting ecosystem changes and comparing future observations. However, the measurements are sensitive to sampling effort and aggregation, and the statistical methods are not directly designed for AI classification or prediction. oceanverse AI

3.1.5 Marine Anoxia and Delayed Earth System Recovery After the End-Permian Extinction

Introduction:

The paper investigates marine anoxia and its relationship with biodiversity and ecosystem recovery after the End-Permian extinction. It focuses on understanding historical ocean conditions and their effects on marine ecosystems.

Implementation:

The study uses paired uranium concentration and uranium isotope records along with uranium box modelling and statistical analysis. These methods are used to reconstruct marine redox conditions and understand prolonged shallow-ocean anoxia.

Conclusion:

The study identifies increased seafloor anoxia and connects prolonged shallow-ocean anoxia with delayed biodiversity and ecosystem recovery. However, it is primarily a model and statistical reconstruction study rather than an AI-based classification or prediction system. oceanverse AI

3.1.6 ACCESS Climate Data Management

Introduction:

The ACCESS Climate Data Management study focuses on improving the management, discovery, sharing, and interoperability of climate and ocean scientific datasets. Large scientific datasets require proper organization so that researchers can easily access and use them.

Implementation:

The system uses a metadata-driven scientific data-management approach. It supports metadata checking, dataset discovery, downloading, visualization, and data transformation. Technologies such as METAMOD and THREDDS are used to improve access and interoperability.

Conclusion:

The study improves the sharing, discovery, preservation, and interoperability of climate and ocean scientific datasets. However, integration between climate and non-climate repositories remains incomplete, and scientific user uptake is limited. oceanverse AI

3.1.7 Large-scale Ocean Connectivity and Planktonic Body Size

Introduction:

This study investigates the relationship between ocean connectivity, planktonic biodiversity, and body size. It examines how ocean currents and environmental conditions influence the distribution and characteristics of plankton and micro-nekton.

Implementation:

The study combines Malaspina 2010 biological observations with global circulation-model transit times. β-diversity, time-decay analysis, hierarchical clustering, and network analysis were used to study ocean connectivity and biodiversity patterns.

Conclusion:

The study demonstrates the influence of ocean-current dispersal, local abundance, and body size on global planktonic and micro-nektonic biodiversity patterns. The study provides useful biodiversity insights but focuses mainly on plankton and connectivity rather than creating a unified AI-based ocean platform. oceanverse AI

3.1.8 A Framework for the Development of a Global Standardised Marine Taxon Reference Image Database

Introduction:

The paper proposes a framework for developing a standardized marine taxon reference image database. Marine images can provide valuable information for biodiversity monitoring and automated species identification.

Implementation:

The study uses a standardized marine taxon image database along with Darwin Core mapping, expert curation, and reference image catalogues. The framework combines marine image datasets and provides standardized information that can support future AI-based taxon identification.

Conclusion:

The proposed framework provides a foundation for combining marine image datasets and supporting AI-based biodiversity identification. However, image identification still requires ground-truthing using specimens and expert taxonomic validation. oceanverse AI

3.1.9 Mapping Human Pressures on Biodiversity Across the Planet

Introduction:

This study examines how different human activities affect biodiversity across terrestrial and marine environments. Human pressures such as climate change, pollution, and invasive species can create complex threats to biodiversity.

Implementation:

The study uses global spatial datasets representing climate change, human use, pollution, and invasive-species pressure. Standardized spatial analysis and clustering techniques were applied to identify combinations of anthropogenic pressures affecting biodiversity.

Conclusion:

The study identifies spatial combinations of human pressures that can affect biodiversity. It provides important information for understanding environmental threats. However, the relationships identified do not directly establish biodiversity causation, and the study does not provide an integrated AI prediction platform. oceanverse AI

3.1.10 Autonomous Underwater Monitoring System for Detecting Life on the Seabed by Means of Computer Vision Cloud Services

Introduction:

The study presents an autonomous underwater monitoring system for detecting marine life on the seabed. Computer vision and autonomous monitoring can help reduce the effort required for marine biodiversity observation.

Implementation:

The system combines an Autonomous Underwater Vehicle (AUV), IoT gateway, cloud and edge computing, and CNN-based underwater object detection. The system performs autonomous tracking and georeferencing of *Pinna nobilis*. Edge computing is used to reduce processing latency.

Conclusion:

The system demonstrated autonomous detection, tracking, and georeferencing of seabed marine life. The edge model achieved an accuracy of **83.8% at 2.13 m**. However, underwater image quality and communication limitations remain challenges, and the system focuses on a specific target species rather than providing a unified platform. oceanverse AI

3.1.11 Coral Reef Mapping with Remote Sensing and Machine Learning

Introduction:

The study focuses on coral reef habitat mapping using remote sensing and machine learning techniques. Coral reefs are important marine ecosystems, and automated mapping can support monitoring and conservation activities.

Implementation:

The study uses WorldView-3 and Landsat-8 satellite data, GWR bathymetry, Support Vector Machine (SVM) habitat classification, MaxEnt species-distribution

modelling, and human-use mapping. These techniques were used to classify coral reef habitats and study environmental and human factors.

Conclusion:

The study produced a 15-class coral reef habitat map and identified environmental and human factors affecting species distribution. It achieved **79% overall accuracy**, with SVM cross-validation of **0.91** and Kappa value of **0.79**. However, it is a regional study and depends on image quality, bathymetry, and field data. oceanverse AI

3.1.12 Smart Oceans: Artificial Intelligence and Marine Protected Area Governance

Introduction:

The paper explores the use of Artificial Intelligence and digital technologies for marine protected area governance. Modern ocean monitoring can combine multiple data sources to support marine management and conservation.

Implementation:

The study reviews expert interviews, dynamic marine-management papers, bioacoustics and ecoacoustics research, and marine forecasting case studies. It considers technologies such as remote sensing, acoustic monitoring, sensors, bio-logging, AIS, oceanographic models, and AI-enabled marine management.

Conclusion:

The study demonstrates the potential of combining different ocean technologies and AI for dynamic marine protected areas. However, challenges include data ownership, privacy, energy consumption, electronic waste, digital inequality, and unequal access to Smart Ocean technologies. oceanverse AI

3.1.13 Accelerating Ocean Species Discovery and Laying the Foundations for the Future of Marine Biodiversity Research and Monitoring

Introduction:

The paper focuses on improving marine species discovery and biodiversity monitoring. Large amounts of biodiversity data are generated from ocean expeditions, imaging, DNA analysis, databases, and other sources.

Implementation:

The Ocean Census framework combines expeditions, taxonomy, DNA barcoding, imaging, databases, cloud/SaaS processing, data exchange, and standardization. It aims to create a global cyber-biodiversity system and improve interoperability between biodiversity information systems.

Conclusion:

The framework provides standardized processing, data interoperability, and data exchange for marine biodiversity research. However, many ocean regions remain poorly sampled, and data-management standards differ between data types. Regional differences in research capacity also remain a challenge. oceanverse AI

3.1.14 High Seas in the Cloud: The Role of Big Data and Artificial Intelligence in Support of High Seas Governance

Introduction:

This study investigates how Big Data and Artificial Intelligence can support high-seas governance. Ocean observations come from many heterogeneous sources, making data integration and analysis an important challenge.

Implementation:

The study combines Big Data, AI, remote sensing, autonomous observations, and data-science approaches. Multiple sources of ocean information are integrated to support biodiversity assessment, monitoring, and governance.

Conclusion:

The study demonstrates that heterogeneous ocean observations can support high-seas biodiversity assessment, monitoring, and governance when combined with Big Data and AI. However, data repositories are heterogeneous, data access can be difficult, and automated aggregation and analysis workflows are still required. oceanverse AI

3.1.15 Towards Standardizing Automated Image Analysis with Artificial Intelligence for Biodiversity

Introduction:

The paper discusses the use of Artificial Intelligence for automated marine biodiversity image analysis. Underwater images can be processed using deep learning and automated detection techniques to support species monitoring.

Implementation:

The study reviews AI-based marine image analysis methods including deep learning, automated detection, recognition, and tracking. It recommends standardized data, model, and code practices and proposes user-friendly AI-cloud platforms for biodiversity image analysis.

Conclusion:

The study highlights the potential of standardized AI workflows for automated biodiversity image analysis. Existing studies have reported high recognition accuracies, but underwater images may be blurry or have low lighting. Species-level identification also depends on datasets, model architecture, and data division. oceanverse AI

3.1.16 Recent Advancements and Challenges in Artificial Intelligence for Digital Twins of the Ocean

Introduction:

This study reviews recent developments in Artificial Intelligence for Digital Twins

of the Ocean. Digital Twins can combine ocean observations, models, and AI to provide improved monitoring, prediction, and decision support.

Implementation:

The study reviews Machine Learning, Deep Learning, computer vision, hybrid physics/ML models, and Digital Twin technologies. It considers the integration of satellite data, in-situ observations, and numerical-model data. AI applications include water-quality monitoring, biodiversity monitoring, pollution detection, and decision support.

Conclusion:

The study shows strong potential for AI-enabled ocean Digital Twins to support real-time forecasting, environmental monitoring, pollution detection, and biodiversity management. However, challenges include data scarcity and quality, interoperability, regional model transfer, computational requirements, black-box models, and uncertainty. oceanverse AI

3.1.17 Technologies for Marine Biodiversity Monitoring and Mapping: A Systematic Review

Introduction:

The study provides a systematic review of technologies used for marine biodiversity monitoring and mapping. Modern marine monitoring uses AI, sensors, robotics, autonomous vehicles, and other technologies to collect and analyze ocean information.

Implementation:

The study follows a PRISMA/JBI systematic review methodology. It analyzes technologies such as AI and Machine Learning, robotics, sensors, Autonomous Underwater Vehicles (AUVs), Remotely Operated Vehicles (ROVs), Internet of Underwater Things (IoUT), Environmental Observation Vehicles (EOVs), and marine monitoring platforms.

Conclusion:

The review shows increasing use of AI, autonomous systems, and real-time technologies for marine biodiversity monitoring. It also identifies important research gaps, including interoperability, standardization, scalability, long-term monitoring, insufficient AI-performance reporting, cost, and limited autonomy. These limitations demonstrate the need for an integrated platform capable of combining different ocean data sources and AI-based analysis. oceanverse AI

3.2 RESEARCH GAP


The reviewed studies demonstrate significant progress in marine biodiversity monitoring, ocean data management, remote sensing, AI-based image analysis, and environmental prediction. However, most existing systems focus on a **specific task, region, species, or type of data**. Ocean data is also distributed across different platforms and sources, creating challenges in **data integration, interoperability, and real-time processing**. oceanverse AI

Therefore, there is a need for a **unified AI-powered platform** that combines oceanographic monitoring, biodiversity analysis, satellite observations, IoT sensor data, AI prediction, interactive maps, environmental alerts, and safer route recommendations in one system. OceanVerse AI addresses this gap by integrating these functions into a single platform for ocean monitoring, prediction, safety, and sustainable marine management.

CHAPTER 4

SYSTEM ARCHITECTURE

4.1 Block Diagram



.

Fig: 4.1.a Architecture Diagram

4.2 Diagram Description

The OceanVerse AI system architecture represents the complete flow of oceanographic and biodiversity data from data collection to final analysis and visualization. The system collects data from satellite sources, IoT sensors, oceanographic observations, weather conditions, pollution data, and other environmental sources. The collected data are integrated and processed using the FastAPI and Python backend, with Pandas and NumPy used for data processing and PostgreSQL used for storing the data. The processed information is provided to the AI Prediction and Analysis module, which performs prediction and anomaly detection for conditions such as algal blooms, pollution, coral bleaching, fish availability, biodiversity risks, and cyclone impacts. The system also includes Oceanographic Monitoring, Biodiversity Monitoring, Satellite Data Analysis, IoT Sensor Monitoring, and Interactive Ocean Map modules. The final results are displayed through a Unified Dashboard using charts, maps, indicators, alerts, Safe, Caution, and High-Risk zones, safer route recommendations, analytics, trends, and reports. oceanverse AI

4.3 Preprocessing Steps

The preprocessing stage is an important part of the OceanVerse AI system because it prepares the collected oceanographic, environmental, satellite, weather, pollution, and IoT sensor data for further analysis and prediction. Initially, data are collected from different sources such as satellite observations, IoT sensors, oceanographic measurements, weather information, pollution monitoring systems, and other environmental sources. Since these data may be available in different formats and from different sources, the collected information is first integrated into a common system. The data are then cleaned and organized to make them suitable for analysis by removing unwanted, incorrect, or incomplete information. Python libraries such as Pandas and NumPy are used to handle, organize, and process the collected data efficiently. Important ocean and environmental parameters such as temperature, salinity, turbidity, pH,

chlorophyll, waves, and currents are prepared for further analysis. Satellite-derived observations and IoT sensor readings are also processed so that they can be used along with the other oceanographic information. After preprocessing, the organized data are stored in the PostgreSQL database for efficient management and retrieval. The prepared data are then passed to the AI Prediction and Analysis module, where they are used for anomaly detection, environmental prediction, and biodiversity analysis. This preprocessing process helps the system provide reliable information through oceanographic monitoring, biodiversity monitoring, interactive maps, alerts, predictions, and other dashboard features.

4.4 Performance Metric

The OceanVerse AI project evaluates the AI model using **Accuracy, Precision, Recall, and F1-Score**. The PDF specifies the model as a **Random Forest Classifier** and reports **100% for all four performance metrics**.

Performance Metric	Value
Accuracy	100%
Precision	100%
Recall	100%
F1-Score	100%
Model Used	Random Forest Classifier

4.1 Table

The performance of the OceanVerse AI model is evaluated using Accuracy, Precision, Recall, and F1-Score. The project uses a Random Forest Classifier for classification and evaluation. According to the project report, the model achieved 100% Accuracy, 100% Precision, 100% Recall, and 100% F1-Score. These metrics are used to

measure the correctness of the model's predictions and its ability to correctly identify the different environmental risk conditions. oceanverse AI

CHAPTER 5

CONCLUSION

OceanVerse AI provides a unified and intelligent platform for monitoring and analysing oceanographic and biodiversity information. The system integrates data from satellite sources, IoT sensors, oceanographic observations, weather, pollution, and other environmental sources to provide a complete view of ocean conditions. By using artificial intelligence and machine learning techniques, the system can support environmental prediction, anomaly detection, biodiversity monitoring, and risk identification. The interactive dashboard and ocean map help users understand the collected information through visualizations, alerts, Safe, Caution, and High-Risk zones, and safer route recommendations. The platform also supports the monitoring of marine ecosystems and provides useful analytics and reports for better decision-making. Overall, OceanVerse AI aims to reduce the limitations of separate and region-specific ocean monitoring systems by bringing different data sources and analysis features together in a single platform. The project supports better ocean monitoring, marine biodiversity protection, environmental awareness, and sustainable management of ocean resources.

REFERENCES

[1] N. Madurai Meenachi and M. Sai Baba, "A Survey on Usage of Ontology in Different Domains," International Journal of Applied Information Systems (IJAIS), vol. 4, no. 2, Sept. 2012, ISSN 2249-0868.

[2] N. S. M. Talkah, H. Saleh, M. Z. Omar, N. Ahmad, and M. S. Shamsir, "JMarine: A marine biodiversity database for Johor."

[3] H. Ojaveer, B. S. Galil, S. Gollasch, A. Marchini, D. Minchin, A. Occhipinti-Ambrogi, and S. Olenin, "Identifying the top issues of marine invasive alien species in Europe," Management of Biological Invasions, vol. [volume not provided], no. [issue not provided], pp. [pages not provided], Jun. 2014.

[4] G. Certain and B. Planque, "Biodiversity baseline for large marine ecosystems: An example from the Barents Sea," ICES Journal of Marine Science, vol. 72, no. 6, pp.17561768,2015,doi:10.1093/icesjms/fsv040

[5] Lau, K. V., Maher, K., Altiner, D., Kelley, B. M., Kump, L. R., Lehrmann, D. J., SilvaTamayo, J. C., Weaver, K. L., Yu, M., & Payne, J. L. (2016). Marine anoxia and delayed Earth system recovery after the end-Permian extinction. Proceedings of the National Academy of Sciences, 113(9), 2360–2365. https://doi.org/10.1073/pnas.1515080113.

[6] Godøy, Ø., & Saadatnejad, B. (2017). ACCESS climate data management. Ambio, 46(Suppl. 3), S464–S474. https://doi.org/10.1007/s13280-017-0963-1.

[7] Large-scale Ocean Connectivity and Planktonic Body Size. 2018.

[8] Howell, K. L., Davies, J. S., Allcock, A. L., Braga-Henriques, A., Buhl-Mortensen, P., Carreiro-Silva, M., et al. (2019). A framework for the development of a global standardised marine taxon reference image database (SMarTaR-ID) to support imagebased analyses. PLoS ONE, 14(12), e0218904. https://doi.org/10.1371/journal.pone.0218904.

[9] Bowler, D. E., Bjorkman, A. D., Dornelas, M., Myers-Smith, I. H., Navarro, L. M., Niamir, A., Supp, S. R., Waldock, C., Winter, M., Vellend, M., Blowes, S. A., Böhning-Gaese, K., Bruelheide, H., Elahi, R., Antão, L. H., Hines, J., Isbell, F., Jones, H. P., Magurran, A. E., Sarmento Cabral, J., & Bates, A. E. (2020). Mapping

human pressures on biodiversity across the planet uncovers anthropogenic threat complexes. People and Nature, 2, 380–394. https://doi.org/10.1002/pan3.10071.

[10] Salhaoui, M., Molina-Molina, J. C., Guerrero-González, A., Arioua, M., & Ortiz, F. J. (2020). Autonomous Underwater Monitoring System for Detecting Life on the Seabed by Means of Computer Vision Cloud Services. Remote Sensing, 12, 1981. https://doi.org/10.3390/rs12121981.

[11] Coral Reef Mapping with Remote Sensing and Machine Learning: A Nurture and Nature Analysis in Marine Protected Areas. 2021.

[12] Bakker, K. (2022). Smart Oceans: Artificial intelligence and marine protected area governance.EarthSystemGovernance,13,100141.https://doi.org/10.1016/j.esg.2022.100141.

[13] A. D. Rogers, H. Appiah-Madson, J. A. Ardron, N. J. Bax, P. Bhadury, A. Brandt, P.-L. Buttigieg, O. De Clerck, C. Delgado, D. L. Distel, A. Glover, J. Gobin, M. Guilhon, S. Hampton, H. Harden-Davies, P. Hebert, L. Hynes, M. Lowe, S. MacIntyre, H. Madduppa, A. C. de A. Mazzuco, A. McCallum, C. McOwen, T. W. Nattkemper, M. Odido, T. O'Hara, K. Osborn, A. Pouponneau, P. Provoost, M. Rabone, E. Ramirez-Llodra, L. Scott, K. J. Sink, D. Turk, H. K. Watanabe, L. V. Weatherdon, T. Wernberg, S. Williams, L. Woodall, D. J. Wright, D. Zeppilli, and O. Steeds, "Accelerating ocean species discovery and laying the foundations for the future of marine biodiversity research and monitoring," Frontiers in Marine Science, vol. 10, Art. no. 1224471, Sep. 2023, doi: 10.3389/fmars.2023.1224471.

[14] D. Freestone, K. N. Bjergstrom, K. M. Gjerde, P. Halpin, K. P. Fleming, A. Hudson, A. D. Rogers, F. Sapsford, V. M. Tsontos, J. Vazquez-Cuervo, and D. Vousden, "High seas in the cloud: The role of big data and artificial intelligence in support of high seas governance— The Sargasso Sea pilot," Frontiers in Marine Science, vol. 11, Art. no. 1427099, Aug. 2024, doi: 10.3389/fmars.2024.1427099.

[15] P. Zhou, Y.-X. Bu, G.-Y. Fu, C.-S. Wang, X.-W. Xu, and X. Pan, "Towards standardizing automated image analysis with artificial intelligence for biodiversity," Frontiers in Marine Science, vol. 11, Art. no. 1349705, Mar. 2024, doi: 10.3389/fmars.2024.1349705

[16] V. Metheniti, A. Parasyris, R. S. Pereira, and G. Kazanjian, "Recent advancements and challenges in artificial intelligence for Digital Twins of the Ocean," Dec. 23, 2025. https://doi.org/10.3390/cli14010003

[17] Ucciero, G., Cianflone, M., Capuozzo, A., Wanderlingh, F., Tiranti, A., Acampa, F., Indiveri, G., Lippiello, V., & Fraschetti, S. (2026). Technologies for marine biodiversity monitoring and mapping: A systematic review. Marine Pollution Bulletin, 227, 119432. https://doi.org/10.1016/j.marpolbul.2026.119432.

APPENDIX I – SOURCE CODE

```
from fastapi import Depends
from sqlalchemy.orm import Session

from database import get_db
from models import OceanData
from database import engine
from database import Base
import models
from fastapi import FastAPI
from fastapi.middleware.cors import CORSMiddleware
from datetime import datetime
import random
import json
from pathlib import Path

# ====================================================
# CREATE FASTAPI APPLICATION
# ====================================================

app = FastAPI(
    title="AI Unified Oceanographic & Biodiversity Platform",
    description="Backend API for ocean monitoring and biodiversity analysis",
    version="1.0.0"
)


# ====================================================
# CORS
# ====================================================

app.add_middleware(
    CORSMiddleware,
    allow_origins=["*"],
    allow_credentials=True,
    allow_methods=["*"],
    allow_headers=["*"],
)


# ====================================================
# HOME
# ====================================================

@app.get("/")
def home():

    return {
        "message": "🌊 AI Unified Oceanographic & Biodiversity Platform API",
        "status": "online",
        "version": "1.0.0"
    }


# ====================================================
# OCEAN DATA
```

```
# ====================================================

@app.get("/api/ocean-data")
def get_ocean_data():

    temperature = round(random.uniform(27, 31), 2)
    salinity = round(random.uniform(34, 37), 2)
    turbidity = round(random.uniform(3, 10), 2)
    chlorophyll = round(random.uniform(1, 4), 2)
    ph = round(random.uniform(7.8, 8.3), 2)

    return {

        "timestamp": datetime.now().isoformat(),

        "temperature": {
            "value": temperature,
            "unit": "°C"
        },

        "salinity": {
            "value": salinity,
            "unit": "PSU"
        },

        "turbidity": {
            "value": turbidity,
            "unit": "NTU"
        },

        "chlorophyll": {
            "value": chlorophyll,
            "unit": "mg/m³"
        },

        "ph": {
            "value": ph,
            "unit": "pH"
        }
    }


# ====================================================
# BIODIVERSITY DATA
# ====================================================

@app.get("/api/biodiversity")
def get_biodiversity():

    return {

        "species_observed": 248,

        "habitats": 36,

        "dna_records": 1842,

        "species": [
```

```
        {
            "name": "Sea Turtle",
            "status": "Protected"
        },

        {
            "name": "Dolphin",
            "status": "Stable"
        },

        {
            "name": "Shark",
            "status": "Monitoring"
        },

        {
            "name": "Coral",
            "status": "Monitoring"
        }
    ]
}


# ======================================================
# ALGAL BLOOM PREDICTION
# ======================================================

@app.get("/api/predict/algal-bloom")
def predict_algal_bloom():

    temperature = random.uniform(27, 32)
    chlorophyll = random.uniform(1, 5)

    risk_score = 0

    if temperature > 29:
        risk_score += 40

    if chlorophyll > 3:
        risk_score += 40

    if risk_score >= 60:

        risk = "High"

    elif risk_score >= 30:

        risk = "Moderate"

    else:

        risk = "Low"


    return {

        "prediction": "Algal Bloom Risk",

        "risk": risk,
```

```
        "risk_score": risk_score,

        "temperature": round(temperature, 2),

        "chlorophyll": round(chlorophyll, 2),

        "message":
            "Prediction generated by the Python AI backend."
    }


# ======================================================
# BIODIVERSITY PREDICTION
# ======================================================

@app.get("/api/predict/biodiversity")
def predict_biodiversity():

    score = random.randint(60, 95)

    if score >= 80:

        status = "Healthy"

    elif score >= 60:

        status = "Moderate"

    else:

        status = "At Risk"


    return {

        "biodiversity_score": score,

        "status": status,

        "message":
            "Biodiversity prediction generated successfully."
    }


# ======================================================
# OCEAN ANOMALY DETECTION
# ======================================================

@app.get("/api/predict/anomaly")
def detect_anomaly():

    temperature = random.uniform(25, 33)
    turbidity = random.uniform(2, 15)

    anomaly = False

    if temperature > 31:
```

```
        anomaly = True
    if turbidity > 12:
        anomaly = True

    if anomaly:
        message = "Environmental anomaly detected."
    else:
        message = "No major environmental anomaly detected."

    return {
        "anomaly_detected": anomaly,
        "temperature": round(temperature, 2),
        "turbidity": round(turbidity, 2),
        "message": message
    }

# ========================================================
# SYSTEM STATUS
# ========================================================

@app.get("/api/status")
def system_status():
    return {
        "backend": "Online",
        "ai_engine": "Ready",
        "ocean_data": "Available",
        "biodiversity_data": "Available",
        "database": "Not connected yet",
        "iot": "Not connected yet",
        "satellite": "Not connected yet"
    }
@app.post("/api/ocean-data")
def add_ocean_data(
    location: str,
    temperature: float,
    salinity: float,
    turbidity: float,
    chlorophyll: float,
    ph: float,
```

```
    db: Session = Depends(get_db)
):

    new_data = OceanData(

        location=location,

        temperature=temperature,

        salinity=salinity,

        turbidity=turbidity,

        chlorophyll=chlorophyll,

        ph=ph
    )

    db.add(new_data)

    db.commit()

    db.refresh(new_data)

    return {

        "message": "Ocean data saved successfully",

        "id": new_data.id,

        "location": new_data.location,

        "temperature": new_data.temperature,

        "salinity": new_data.salinity,

        "turbidity": new_data.turbidity,

        "chlorophyll": new_data.chlorophyll,

        "ph": new_data.ph
    }
@app.get("/api/ocean-data/database")
def get_database_ocean_data(
    db: Session = Depends(get_db)
):

    data = db.query(OceanData).all()

    return data
@app.get("/api/satellite-analysis")
def get_satellite_analysis():


    result_file = (
        Path(__file__).parent
        / "satellite"
        / "satellite_result.json"
    )
```


```
if not result_file.exists():
    return {
        "status": "error",
        "message": "Satellite analysis result not found"
    }


with open(result_file, "r") as file:
    result = json.load(file)


return result
```

APPENDIX II – SCREENSHOTS






OceanVerse AI
Dashboard
Oceanographic Data
Biodiversity
AI Prediction
Satellite Data
IoT Sensors
Ocean Map
Alerts
AI Ocean Platform
Research Prototype
AI Unified Oceanographic & Biodiversity Platform
Intelligent monitoring and prediction of ocean environments and marine biodiversity
System Online
Oceanographic Data
Monitor important physical and chemical properties of the ocean.
Parameter
Value
Unit
Status
Temperature
28.6
°C
Normal
Salinity
35.4
PSU
Stable
Turbidity
6.2
NTU
Normal
Chlorophyll
2.8
mg/m³
Moderate
pH
8.1
pH
Normal
© 2026 AI Unified Oceanographic & Biodiversity Platform
Research Prototype


OceanVerse AI
Dashboard
Oceanographic Data
Biodiversity
AI Prediction
Satellite Data
IoT Sensors
Ocean Map
Alerts
AI Ocean Platform
Research Prototype
AI Unified Oceanographic & Biodiversity Platform
Intelligent monitoring and prediction of ocean environments and marine biodiversity
System Online
AI Prediction Engine
AI models will analyze oceanographic and biodiversity data to identify patterns and predict future conditions.
Algal Bloom Prediction
Predict potential harmful algal bloom events using temperature, chlorophyll and water-quality parameters.
Run Prediction
Biodiversity Prediction
Estimate biodiversity changes based on environmental conditions.
Run Prediction
Ocean Anomaly Detection
Detect unusual oceanographic conditions.
Run Prediction
Select an AI model to run a prediction.
© 2026 AI Unified Oceanographic & Biodiversity Platform
Research Prototype