

PROJECT DOCUMENTATION

Implement Client Script & UI Policy (Incident)

Introduction:

Project Title: Implement Client Script & UI Policy (Incident)

Team ID: SWTID-2026-8065

Team Size: 4

Team Leader: B Sivaranjani sivaranjani9360729160@gmail.com

Team Member: *S Sabeena Begum* jeenath151968@gmail.com

Team Member: *K Bhavadharani* varunkumaravel005@gmail.com

Team Member: *V Prithika* Prithikavellaisamy07@gmail.Com

Team Member: *F Snegavini* snegavini.07@gmail.com

Problem Statement

and resolution. However, relying solely on user awareness and manual checks can lead to incomplete, inconsistent, or incorrect data being submitted. This can impact reporting accuracy, SLA compliance, and overall service quality. To address this challenge, there is a need to enforce conditional field behavior and validation directly at the user interface level. Implementing standardized UI Policies and Client Scripts helps control field visibility, mandatory status, and save-time validation, ensuring that Incident records meet defined business rules before they are submitted.

Objective

The objective of the Implement Client Script & UI Policy (Incident) project is to demonstrate how ServiceNow client-side controls can be used to enforce data integrity on Incident records. This implementation showcases how UI Policies and Client Scripts can dynamically make fields mandatory, auto-populate values, control field behavior, and prevent record submission when Incident records often require consistent and accurate data entry to ensure effective triage, routing,

required conditions are not met. The solution ensures that Incidents are created with complete and valid information, improving data quality and consistency across the platform.

Skills

- Incident Management
- UI Policy
- UI Policy Actions
- Client Scripts
- Form Validation

Task 1: Create UI Policy on Incident

Activity 1: Create UI Policy

1. Log in to the ServiceNow instance with administrative or configuration access.
2. Navigate to: System UI → UI Policies
- 3 Click New to create a new UI Policy record.
 - . Fill in the following details:
- 4
 - ☐ Name: High Impact Control — this name clearly represents the purpose of the policy, which is to apply additional controls when an Incident has a high impact.
 - .
 - ☐ Table: Incident — specifies that the UI Policy applies to Incident records.
 - ☐ Active: true — enables the UI Policy so it is enforced on the Incident form.

Short description	Table	Conditions	Reverse if false	On load	Updated
UI Policy to hide related feature flags when hidePagination set to true	UX List [sys_ux_list]	hide_pagination=true*EQ	true	true	2021-08-16 14:02:50
Mark fields as mandatory without DB override	Security tasks [sn_vsc_security_task]		false	true	2025-01-28 14:28:42
Always Hide Read-only Related List Field	Relationship [sys_relationship]	sys_idISNOTEMPTY*EQ	false	true	2015-08-21 17:28:31
Hide meta fields	label [sc_ic_question]		true	true	2014-01-21 12:43:35
Set Table column ReadOnly	To-dos Widget Mapping [sn_hr_sp_todos_widget_mapping]		true	true	2018-08-02 15:16:10
Clear save signature before action execution value - when precondition is not Signature	Function [sys_sg_button]	preconditions!=signature*EQ	true	true	2019-04-18 07:01:21
Content vs parameters	HTTP Method [sys_rest_message_fn]	http_method=get*ORhttp_method=delete*ORh...	true	true	2016-12-14 16:50:13

5. Configure the Conditions section as follows:

- ☐ Field: Impact
- ☐ Operator: is
- ☐ Value: 1 – High

6.This condition ensures the UI Policy is triggered only when the Incident impact is set to High.

7.And UI Policy action: Assignment group

8.Check mandatory

9.Set Reverse if false to true. This ensures that when the condition is not met, any field changes applied by the policy are automatically reverted.

10.Review the configuration to ensure accuracy.

11.Click Submit to save the UI Policy.

servicenow All

UI pol

FAVORITES
No Results

ALL RESULTS

- System Mobile
 - Mobile UI
 - Mobile **UI Policies**
 - Service Catalog
 - Catalog Administration
 - Catalog **UI Policies**
 - System Diagnostics
 - Session Debug
 - Debug **UI Policies**
 - Disable **UI Policies** Debug
 - System UI
 - UI Policies**
 - MID Server
 - MID Security **Policy**
 - System Web Services
 - SOAP Security **Policies**

UI Policy - High Impact Control

UI Policy High Impact Control View: Advanced

The field specified in the UI policy action is present on the specified form

More info

Table Incident [Incident]

Application Global

Active ☒

* Short description High Impact Control

Order 100

When to Apply Script

Conditions Add Filter Condition Add OR Clause

Impact is 1 - High

AND OR

If selected, the UI Policy applies to all form views; otherwise the UI Policy is view-specific

Apply the UI policy actions when the form is loaded and when the user changes values on the form

Global ☒

Reverse the effects of the UI policy actions when the Conditions evaluate to false

Reverse if false ☒

On load ☒

Tables that extend the specified Table inherit this UI Policy

Inherit ☐

servicenow All

UI pol

FAVORITES
No Results

ALL RESULTS

- System Mobile
 - Mobile UI
 - Mobile **UI Policies**
 - Service Catalog
 - Catalog Administration
 - Catalog **UI Policies**
 - System Diagnostics
 - Session Debug
 - Debug **UI Policies**
 - Disable **UI Policies** Debug
 - System UI
 - UI Policies**
 - MID Server
 - MID Security **Policy**
 - System Web Services
 - SOAP Security **Policies**

UI Policy Action - assignment_group

UI Policy Action assignment_group

UI policy High Impact Control

Application Global

Table Incident [Incident]

* Field name Assignment group

Mandatory True

Visible Leave alone

Read only False

Clear the field value ☐

Update Delete

Task 2: Create UI Policy Action – Urgency

Activity1:Configure the Urgency Field


12. Open the UI Policy Actions — go to the High Impact Control UI Policy you created earlier. Scroll down to the UI Policy Actions related list. This is where you define the specific behavior of fields when the policy conditions are met.
13. Create a New Action — click New to create a UI Policy Action. This lets you configure how individual fields behave when the UI Policy is triggered.
14. Fill in the Action Details:
 - ☐ Field name: Urgency — select the Urgency field on the Incident form. This is the field you want to control.
 - ☐ Read-only: true — check this option to make the Urgency field read-only whenever the UI Policy condition is met (Impact = High). Users will be able to see the field but cannot change its value.
 - ☐ Visible: leave this field as is (do not change). By leaving it unchanged, the field will remain visible on the form, but its behavior will be controlled by the Read-only setting.
15. Submit the Action — click Submit to save the UI Policy Action. The action is now linked to the High Impact Control UI Policy and will automatically apply to the Urgency field when an Incident has High Impact.
16. Optional Verification — to test the action:
 - ☐ Open an Incident record.
 - ☐ Set the Impact field to High.
 - ☐ Check that the Urgency field becomes read-only.
 - ☐ Change Impact to a different value to confirm that the field reverts back if needed.

The screenshot shows the ServiceNow interface for configuring a UI Policy Action. The left sidebar contains the navigation menu with categories like Favorites, History, Workspaces, and Admin. The main content area is titled 'UI Policy Action - urgency'. It includes a search bar and buttons for 'Update' and 'Delete'. Below the title, there is a description: 'UI policy actions specify exactly what actions to take on a specified field. The conditions specified in the UI policy determine when these actions are triggered. [More Info](#)'. The configuration form has two main sections: 'UI policy' and 'Application'. The 'UI policy' section includes a dropdown for 'High Impact Control' and a table with one row: 'Incident [incident]'. Below the table, there is a red box highlighting the '* Field name' dropdown, which is set to 'Urgency'. The 'Application' section includes dropdowns for 'Global', 'Mandatory' (set to 'Leave alone'), 'Visible' (set to 'Leave alone'), and 'Read only' (set to 'True'). A red box highlights the 'Read only' dropdown. At the bottom, there is a checkbox for 'Clear the field value' which is unchecked. The bottom of the page shows 'Update' and 'Delete' buttons.

Task 3: Create onChange Client Script

Activity1: Create Client Script

17. Navigate to Client Scripts: Go to System UI → Client Scripts.



18. Click New to create a new Client Script.

19. Fill in the details:

- Name: Auto set urgency for high impact – clearly shows the purpose.
- Table: Incident – the script runs only on Incident records.
- Type: onChange – executes when a field value changes.
- Field name: Impact – triggers the script when Impact is updated.
- Active: true – ensures the script runs immediately.

20. Paste the script in the script editor section.

21. Click Submit to save the Client Script.

22. Verify: Open an Incident record and change the Impact field to High. The Urgency field should update automatically.

Script:

```
function onChange(control, oldValue, newValue, isLoading){  
    if (isLoading || newValue == '') {
```

```

    return;
  }
  if (newValue == '1') {
    g_form.setValue('urgency', '1');
    g_form.addInfoMessage('Urgency set to High for High impact incident.');
```

servicenow

Client Script - Auto set urgency for high impact

Auto set urgency for high impact

New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "Isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "glide.script.block.client.globals" to false.

Name: Auto set urgency for high impact

Table: Incident [Incident]

UI Type: Desktop

Type: onChange

Field name: Impact

Application: Global

Active: ☒

Inherited: ☐

Global: ☒

Description:

Messages:

Script

```

1 function onChange(control, oldValue, newValue, isLoading) {
2   if (isLoading || newValue == '') {
3     return;
4   }
5
6   if (newValue == '1') { // High Impact
7     g_form.setValue('urgency', '1');
8     g_form.showInfoMsg(
9       'Impact',
10      'High Impact Incidents must have High urgency and an assignment group.',
11      'info'
12    );
13  }
14 }
15
```

Isolate script: ☒

Update Delete

Task 4: Create onSubmit Client Script (Save Validation)

Activity1:Create Client Script

23.Navigate to Client Scripts: Go to System UI → Client Scripts in your ServiceNow instance.

24.Click New to create a new Client Script.

25.Fill in the details:

- ☐ Name: Prevent save if Assigned To missing – clearly indicates that the script prevents saving if the field is empty.
- ☐ Table: Incident – applies the script only to Incident records.
- ☐ Type: onSubmit – executes when the user tries to save the record.
- ☐ Active: true – ensures the script is enforced immediately.

26.Paste the script into the script editor section. This script should check if the Assigned To field is empty and prevent the record from saving if it is.

27.Click Submit to save the Client Script.

28.Verify: Try saving an Incident without filling the Assigned To field. The script should prevent the save and display a warning.

29.Paste the script:

```
function onSubmit() {  
  if (g_form.getValue('impact') == '1' &&  
      g_form.getValue('assigned_to') == '') {  
    g_form.showErrorBox(  
      'assigned_to',  
      'Assigned To is mandatory for High impact incidents.'  
    );  
    return false;  
  }  
  return true;  
}
```

servicenow

All

client.sc

Favorites

History

Workspaces

Admin

Client Script - Prevent save if assigned to missing

Search

Client Script

Prevent save if assigned to missing

Update

Delete

New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "Isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "glide.script.block.client.globals" to false.

Name

Prevent save if assigned to missing

Table

Incident [Incident]

UI Type

Desktop

Type

onSubmit

Application

Global

Active

☒

Inherited

☐

Global

☒

Description

Messages

Script

```
1 function onSubmit() {
2   if (g_form.getValue('impact') == '1' &&
3       g_form.getValue('assigned_to') == '') {
4
5     g_form.showErrorBox(
6       'assigned_to',
7       'Assigned To is mandatory for High Impact Incidents.'
8     );
9   }
10  return false;
11 }
12 }
13
14
```

Isolate script

☒

Update

Delete

Task 5: Create onCellEdit Client Script

Activity1:Create Client Script

30.Navigate to Client Scripts: Go to System UI → Client Scripts in your ServiceNow instance.

31.Click New to create a new Client Script.

32.Fill in the details:

- ☐ Name: Prevent state change via list edit – clearly indicates that the script prevents users from changing the State field directly in a list.
- ☐ Table: Incident – applies the script only to Incident records.
- ☐ Type: onCellEdit – runs whenever a field is edited directly in a list view.
- ☐ Field name: State – the script will monitor changes to the State field.
- ☐ Active: true – ensures the script is enforced immediately.

33.Paste the script into the script editor section. The script should prevent unauthorized changes to the State field when editing from the list view.

34.Click Submit to save the Client Script.

35.Verify: Open an Incident list and try to change the State field directly in the list. The script should block the change as intended.

36.In the Script field, paste the following code:

```
functiononCellEdit(sysIDs,table,oldValues,newValue, callback){  
  alert('State cannot be updated using list editing. Please open the Incident.');
```



```
  callback(false);  
}
```

37.Click Submit.

servicenow

All

client script

client script

FAVORITES

No Results

ALL RESULTS

Service Catalog

Catalog Administration

Catalog Client Scripts

System Definition

Client Scripts

Favorites

History

Workspaces

Admin

Client Script - Prevent state change via list edit

Search

Update

Delete

New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "Isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "glide.script.block.client.globals" to false.

Name

Prevent state change via list edit

Table

Incident [Incident]

UI Type

Desktop

Type

onCellEdit

Field name

State

Application

Global

Active

☒

Inherited

☐

Global

☒

Description

Messages

Script

```
1 function onCellEdit(sysIDs, table, oldValues, newValue, callback) {
2
3     alert('State cannot be changed from the list. Please open the Incident.');
```


Isolate script

☒

Task 6: Testing the Configuration

Activity1: Test Mandatory Enforcement

38. Navigate to Incident: Go to Incident → Create New to open a new Incident form.
39. Set the Impact Field: Select High for the Impact field. This will trigger the UI Policy and Client Script behaviors you configured earlier.
40. Leave Assigned To Empty: Do not fill in the Assigned To field. This will test the onSubmit Client Script that prevents saving if Assigned To is missing.
41. Click Submit: Attempt to save the Incident record.
42. Verify the Result:
 - ☐ The Incident should not be saved because Assigned To is required when Impact is High.
 - ☐ An error message should appear, indicating that the Assigned To field cannot be empty.
 - ☐ Confirm that all UI Policy actions, such as read-only fields or automated urgency updates, are working as expected.



The screenshot shows the ServiceNow Incident form for record INC0010012. The form is titled "Incident - Create INC0010012". The left sidebar shows the navigation menu with "Incident" selected. The main form area contains the following fields:

- Number: INC0010012
- * Caller: Adela Cervantsz
- Category: Inquiry / Help
- Subcategory: -- None --
- Service:
- Service offering:
- Configuration item:
- Channel: -- None --
- State: New
- Impact: 1 - High
- Urgency: 1 - High
- Priority: 1 - Critical
- * Assignment group: Software
- Assigned to:
- * Short description: testing UI policy
- Description:

The "Submit" button is highlighted in red. A red box highlights the "Impact" field, and another red box highlights the "Assigned to" field with a message: "Assigned To is mandatory for High impact incidents."

Activity 2: Test Successful Save

43.Fill the Assigned To Field: Open the Incident form and select a user in the Assigned To field. This ensures the onSubmit Client Script condition is satisfied.

44.Click Submit: Attempt to save the Incident record.

45.Verify the Result:

- The Incident should be saved successfully without any errors.
- Confirm that all other configured behaviors — Urgency auto-setting (onChange), Read-only fields (UI Policy Action), and State restrictions (onCellEdit) — are functioning as expected.

The screenshot shows the ServiceNow Incident form for record INC0010012. The form is titled "Incident - Create INC0010012". The left sidebar shows the navigation menu with "Incident" selected. The main form area contains the following fields:

- Number: INC0010012
- * Caller: Adela Cervantsz
- Category: Inquiry / Help
- Subcategory: -- None --
- Service:
- Service offering:
- Configuration item:
- Channel: -- None --
- State: New
- Impact: 1 - High
- Urgency: 1 - High
- Priority: 1 - Critical
- * Assignment group: Software
- Assigned to: Beth Anglin
- * Short description: testing UI policy
- Description:

The "Submit" button is highlighted in red. A red box highlights the "Assigned to" field, which now contains the name "Beth Anglin".

Activity 3: Reverse Condition Test


46.Open an Existing Incident: Go to Incident → Open and select an Incident where Impact is currently set to High.

47.Change Impact: Update the Impact field from High to Medium. This will test the Reverse if false functionality of your UI Policy and the behavior of your Client Scripts.

48.Verify the Field Behavior:

- ☐ Assigned To should no longer be mandatory.
- ☐ Urgency should now be editable, meaning the read-only UI Policy action is reversed.

49.Save the Record: Click Submit to save the changes. The record should save successfully without errors, confirming that the reverse condition works as intended.



Activity 4: Test List Edit Blocking

50.Navigate to the Incident List: Go to Incident → All to view all Incident records in a list view.

51.Attempt a List Edit: Locate any Incident in the list, then double-click the State field to try editing it directly from the list.

52.Verify the Behavior:

- An alert message should appear, indicating that direct changes to the State field are not allowed.
- The State value should remain unchanged, confirming that the onCellEdit Client Script is working correctly.

Number	Opened	Short description	Caller	Priority	State	Category	Assignment group	Assigned to	Updated	Updated by
INC0010012	2026-01-14 02:15:14	testing UI policy	Adela Cervantsz	2 - High	New	Inquiry / Help	Software	(empty)	2026-01-14 03:19:11	admin
INC0009009	2018-08-30 01:06:16	Unable to access the shared folder.	David Miller	4 - Low	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:30:24	admin
INC0009005	2018-08-31 21:35:21	Email server is down.	David Miller	1 - Critical	New	Software	(empty)	(empty)	2018-12-12 23:18:55	admin
INC0009001	2018-09-11 20:56:26	Unable to post content on a Wiki page	David Miller	3 - Moderate	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:32:42	admin
INC0008112	2019-07-29 11:48:43	Assessment : ATF Assessor	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2019-07-29 11:49:28	admin
INC0008111	2019-07-22 14:04:57	ATF : Test1	System Administrator	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2019-07-22 14:05:48	admin
INC0008001	2021-01-15 13:04:14	ATF:TEST2	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2021-01-21 15:31:42	admin
INC0007002	2018-10-16 22:47:51	Need access to the common drive.	David Miller	4 - Low	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:28:49	admin
INC0007001	2018-10-16 22:47:10	Employee payroll application server is down.	David Miller	1 - Critical	New	Hardware	Opspace	(empty)	2025-12-03 18:11:31	system
INC0001990	2020-06-07 09:02:25	Unable to access the personal details section in payroll portal	Problem CoordinatorATF	5 - Planning	On Hold	Inquiry / Help	(empty)	(empty)	2020-06-07 09:04:34	admin
INC0000000	2016-08-10	Unable to access team	David Miller	3 - Moderate	New	Inquiry / Help	(empty)	(empty)	2016-08-10	admin

Number	Opened	Short description	Caller	Priority	State	Category	Assignment group	Assigned to	Updated	Updated by
INC0010012	2026-01-14 02:15:14	testing UI policy	Adela Cervantsz	2 - High	New	Inquiry / Help	Software	(empty)	2026-01-14 03:19:11	admin
INC0009009	2018-08-30 01:06:16	Unable to access the shared folder.	David Miller	4 - Low	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:30:24	admin
INC0009005	2018-08-31 21:35:21	Email server is down.	David Miller	1 - Critical	New	Software	(empty)	(empty)	2018-12-12 23:18:55	admin
INC0009001	2018-09-11 20:56:26	Unable to post content on a Wiki page	David Miller	3 - Moderate	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:32:42	admin
INC0008112	2019-07-29 11:48:43	Assessment : ATF Assessor	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2019-07-29 11:49:28	admin
INC0008111	2019-07-22 14:04:57	ATF : Test1	System Administrator	5 - Planning	In Progress	Inquiry / Help	(empty)	(empty)	2019-07-22 14:05:48	admin
INC0008001	2021-01-15 13:04:14	ATF:TEST2	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2021-01-21 15:31:42	admin
INC0007002	2018-10-16 22:47:51	Need access to the common drive.	David Miller	4 - Low	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:28:49	admin
INC0007001	2018-10-16 22:47:10	Employee payroll application server is down.	David Miller	1 - Critical	New	Hardware	Opspace	(empty)	2025-12-03 18:11:31	system
INC0001990	2020-06-07 09:02:25	Unable to access the personal details section in payroll portal	Problem CoordinatorATF	5 - Planning	On Hold	Inquiry / Help	(empty)	(empty)	2020-06-07 09:04:34	admin
INC0000000	2016-08-10	Unable to access team	David Miller	3 - Moderate	New	Inquiry / Help	(empty)	(empty)	2016-08-10	admin

Activity 5: Test Form-Based Update

53. Open the Incident Record: Navigate to the same Incident record you used in previous tests.
54. Change the State: On the Incident form, update the State field to a new value. This tests that changes via the form (not the list) are allowed.

55. Click Update: Save the record by clicking Update.

56. Verify the Result:

- The State change should be saved successfully.
- Confirm that other fields, such as Assigned To and Urgency, still follow the configured UI Policy and Client Script rules.

The screenshot shows the ServiceNow Incident form for INC0008111. The form is in edit mode, and a dropdown menu is open for the State field, showing options like 'In Progress' and 'Planned'. The 'Update' button is visible in the top right corner. The form includes fields for Number, Caller, Category, Subcategory, Service, Service offering, Configuration item, Short description, Description, Country, and States. A 'Save' button is also visible in the top right corner.

The screenshot shows the ServiceNow Incidents list view. The table displays a list of incidents with the following columns: Number, Opened, Short description, Caller, Priority, State, Category, Assignment group, Assigned to, Updated, and Updated by. The incident INC0008111 is highlighted in red, showing its details: Opened 2019-07-22 14:04:57, Short description ATF: Test1, Caller System Administrator, Priority 5 - Planning, State In Progress, Category Inquiry / Help, Assignment group (empty), Assigned to (empty), Updated 2026-01-14 03:31:59, and Updated by admin.

Number	Opened	Short description	Caller	Priority	State	Category	Assignment group	Assigned to	Updated	Updated by
INC0010012	2026-01-14 02:15:14	testing UI policy	Adela Cervantsz	2 - High	New	Inquiry / Help	Software	(empty)	2026-01-14 03:19:11	admin
INC0009009	2018-08-30 01:06:16	Unable to access the shared folder.	David Miller	4 - Low	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:30:24	admin
INC0009005	2018-08-31 21:35:21	Email server is down.	David Miller	1 - Critical	New	Software	(empty)	(empty)	2018-12-12 23:18:55	admin
INC0009001	2018-09-11 20:56:26	Unable to post content on a Wiki page	David Miller	3 - Moderate	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:32:42	admin
INC0008112	2019-07-29 11:48:43	Assessment : ATF Assessor	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2019-07-29 11:49:28	admin
INC0008111	2019-07-22 14:04:57	ATF: Test1	System Administrator	5 - Planning	In Progress	Inquiry / Help	(empty)	(empty)	2026-01-14 03:31:59	admin
INC0008001	2021-01-15 13:04:34	ATF:TEST2	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2021-01-21 15:31:42	admin
INC0007002	2018-10-16 22:47:51	Need access to the common drive.	David Miller	4 - Low	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:28:49	admin
INC0007001	2018-10-16 22:47:10	Employee payroll application server is down.	David Miller	1 - Critical	New	Hardware	Opspace	(empty)	2025-12-03 18:11:31	system
INC0001990	2020-06-07 09:02:25	Unable to access the personal details section in payroll portal	Problem CoordinatorATF	5 - Planning	On Hold	Inquiry / Help	(empty)	(empty)	2020-06-07 09:04:34	admin
INC0001990	2016-08-10	Unable to access team	David Miller	3 -	On Hold	Inquiry / Help	(empty)	(empty)	2016-08-10	admin

Conclusion

The Implement Client Script & UI Policy (Incident) micro project effectively demonstrates how UI Policies and Client Scripts can work together to enforce dynamic field behavior, automate updates, and prevent incorrect data submission on Incident forms. By using onChange, onSubmit, and onCellEdit scripts alongside UI Policy actions, the project ensures fields like Assigned To and Urgency respond appropriately to changes in Impact, maintaining clean and consistent data. This solution not only enforces mandatory fields and controls user interactions but also remains lightweight, efficient, and easy to implement, making it ideal for short-duration micro projects while showcasing practical best practices for improving form usability and data integrity in ServiceNow.