AIDCF

AI Data Centre Facilities Assurance Framework

REPORTING AND ASSURANCE STATEMENT STANDARD

Version 1.1

A normative standard for reports, bounded assurance statements, controlled decision wording, registers, dashboards and machine-readable reporting

Artifact ID: AIDCF-012
Status: Draft for controlled review
Author: Siva Sethumadhavan

Reports communicate assurance. Reports do not create assurance.

Document control

Field	Value
Title	AIDCF-012 Reporting and Assurance Statement Standard
Artifact ID	AIDCF-012 (requirement short code RAS)
Version	1.1
Date	2026-10-10
Status	Draft for controlled review
Author	Siva Sethumadhavan
Depends on	AIDCF-006, AIDCF-008, AIDCF-009, AIDCF-010, AIDCF-011, AIDCF-014
Purpose	Communicate scope, evidence, Findings, Gate Results, scores, UNKNOWN, decisions, limitations and validity consistently.
Inputs	Approved AIDCF-009 assessment and AIDCF-010 decision snapshot under AIDCF-011 programme governance.
Outputs	Report classes R1–R10, assurance statements AS-01–AS-05, lifecycle notices AS-06–AS-08, registers and dashboards.
Non-certification	No report creates certification, accreditation, endorsement or guarantee.
Security	Sensitive infrastructure, identity, authority and dependency details require controlled disclosure.

Revision history

Version	Date	Summary
1.0	—	Initial reporting standard (published under the superseded identifier AIDCF-RAS-001).
1.1	2026-10-10	Single authoritative controlled-wording table for the canonical decision states (Part V) referenced by AIDCF-010 and AIDCF-011; canonical gate, control-result, UNKNOWN-severity and finding vocabularies; gate-summary section without conditional gate states; differentiated AS-01–AS-05 templates and lifecycle notices; consolidated boilerplate annexes; canonical graph mappings; RAS-REQ requirement IDs with mapping annex; review and release table moved to AIDCF-011.

0 Introduction

0.1 Normative language

"Shall" and "shall not" state requirements; "should" and "should not" state recommendations; "may" states a permission; "can" states a capability (ISO/IEC Directives, Part 2 usage). Requirements carry identifiers RAS-REQ-NNN.

0.2 Relationship to other AIDCF artifacts

AIDCF-010 decides which decision state is permitted; this standard decides how that state is worded and presented. AIDCF-011 decides which statement template a programme uses; this standard defines the templates. AIDCF-009 produces the assessment record that every report is drawn from.

Part I — Reporting doctrine

Reporting is a controlled transformation of an approved assurance record.

Element	Requirement
Evidence authority	Presentation cannot strengthen evidence.
Single source	All packages reference one authorised assessment and decision snapshot.
Audience tailoring	Detail may change; meaning and limitations may not.
No silent omission	Material gate FAIL or UNKNOWN and limitations remain visible.
Score restraint	Scores are shown with coverage, band status, Gate Results and UNKNOWN.
Management separation	Management response is separate from the assessor conclusion.
No certification	No certificate, mark, accreditation or universal claim.
Security	Redaction protects detail but cannot hide decision limitations.
Versioning	Stable IDs, status, correction and supersession.
Human approval	Automation drafts; accountable authorities approve.

RAS-REQ-001 Every report and statement shall identify, and be drawn only from, a single approved assessment and decision snapshot.

RAS-REQ-002 No derivative report, summary or statement shall state or imply a stronger conclusion, wider scope or longer validity than the R2 Technical Assessment Report for the same snapshot.

Part II — Mandatory report content

Every material report contains the same minimum assurance facts.

Element	Requirement
Capability	Capability Instance and Service Outcomes with tolerances.
Question	Decision question and prohibited interpretations.

Element	Requirement
Scope	Physical, logical, organisational, provider and temporal boundaries.
States/period	Assessed operating states (AIDCF-003 §45) and evidence period.
Criteria	AIDCF artifact, registry and capability-profile versions.
Methods	Assessment type, Assurance Level (AL0–AL6), claim types concluded and material procedures.
Evidence	Coverage, quality, sufficiency, conflict and restrictions.
Gates	Gate summary (Part VII) for all in-scope gates.
UNKNOWN	Material UNKNOWN Records (US3–US5), ceilings and evidence to resolve.
Scores	Scores with coverage and band, or "Band withheld (coverage/UNKNOWN)" (AIDCF-010).
Decision	Canonical decision state, lifecycle state and the Part V controlled wording.
Validity	Conditions, validity end and Reassessment Triggers.

Part III — Report classes

Class	Report	Audience	Typical programme use (AIDCF-011)
R1	Executive Assurance Report	Board, executive committee and accountable executives	All models
R2	Technical Assessment Report	Engineering, operations, security and assurance	All models (master record)
R3	Domain Report	Domain owner and specialist	All models
R4	Evidence Package	Evidence custodians and reviewers	All models
R5	Gate and Decision Package	Independent reviewer and decision authority	All models
R6	Customer/Second-Party Statement	Named relying party	Second-party, diligence
R7	Regulatory Support Package	Authorised regulator engagement	Regulatory support
R8	Public Summary	Controlled external disclosure	Optional
R9	Continuing-Assurance Report	Monitored assertions and trigger state	Continuing assurance (AL6)
R10	Remediation/Closure Report	Action owners and reviewers	All models

RAS-REQ-003 An R2 Technical Assessment Report shall exist for every assessment from which any other report class or statement is issued.

Part IV — Mandatory metadata

A report without identity, lineage and intended use is non-conformant. All fields below are mandatory.

Field	Content
reportId	Stable report identifier.
version	Report version.
status	Report status (DRAFT, IN_REVIEW, ISSUED, CORRECTED, SUPERSEDED, WITHDRAWN).

Field	Content
reportClass	R1–R10.
programmeId	AIDCF-011 programme.
assessmentId	AIDCF-009 assessment.
decisionId	Assurance Decision reported.
issuer	Issuing organisation and authority.
preparer	Preparer.
reviewers	Technical and independent reviewers.
intendedUsers	Named users.
intendedUse	Decision the report supports.
capabilityId	Capability Instance.
serviceOutcomes	Service Outcomes and tolerances.
scope	Boundary and exclusions.
profile	Capability profile and registry versions.
period	Evidence period and assessment date.
classification	Part XIII classification.
validity	Validity end and triggers.
supersedes	Prior report superseded, or "none".

Part V — Controlled decision language (authoritative)

This Part is the single authoritative source of controlled wording for AIDCF decision states. AIDCF-009, AIDCF-010 and AIDCF-011 refer to it and do not define alternative wording. AIDCF-010 determines which state is permitted; this Part determines how it is expressed. The meanings below summarise the AIDCF-010 Part XII definitions; the maximum permissible state is derived in the AIDCF-010 order gates → UNKNOWN severity → coverage → bands → conditions and confidence, with ceilings ranked REASONABLY_ASSURED > CONDITIONALLY_ASSURED > LIMITED > INCONCLUSIVE > NOT_ASSURED.

V.1 Decision states

Bracketed items are completed from the approved decision record. The core sentence shall be used verbatim apart from the bracketed items; additional explanatory text may follow it but may not qualify it upwards.

Decision state	Meaning (entry conditions per AIDCF-010)	Controlled core wording	Mandatory accompanying disclosures	Prohibited
REASONABLY_ASSURED	All in-scope gates PASS or APPROVED_NA; no US3–US5 UNKNOWN affecting the outcomes; coverage and bands meet the AIDCF-010 thresholds; no Significant weakness open; decision confidence CONF-3 or higher.	"Based on the work performed and the evidence obtained, [issuer] concludes with reasonable assurance that [Capability Instance] can achieve [Service Outcomes] within [tolerances] under [operating states], for [decision question], as of [date], within the scope and limitations stated in this [report/statement]."	Scope, states, period, Assurance Level and claim types concluded; gate summary; limitations; validity end and triggers; non-certification note.	"Certified", "guaranteed", "fully compliant", "safe", "secure" or "resilient" without qualification; omission of any limitation.
CONDITIONALLY_ASSURED	Core claim supported subject to named, owned, time-bound conditions (US3 UNKNOWN Records, Significant weaknesses, domain coverage gaps, band B3); no gate FAIL or UNKNOWN affecting the outcomes; decision confidence CONF-2 or higher.	"Based on the work performed and the evidence obtained, [issuer] concludes that [Capability Instance] can achieve [Service Outcomes] within [tolerances] under [operating states], for [decision question], as of [date], subject to the conditions listed below. If a condition is not met by its stated date, this conclusion ceases to apply to [affected scope]."	Each condition with owner, due date or event, evidence required and effect if unmet; all items required for REASONABLY_ASSURED.	Presenting the conclusion without its conditions; describing conditions as recommendations; "conditional pass" of any gate.
LIMITED	Material scope, evidence, coverage (capability coverage below 80%), gate UNKNOWN, US4 UNKNOWN, band B2 or weakness prevents a stronger conclusion; what is supported is stated with its limits.	"Based on the work performed, [issuer] has obtained evidence that supports only the following limited conclusions: [supported claims]. [Issuer] does not conclude that [Capability Instance] can achieve [Service Outcomes] within [tolerances] under [operating states], because [controlling Gate Results, UNKNOWN Records or limitations]."	Supported claims; controlling Gate Results and UNKNOWN Records; evidence needed to resolve; validity and triggers.	Wording that implies the unsupported claims are met; "substantially assured"; leading with supported claims while omitting controlling items.

Decision state	Meaning (entry conditions per AIDCF-010)	Controlled core wording	Mandatory accompanying disclosures	Prohibited
NOT_ASSURED	Evidence demonstrates that the claim does not hold for the affected outcomes: a gate FAIL with a NOT_ASSURED ceiling, or band B1.	"Based on the work performed and the evidence obtained, [issuer] concludes that [Capability Instance] is not assured to achieve [Service Outcomes] within [tolerances] under [operating states], for [decision question], as of [date], because [controlling FAIL Gate Results or demonstrated deficiencies]."	Controlling Gate Results and Findings; consequence for Service Outcomes; required actions; reassessment route.	Softening terms ("opportunity", "minor"); presenting scores or partial strengths before the controlling reasons.
INCONCLUSIVE	Evidence, method or boundary cannot support a determination: US5 UNKNOWN, CG-01, CG-11 or CG-12 FAIL, or capability coverage below 50%.	"[Issuer] is unable to conclude whether [Capability Instance] can achieve [Service Outcomes] within [tolerances] under [operating states], for [decision question], because [US5 UNKNOWN Records, boundary or evidence limitations]. This is neither a positive nor a negative conclusion."	The UNKNOWN Records or limitations that prevent a conclusion; evidence or scope changes needed; whether reassessment is planned.	Presenting INCONCLUSIVE as favourable or as "pending assurance"; implying a positive result is expected.

V.2 Decision lifecycle notices

Lifecycle state	Controlled core wording	Template
SUSPENDED	"The Assurance Decision [decisionId] dated [date] is suspended with effect from [date] for [affected scope] because [trigger]. It should not be relied on for that scope until reassessment is complete."	AS-06
WITHDRAWN	"The Assurance Decision [decisionId] dated [date] is withdrawn with effect from [date] because [reason]. It shall not be relied on."	AS-07
SUPERSEDED	"The Assurance Decision [decisionId] dated [date] is superseded by [new decisionId] dated [date]. Reliance should be placed on the superseding decision."	AS-08
EXPIRED	"The Assurance Decision [decisionId] expired on [date] and has not been reassessed. It shall not be relied on after that date."	AS-06 (expiry variant)

DRAFT and RECOMMENDED decisions shall not be reported outside the assessment team and decision authority. APPROVED and ACTIVE decisions are reported using V.1.

V.3 No decision issued

Where no Assurance Decision is issued (AL0 discovery, AL1 readiness, or an assessment stopped before decision), the report shall state: "No Assurance Decision has been issued for [Capability Instance]. This report records [discovery/readiness/partial assessment] results only." "Not assessed" is not a decision state.

V.4 Legacy terms

Legacy term	Canonical state
ADVERSE; ADVERSE_NOT_ASSURED; "Adverse / Not assured"	NOT_ASSURED
UNKNOWN; UNKNOWN_INCONCLUSIVE; UNKNOWN_OR_INCONCLUSIVE; "Withheld"	INCONCLUSIVE
CONDITIONAL	CONDITIONALLY_ASSURED
"NOT ASSESSED"	Not a decision state; use V.3
SUSPENDED, WITHDRAWN, SUPERSEDED (as decision states)	Lifecycle states; use V.2

RAS-REQ-004 Every report and statement shall express the decision using exactly one canonical decision state from V.1, the corresponding controlled core wording, and all mandatory accompanying disclosures for that state.

RAS-REQ-005 Legacy decision terms listed in V.4 shall not appear in issued reports or statements except in a mapping or history section.

RAS-REQ-006 A change of decision lifecycle state to SUSPENDED, WITHDRAWN, SUPERSEDED or EXPIRED shall be communicated to known recipients of the affected decision using the V.2 wording and the corresponding template.

Part VI — Evidence reporting

Element	Requirement
Manifest	Stable evidence snapshot ID.
Coverage	Counts of in-scope controls by result: CONFORMING, PARTIAL, NONCONFORMING, UNKNOWN, NOT_ASSESSED, NOT_APPLICABLE; coverage % as defined in AIDCF-010.
Quality	Quality dimensions (AIDCF-008 v1.1): P Provenance, F Fitness (relevance), C Coverage, R Reliability, T Timeliness (currentness), I Integrity, each 0–5; quality band Q0–Q5.
Traceability	Reported as the AIDCF-008 §17A linkage requirement (each item linked to the assertions it supports, challenges or qualifies), not as a quality dimension.
Sufficiency	Claim-specific S0–S5. Insufficient evidence is reported as UNKNOWN results; no evidence-adjusted or multiplied score is reported (AIDCF-010 removes the evidence multiplier).
Conflict	Supporting, challenging and qualifying evidence; CONFLICTING flags.
Restrictions	Inaccessible, redacted, classified or third-party-controlled evidence.
Derived evidence	Sources and transformation.
Sampling/testing	Population, sample, conditions and limitations.
Disclosure	No credentials, secrets or sensitive paths without authority.

Part VII — Critical-gate reporting and gate summary

VII.1 Gate summary section

Every R1, R2, R5 and AS-series output contains a gate summary in this form:

Gate	Name	Result	Controlling items	Decision ceiling (AIDCF-010)	Closure required
CG-nn	Canonical gate name	PASS, FAIL, UNKNOWN, APPROVED_NA or NOT_ASSESSED	CRITICAL controls not CONFORMING; US4 UNKNOWN Records; unmet criteria	Ceiling imposed, or "none"	Owner, evidence, retest, trigger

Gate results are reported only as PASS, FAIL, UNKNOWN, APPROVED_NA or NOT_ASSESSED. There is no conditional gate result: wording such as "conditional pass", "pass with observations" or "provisional pass" is prohibited. Conditions are expressed only at decision level (Part V).

VII.2 Gate reporting rules

Element	Requirement
Applicability	In scope, APPROVED_NA (with rationale) or NOT_ASSESSED.
Basis	Evidence and Control Assessment references.
Decision effect	Ceiling, condition or suspension as determined under AIDCF-010.
Related items	Findings, UNKNOWN Records and scenarios.
Closure	Owner, evidence, retest and trigger.
Prominence	FAIL and UNKNOWN Gate Results on the first page of R1 and in every statement.
Visual rule	No score colour may neutralise a Gate Result.

RAS-REQ-007 Gate Results shall be reported only in the canonical states PASS, FAIL, UNKNOWN, APPROVED_NA and NOT_ASSESSED, and no report shall describe a gate as conditionally or provisionally passed.

RAS-REQ-008 Every FAIL or UNKNOWN Gate Result shall appear on the first page of the R1 report and in the gate summary of every statement.

Part VIII — Score reporting

Element	Requirement
Score basis	Control score = result value (CONFORMING 100, PARTIAL 50, NONCONFORMING 0); family and domain scores = mean of scored controls (AIDCF-010).
Coverage	Coverage % adjacent to every family, domain or capability score.
Decision effect	Lowest reported band for an outcome: B3 → decision ≤ CONDITIONALLY_ASSURED; B2 → ≤ LIMITED; B1 → ≤ NOT_ASSURED (AIDCF-010). Capability coverage below 50% → ≤ INCONCLUSIVE; below 80% → ≤ LIMITED.

Element	Requirement
No adjusted indicator	Only result-value scores are reported; there is no evidence-adjusted indicator.
Band	B5 Strong, B4 Substantial, B3 Moderate, B2 Weak, B1 Very weak, or "Band withheld (coverage/UNKNOWN)" where coverage is below the AIDCF-010 threshold or a US4/US5 UNKNOWN is in scope.
Gate overlay	Gate summary adjacent to domain and capability scores.
UNKNOWN	Count of UNKNOWN results and UNKNOWN Records by severity.
Profile/version	Any capability-profile weighting and the scoring version.
Trend	Separate condition change from evidence, scope or method change.
Bands	Descriptive, never certification tiers.
Benchmark	Cohort comparability and privacy disclosed.

RAS-REQ-009 A numeric score shall not be presented without its coverage, its band or band-withheld status, and the gate summary for the same scope.

Part IX — Findings reporting

IX.1 Finding classification

Classification	Meaning
Observation	Condition noted without a criterion being unmet; no result effect.
Improvement opportunity	Criteria met; a practice could be strengthened.
Weakness	A criterion partly unmet (control result PARTIAL) without gate effect.
Significant weakness	Control result NONCONFORMING, or a deficiency in a SUPPORTING-mapped control requiring gate-level evaluation.
Critical finding	Deficiency that causes a gate FAIL or defeats a Service Outcome tolerance.

Finding status: OPEN, ACTION_AGREED, CLOSURE_SUBMITTED, CLOSED, SUPERSEDED. Closure requires evidence and reviewer validation.

IX.2 Finding content

Element	Requirement
Identity	Stable ID and concise title.
Criterion/condition	Requirement and evidenced state.
Evidence	Supporting and challenging references.
Cause	Only if evidenced, or labelled as analysis.
Consequence	Affected Service Outcomes, dependencies and states.
Classification	IX.1.
Gate/score effect	Explicit.
Management response	Separate from assessor conclusion (Part XI).

Element	Requirement
Closure	Evidence and reassessment criteria.
Status	IX.1 status.

Part X — UNKNOWN reporting

Element	Requirement
Identity/subject	Stable ID and affected object.
Missing item	Attribute, evidence, state, provider or method.
Type	U1–U10 (AIDCF-008 §35).
Severity	US1 Low, US2 Moderate, US3 Material, US4 Critical, US5 Systemic (AIDCF-009 Part A C5).
Decision effect	Gate UNKNOWN, decision ceiling, condition or confidence ceiling.
Resolution	Evidence or method required, owner and trigger.
No euphemism	A US4 or US5 UNKNOWN is never described as an improvement opportunity.

RAS-REQ-010 Every US3, US4 and US5 UNKNOWN Record shall be reported with its type, severity and decision effect in R1, R2 and every statement; US4 and US5 Records shall not be summarised away in any derivative report.

Part XI — Management response

Element	Requirement
Position	Agree, partly agree, disagree or reviewing.
Rationale	Management view and evidence.
Action/owner	Specific action and accountable owner.
Target/trigger	Approved target or event.
Risk decision	Management authority and rationale.
Interim control	Temporary safeguard and validity.
Closure evidence	Required proof and independent validation.
Separation	Distinct styling and data object.

RAS-REQ-011 Management responses shall be presented as a separate, attributed section or object and shall not alter the assessor's Findings, Gate Results or decision wording.

Part XII — Validity and supersession

Element	Requirement
Validity	Point in time or period, conditions and validity end.
Triggers	Change, incident, expiry, source outage, Gate Result or Finding change.

Element	Requirement
Correction	Version, reason and approval; status CORRECTED.
Suspension	Affected claims and AS-06 notice.
Withdrawal	Issuer, reason and effective date; AS-07 notice.
Supersession	New package references prior; AS-08 notice.
Recall	Known recipients notified of material change.
Archive	Issued and superseded versions retained.

Part XIII — Classification

Level	Requirement
Public	High-level decision and limitations only.
Client restricted	Named users and contractual handling.
Confidential	Detailed Findings and technical content.
Highly restricted	Sensitive paths, configurations, identities and vulnerabilities.
Redaction	Reason recorded; controlled master retained.
Third-party evidence	Redistribution restrictions observed.
Privacy	Personal data minimised.
Export	Controlled release record.

RAS-REQ-012 Redaction shall not remove the decision state, controlling Gate Results, US4 or US5 UNKNOWN Records or material limitations from any report class.

Part XIV — Visual and accessibility

Element	Requirement
Hierarchy	Decision, Gate Results, UNKNOWN and actions prominent.
Colour	Supplemental to text, icon or status label.
Charts	Denominator, coverage, version and units.
Tables	Headers repeat; critical rows not split.
Language	Plain executive language; precise technical meaning.
Accessibility	Structured headings, contrast, readable fonts and labels.
No misleading gauges	No false precision or certification cue.
Page control	Classification, report ID, version and page number.

Part XV — Quality review

Element	Requirement
Reconciliation	All claims trace to the approved snapshot.
Consistency	All derivative reports agree.
Gate/UNKNOWN	All material items visible.
Score	Coverage, band status and version correct.
Claim	No certification, guarantee or unsupported compliance.
Security	Sensitive disclosure controlled.
Technical review	Domain conclusions approved.
Independent review	Decision and statement challenged.
Authorisation	Named issuer approves release.

Report templates

R1 Executive Assurance Report

Section	Required content
1	Report control (Part IV metadata)
2	Executive decision statement (Part V wording)
3	Capability Instance and Service Outcomes
4	Scope, operating states and period
5	Gate summary (Part VII)
6	Material Findings and UNKNOWN Records
7	Capability Assurance Index (CAI) and domain scores with coverage and bands
8	Failure and dependency pathways
9	Management actions and decisions required
10	Validity and non-certification note

R2 Technical Assessment Report

Section	Required content
1	Control and approval
2	Decision question and criteria
3	Capability architecture and boundary
4	Profile, Assurance Level, claim types and methods
5	Evidence, sampling and testing
6	Control results by claim type; family and domain results

Section	Required content
7	Failure scenarios
8	Gate summary and gate workbooks
9	Findings and UNKNOWN Records
10	Scores, coverage and confidence
11	Technical conclusions
12	Independent review
13	Management response
14	Validity and reassessment
15	Appendices and schemas

R3 Domain Report

Section	Required content
1	Domain scope
2	Required Functions and outcomes
3	Control and family results
4	Evidence
5	Inspection and testing
6	Gates affected by domain controls
7	Findings and UNKNOWN Records
8	Domain score, coverage and band
9	Domain conclusion
10	Actions and triggers

R4 Evidence Package

Section	Required content
1	Manifest
2	Requirements matrix
3	Evidence register
4	Quality and sufficiency
5	Conflict register
6	Sampling
7	Testing
8	Restrictions
9	Derived lineage
10	Custody and retention

R5 Gate and Decision Package

Section	Required content
1	Question and scope
2	Gate summary
3	Gate workbooks
4	US4 and US5 UNKNOWN Records
5	Material Findings and scenarios
6	Scores and coverage
7	Decision Recommendation
8	Independent challenge
9	Decision-authority decision
10	Conditions and validity

R6 Customer/Second-Party Statement

Section	Required content
1	Issuer, user and use
2	Capability and scope
3	Criteria and level
4	Responsibilities
5	Methods and evidence
6	Gate summary
7	Conclusion (Part V)
8	Limitations
9	Validity
10	Restrictions on use
11	Non-certification note

R7 Regulatory Support Package

Section	Required content
1	Authority and cover
2	Regulatory mapping
3	Capability and scope
4	Control mapping
5	Evidence index
6	Gate and decision trace
7	Findings and response
8	Scores if relevant

Section	Required content
9	Limitations
10	Submission record

R8 Public Summary

Section	Required content
1	Issuer
2	High-level subject and scope
3	Assessment basis
4	Decision (Part V wording)
5	Limitations
6	Validity
7	Contact and reference
8	Non-certification note

R9 Continuing-Assurance Report

Section	Required content
1	Baseline decision
2	Monitored assertions
3	Source health
4	Evidence refresh
5	Gate Result changes
6	Drift and triggers
7	Findings and UNKNOWN
8	Current decision and lifecycle state
9	Human review
10	Validity

R10 Remediation/Closure Report

Section	Required content
1	Original item
2	Action
3	Interim safeguards
4	Closure evidence
5	Retest or reassessment
6	Gate and score impact
7	Reviewer disposition

Section	Required content
8	Decision update
9	Supersession

Assurance statement templates AS-01 to AS-05

AS-01 to AS-05 are the only AIDCF assurance statement templates; AIDCF-011 selects the template by programme model and does not define its own. Each statement is a bounded AIDCF-aligned statement, never a certificate.

Common statement elements (AS-01 to AS-05)

Element	Content
statementId / version / status	Stable ID, version, status.
issuer / authority	Issuing organisation and the authority under which it issues.
intended users / use	Named users and the decision supported; restrictions on use.
responsibilities	Assessed organisation, assessor, reviewer and decision authority.
capability / outcomes	Capability Instance, Service Outcomes and tolerances.
scope / states / period	Boundary, exclusions, operating states and evidence period.
criteria / profile	AIDCF artifact, registry and capability-profile versions.
Assurance Level / assessment type / claim types	AL0–AL6, AIDCF-011 type, claim types concluded.
methods	Material methods, sampling and tests.
evidence	Coverage, sufficiency and confidence; restrictions.
gate summary	Part VII.1.
scores with context	Part VIII (optional in AS-01 and AS-03; mandatory where scores are shown).
conclusion	Part V.1 core wording and mandatory disclosures.
conditions	For CONDITIONALLY_ASSURED.
UNKNOWN / limitations	US3–US5 UNKNOWN Records and limitations.
validity / triggers	Validity end and Reassessment Triggers.
classification / distribution	Part XIII.
non-certification note	"This statement is issued by [issuer] under its own authority using the AIDCF method. It is not a certificate, accreditation or endorsement by the AIDCF framework owner."
approvals	Independent reviewer and decision authority, with dates.

Template-specific elements

Template	Programme model	Additional mandatory elements
AS-01	First-party conclusion	Statement that the conclusion is management's own; the independent challenge performed for material gates and who performed it; known self-review threats and safeguards.

Template	Programme model	Additional mandatory elements
AS-02	Co-sourced statement	Responsibility split between management and provider by activity (preparation, testing, evaluation, review); which party issues the conclusion; any work the provider relied on without re-performance.
AS-03	Second-party statement	Commissioning party and its relationship to the assessed organisation; purpose; access and evidence-rights constraints; statement that the conclusion is for the commissioning party's decision.
AS-04	Independent-provider statement	Provider independence declaration and safeguards; professional standards or quality framework applied by the provider; provider liability and reliance terms; specialists relied on.
AS-05	Continuing-assurance update	Reference to the baseline decision and statement; designated monitored claims; source health and blind spots for the period; triggers fired and their disposition; current decision and lifecycle state.

RAS-REQ-013 Every assurance statement shall contain all common statement elements and the additional elements for its template; a statement missing a mandatory element shall not be issued.

Lifecycle notices AS-06 to AS-08

Template	Notice	Mandatory elements
AS-06	Suspension notice (and expiry variant)	Affected decision and statement IDs; affected scope; trigger; effective date; V.2 wording; expected reassessment route; issuer approval.
AS-07	Withdrawal notice	Affected decision and statement IDs; reason; effective date; V.2 wording; recipients notified; issuer approval.
AS-08	Supersession notice	Superseded and superseding decision and statement IDs; summary of changes in decision state, conditions or scope; effective date; V.2 wording.

Registers

Evidence register

Field	Content
evidenceId	Evidence Object ID.
assertion	Assertions supported, challenged or qualified.
class	E1–E7.
source	Source system or party.
scope	Subject and boundary.
period	Period covered.
state	Operating states represented.
integrity	Integrity reference.
quality	P F C R T I ratings (AIDCF-008 v1.1 meanings) and band Q0–Q5.
sufficiency	S0–S5 for the claim.
restrictions	Access or redistribution restrictions.
status	AIDCF-008 lifecycle state.

Field	Content
review	Reviewer and acceptance.

Findings register

Field	Content
findingId	Stable ID.
criterion	Requirement or assessment criterion.
condition	Evidenced state.
evidence	Evidence references.
cause	Evidenced cause or labelled analysis.
consequence	Outcome effect.
classification	IX.1 classification.
gateEffect	Gates affected.
scoreEffect	Control result affected.
owner	Action owner.
action	Required action.
target	Due date or trigger.
closure	Closure evidence.
status	IX.1 status.

UNKNOWN register

Field	Content
unknownId	Stable ID.
subject	Affected object.
missingItem	What is not known.
type	U1–U10.
severity	US1–US5.
decisionEffect	Gate, ceiling, condition or confidence effect.
evidenceNeeded	Evidence or method to resolve.
owner	Resolution owner.
trigger	Review trigger.
status	OPEN, RESOLVED, ACCEPTED_AS_LIMITATION, SUPERSEDED.

Gate register

Field	Content
gateId	CG-01 to CG-15.
applicability	In scope, APPROVED_NA or NOT_ASSESSED.

Field	Content
criticalControls	CRITICAL controls and results.
evidence	Evidence floor and achieved sufficiency.
states	Operating states evaluated.
scenarios	Scenarios evaluated.
result	PASS, FAIL, UNKNOWN, APPROVED_NA, NOT_ASSESSED.
findings	Linked Findings.
unknown	Linked UNKNOWN Records.
decisionEffect	Ceiling under AIDCF-010.
closure	Closure requirements.
review	Technical and independent review.

Decision register

Field	Content
decisionId	Stable ID.
question	Decision question.
subject	Capability Instance and Service Outcomes.
scope	Boundary, states and period.
recommendation	Recommended decision state.
gates	Gate summary reference.
unknown	Controlling UNKNOWN Records.
scores	Score Snapshot reference.
conditions	Conditions.
decision	Canonical decision state.
lifecycle	DRAFT, RECOMMENDED, APPROVED, ACTIVE, SUSPENDED, WITHDRAWN, SUPERSEDED, EXPIRED.
authority	Decision authority.
validity	Validity end and triggers.
supersession	Superseded and superseding IDs.

Action register

Field	Content
actionId	Stable ID.
source	Finding, UNKNOWN Record or condition.
action	Action description.
owner	Accountable owner.
priority	Priority.
dependency	Dependencies.

Field	Content
target	Due date or event.
interimControl	Interim safeguard.
closureEvidence	Required closure evidence.
validation	Reviewer validation.
status	Open, in progress, closure submitted, closed.

Continuing dashboard

Field	Content
decision	Current decision state and lifecycle state.
gates	Current Gate Results.
evidenceHealth	Evidence freshness and STALE flags.
coverage	Coverage of monitored claims.
sourceOutage	Sources unavailable and duration.
controlDrift	Configuration or performance drift detected.
dependencyDrift	Dependency changes detected.
triggers	Triggers fired and status.
findings	Open Findings.
criticalUnknown	Open US4 and US5 UNKNOWN Records.
actions	Overdue actions.
validity	Validity end.

Domain reporting annexes

Every R3 Domain Report and every domain section of R2 contains: purpose and Required Functions; scope, interfaces, providers and operating states; control and family results by claim type; evidence quality and sufficiency; scenarios and dependencies; gates affected (from registry `gateMappings`); domain score, coverage and band; Findings and UNKNOWN Records; bounded domain conclusion; sensitive-disclosure controls; Reassessment Triggers. The domain-specific reporting emphasis and the items that normally require "Highly restricted" classification are:

Domain	Reporting emphasis	Normally highly restricted
GOV	Decision rights in emergency states; exceptions and risk acceptances.	Personal data in delegation records.
CAP	Outcome tolerances; usable versus installed capacity; envelope limits.	Customer-specific capacity commitments.
DEP	Material and common-mode dependencies; concentration; provider boundaries.	Physical route details of diverse feeds.
PHY	Life-safety status; structural limits; access-control weaknesses.	Security system layouts and weaknesses.
POW	Capacity with one path out; transient response; tested load and duration.	Detailed single-line diagrams and protection settings.

Domain	Reporting emphasis	Normally highly restricted
THM	Capacity at design ambient; ride-through versus restoration time; leak isolation.	Detailed P&IDs and control setpoints.
ENV	Metric boundaries and calibration; hazardous-material controls.	—
CMP	Usable accelerator capacity; firmware baseline conformity; error trends.	Cluster management interfaces and credentials.
STO	Checkpoint restore results versus tolerance; recovery-copy separation.	Storage administrative paths.
NET	Fabric fault domains; management and out-of-band independence.	Network topology details and management addresses.
OPS	Staffing, permits, alarm load and change control.	—
RES	Exercised scenarios and measured recovery; untested scenarios.	Detailed recovery runbooks.
SUP	Evidence rights; provenance; remote-support controls.	Supplier commercial terms.
SEC	Authority over infrastructure; automation limits; detection coverage.	Vulnerabilities, identities, privileged paths and allowlists.
EVA	Evidence integrity; UNKNOWN handling; reassessment timeliness.	—

Machine-readable reporting package

Schemas support reporting tools without delegating authority.

Artifact	Purpose
report-metadata.schema.json	Part IV metadata.
executive-report.schema.json	R1 structure.
technical-report.schema.json	R2 structure.
assurance-statement.schema.json	AS-01 to AS-08.
decision-wording.json	Part V controlled wording, keyed by canonical decision and lifecycle state.
evidence-register.schema.json	Evidence disclosures.
finding-register.schema.json	Findings and management response.
unknown-register.schema.json	UNKNOWN Records.
gate-register.schema.json	Gate Results and effects.
decision-register.schema.json	Recommendation, decision and validity.
continuing-dashboard.schema.json	Monitored claims, source health, drift and triggers.
public-summary.schema.json	Permitted external disclosure.
conformance-tests	Consistency, non-certification, security and supersession.

Ontology and validation shapes are published under AIDCF-014 and AIDCF-016.

Graph mappings

Reporting objects use the canonical AIDCF-014 classes and relationships and preserve source lineage.

Reporting object	AIDCF-014 class or relationship
Report	AssuranceReport
Statement	AssuranceStatement
Decision	AssuranceDecision; AssuranceDecision REPORTED_IN AssuranceReport / AssuranceStatement
Evidence register	EvidencePackage
Finding	Finding
UNKNOWN	UnknownRecord
Gate	GateResult
Distribution	DistributionControl
Action	Action; REQUIRES_ACTION, CLOSED_BY
Correction	New AssuranceReport version SUPERSEDES the corrected version (correction reason recorded)
Supersession	SUPERSEDES

Report sections, disclosure profiles, management responses and validity conditions are carried as properties of AssuranceReport and AssuranceStatement. Previous non-canonical names CORRECTS, REPORTS and the classes ReportSection, DisclosureProfile, EvidenceManifest, FindingRegister, UnknownRegister, GateRegister, ManagementResponse and ValidityCondition are replaced as shown. A report reports a decision; it never creates one.

Annex A — Conformance validation and requirement mapping

The following requirements are validation rules applied to every reporting package.

RAS-REQ-014 Capability Instance, Service Outcomes, scope, operating states and period shall be explicit in every report and statement.

RAS-REQ-015 Criteria and artifact versions shall be identified.

RAS-REQ-016 Intended users and use shall be stated.

RAS-REQ-017 Management responses shall be separate from the assessor conclusion.

RAS-REQ-018 No report shall claim certification, accreditation, guarantee or universal compliance.

RAS-REQ-019 Sensitive infrastructure paths shall be disclosed only under Part XIII controls.

RAS-REQ-020 Every Finding and decision claim shall be traceable to the approved snapshot.

RAS-REQ-021 Validity, conditions and triggers shall be present.

RAS-REQ-022 Correction and supersession shall preserve history.

RAS-REQ-023 Continuing-assurance reports shall name the monitored claims and blind spots.

RAS-REQ-024 Automation shall not approve conclusions or release reports.

RAS-REQ-025 A cross-report consistency check shall be completed before release.

RAS-REQ-026 Technical and independent approvals shall be recorded before release.

v1.0 validation	v1.1 requirement
RAS-VAL-001	RAS-REQ-001
RAS-VAL-002	RAS-REQ-014
RAS-VAL-003	RAS-REQ-015
RAS-VAL-004	RAS-REQ-016
RAS-VAL-005	RAS-REQ-008
RAS-VAL-006	RAS-REQ-010
RAS-VAL-007	RAS-REQ-009
RAS-VAL-008	RAS-REQ-017
RAS-VAL-009	RAS-REQ-018
RAS-VAL-010	RAS-REQ-002
RAS-VAL-011	RAS-REQ-019
RAS-VAL-012	RAS-REQ-020
RAS-VAL-013	RAS-REQ-021
RAS-VAL-014	RAS-REQ-022
RAS-VAL-015	RAS-REQ-023
RAS-VAL-016	RAS-REQ-024
RAS-VAL-017	RAS-REQ-025
RAS-VAL-018	RAS-REQ-026

Other identifier changes: artifact ID AIDCF-RAS-001 → AIDCF-012; the six "Controlled Wording" sections → Part V; decision labels "ADVERSE / NOT ASSURED" and "UNKNOWN / INCONCLUSIVE" → NOT_ASSURED and INCONCLUSIVE; SUSPENDED → lifecycle notice (V.2, AS-06); fifteen identical domain reporting annexes → one domain reporting table; "Review and Release Gates" → AIDCF-011 Part XXII.

Annex B — Review and release

The authoritative list of reviewer roles and release-gate states is in AIDCF-011 Part XXII and is not repeated here. Review of this document by the reviewer roles assigned to AIDCF-012 in that table is pending; this document has not been released.

Final doctrine

AIDCF reports and statements communicate an approved assurance record. They do not create evidence, improve a score, neutralise UNKNOWN, override a critical gate, transfer assurance or establish certification. Every package remains bounded, traceable, appropriately protected, consistent with the technical record and authorised by a competent issuer.