EVIDENCE REQUEST LIST TEMPLATE

AI Data Centre Facilities Assurance Framework: pilot pack

Version 1.0

How the mini-pilot evidence request list is derived from the Starter Profile and the registry evidence profiles, and how to issue and track it

Artifact ID: AIDCF-PIL-003 Artifact type: Pilot record template (with generated CSV) Status: Draft for controlled review Author: Siva Sethumadhavan

> **Pilot status: pack ready; no authorised pilot has taken place.** The list is a template generated from the public registry. A host-specific copy, once issued, is Confidential and is never committed to this repository.

Document control

Field	Value
Document ID	AIDCF-PIL-003
Title	AIDCF Evidence Request List Template
Version	1.0
Date	2026-10-11
Status	Draft for controlled review
Author	Siva Sethumadhavan
Machine-readable file	`pilots/pilot-authorisation/evidence-request-list.csv` (274 rows), generated by `pilots/pilot-framework/tools/build_starter_profile.py`
Sources	`pilots/pilot-framework/starter-profile.csv`; `registries/controls/evidence-profiles.csv`; `registries/gates/critical-gates.csv`; `registries/gates/critical-gate-criteria.csv`; AIDCF-008 §25, §29, §31, Part XIII; AIDCF-009 Part A B6 and WP-06; AIDCF-010 Part IV and Part VIII

Revision history

Version	Date	Summary
1.0	2026-10-11	First issue.

1. Purpose

AIDCF-009 B6 requires claim-specific evidence requests that record evidence class, period, operating state, quality floor and sufficiency floor (WP-06). For the mini-pilot these requests are not drafted by hand: they are derived deterministically from the Starter Profile (AIDCF-PIL-001 §6) and the registry evidence profiles, so that any two teams using the same registry version issue the same list. This makes evidence availability (PM-03, PM-04) comparable across pilots.

The CSV is the request list. This document explains how it is built, what each column means, and how to issue and track it.

2. Derivation rule

For each of the 58 Starter Profile controls, with registry profile claim type p and mandatory claim types at AL3 given by L = min(AL3, r) (AIDCF-010 Part IV):

Row type (`requestBasis`)	When	Content	`al3Use`
`PROFILE_MANDATORY_ITEM`	The mandatory claim type equals p (p is DESIGN or IMPLEMENTATION).	One row per registry `mandatoryItems` entry, with the profile's required and optional classes, quality floor, sufficiency floor, state coverage, period, independence, acceptable alternatives and unknownEffect carried unchanged.	`MANDATORY`
`CLAIM_TYPE_PATTERN`	The mandatory claim type is shallower than p (DESIGN of any control with p deeper than DESIGN; IMPLEMENTATION of any control with p deeper than IMPLEMENTATION).	One row stating the AIDCF-008 §29 minimum pattern for that claim type (DESIGN: E1 design evidence with competent technical analysis; IMPLEMENTATION: E2 configuration or as-built evidence with E3 or E6 corroboration, reconciled to the approved design). The profile quality floor and state coverage are carried; sufficiency target S3 (AIDCF-PIL-001 §6.5).	`MANDATORY`
`PROFILE_ITEM_ABOVE_AL3`	p is OPERATION, EFFECTIVENESS or RESILIENCE.	One row per registry `mandatoryItems` entry. The pilot asks only whether the item exists, its date and where it is held; it does not assess it for p.	`AVAILABILITY_ONLY`

For each criterion of each in-scope gate (CG-01, CG-02, CG-03, CG-05, CG-06, CG-07, CG-10, CG-11, CG-12):

Row type	When	Content	`al3Use`
`GATE_CRITERION`	Criterion test method does not name TEST, SCENARIO_EXERCISE or REPERFORMANCE.	The criterion's evidence and the criterion text; the gate's required classes; effective floor S3 at DESIGN/IMPLEMENTATION depth (AIDCF-010 Part VIII); the gate UNKNOWN ceiling as the unknown effect.	`MANDATORY`

Row type	When	Content	al3Use
GATE_CRITERION	Criterion test method names TEST, SCENARIO_EXERCISE or REPERFORMANCE (GC-05-4, GC-05-6, GC-05-7, GC-06-4, GC-06-6, GC-07-3, GC-07-7, GC-10-3, GC-10-4, GC-10-5).	As above; the pilot reviews existing test, commissioning, acceptance or exercise records and performs no test.	MANDATORY_EXISTING_RECORDS_ONLY
GATE_CRITERION	CG-11 and CG-12 criteria.	Satisfied from the assessment team's own records (evidence assessments, manifest, UNKNOWN register); not requested from the host.	ASSESSMENT_RECORD

3. Contents

Row type	Rows
PROFILE_MANDATORY_ITEM (MANDATORY)	60
CLAIM_TYPE_PATTERN (MANDATORY)	80
GATE_CRITERION (MANDATORY)	39
GATE_CRITERION (MANDATORY_EXISTING_RECORDS_ONLY)	10
GATE_CRITERION (ASSESSMENT_RECORD)	11
PROFILE_ITEM_ABOVE_AL3 (AVAILABILITY_ONLY)	74
Total	**274**

Host-facing mandatory rows: 189 (140 control rows, 69 serving DESIGN and 71 IMPLEMENTATION claims, plus 49 gate-criterion rows).

Domain	Mandatory control rows	Availability-only rows
CAP	18	0
DEP	24	0
POW	24	20
THM	19	19
CMP	11	6
STO	11	10
NET	7	4
OPS	2	2
RES	9	7
SUP	2	0
SEC	8	6
EVA	5	0

Gate	Criterion rows
CG-01	6

Gate	Criterion rows
CG-02	6
CG-03	7
CG-05	8 (3 existing records only)
CG-06	8 (2 existing records only)
CG-07	7 (2 existing records only)
CG-10	7 (3 existing records only)
CG-11	6 (assessment records)
CG-12	5 (assessment records)

Many rows overlap in practice: one single-line diagram may answer several CG-05 criterion rows and the DESIGN pattern rows of several POW controls. The list is kept at row level so that availability and effort can be measured per request; the evidence lead links one Evidence Object to many rows rather than requesting it twice.

4. Columns

Column	Meaning
`requestId`	Stable identifier ERL-001 to ERL-274 for this registry version. On issue, the host copy may add a pilot prefix (for example PILOT-001/ERL-017).
`controlId`	Starter Profile control (empty for gate-criterion rows).
`criterionId`	Gate criterion GC-nn-n (empty for control rows).
`domain`	Control domain (empty for gate-criterion rows).
`controlTitle`	Control title, or gate name for criterion rows.
`claimTypeServed`	Claim type the row supports (empty for gate-criterion rows).
`requestBasis`	Row type (§2).
`al3Use`	`MANDATORY`, `MANDATORY_EXISTING_RECORDS_ONLY`, `ASSESSMENT_RECORD` or `AVAILABILITY_ONLY`.
`evidenceItem`	What is requested.
`requiredClasses`, `optionalClasses`	AIDCF-008 evidence classes E1–E7.
`qualityFloor`	Per-dimension floor (P F C R T I) for each mandatory item (AIDCF-008 §18).
`sufficiencyFloor`	Package floor (S0–S5) for a CONFORMING or PARTIAL result.
`stateCoverage`	Operating states the package must represent.
`periodCoverage`	Evidence currency or observation window.
`independence`	Source or method separation required.
`acceptableAlternatives`	Registry-listed substitutes; any other substitute needs approval rationale (GC-11-3).
`suggestedMethods`	Canonical methods for this row; INQUIRY is never the sole method (AMH-REQ-023).
`inScopeGateRoles`	In-scope gates the control maps to, with role; or the gate for criterion rows.
`unknownEffect`	Severity and decision effect if the row cannot be met.

Column	Meaning
`defaultClassification`	SECURITY.md class: HIGHLY_RESTRICTED for SEC and NET rows, IMPLEMENTATION rows of CG-07 CRITICAL controls and CG-07 criterion rows; CONFIDENTIAL otherwise. May be raised, never lowered.

5. Issuing and tracking

1. At SG2 the evidence lead copies the CSV into the controlled repository, adds the pilot prefix and the tracking columns below, and issues it to the host evidence coordinator as the WP-06 request set.
2. Rows are grouped for the host by custodian (electrical, mechanical, controls, compute, storage, network, operations, procurement), not by control.
3. For each received item the evidence lead records evidence ID, source, collector, custodian, classification and integrity reference (AMH-REQ-024), and links the item to every row it answers.
4. Configuration evidence records extraction method, privilege and timestamp; an extract without that context is treated as E1 until corroborated (AIDCF-009 B8).
5. A row that is refused, inaccessible, stale, partial or met by a substitute is recorded as an UNKNOWN Record with type U1–U10 and severity determined by the AIDCF-010 Part IX test (AIDCF-009 B6 step 6). The `unknownEffect` column gives the registry's stated severity for that control; the assessor applies the test to the actual circumstances and records the determining question.
6. `AVAILABILITY_ONLY` rows are closed as EXISTS (with date and holder), DOES_NOT_EXIST or NOT_PROVIDED. They never generate an UNKNOWN Record and never affect a result.

Tracking columns added to the issued copy:

Column	Values
`custodian`	Host role responsible.
`dueDate`	Date required.
`receiptStatus`	RECEIVED, PARTIAL, REFUSED, INACCESSIBLE, SUBSTITUTED, NOT_YET (WP-06), or for availability-only rows EXISTS, DOES_NOT_EXIST, NOT_PROVIDED.
`evidenceIds`	Evidence Objects linked to the row.
`unknownId`	UNKNOWN Record raised, if any.
`hostHours`	Host effort to fulfil (PM-02).
`receivedDate`	Date received (PM-03 timeliness).

6. Notes for the assessor

- Floors from the profile are never weakened (EVM-REQ-023; AMH-REQ-022). A capability profile may strengthen them.
- For `CLAIM_TYPE_PATTERN` rows the S3 sufficiency target is the pilot's interpretation of AIDCF-008 §31 and §25 (AIDCF-PIL-001 §6.5). Record each case where it changed a result under PM-20.
- The `independence` text on pattern rows is the profile's requirement for p; apply the part that is relevant to the shallower claim type and record what was applied.
- Documentary evidence (E1) alone does not support an IMPLEMENTATION result (AIDCF-009 B7 limit).

- Gate criteria marked `MANDATORY_EXISTING_RECORDS_ONLY` that cannot be met from existing records leave the criterion unmet for lack of evidence: the gate is UNKNOWN with a US4 UNKNOWN Record, not FAIL, unless the records that do exist show the criterion is not met.

7. Regeneration

```
python3 pilots/pilot-framework/tools/build_starter_profile.py --check
```

If the registry changes, the request identifiers may change; a pilot under way keeps the list issued at SG2 and records any registry change as a recorded change at the current stage gate (AMH-REQ-005).