AIDCF

AI Data Centre Facilities Assurance Framework

SCORING & DECISION FRAMEWORK

Version 1.0

A constitutional, evidence-aware and gate-controlled standard for synthesising assessment results and issuing bounded assurance decisions

Artifact ID: AIDCF-SDF-001
Status: Draft for controlled review
Author: Siva Sethumadhavan
Depends on: AIDCF-006, AIDCF-007, AIDCF-008 and AIDCF-009

Evidence supports assurance. Scores summarise. Gates constrain. Accountable authority decides.

Document control

Field	Value
Purpose	Translate AIDCF-009 assessment outputs into transparent control, family, domain and capability indicators without overriding evidence, UNKNOWN, critical gates or professional judgment.
Inputs	360 controls, 90 families, 15 domains, Evidence Assessments, findings, scenarios, gates and reviews.
Outputs	Raw and adjusted indicators, coverage, confidence, CAI, supporting indices, gate overlay, recommendation and accountable decision.
Boundary	Not certification, guarantee, legal opinion, safety approval or engineering approval.
Safety	No score may encourage unsafe testing, evidence suppression or uncontrolled operation.

Executive thesis

AIDCF scoring supports synthesis, prioritisation, comparison and trend analysis. It never creates assurance. Every score remains bounded by capability, outcomes, scope, state, period, evidence, coverage, gates, UNKNOWN, findings, scenarios, review and decision authority.

Part I - Constitutional doctrine

Scoring is subordinate to AIDCF assurance principles.

Concept	Rule
Score is not assurance	Numbers cannot issue or upgrade a decision.
Evidence first	No positive numeric treatment for unevidenced results.
Gate dominance	FAIL and critical UNKNOWN constrain decisions regardless of average.
Capability first	Primary subject is a defined Capability Instance and outcomes.
State separation	Design, implementation, operation, effectiveness and resilience remain distinct.
No hidden imputation	UNKNOWN/not assessed are not zero, average or pass.
No double counting	Findings change underlying results or gates; no undeclared second deduction.
Human authority	Automation calculates and recommends; authority decides.
Bounded use	Scope, period, state, profile, coverage and confidence are disclosed.
Versioning	Rules and input snapshots are immutable and superseded explicitly.

Part II - Scoring objects

Every score is a versioned object with lineage.

Concept	Rule
ControlIndicator	One control, subject, assurance dimension and state/period.
FamilyIndicator	Aggregation within one family.
DomainIndicator	Aggregation across the domain.
CapabilityAssuranceIndex	Cross-domain summary for one capability.
EvidenceAssuranceIndex	Evidence quality, sufficiency and coverage.
ResilienceAssuranceIndex	Failure, containment and recovery view.
DependencyAssuranceIndex	Dependency visibility, concentration and common mode.
GateResult	Independent non-compensating result.
DecisionRecommendation	Engine output before review.
AssuranceDecision	Accountable bounded decision.
ScoreSnapshot	Immutable inputs, rules, outputs and lineage.

Part III - Result state encoding

UNKNOWN is neither success nor failure.

Concept	Rule
NOT ASSESSED	No value; retained in coverage and ceiling.
UNKNOWN	No value; explicit unknown population.
N/A	No value; excluded only with approved rationale.
NOT IMPLEMENTED	0
PARTIAL	25
IMPLEMENTED	60
OPERATING EFFECTIVELY	85
STRONGLY EFFECTIVE	100; optional controlled state.
INEFFECTIVE	0 and finding/gate linkage.
SUSPENDED	No current reliance; retain history.

Part IV - Assurance dimensions

Controls are represented across distinct claim depths.

Concept	Rule
D1 Design	Is the safeguard appropriately defined?
D2 Implementation	Is the design implemented?
D3 Operation	Does it operate over the represented period/state?
D4 Effectiveness	Does it achieve the objective under relevant conditions?
D5 Resilience	Does it contain, continue or recover under adversity?

Part V - Evidence overlay

Evidence quality remains visible and does not manufacture precision.

Concept	Rule
P Provenance	P0-P5; origin and collection lineage.
F Freshness	F0-F5; current representation.
C Coverage	C0-C5; population, period, state and scenario.
R Reliability	R0-R5; method and corroboration.
T Traceability	T0-T5; end-to-end linkage.
I Integrity	I0-I5; alteration and custody control.
EQI	100 × weighted mean of normalised P/F/C/R/T/I; vector remains visible.
Sufficiency	S0 none; S1 insufficient; S2 descriptive; S3 reasonable; S4 strong; S5 highly defensible.

Part VI - Control indicator

Raw and evidence-adjusted indicators are separate outputs.

Concept	Rule
DimensionValue	Ordinal value for numeric controlled state.
RawControlIndicator	Σ(wd×vd)/Σ(wd) for numeric applicable dimensions.
EvidenceConfidenceFactor	S2=.50; S3=.75; S4=.90; S5=1.00; S0/S1 no adjusted positive.
AdjustedIndicator	Raw × factor; optional secondary view.
Coverage	Numeric assessed, UNKNOWN, not assessed and N/A displayed.
GateLinks	Applicable gate status remains separate.
DecisionCeiling	Highest permitted recommendation after gates/UNKNOWN.
Confidence	Controlled state plus rationale.

Part VII - Aggregation

Aggregation never hides the composition or missing population.

Concept	Rule
Family	Weighted mean of applicable control indicators; equal default weights.
Domain	Weighted mean of applicable family indicators.
Capability	Weighted mean of applicable domain indicators.
Coverage	Show assessed, UNKNOWN, not assessed and N/A separately.
Confidence	Lowest material confidence or reviewed synthesis.
Gate overlay	All mapped gates displayed independently.
Status	Qualitative state after evidence/gate/UNKNOWN review.

Part VIII - Capability indices

CAI is a summary for one Capability Instance, not a universal facility rating.

Concept	Rule
CAI	Cross-domain capability summary.
EAI	Evidence quality, sufficiency, currency, conflict and coverage.
RAI	Cross-domain failure, containment and recovery.
DAI	Dependency visibility, concentration, common mode and recovery reliance.
Security Authority Index	Identity, control plane and consequential authority.
Operational Readiness Index	Staffing, work control, incidents, change and authority.
Resource Index	Environmental performance and resource continuity.

Part IX - Gate engine

Critical gates are evaluated before and outside numeric aggregation.

Concept	Rule
PASS	No ceiling from that gate.
FAIL	Apply adverse gate-specific decision rule.
UNKNOWN	Apply gate-specific ceiling; generally prevents Reasonably Assured.
APPROVED N/A	Exclude only with evidence and review.
NOT ASSESSED	No positive decision when applicable.

Part X - UNKNOWN engine

UNKNOWN is treated by materiality, not a points deduction.

Concept	Rule
Low	Bounded non-material limitation.
Moderate	Conditionally Assured ceiling.
Material	Limited ceiling.
Critical	Unknown, Adverse or Withheld according to evidence.
Systemic	Assessment cannot support decision; Unknown/Withheld.

Part XI - Findings and scenarios

Do not deduct twice for the same condition.

Concept	Rule
Observation	No automatic score effect.
Improvement	No effect unless control result changes.
Weakness	Reflected in control result.
Significant weakness	Control/domain effect and gate review.
Critical finding	Mandatory gate and decision review.
Accepted risk	Does not change nonconformance to pass.
Effective scenario	Supports D4/D5 within tested conditions.
Uncontained scenario	Triggers CG-09 and outcome review.
Recovery unknown	CG-10 UNKNOWN/FAIL according to evidence.

Part XII - Confidence and coverage

Confidence is professional judgment, not statistical probability.

Concept	Rule
UNKNOWN	No defensible confidence.
LOW	Weak/limited support.
MODERATE	Reasonable support with limitations.
HIGH	Strong support; no unresolved material conflict.
VERY HIGH	Highly defensible, representative and appropriately independent.
Coverage %	Numeric assessed/applicable ×100.
Unknown %	UNKNOWN/applicable ×100.
Gate coverage	Assessed applicable gates/applicable gates.

Part XIII - Decision model

The engine recommends; accountable authority decides after independent review.

Concept	Rule
REASONABLY ASSURED	Sufficient evidence, required states, no gate FAIL, no critical UNKNOWN, High+ confidence.
CONDITIONALLY ASSURED	Core claim supported with named time-bound conditions; no controlling gate FAIL.
LIMITED	Material scope/evidence weakness or material UNKNOWN.
ADVERSE / NOT ASSURED	Evidence demonstrates material failure or controlling gate FAIL.
UNKNOWN / INCONCLUSIVE	Evidence, method or boundary cannot support determination.
SUSPENDED	Prior decision invalidated by change, incident, expiry or gate.
WITHDRAWN	Decision removed due to material integrity/governance issue.
SUPERSEDED	New approved snapshot replaces prior.

Part XIV - Benchmarking and trends

Comparisons require equivalent profile, scope, depth, state and version.

Concept	Rule
Cohort comparability	Same profile/version, capability type, scope, depth and state.
Coverage floor	Declared minimum cohort coverage.
Gate comparison	Gates compared separately from scores.
No unsupported ranking	No “best/top” without approved complete cohort.
Trend break	Scope, weights or formula change creates a new series.
Evidence trend	Raw score may remain while confidence/adjusted changes.
Incident marker	Decision suspension and reassessment shown.

Part XV - Anti-gaming

Controls prevent score optimisation from replacing assurance.

Concept	Rule
N/A inflation	Independent review of exclusions.
Cherry picking	Population and sample rationale required.
Easy-control weighting	Weights frozen before results.
Evidence duplication	Deduplicate common lineage.
Finding double counting	No undeclared second deduction.
Score shopping	Formula/version frozen.
Override abuse	Named authority, rationale and expiry; never Fail-to-Pass.
Dashboard simplification	Score, coverage, confidence, gates and UNKNOWN shown together.

Default assurance-dimension profiles

The selected assessment purpose determines applicable weights.

Purpose	D1	D2	D3	D4	D5
Design	100%	N/A	N/A	N/A	N/A
Implementation	30%	70%	N/A	N/A	N/A
Operating	15%	25%	60%	N/A	N/A
Effectiveness	10%	20%	30%	40%	N/A
Resilience	10%	15%	20%	25%	30%

- Profile is approved before scoring.
- An unassessed higher dimension is not assumed.

Default CAI domain weights

Baseline weights total 100; an industry/deployment profile may change them only before results.

Domain	Weight
GOV	5
CAP	5
DEP	7
PHY	5
POW	10
THM	10
ENV	4
CMP	9
STO	9
NET	9
OPS	7
RES	9
SUP	4
SEC	5
EVA	2

Presentation bands

Bands are descriptive, not certifications or decision states.

Band	Indicator	Label
B5	90-100	Strong
B4	80-89	Established
B3	65-79	Developing
B2	45-64	Weak
B1	0-44	Critical weakness
BN	None	UNKNOWN/not assessed/suspended

- Never publish a band without coverage, confidence, gate and UNKNOWN status.

CG-01 Decision Card - Capability/outcome definition

Complete independently from score aggregation.

Field	Requirement
Applicability	Capability, outcome, boundary and rationale.
Evidence	Mandatory evidence profile and IDs.
States/scenarios	Relevant operating states and credible adversity.
Status	PASS, FAIL, UNKNOWN or approved N/A.
Controlling facts	Findings, evidence conflicts and UNKNOWN.
Score treatment	Remain separate; never compensate through averages.
Decision effect	Apply gate-specific ceiling, adverse result or suspension.
Closure	Action, owner, evidence, retest and trigger.
Review	Technical and independent approval.

CG-02 Decision Card - Boundary/architecture integrity

Complete independently from score aggregation.

Field	Requirement
Applicability	Capability, outcome, boundary and rationale.
Evidence	Mandatory evidence profile and IDs.
States/scenarios	Relevant operating states and credible adversity.
Status	PASS, FAIL, UNKNOWN or approved N/A.
Controlling facts	Findings, evidence conflicts and UNKNOWN.
Score treatment	Remain separate; never compensate through averages.
Decision effect	Apply gate-specific ceiling, adverse result or suspension.
Closure	Action, owner, evidence, retest and trigger.
Review	Technical and independent approval.

CG-03 Decision Card - Critical dependency visibility

Complete independently from score aggregation.

Field	Requirement
Applicability	Capability, outcome, boundary and rationale.
Evidence	Mandatory evidence profile and IDs.
States/scenarios	Relevant operating states and credible adversity.
Status	PASS, FAIL, UNKNOWN or approved N/A.
Controlling facts	Findings, evidence conflicts and UNKNOWN.
Score treatment	Remain separate; never compensate through averages.
Decision effect	Apply gate-specific ceiling, adverse result or suspension.
Closure	Action, owner, evidence, retest and trigger.
Review	Technical and independent approval.

CG-04 Decision Card - Life safety/hazardous energy

Complete independently from score aggregation.

Field	Requirement
Applicability	Capability, outcome, boundary and rationale.
Evidence	Mandatory evidence profile and IDs.
States/scenarios	Relevant operating states and credible adversity.
Status	PASS, FAIL, UNKNOWN or approved N/A.
Controlling facts	Findings, evidence conflicts and UNKNOWN.
Score treatment	Remain separate; never compensate through averages.
Decision effect	Apply gate-specific ceiling, adverse result or suspension.
Closure	Action, owner, evidence, retest and trigger.
Review	Technical and independent approval.

CG-05 Decision Card - Electrical continuity

Complete independently from score aggregation.

Field	Requirement
Applicability	Capability, outcome, boundary and rationale.
Evidence	Mandatory evidence profile and IDs.
States/scenarios	Relevant operating states and credible adversity.
Status	PASS, FAIL, UNKNOWN or approved N/A.
Controlling facts	Findings, evidence conflicts and UNKNOWN.
Score treatment	Remain separate; never compensate through averages.
Decision effect	Apply gate-specific ceiling, adverse result or suspension.
Closure	Action, owner, evidence, retest and trigger.
Review	Technical and independent approval.

CG-06 Decision Card - Thermal continuity

Complete independently from score aggregation.

Field	Requirement
Applicability	Capability, outcome, boundary and rationale.
Evidence	Mandatory evidence profile and IDs.
States/scenarios	Relevant operating states and credible adversity.
Status	PASS, FAIL, UNKNOWN or approved N/A.
Controlling facts	Findings, evidence conflicts and UNKNOWN.
Score treatment	Remain separate; never compensate through averages.
Decision effect	Apply gate-specific ceiling, adverse result or suspension.
Closure	Action, owner, evidence, retest and trigger.
Review	Technical and independent approval.

CG-07 Decision Card - Critical control-system integrity

Complete independently from score aggregation.

Field	Requirement
Applicability	Capability, outcome, boundary and rationale.
Evidence	Mandatory evidence profile and IDs.
States/scenarios	Relevant operating states and credible adversity.
Status	PASS, FAIL, UNKNOWN or approved N/A.
Controlling facts	Findings, evidence conflicts and UNKNOWN.
Score treatment	Remain separate; never compensate through averages.
Decision effect	Apply gate-specific ceiling, adverse result or suspension.
Closure	Action, owner, evidence, retest and trigger.
Review	Technical and independent approval.

CG-08 Decision Card - Compute/storage/network integrity

Complete independently from score aggregation.

Field	Requirement
Applicability	Capability, outcome, boundary and rationale.
Evidence	Mandatory evidence profile and IDs.
States/scenarios	Relevant operating states and credible adversity.
Status	PASS, FAIL, UNKNOWN or approved N/A.
Controlling facts	Findings, evidence conflicts and UNKNOWN.
Score treatment	Remain separate; never compensate through averages.
Decision effect	Apply gate-specific ceiling, adverse result or suspension.
Closure	Action, owner, evidence, retest and trigger.
Review	Technical and independent approval.

CG-09 Decision Card - Failure containment

Complete independently from score aggregation.

Field	Requirement
Applicability	Capability, outcome, boundary and rationale.
Evidence	Mandatory evidence profile and IDs.
States/scenarios	Relevant operating states and credible adversity.
Status	PASS, FAIL, UNKNOWN or approved N/A.
Controlling facts	Findings, evidence conflicts and UNKNOWN.
Score treatment	Remain separate; never compensate through averages.
Decision effect	Apply gate-specific ceiling, adverse result or suspension.
Closure	Action, owner, evidence, retest and trigger.
Review	Technical and independent approval.

CG-10 Decision Card - Recovery readiness

Complete independently from score aggregation.

Field	Requirement
Applicability	Capability, outcome, boundary and rationale.
Evidence	Mandatory evidence profile and IDs.
States/scenarios	Relevant operating states and credible adversity.
Status	PASS, FAIL, UNKNOWN or approved N/A.
Controlling facts	Findings, evidence conflicts and UNKNOWN.
Score treatment	Remain separate; never compensate through averages.
Decision effect	Apply gate-specific ceiling, adverse result or suspension.
Closure	Action, owner, evidence, retest and trigger.
Review	Technical and independent approval.

CG-11 Decision Card - Evidence sufficiency

Complete independently from score aggregation.

Field	Requirement
Applicability	Capability, outcome, boundary and rationale.
Evidence	Mandatory evidence profile and IDs.
States/scenarios	Relevant operating states and credible adversity.
Status	PASS, FAIL, UNKNOWN or approved N/A.
Controlling facts	Findings, evidence conflicts and UNKNOWN.
Score treatment	Remain separate; never compensate through averages.
Decision effect	Apply gate-specific ceiling, adverse result or suspension.
Closure	Action, owner, evidence, retest and trigger.
Review	Technical and independent approval.

CG-12 Decision Card - Critical UNKNOWN

Complete independently from score aggregation.

Field	Requirement
Applicability	Capability, outcome, boundary and rationale.
Evidence	Mandatory evidence profile and IDs.
States/scenarios	Relevant operating states and credible adversity.
Status	PASS, FAIL, UNKNOWN or approved N/A.
Controlling facts	Findings, evidence conflicts and UNKNOWN.
Score treatment	Remain separate; never compensate through averages.
Decision effect	Apply gate-specific ceiling, adverse result or suspension.
Closure	Action, owner, evidence, retest and trigger.
Review	Technical and independent approval.

CG-13 Decision Card - Responsibility/authority

Complete independently from score aggregation.

Field	Requirement
Applicability	Capability, outcome, boundary and rationale.
Evidence	Mandatory evidence profile and IDs.
States/scenarios	Relevant operating states and credible adversity.
Status	PASS, FAIL, UNKNOWN or approved N/A.
Controlling facts	Findings, evidence conflicts and UNKNOWN.
Score treatment	Remain separate; never compensate through averages.
Decision effect	Apply gate-specific ceiling, adverse result or suspension.
Closure	Action, owner, evidence, retest and trigger.
Review	Technical and independent approval.

CG-14 Decision Card - Change control

Complete independently from score aggregation.

Field	Requirement
Applicability	Capability, outcome, boundary and rationale.
Evidence	Mandatory evidence profile and IDs.
States/scenarios	Relevant operating states and credible adversity.
Status	PASS, FAIL, UNKNOWN or approved N/A.
Controlling facts	Findings, evidence conflicts and UNKNOWN.
Score treatment	Remain separate; never compensate through averages.
Decision effect	Apply gate-specific ceiling, adverse result or suspension.
Closure	Action, owner, evidence, retest and trigger.
Review	Technical and independent approval.

CG-15 Decision Card - Integrated digital authority

Complete independently from score aggregation.

Field	Requirement
Applicability	Capability, outcome, boundary and rationale.
Evidence	Mandatory evidence profile and IDs.
States/scenarios	Relevant operating states and credible adversity.
Status	PASS, FAIL, UNKNOWN or approved N/A.
Controlling facts	Findings, evidence conflicts and UNKNOWN.
Score treatment	Remain separate; never compensate through averages.
Decision effect	Apply gate-specific ceiling, adverse result or suspension.
Closure	Action, owner, evidence, retest and trigger.
Review	Technical and independent approval.

GOV Domain Scoring Profile - Governance, Accountability and Assurance Direction

Domain indicator remains separate from mapped gates.

Field	Rule
CAI weight	5%
Mapped gates	CG-13; CG-14
Family weights	Equal default; approved profile may vary before scoring.
Outputs	Raw, adjusted if permitted, coverage, confidence, gates, UNKNOWN and status.
Decision	Numeric strength cannot compensate for gate failure or critical UNKNOWN.

GOV-01 Family Scoring Profile - Governance architecture

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-GOV-001 to MCF-GOV-004
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-13; CG-14
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

GOV-02 Family Scoring Profile - Accountability and responsibility

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-GOV-005 to MCF-GOV-008
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-13; CG-14
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

GOV-03 Family Scoring Profile - Policy and standards management

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-GOV-009 to MCF-GOV-012
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-13; CG-14
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

GOV-04 Family Scoring Profile - Risk and assurance governance

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-GOV-013 to MCF-GOV-016
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-13; CG-14
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

GOV-05 Family Scoring Profile - Stakeholder and regulatory interface

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-GOV-017 to MCF-GOV-020
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-13; CG-14
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

GOV-06 Family Scoring Profile - Ethics, impartiality and competence

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-GOV-021 to MCF-GOV-024
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-13; CG-14
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

CAP Domain Scoring Profile - AI Capability, Service Outcome and Demand Management

Domain indicator remains separate from mapped gates.

Field	Rule
CAI weight	5%
Mapped gates	CG-01; CG-02
Family weights	Equal default; approved profile may vary before scoring.
Outputs	Raw, adjusted if permitted, coverage, confidence, gates, UNKNOWN and status.
Decision	Numeric strength cannot compensate for gate failure or critical UNKNOWN.

CAP-01 Family Scoring Profile - Capability inventory

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-CAP-001 to MCF-CAP-004
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-01; CG-02
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

CAP-02 Family Scoring Profile - Service outcome definition

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-CAP-005 to MCF-CAP-008
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-01; CG-02
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

CAP-03 Family Scoring Profile - Criticality and materiality

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-CAP-009 to MCF-CAP-012
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-01; CG-02
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

CAP-04 Family Scoring Profile - Demand and growth modelling

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-CAP-013 to MCF-CAP-016
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-01; CG-02
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

CAP-05 Family Scoring Profile - Operating envelope

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-CAP-017 to MCF-CAP-020
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-01; CG-02
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

CAP-06 Family Scoring Profile - Capability lifecycle and change

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-CAP-021 to MCF-CAP-024
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-01; CG-02
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

DEP Domain Scoring Profile - Dependency, Concentration and External Reliance Management

Domain indicator remains separate from mapped gates.

Field	Rule
CAI weight	7%
Mapped gates	CG-03; CG-12
Family weights	Equal default; approved profile may vary before scoring.
Outputs	Raw, adjusted if permitted, coverage, confidence, gates, UNKNOWN and status.
Decision	Numeric strength cannot compensate for gate failure or critical UNKNOWN.

DEP-01 Family Scoring Profile - Dependency discovery

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-DEP-001 to MCF-DEP-004
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-03; CG-12
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

DEP-02 Family Scoring Profile - Shared and common-mode dependencies

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-DEP-005 to MCF-DEP-008
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-03; CG-12
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

DEP-03 Family Scoring Profile - External providers and utilities

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-DEP-009 to MCF-DEP-012
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-03; CG-12
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

DEP-04 Family Scoring Profile - Concentration and substitutability

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-DEP-013 to MCF-DEP-016
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-03; CG-12
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

DEP-05 Family Scoring Profile - Boundary and interface control

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-DEP-017 to MCF-DEP-020
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-03; CG-12
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

DEP-06 Family Scoring Profile - Dependency monitoring and review

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-DEP-021 to MCF-DEP-024
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-03; CG-12
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

PHY Domain Scoring Profile - Physical Site, Building and Security Infrastructure

Domain indicator remains separate from mapped gates.

Field	Rule
CAI weight	5%
Mapped gates	CG-02; CG-04
Family weights	Equal default; approved profile may vary before scoring.
Outputs	Raw, adjusted if permitted, coverage, confidence, gates, UNKNOWN and status.
Decision	Numeric strength cannot compensate for gate failure or critical UNKNOWN.

PHY-01 Family Scoring Profile - Site and location resilience

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-PHY-001 to MCF-PHY-004
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-02; CG-04
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

PHY-02 Family Scoring Profile - Building and structural integrity

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-PHY-005 to MCF-PHY-008
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-02; CG-04
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

PHY-03 Family Scoring Profile - Physical zoning and segregation

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-PHY-009 to MCF-PHY-012
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-02; CG-04
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

PHY-04 Family Scoring Profile - Access and surveillance

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-PHY-013 to MCF-PHY-016
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-02; CG-04
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

PHY-05 Family Scoring Profile - Asset movement and custody

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-PHY-017 to MCF-PHY-020
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-02; CG-04
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

PHY-06 Family Scoring Profile - Fire, life safety and emergency interfaces

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-PHY-021 to MCF-PHY-024
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-02; CG-04
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

POW Domain Scoring Profile - Electrical Power Infrastructure and Energy Continuity

Domain indicator remains separate from mapped gates.

Field	Rule
CAI weight	10%
Mapped gates	CG-05
Family weights	Equal default; approved profile may vary before scoring.
Outputs	Raw, adjusted if permitted, coverage, confidence, gates, UNKNOWN and status.
Decision	Numeric strength cannot compensate for gate failure or critical UNKNOWN.

POW-01 Family Scoring Profile - Utility and grid interface

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-POW-001 to MCF-POW-004
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-05
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

POW-02 Family Scoring Profile - Generation and fuel

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-POW-005 to MCF-POW-008
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-05
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

POW-03 Family Scoring Profile - UPS and energy storage

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-POW-009 to MCF-POW-012
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-05
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

POW-04 Family Scoring Profile - Distribution and protection

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-POW-013 to MCF-POW-016
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-05
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

POW-05 Family Scoring Profile - Power quality and transient response

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-POW-017 to MCF-POW-020
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-05
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

POW-06 Family Scoring Profile - Electrical monitoring, maintenance and recovery

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-POW-021 to MCF-POW-024
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-05
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

THM Domain Scoring Profile - Cooling, Thermal and Fluid Infrastructure

Domain indicator remains separate from mapped gates.

Field	Rule
CAI weight	10%
Mapped gates	CG-06
Family weights	Equal default; approved profile may vary before scoring.
Outputs	Raw, adjusted if permitted, coverage, confidence, gates, UNKNOWN and status.
Decision	Numeric strength cannot compensate for gate failure or critical UNKNOWN.

THM-01 Family Scoring Profile - Thermal architecture and capacity

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-THM-001 to MCF-THM-004
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-06
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

THM-02 Family Scoring Profile - Air cooling systems

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-THM-005 to MCF-THM-008
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-06
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

THM-03 Family Scoring Profile - Liquid cooling systems

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-THM-009 to MCF-THM-012
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-06
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

THM-04 Family Scoring Profile - Heat rejection and water systems

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-THM-013 to MCF-THM-016
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-06
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

THM-05 Family Scoring Profile - Fluid quality and leak management

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-THM-017 to MCF-THM-020
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-06
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

THM-06 Family Scoring Profile - Thermal control, maintenance and recovery

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-THM-021 to MCF-THM-024
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-06
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

ENV Domain Scoring Profile - Environmental and Resource Performance

Domain indicator remains separate from mapped gates.

Field	Rule
CAI weight	4%
Mapped gates	CG-02; CG-04
Family weights	Equal default; approved profile may vary before scoring.
Outputs	Raw, adjusted if permitted, coverage, confidence, gates, UNKNOWN and status.
Decision	Numeric strength cannot compensate for gate failure or critical UNKNOWN.

ENV-01 Family Scoring Profile - Environmental operating conditions

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-ENV-001 to MCF-ENV-004
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-02; CG-04
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

ENV-02 Family Scoring Profile - Energy performance

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-ENV-005 to MCF-ENV-008
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-02; CG-04
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

ENV-03 Family Scoring Profile - Water performance

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-ENV-009 to MCF-ENV-012
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-02; CG-04
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

ENV-04 Family Scoring Profile - Carbon and resource reporting

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-ENV-013 to MCF-ENV-016
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-02; CG-04
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

ENV-05 Family Scoring Profile - Hazardous materials and waste

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-ENV-017 to MCF-ENV-020
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-02; CG-04
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

ENV-06 Family Scoring Profile - Climate adaptation and resource continuity

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-ENV-021 to MCF-ENV-024
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-02; CG-04
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

CMP Domain Scoring Profile - AI Compute Infrastructure

Domain indicator remains separate from mapped gates.

Field	Rule
CAI weight	9%
Mapped gates	CG-08
Family weights	Equal default; approved profile may vary before scoring.
Outputs	Raw, adjusted if permitted, coverage, confidence, gates, UNKNOWN and status.
Decision	Numeric strength cannot compensate for gate failure or critical UNKNOWN.

CMP-01 Family Scoring Profile - Compute architecture and configuration

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-CMP-001 to MCF-CMP-004
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-08
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

CMP-02 Family Scoring Profile - Cluster and scale-up domains

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-CMP-005 to MCF-CMP-008
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-08
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

CMP-03 Family Scoring Profile - Capacity, scheduling and utilisation

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-CMP-009 to MCF-CMP-012
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-08
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

CMP-04 Family Scoring Profile - Firmware, driver and compatibility

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-CMP-013 to MCF-CMP-016
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-08
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

CMP-05 Family Scoring Profile - Compute health and observability

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-CMP-017 to MCF-CMP-020
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-08
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

CMP-06 Family Scoring Profile - Compute lifecycle and recovery

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-CMP-021 to MCF-CMP-024
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-08
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

STO Domain Scoring Profile - AI Storage and Data Infrastructure

Domain indicator remains separate from mapped gates.

Field	Rule
CAI weight	9%
Mapped gates	CG-08; CG-10
Family weights	Equal default; approved profile may vary before scoring.
Outputs	Raw, adjusted if permitted, coverage, confidence, gates, UNKNOWN and status.
Decision	Numeric strength cannot compensate for gate failure or critical UNKNOWN.

STO-01 Family Scoring Profile - Storage architecture and tiering

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-STO-001 to MCF-STO-004
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-08; CG-10
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

STO-02 Family Scoring Profile - Performance and capacity

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-STO-005 to MCF-STO-008
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-08; CG-10
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

STO-03 Family Scoring Profile - Integrity and consistency

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-STO-009 to MCF-STO-012
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-08; CG-10
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

STO-04 Family Scoring Profile - Protection and replication

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-STO-013 to MCF-STO-016
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-08; CG-10
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

STO-05 Family Scoring Profile - Checkpoint and recovery services

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-STO-017 to MCF-STO-020
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-08; CG-10
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

STO-06 Family Scoring Profile - Storage monitoring and lifecycle

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-STO-021 to MCF-STO-024
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-08; CG-10
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

NET Domain Scoring Profile - AI Network and Interconnect Architecture

Domain indicator remains separate from mapped gates.

Field	Rule
CAI weight	9%
Mapped gates	CG-08
Family weights	Equal default; approved profile may vary before scoring.
Outputs	Raw, adjusted if permitted, coverage, confidence, gates, UNKNOWN and status.
Decision	Numeric strength cannot compensate for gate failure or critical UNKNOWN.

NET-01 Family Scoring Profile - Scale-up and scale-out fabrics

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-NET-001 to MCF-NET-004
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-08
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

NET-02 Family Scoring Profile - Performance and congestion control

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-NET-005 to MCF-NET-008
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-08
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

NET-03 Family Scoring Profile - Storage and service networks

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-NET-009 to MCF-NET-012
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-08
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

NET-04 Family Scoring Profile - Management and out-of-band networks

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-NET-013 to MCF-NET-016
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-08
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

NET-05 Family Scoring Profile - Physical connectivity and optics

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-NET-017 to MCF-NET-020
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-08
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

NET-06 Family Scoring Profile - Network control and observability

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-NET-021 to MCF-NET-024
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-08
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

OPS Domain Scoring Profile - Building Operations and Service Management

Domain indicator remains separate from mapped gates.

Field	Rule
CAI weight	7%
Mapped gates	CG-07; CG-13; CG-14
Family weights	Equal default; approved profile may vary before scoring.
Outputs	Raw, adjusted if permitted, coverage, confidence, gates, UNKNOWN and status.
Decision	Numeric strength cannot compensate for gate failure or critical UNKNOWN.

OPS-01 Family Scoring Profile - Operating model and staffing

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-OPS-001 to MCF-OPS-004
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-07; CG-13; CG-14
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

OPS-02 Family Scoring Profile - Procedure and work control

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-OPS-005 to MCF-OPS-008
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-07; CG-13; CG-14
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

OPS-03 Family Scoring Profile - Maintenance and reliability

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-OPS-009 to MCF-OPS-012
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-07; CG-13; CG-14
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

OPS-04 Family Scoring Profile - Alarm, incident and problem management

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-OPS-013 to MCF-OPS-016
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-07; CG-13; CG-14
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

OPS-05 Family Scoring Profile - Change and configuration management

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-OPS-017 to MCF-OPS-020
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-07; CG-13; CG-14
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

OPS-06 Family Scoring Profile - Capacity and service operations

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-OPS-021 to MCF-OPS-024
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-07; CG-13; CG-14
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

RES Domain Scoring Profile - Resilience, Continuity and Recovery

Domain indicator remains separate from mapped gates.

Field	Rule
CAI weight	9%
Mapped gates	CG-09; CG-10
Family weights	Equal default; approved profile may vary before scoring.
Outputs	Raw, adjusted if permitted, coverage, confidence, gates, UNKNOWN and status.
Decision	Numeric strength cannot compensate for gate failure or critical UNKNOWN.

RES-01 Family Scoring Profile - Resilience strategy

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-RES-001 to MCF-RES-004
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-09; CG-10
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

RES-02 Family Scoring Profile - Fault-domain and containment design

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-RES-005 to MCF-RES-008
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-09; CG-10
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

RES-03 Family Scoring Profile - Continuity planning

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-RES-009 to MCF-RES-012
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-09; CG-10
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

RES-04 Family Scoring Profile - Recovery planning

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-RES-013 to MCF-RES-016
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-09; CG-10
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

RES-05 Family Scoring Profile - Testing and exercising

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-RES-017 to MCF-RES-020
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-09; CG-10
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

RES-06 Family Scoring Profile - Crisis and adaptive response

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-RES-021 to MCF-RES-024
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-09; CG-10
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

SUP Domain Scoring Profile - Supply Chain, OEM and Ecosystem Assurance

Domain indicator remains separate from mapped gates.

Field	Rule
CAI weight	4%
Mapped gates	CG-03; CG-13
Family weights	Equal default; approved profile may vary before scoring.
Outputs	Raw, adjusted if permitted, coverage, confidence, gates, UNKNOWN and status.
Decision	Numeric strength cannot compensate for gate failure or critical UNKNOWN.

SUP-01 Family Scoring Profile - Supplier due diligence

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-SUP-001 to MCF-SUP-004
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-03; CG-13
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

SUP-02 Family Scoring Profile - Contract and service obligations

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-SUP-005 to MCF-SUP-008
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-03; CG-13
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

SUP-03 Family Scoring Profile - Hardware and component provenance

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-SUP-009 to MCF-SUP-012
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-03; CG-13
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

SUP-04 Family Scoring Profile - Software, firmware and update supply

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-SUP-013 to MCF-SUP-016
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-03; CG-13
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

SUP-05 Family Scoring Profile - Spares, logistics and obsolescence

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-SUP-017 to MCF-SUP-020
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-03; CG-13
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

SUP-06 Family Scoring Profile - Remote support and third-party access

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-SUP-021 to MCF-SUP-024
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-03; CG-13
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

SEC Domain Scoring Profile - Digital, OT and Control-Plane Security

Domain indicator remains separate from mapped gates.

Field	Rule
CAI weight	5%
Mapped gates	CG-07; CG-15
Family weights	Equal default; approved profile may vary before scoring.
Outputs	Raw, adjusted if permitted, coverage, confidence, gates, UNKNOWN and status.
Decision	Numeric strength cannot compensate for gate failure or critical UNKNOWN.

SEC-01 Family Scoring Profile - Identity and privileged access

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-SEC-001 to MCF-SEC-004
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-07; CG-15
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

SEC-02 Family Scoring Profile - Control-plane protection

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-SEC-005 to MCF-SEC-008
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-07; CG-15
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

SEC-03 Family Scoring Profile - Network security and segmentation

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-SEC-009 to MCF-SEC-012
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-07; CG-15
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

SEC-04 Family Scoring Profile - Configuration, vulnerability and patching

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-SEC-013 to MCF-SEC-016
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-07; CG-15
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

SEC-05 Family Scoring Profile - Detection and response

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-SEC-017 to MCF-SEC-020
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-07; CG-15
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

SEC-06 Family Scoring Profile - AI-enabled and automated action

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-SEC-021 to MCF-SEC-024
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-07; CG-15
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

EVA Domain Scoring Profile - Evidence, Assessment and Assurance Management

Domain indicator remains separate from mapped gates.

Field	Rule
CAI weight	2%
Mapped gates	CG-11; CG-12
Family weights	Equal default; approved profile may vary before scoring.
Outputs	Raw, adjusted if permitted, coverage, confidence, gates, UNKNOWN and status.
Decision	Numeric strength cannot compensate for gate failure or critical UNKNOWN.

EVA-01 Family Scoring Profile - Evidence architecture

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-EVA-001 to MCF-EVA-004
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-11; CG-12
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

EVA-02 Family Scoring Profile - Evidence provenance and quality

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-EVA-005 to MCF-EVA-008
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-11; CG-12
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

EVA-03 Family Scoring Profile - Assessment planning and execution

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-EVA-009 to MCF-EVA-012
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-11; CG-12
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

EVA-04 Family Scoring Profile - Findings, UNKNOWN and limitations

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-EVA-013 to MCF-EVA-016
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-11; CG-12
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

EVA-05 Family Scoring Profile - Critical gates and decisions

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-EVA-017 to MCF-EVA-020
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-11; CG-12
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

EVA-06 Family Scoring Profile - Reassessment and continuing assurance

Four underlying controls are scored across applicable assurance dimensions.

Field	Rule
Controls	MCF-EVA-021 to MCF-EVA-024
Dimensions	D1-D5 as applicable to assessment purpose.
Raw indicator	Weighted mean of numeric applicable results.
Evidence overlay	EQI, sufficiency, confidence and optional adjusted indicator.
Coverage	Applicable, numeric assessed, UNKNOWN, not assessed and N/A.
Gate overlay	CG-11; CG-12
Findings/scenarios	Underlying result plus separate critical effect.
Status	Reviewed qualitative family status.
Reassessment	Material architecture, capacity, configuration, provider, incident, evidence or outcome change.

Machine-executable publication package

The engine implements declared rules and has no hidden authority.

File	Purpose
aidcf-sdf-v1.0.json	Normative configuration.
control-indicator.schema.json	Control results and evidence.
family-domain.schema.json	Aggregation and coverage.
capability-index.schema.json	CAI and supporting indices.
gate-engine.schema.json	Gate states and decision effects.
unknown-ceiling.schema.json	UNKNOWN classification and ceiling.
decision-recommendation.schema.json	Recommendation and controlling reasons.
score-snapshot.schema.json	Immutable lineage.
aidcf-score.owl / ttl	Graph vocabulary.
aidcf-score-shapes.ttl	Validation shapes.
conformance-tests	Positive, negative, gate, UNKNOWN, migration and anti-gaming fixtures.

Engine execution order

Ordered constraints protect the decision from score dominance.

Order	Action
1	Load approved assessment snapshot and profile.
2	Validate IDs, applicability, evidence and coverage.
3	Calculate dimension and raw control indicators.
4	Calculate optional adjusted indicators without replacing raw.
5	Aggregate family/domain/CAI and supporting indices.
6	Evaluate gates independently.
7	Apply UNKNOWN ceilings.
8	Review findings and scenarios.
9	Generate recommendation and prohibited higher states.
10	Complete independent review and accountable decision.
11	Publish immutable snapshot, validity and triggers.

Synthetic worked example - High score, electrical gate FAIL

Method validation example, not a real assessment.

Field	Completed treatment
Input	CAI 88; CG-05 FAIL.
Calculation	Compute permitted raw/adjusted indicators and disclose coverage.
Gate/UNKNOWN	Adverse/Not Assured for resilience; score remains descriptive only.
Review	Confirm no override, imputation or double counting.
Output	Score, coverage, confidence, gates, controlling reasons and bounded recommendation.

Synthetic worked example - Good operation, recovery UNKNOWN

Method validation example, not a real assessment.

Field	Completed treatment
Input	High operating indicator; CG-10 UNKNOWN.
Calculation	Compute permitted raw/adjusted indicators and disclose coverage.
Gate/UNKNOWN	Limited/conditional; no recoverability claim.
Review	Confirm no override, imputation or double counting.
Output	Score, coverage, confidence, gates, controlling reasons and bounded recommendation.

Synthetic worked example - Low score, strong evidence

Method validation example, not a real assessment.

Field	Completed treatment
Input	Domain 42; S5 evidence; High confidence.
Calculation	Compute permitted raw/adjusted indicators and disclose coverage.
Gate/UNKNOWN	Weak condition is highly defensible; strong evidence does not raise score.
Review	Confirm no override, imputation or double counting.
Output	Score, coverage, confidence, gates, controlling reasons and bounded recommendation.

Synthetic worked example - Narrow high score

Method validation example, not a real assessment.

Field	Completed treatment
Input	Indicator 92; 35% coverage; 50% UNKNOWN.
Calculation	Compute permitted raw/adjusted indicators and disclose coverage.
Gate/UNKNOWN	Do not publish 92 alone; Unknown/Limited recommendation.
Review	Confirm no override, imputation or double counting.
Output	Score, coverage, confidence, gates, controlling reasons and bounded recommendation.

Synthetic worked example - Accepted risk

Method validation example, not a real assessment.

Field	Completed treatment
Input	Control nonconforming; risk accepted.
Calculation	Compute permitted raw/adjusted indicators and disclose coverage.
Gate/UNKNOWN	Acceptance is separate and does not change control to pass.
Review	Confirm no override, imputation or double counting.
Output	Score, coverage, confidence, gates, controlling reasons and bounded recommendation.

Template - Control Indicator

Complete all mandatory attributes.

Field	Entry
controlId	
dimensions	
raw	
evidence vector	
sufficiency	
adjusted	
coverage	
gates	
UNKNOWN	
confidence	
review	

Template - Family/Domain Indicator

Complete all mandatory attributes.

Field	Entry
members	
weights	
raw	
adjusted	
coverage	
confidence	
gates	
UNKNOWN	
status	

Template - Capability Index

Complete all mandatory attributes.

Field	Entry
profile	
domain indicators	
weights	
CAI	
supporting indices	
coverage	
gates	
recommendation	

Template - Gate Result

Complete all mandatory attributes.

Field	Entry
gateId	
applicability	
evidence	
status	
findings	
UNKNOWN	
effect	
closure	
review	

Template - Decision Recommendation

Complete all mandatory attributes.

Field	Entry
question	
subject	
scope	
scores	
coverage	
confidence	
gates	
UNKNOWN	
findings	
scenarios	
allowed/prohibited states	
reasons	

Template - Score Snapshot

Complete all mandatory attributes.

Field	Entry
snapshotId	
assessment	
evidence manifest	
profile/formula versions	
inputs	
outputs	
review	
supersession	

Conformance validation

A conformant implementation must pass positive and negative tests.

ID	Validation
SDF-VAL-001	UNKNOWN never encoded as zero, pass or average.
SDF-VAL-002	N/A has approved rationale.
SDF-VAL-003	Every score shows coverage and confidence.
SDF-VAL-004	Raw and adjusted indicators are both retained.
SDF-VAL-005	Evidence factor does not override sufficiency/gates.
SDF-VAL-006	Weights sum correctly and are frozen before results.
SDF-VAL-007	Gate effects are applied.
SDF-VAL-008	Findings are not double counted.
SDF-VAL-009	Portfolio average does not hide failed capability gates.
SDF-VAL-010	Recommendation lists controlling reasons.
SDF-VAL-011	Decision has independent review and authority.
SDF-VAL-012	Snapshot is immutable and versioned.
SDF-VAL-013	Material change suspends affected score.
SDF-VAL-014	Benchmarks use comparable cohorts.
SDF-VAL-015	Graph inference cannot alter score automatically.

Review and release gates

The framework remains draft until calibration and multidisciplinary review are closed.

Reviewer	Status
Methodology author	Pending
Assurance/scoring specialist	Pending
Electrical SME	Pending
Mechanical/thermal SME	Pending
Compute/HPC SME	Pending
Storage/network SME	Pending
Operations/resilience SME	Pending
OT/security SME	Pending
Evidence specialist	Pending
Measurement/statistics reviewer	Pending
Legal/privacy/ethics reviewer	Pending
AITG/tooling reviewer	Pending
Independent practitioner pilot	Pending
Calibration cohort	Pending
Public release	Pending

Final doctrine

AIDCF scores summarise assessed conditions. They do not create assurance, certify a facility or neutralise uncertainty. UNKNOWN remains visible. Critical gates control decisions. Material change may suspend reliance. Only competent and impartial review followed by accountable authority can issue a bounded assurance decision.