

DATE Functions.

-- The function called CURRENT_DATE() give us today's date

1. SELECT CURRENT_DATE() AS today_date;

↳ This function, gives

~~2. SELECT~~ -- The function called CURRENT_TIMESTAMP gives me the current date and time

2. SELECT CURRENT_TIMESTAMP() AS dt_time;

↳ (Converts a ^{string}STRINGS into a date (ensure that a date is readable date)

-- SELECT TO_DATE('2026-07-17') AS dt;

-- SELECT TO_CHAR('2026-07-17', 'YYYY-MM-DD')

3. DATEDIFF(end_date, start_date)

SELECT ('2026-07-17', '2010-06-01') AS dt_difference.

↳ SELECT TO_CHAR(TO_DATE('2026-07-17'), 'YYYYMMDD')

-- DATEDIFF(end_date, start_date)

-- end_date - start_date = value

↳ SELECT DATEDIFF('2026-07-05', '2026-07-01') AS dt_difference;

-- DATE_ADD(measure, number)

-- Measure = DAY, MONTH, YEAR

SELECT DATE_ADD('2026-07-05', 5) AS add_5_days;

S'

SELECT DATE_SUB('2026-07-05', 2) AS removing_2_days;

Because it is a function you should always apply as

SELECT YEAR('2026-07-05') AS year; -- Extract year from date
SELECT DAY('2026-07-05') AS day; -- Day from date
SELECT MONTH('2026-07-05') AS month; -- month

SELECT DAYNAME('2026-07-05') AS day-name; -- Tell you day name
--

SELECT DAY OF WEEK('2026-07-05') AS day-name; --
-- ADD

SELECT ADD_MONTHS('2026-07-05', 2) AS adding_2-months

--

20/07/2022 Watch video and work
on my Bright TV Project.

Table Operations

1. ~~Creating~~

① -- Creating a database in databricks

② 1. CREATE CATALOG IF NOT EXISTS June_intake

--

④ 2. USE CATALOG June_intake;

⑤ 1. CREATE SCHEMA IF NOT EXISTS Students_Profile;
DROP SCHEMA Students_Profile; -- To drop is to delete. This code is to delete schema.

⑥ CREATE OR REPLACE TABLE June_intake.Students_Profile.

⑧ -- To drop is to delete: this code is to delete the schema

⑨ DROP SCHEMA student_Profile;

10. This code is used to create a schema within

create or replace TABLE June_intake.Students_Profile
Student_id INT

-- This code is to create a table in our database and given schema

```
CREATE OR REPLACE TABLE june_intake_students_profiles
  student_id INT,
  name STRING,
  surname STRING,
  age INT,
  email STRING,
  registration_dt DATE);
```

```
SELECT * FROM june_intake_students_profiles;
```

-- Inserting values into the table that we have created.

-- SE

```
SELECT *
FROM june_intake_students_profiles;
```


-- We use the Delete Function to remove a specific row from our data based on a specific condition

```
* DELETE FROM June_intake.Students.Profiles  
WHERE age > 50;
```

```
Q3 SELECT *  
FROM June_intake.Students.Profiles;
```

```
UPDATE June_intake.Students.Profiles  
SET age = 25  
WHERE student_id IN (101);
```

```
SELECT *  
FROM June_intake.Students.Profiles;
```

```
ALTER TABLE June_intake.Students.Profiles SET  
DROP COLUMN registration_id;
```

```
ALTER TABLE June_intake.Students.Profiles SET TBLPROPERTIES (  
'delta.Column Mapping.Mode' = 'name',  
'delta.minReaderVersion' = '2',  
'delta.minWriterVersion' = '5' );  
);
```

```
ALTER TABLE
```

SESSION 29 PROPER NOTES

TABLE operation → NEW CODE

-- Creating a Database in Jupyter/VS

- CREATE CATALOG IF NOT EXISTS June_intake;

- CREATE CATALOG mbali_base;

- DROP CATALOG IF EXISTS mbali_base CASCADE
~~Deleting how to delete~~

- USE CATALOG June_intake;

- CREATE SCHEMA IF NOT EXISTS students_Profile;

-- TO drop is to delete: this code is used to delete the schema

DROP SCHEMA Students_Profile;

-- This code is used to create Schema within database

CREATE SCHEMA IF NOT EXISTS students;

-- Database_name.Schema_name/table_name

DATABASE_name . Schema_name . Table_name

-- This code is to create a table in our Database and given Schema

```
CREATE OR REPLACE TABLE June_intake.Students_Profile  
( Student_id INT,  
  name STRING,  
  surname STRING,  
  age INT,  
  email STRING,  
  registration_DT DATE);
```

-- INSERTING values into the table we have created.

```
INSERT INTO June June_intake.Students_Profile  
VALUES  
(101, 'rochester', 'Jones', 25, 'rochester@google.com', '2019-06-01'),  
(102, 'Sive', 'Maggari', 25, 'sive@pha/alpha/g.com', '1912-01-01'),  
(103, 'Casper', 'Zuma', 73, 'zuma@kandk.com', '2020-01-12'),  
(104, 'mbali', 'Higbo', 41, 'mbalie@caning.com', '2010-01-12');
```

Temporary table

• SEQUENCE OF RUNNING CODE MATTERS

Table with people above 50 years

→ CREATE OR REPLACE TEMPORARY TABLE elders AS

SELECT *

FROM Jane-intake. profile

WHERE age > 50;

SELECT *

FROM elders;

C9SSP4

mbali

→ Temporary table is temporary and is built to find / to get smaller table or summary of the information you want to see.

CTE → Combine table & extract information
→ one combined all
→ multiple table

WITH cte1 AS (

SELECT name,

Surname

age

FROM Jane-intake. student. profile

WHERE age > 40)

SELECT *

FROM cte1;

WHERE age > 40),

sales AS

(SELECT date AS purchase_date,
gender

~~FROM work~~ *total amount'

FROM workspace default. replace dataset.

WHERE GENDER LIKE 'male')

SELECT

FROM sales;

Consultation :

23/

Project

- ① Bright TV DATA SET (EXTRA RAW DATA)
- ② PDF File

Project Planning

- ① Miro
- ② CANVA SMART CMT.

③ DATA PROCESSING

- ① Bright TV Coding
- ② Correct Format Coding

④ Project presentation

READ ME :

* First thing to

Age brackets

DASHBOARDS DATA STUDIO

SESSION 31

DATA ANALYTICS

23/07/2026

21:00-22:00

Read ON CTE & Temporary Table exist in a session.

→ CODING IS NOT STAFFIC, CTE & Temp Table can be used inter exchangeably

⊗ RE-CAP

* A Temporary table exist in a session of coding AND IF we close it, it does not exist, you should re-run it again meaning create or replace it.

⊗ What make it different CTE you combine it all at once

⊗ Temp table you break it down,

→ A Database's temporary table exists only in the the current session and is removed automatically when the session ends. its name must not be included in a schema

→ NO DATE FUNCTIONS and understand what is contained in the code.

DATE Functions
NULL Functions
CTE's
Temporary Tables

NEXT MONTH

Class may be 7pm - 10pm

⊗ CANVA

SQL Fundamentals

Practice EXERCISES

EXERCISE 1 - SQL Fundamentals (SELECT & FILTERING)

1. SELECT Statement

- SELECT *
- FROM employees;

2. SELECT DISTINCT statement

- SELECT DISTINCT department
- FROM employees;

3. ORDER BY Statement

- SELECT first_name,
last_name,
salary
- FROM employees
- ORDER BY salary DESC;

4. LIMIT statement

- SELECT *
- FROM employees
- ORDER BY salary DESC.
- LIMIT 5;

→ First of data visualization:

First - Pivot table, then graph



insert, Pivot, table range.

• CHOOSE : Where you want your PT.

• NEW worksheet

• RE-NAME it


The block on the block on LEFT
click inside, so that pivot table
field can pop up.

we use | - row, columns

DRAS month-id into rows

pivot analyse, the DATA source and
only select the table with information.

⊗ Took Subscriptions (Sub)
into values [sum of Sub]



Build a graph

Clicks on a table, INSERT, then
Choose graphs. BAR GRAPH.

Now we want a NEW graph

highlight ^{table} graph Copy right click.
copy and paste

Then click on it. Change it.

Row 5	Values
Day name	count of location

Row labels	count of location
Sun	1397
Mon	973
Tue	1321

highlight portion
of Excel

Then Merge

Netisive security

LIVE EXCEL DASHBOARD

Data Visualization

④ Create the Pivot table and
From Pivot tables, we create our
graphs.

→ Highlight your data by the triangle
on top right.

→ Press insert, Pivot table, Followed
by New sheet and name it pivot.

→ Click on the pivot table, For
pivot table fields to appear on the right.
Because we need them to build
pivot tables.

→ Drag or Click on the list what
you want to the row

→ To Change or remove blanks
press pivot table Analyze, then Change
data source.

SESSION

DA LIVE SESSION

13/AUGUST/2026

* NEW CASE STUDY :

DUE DATE 31/AUGUST/2026

Bright C

→ '3,1 → Change to 3.1 NEW Column (Ren/Compute)

→ DATA → Text to Column → Try the box that will work.

— Coding on Data Books,

fraction city * cost-price

= Total revenue
↓
NEW column

149000.124

Go

SHANNON

Start:

Score CARD

Pivotable Analyze


Insert Slicer

Choose which one you want

connect: Slicer Connect

INSERT

→ How to draw a map



Power BI - Session -

1. Right Panes (Visualizations) & (DAX)

- Format [Then exclude the count of sub]

- Power Query - Query Transform

- * you can add column

- * remove duplicates

- * Union → Append Queries.

Pressing on Column you look at App/col steps.

Building Visuals

Subscribers per region, per age group.

First page, talk about the Audiences

→ Title → Text Box

[Bright TV who is watching.]

Click on the visual

⑩ on right there will be Format text box.

+ Background color
(Then transparency) no dots.

+ Header icons on → will give you 3 dots

○ If you want to Export Data then click there on 3 dots and Export your data.

KPIs (CARDS) They have to answer questions we have, total session watched, etc.

⑩ Safest route.

→ ~~For~~ measures, Pull measures; used to calculate whatever

→ To create measure → short cut on right

(for measures)

1. Total Subs = Distinct Count (Big Code Subs)


Then press comma, then go press on measure to make sure it is applied

→ first drag a visual you want first

→ then drag a card (total sub).

* Rename of values.

→ Format visual



→ Move to General

title on, then Edit plot

→ Column (total sub).

→ Value - on a drop down can edit font
want it in the middle
Display units none - not a factor.

→ Multicards lay out → Shape

pull

→ To Check Your DATA → go to DATA

→ ~~say~~ Most subscribers are youth.
male are more

→ last viewers

1. New Measure

1 Youth Subs = calculate (count(Big_Cat[Subs])

allows you to calculate and give formula)

or ^{calculate}
~~count~~ ([Total Subs]; Big_Cat[age-grp] = "youth")
(~~percentage~~)
percentage

→ you want your to be in percentage

go to New measure 1 % Youth Subs =
Divide([Youth Subs], [Total Subs])
(click percentage) like a comma

→ percentage values
after writing touch an empty space
on visuals

Change your Callout Value to
be same as those

Pull ~~New~~ measure.

1. Female subs = Calculate ([total subs]) B's (set)

CARD & DONE


Pulling Visuals and talking
about subscribers who is country

~~✗~~

✗ Pull or press on a Bar Chart.

✗ Show sub per region — can change
region name
by axis numbers
x axis region.

For Colors



Visual
Generator

← Title on / or of

→ Invisibile.

[Header Icons NB!! always ON]
[Enable Visibls]

]= "Female")

Visual

2 categories:-

Legend.

Genders

Y axis total subscribers

X axis (AGE)

Canvas is to change the
size of the page if you
want 720 height width.
1500

power Query, D414 Transform
Add Column.

DATA FOLKES - Visualization 15/08/2021

- load DATA - SQL Editor, Big Code of workspace then open Big Code.
- Run the Code ✓ and Inspect the columns in the big Code
- 3 dot top right, File option, then click go to DASH Board; RENAME DASH BOARD then create.
- Now it will move to DASH BOARD.
 - * SELECT CODE and run again
 - * RENAME DATA on the 3 dot
 - * Move to from DATA to untitled page. the rename ANALYSIS by time
 - * At the bottom there are options to ^{at the bottom}
 - * Text box move it to Centre and Drop Double Click to rename
- To add another page. press (+)
- * Then it will give you option
Name - Bright TV - viewership analysis
- * When select the subject or name on the right you will see

the panel to edit Background etc

For colours that are not available, then go to Site name Colour palette.

Colorhunt.co

Colour palettes

[# 464B71]

This is so nice

Visualizer Scorecard - is Counter.

Press on Value to see columns -

Widget press title * to add Score Card title.

Bright TV Widget App

Record Count Score Card
10/15

Total Sub
4386

Total Region
10

Total Churn
17

Click on Visualization to get Score Card and Logo.

For logo -> Click Pen icon, then insert image on the black Paint website

Nano Symmetry
to create image
for Bright TV

open website, then AI Toolkit

→

⊗ To Add Filter Press button 



To make it nice press on it then click NEXT to widget use or press 3 dots, you will see great colours.

Then Duplicate the first filter if time for creating further filter name, press on it then fields press plus for those.

Moving to Graph.

Click add Visualization at bottom on the right you'll have option on which graphs you want or Visualization — X-axis & Y-axis

CAREER UNLOCK: SESSION 02

Facilities Management
within the Sub-Saharan
Africa

Update My LinkedIn.

BASIC EMPLOYMENT ACT

⊗ Minimum Employment Standard.

— FIXED TERM, Permanent Employee:

* Applies to all employees, who works more than 24 hours per month

BCEA Conditions

⊗ Ensure minimum rights on working hours, leave, remuneration and Fair treatment

⊗ Things that should be found on the way

45 hours a week MAX

— 2 consecutive leave days

if I am sick for 3 day

Planning Dashboard for Power BI

Understanding subscribers

Pg 1

race ①

Age ②

Sub-id count ③

Region ④

Time frame of records

Pg 2

power date

Day name

Day Classification

Time of day

~~Viewers with time~~

Viewers with time

Pg 3

Screen time

Duration — on y-axis

TV Channels by gender

Which race, gender, & region contributing the most time left wch. Line chart time

Pg 1





Bright TV Viewership Analysis

Total records
1676

Total Subs.
476

Total hours
1523

Avg



06/10/2022

Chapter - Section Chart Sheet:

Question

Charting

- How has a Variable changed over time? Line Chart
- How do Categories compare? BAR Chart
- What is the part-to-whole? Stacked bar Chart/Pie Chart
- What is the relationship between 2 variables? Scatter Plot
- What are the sig/2 most important numbers? CPI Card

Sevier County (employees)
City

Greys Bay City
Moving employees → 1

288
PAGES

Scholar

COUNTERBOOK

A4

Sections Sewn for Extra Strength

Name: DAIA ANALYTICS Class notes
Subject: Size Maths / Unit Self Study
School: Bright Learn Grade:

3 Quire • Feint & Margin

