


DML STATEMENT USING SIMPLE RETAIL SYSTEM

1. Create Tables


Firstly, creating the tables suppliers, products, and orders. Each table includes primary keys, foreign keys, and constraints like NOT NULL and DEFAULT.



2. Insert values

Adding Values

Adding the first value of Supplier table where we provided all the column values without skipping it.



Null values

Skipping contact_name and Ph.no of Supplier table which will be stored as NULL.

```
7 | -- The second value of supplier is inserted with missing contact details, which will be stored as NULL
8 | INSERT INTO suppliers (supplier_id, supplier_name)
9 | VALUES (2, 'Food Mart Co. ');
10 | select * from suppliers
11 |
12 |
```

supplier_id	supplier_name	contact_name	phone_number
1	Global Tech Inc.	Sara Connor	555-100-2000
2	Food Mart Co.	NULL	NULL

Handling Default values

We explicitly provided the first value of Product table .

```
12 | -- The first value product is inserted with an explicit stock quantity
13 | INSERT INTO products (product_id, product_name, supplier_id, unit_price, stock_quantity)
14 | VALUES (101, 'Laptop', 1, 1200.00, 50);
15 |
16 | select * from products
17 |
```

00 % 17 0

Results Messages

	product_id	product_name	supplier_id	unit_price	stock_quantity
1	101	Laptop	1	1200.00	50

We skipped the value of stock_quantity of the product resulted 0 as we used DEFAULT constraints.

```
18  -- The second product is inserted without specifying stock_quantity,  
19  -- which will use the DEFAULT value of 0  
20  INSERT INTO products (product_id, product_name, supplier_id, unit_price)  
21  VALUES (102, 'T-Shirt', 2, 25.00);  
22  select * from products  
23  
24
```

100 % 23 0

Results Messages

	product_id	product_name	supplier_id	unit_price	stock_quantity
1	101	Laptop	1	1200.00	50
2	102	T-Shirt	2	25.00	0

3. UPDATE and DELETE with WHERE Conditions

Modifying and removing data using WHERE clauses to ensure changes are applied to the correct records.

UPDATE Statements

Update the unit price of a specific product.

```
23  
24  --Update the unit price of a specific product  
25  UPDATE products  
26  SET unit_price = 1150.00  
27  WHERE product_id = 101;  
28  select * from products
```

00 % 27 0

Results Messages

	product_id	product_name	supplier_id	unit_price	stock_quantity
1	101	Laptop	1	1150.00	50
2	102	T-Shirt	2	25.00	0

Update the stock quantity and supplier for a product

```
29
30  -- Update the stock quantity and supplier for a product
31  UPDATE products
32  SET stock_quantity = 100, supplier_id = 1
33  WHERE product_name = 'T-Shirt';
34  select * from products
35
36
37
38
```

100 % 32 0

Results Messages

	product_id	product_name	supplier_id	unit_price	stock_quantity
1	101	Laptop	1	1150.00	50
2	102	T-Shirt	1	25.00	100

Replacing the null values for supplier tables.

```
36  --Replacing the null values for supplier tables
37  UPDATE suppliers
38  SET contact_name = 'James Bond', phone_number = '555-007-0070'
39  WHERE supplier_id = 2;
40  select * from suppliers
41
42
43
44
45
46
```

100 % 37 0

Results Messages

	supplier_id	supplier_name	contact_name	phone_number
1	1	Global Tech Inc.	Sara Connor	555-100-2000
2	2	Food Mart Co.	James Bond	555-007-0070

DELETE Statements

Delete a specific order

Before Deleting

```
1  INSERT INTO orders (order_id, product_id, quantity, total_price)
2  VALUES (1011, 101, 2, 2400.00);
3
4  select * from orders
5
6
7
8
```

100 % No issues found

Results Messages

	order_id	product_id	quantity	order_date	total_price
1	1001	101	2	2025-08-08 00:06:11.547	2400.00
2	1011	101	2	2025-08-08 00:07:39.070	2400.00

After deleting

```
5
6  -- Delete a specific order
7  DELETE FROM orders
8  WHERE order_id = 1001;
9
10 select * from orders
11
12
13
14
15
```

100 % No issues found

Results Messages

	order_id	product_id	quantity	order_date	total_price
1	1011	101	2	2025-08-08 00:07:39.070	2400.00

Delete a product that is no longer sold

Before deleting

```
1  select * from products
```

00 % No issues found

Results Messages

	product_id	product_name	supplier_id	unit_price	stock_quantity
1	101	Laptop	1	1150.00	50
2	102	T-Shirt	1	25.00	100

After deleting

```
3  DELETE FROM products
4  WHERE product_id = 102;
5  select * from products
6
7
```


100 % No issues found

Results Messages

	product_id	product_name	supplier_id	unit_price	stock_quantity
1	101	Laptop	1	1150.00	50

Delete a supplier (this may fail if there are foreign key constraints from other tables that still reference it, so we delete products first if needed).

Before Deleting




The screenshot shows a SQL IDE with a query editor containing the following SQL code:

```
1  
2 ✓ select * from suppliers  
3  
4  
5
```

Below the query editor, the status bar indicates "0 %", "No issues found", and a scrollbar. The "Results" tab is active, displaying a table with the following data:

supplier_id	supplier_name	contact_name	phone_number
1	Global Tech Inc.	Sara Connor	555-100-2000
2	Food Mart Co.	James Bond	555-007-0070

After deleting



The screenshot shows a SQL IDE with a query editor containing the following SQL code:

```
3  
4 ✓ --Delete a supplier (this may fail if there are foreign key constraints from other tables)  
5 --still it deletes the record  
6 ✓ DELETE FROM suppliers  
7 WHERE supplier_id = 2;  
8  
9 select * from suppliers  
10
```

Below the query editor, the status bar indicates "100 %", "No issues found", and a scrollbar. The "Results" tab is active, displaying a table with the following data:

supplier_id	supplier_name	contact_name	phone_number
1	Global Tech Inc.	Sara Connor	555-100-2000

THANK YOU!