

Question 1: Classify each product by price into the three tiers below

```
21  --Question 1: Classify each product by price into the three tiers below
22
23  SELECT product_id,
24          product_name,
25          price,
26          CASE
27          WHEN price > 1000 THEN 'Expensive'
28          WHEN price BETWEEN 100 and 1000 THEN 'Mid_range'
29          WHEN price < 100 THEN 'Budget'
30          END AS price_category
31  FROM brightlearn.default.products
32
```

Add parameter

	product_id	product_name	price	price_category
1	1	Laptop	1200	Expensive
2	2	Phone	800	Mid_range
3	3	Keyboard	45	Budget
4	4	Monitor	300	Mid_range
5	5	Mouse	25	Budget

Question 2: Label each order by its value.

```
49  --Question 2: Label each order by its value.
50  SELECT customer_name,
51          amount,
52          CASE
53          WHEN amount >= 1000 THEN 'High Value'
54          WHEN amount BETWEEN 500 and 999.99 THEN 'Medium Value'
55          WHEN amount < 500 THEN 'Low Value'
56          END AS order_value_category
57  FROM brightlearn.default.orders
58
59
60
```

Add parameter

	customer_name	amount	order_value_category
1	Alice	105	Low Value
2	Bob	560	Medium Value
3	Charlie	1000	High Value
4	Diana	46	Low Value
5	Ethan	1200	High Value

Question 3: Categorize each employee's position level using both department and salary

```

73 --Question 3: Categorize each employee's position level using both department and salary
74 SELECT emp_name,
75        department,
76        salary,
77        CASE
78        WHEN department = 'IT' AND salary > 80000 THEN 'Senoir IT'
79        WHEN department = 'HR' AND salary > 55000 THEN 'Experienced HR'
80        ELSE 'Staff'
81        END AS position_level
82 FROM brightlearn.default.employees1

```

Add parameter

Table +

	emp_name	department	salary	position_level
1	John	IT	85000	Senoir IT
2	Sara	HR	60000	Experienced HR
3	Mark	IT	75000	Staff
4	Lucy	Finance	95000	Staff
5	Tom	HR	55000	Staff

Question 4: Assign each student a letter grade based on their score

```

97 --Question 4: Assign each student a letter grade based on their score
98 SELECT student_name,
99        score,
100       CASE
101       WHEN score >= 90 THEN 'A'
102       WHEN score BETWEEN 80 and 89 THEN 'B'
103       WHEN score BETWEEN 70 and 79 THEN 'B'
104       WHEN score BETWEEN 60 and 69 THEN 'D'
105       WHEN score < 60 THEN 'F'
106       END AS grade
107 FROM brightlearn.default.students1

```

Add parameter

Table +

	student_name	score	grade
1	Anna	92	A
2	Ben	76	B
3	Cara	59	F
4	Davide	83	B
5	Ella	68	D

5 rows 0.869s runtime See performance (1) Checked for improvements Refreshed Now

Question 5: Label delivery performance based on the time taken.

```
122 (5, 100);
123
124 --Question 5: Label delivery performance based on the time taken.
125 ✓ SELECT delivery_id,
126       delivery_time_minutes,
127       CASE
128       WHEN delivery_time_minutes <= 30 THEN 'Fast'
129       WHEN delivery_time_minutes BETWEEN 31 and 60 THEN 'On Time'
130       WHEN delivery_time_minutes > 60 THEN 'Late'
131       END AS performance
132 FROM brightlearn.default.deliveries;
```

Add parameter

Table ▾ +

	¹ ₃ delivery_id	¹ ₃ delivery_time_minutes	^A _C performance
1	1	45	On Time
2	2	80	Late
3	3	30	Fast
4	4	65	Late
5	5	100	Late

Question 6: 06 Convert the numeric priority into a readable label.

```
147
148 --Question 6: Classify tickets based on their priority level.
149 ✓ SELECT ticket_id,
150       issue_type,
151       priority,
152       CASE
153       WHEN priority = 3 THEN 'High'
154       WHEN priority = 2 THEN 'Medium'
155       WHEN priority = 1 THEN 'Low'
156       END AS priority_level
157 FROM brightlearn.default.tickets;
```

Add parameter

Table ▾ + 🔍 🗑️ 📄 📊 ⌕ ✕

	¹ ₃ ticket_id	^A _C issue_type	¹ ₃ priority	^A _C priority_level
1	1	Login issue	1	Low
2	2	Server down	3	High
3	3	Slow system	2	Medium
4	4	Email error	2	Medium
5	5	Password Reset	1	Low