


S MAHLANGU

222932050


PRACTICAL LAB 7 : MALWARE

LAB 1 :Trojan lab

Method A: PowerShell



```
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
change.log trojan_payload.ps1
1 Add-Type -AssemblyName PresentationFramework
2 [System.Windows.MessageBox]::Show("Marks updated successfully.", "TUT Update")
3 Start-Process notepad.exe
4 "[$(Get-Date)] Safe Trojan simulation executed" | Add-Content
5 "C:\MalwareLab\trojan_log.txt"
```



```
Windows PowerShell
PS C:\Users\222932050> Set-ExecutionPolicy -Scope Process Bypass

Execution Policy Change
The execution policy helps protect you from scripts that you do not trust. Changing the execution policy might expose
you to the security risks described in the about_Execution_Policies help topic at
https://go.microsoft.com/fwlink/?LinkID=135170. Do you want to change the execution policy?
[Y] Yes [A] Yes to All [N] No [L] No to All [S] Suspend [?] Help (default is "N"): y
PS C:\Users\222932050> C:\MalwareLab\trojan_payload.ps1
```

TUT Update

Marks updated successfully.

OK

LAB2 : Worm

222932050SM [Running] - Oracle VirtualBox

C:\MalwareLab\worm_safe.ps1 - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

worm_safe.ps1

```
1 $base="C:\MalwareLab\WormDemo"
2 if(!(Test-Path $base)) { New-Item -ItemType Directory -Path $base | Out-
3 Null }
4
5 1..5 | ForEach-Object {
6     $folder = Join-Path $base "Node$_"
7     if(!(Test-Path $folder)) { New-Item -ItemType Directory -Path $folder
8 | Out-Null }
9     Copy-Item "C:\MalwareLab\worm_safe.ps1" (Join-Path $folder
10 "worm_copy.ps1") -Force
11     "[$(Get-Date)] Safe worm replication complete" | Add-Content
12 "C:\MalwareLab\worm_log.txt"
13
14
15
```




222932050SM [Running] - Oracle VirtualBox


worm_safe.ps1

Windows PowerShell


```
1 PS C:\Users\222932050> Set-ExecutionPolicy -Scope Process Bypass
2
3
4 Execution Policy Change
5 The execution policy helps protect you from scripts that you do not trust. Changing the execution policy might expose
6 you to the security risks described in the about_Execution_Policies help topic at
7 https://go.microsoft.com/fwlink/?linkID=135170. Do you want to change the execution policy?
8 [Y] Yes [A] Yes to All [N] No [L] No to All [S] Suspend [?] Help (default is "N"): A
9 PS C:\Users\222932050> C:\MalwareLab\worm_safe.ps1
10 PS C:\Users\222932050> Set-ExecutionPolicy -Scope Process Bypass
11
12 Execution Policy Change
13 The execution policy helps protect you from scripts that you do not trust. Changing the execution policy might expose
14 you to the security risks described in the about_Execution_Policies help topic at
15 https://go.microsoft.com/fwlink/?linkID=135170. Do you want to change the execution policy?
16 [Y] Yes [A] Yes to All [N] No [L] No to All [S] Suspend [?] Help (default is "N"): Y
17 PS C:\Users\222932050> C:\MalwareLab\worm_safe.ps1
18 PS C:\Users\222932050>
```


Lab 3: Virus – File Infection Simulation






8. Method A: PowerShell





```
PS C:\Users\222932050> Set-ExecutionPolicy -Scope Process Bypass

Execution Policy Change
The execution policy helps protect you from scripts that you do not trust. Changing the execution policy might
you to the security risks described in the about_Execution_Policies help topic at
https://go.microsoft.com/fwlink/?LinkID=135170. Do you want to change the execution policy?
[Y] Yes  [A] Yes to All  [N] No   [L] No to All  [S] Suspend  [?] Help (default is "N"): Y
PS C:\Users\222932050> C:\MalwareLab\virus_safe.ps1
PS C:\Users\222932050>
```



```
file3 - Notepad
File Edit Format View Help
This is Assignment Draft 3.
'n[SAFE-INFECTION-MARKER]
'n[SAFE-INFECTION-MARKER]
|
```

Paragraph explanation

-In the Tut scenario students were asked to perform a malware analysis which included studying how different viruses behaved .They simulated different malware attacks in order to understand how they occur , how they spread and how they differ from each other. A virus is a type of malware that is attached to legitimate files .The script opens existing files and changes them by including a marker.

17. Questions students must answer

1. Why is this lab considered a virus-style simulation instead of a worm or a Trojan?

-Its because it includes existing files being changed.

2. What happened to the original files after the script ran?

-They contained a new line .

3. Which part of the CIA triad was mainly affected?

-Integrity

4. How would this affect student work at TUT if it happened in a real lab?

-Student work would lose integrity .Assignments would be corrupted.

5. Which two detection methods are most useful in this lab?

-View log file

-Check file time stamps


6. Which two mitigation methods would best protect academic files?

-Observe script execution

- Check file timestamps.



Lab 4: Simulating Adware Behaviour in a TUT Virtual Machine

8. Method A: PowerShell



The screenshot shows a Windows Virtual Machine window titled "222932050SM [Running] - Oracle VirtualBox". Inside the VM, a Notepad++ window is open with the file "C:\MalwareLab\adware_safe.ps1". The script is a PowerShell file designed to simulate adware behavior. It starts by defining a log file path, then logs the start of the simulation. A for loop runs from 1 to 10, where each iteration starts a new Notepad instance, logs the event, and sleeps for 2 seconds. Finally, it logs the completion of the simulation.

```
1 #C:\MalwareLab\adware_safe.ps1
2 $logFile ="C:\MalwareLab\adware_log.txt"
3 "[$(Get-Date)] Adware simulation started." | Out-File $logFile
4 for($i=1;$i -le 10; $i++){
5     Start-Process notepad.exe
6     Add-Content $logFile "Opened Notepad instance $i"
7     Start-Sleep -Seconds 2
8 }
9 Add-Content $logFile "[$(Get-Date)] Adware simulation completed."
10
```



Explanation Paragraph

17. Questions that you must answer

1. Why is this behaviour classified as adware?

-It is because the script included launching notepad repeatedly .Which is how an adware behaves because it displays advertisements repeatedly.

2. How does adware affect system performance?

-CPU resources are consumed and this causes the system to become very slow.

3. What did you observe in Task Manager?

4. How would this impact students in a TUT lab?

-Students would lose time during practicals and their privacy would be violated.

5. What are two ways to detect this behaviour?

-Process analysis

-Log files

6. What are two ways to mitigate this problem?


-Use an anti virus which detects malicious traffic.

-Remove suspicious software.

Lab 5: Spyware – Silent Monitoring Simulation


Lab 5: Simulating Spyware

8. Method A: PowerShell



The screenshot shows a Notepad++ window titled "C:\MalwareLab\spyware_safe.ps1 - Notepad++". The script is as follows:

```
1 #C:\MalwareLab\spyware_safe.ps1
2 $logFile ="C:\MalwareLab\spyware_log.txt"
3 "[$(Get-Date)] Spyware simulation has started." | Out-File $logFile
4 for($i=1; $i -le 10; $i++){
5     Get-Process | Select-Object Name, Id, CPU | Out-String | Add-Content
6     $logFile
7     Add-Content $logFile "-----"
8     Start-Sleep -Seconds 3
9 }
10 Add-Content $logFile "[$(Get-Date)] Spyware simulation completed."
```



The screenshot shows a Windows PowerShell terminal window. The user has entered the command `Set-ExecutionPolicy -Scope Process Bypass` and the prompt has changed to `PS C:\Users\222932050> C:\MalwareLab\spyware_safe.ps1`. The terminal output shows the script running and logging the start and completion of the simulation.

```
Microsoft Windows [Version 6.0.6002.18005] Copyright (c) 2009 Microsoft Corporation. All rights reserved.
Try the new cross-platform PowerShell https://aka.ms/pscore6
PS C:\Users\222932050> Set-ExecutionPolicy -Scope Process Bypass
Microsoft Execution Policy Change
Edge The execution policy helps protect you from scripts that you do not trust. Changing the execution policy might expose you to the security risks described in the about_Execution_Policies help topic at https://go.microsoft.com/fwlink/?LinkID=135170. Do you want to change the execution policy?
[Y] Yes [A] Yes to All [N] No [L] No to All [S] Suspend [?] Help (default is "N"): A
PS C:\Users\222932050> C:\MalwareLab\spyware_safe.ps1
```

```
222932050SM [Running] - Oracle VirtualBox
Recycle Bin Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell https://aka.ms/pscore6

PS C:\Users\222932050> Set-ExecutionPolicy -Scope Process Bypass

Microsoft Edge
Execution Policy Change
The execution policy helps protect you from scripts that you do not trust. Changing the execution policy may expose you to the security risks described in the about_Execution_Policies help topic at
https://go.microsoft.com/fwlink/?LinkID=135170. Do you want to change the execution policy?
[Y] Yes [A] Yes to All [N] No [L] No to All [S] Suspend [?] Help (default is "N"): A

PS C:\Users\222932050> C:\MalwareLab\spyware_safe.ps1

PS C:\Users\222932050>
```



Name	Id	CPU
-----	---	----
AggregatorHost	2972	
audiodg	4424	0.125
conhost	1444	0.1875
csrss	404	
csrss	480	
ctfmon	2288	1.015625
dllhost	2548	
dllhost	2616	0.09375
dwm	884	
explorer	1132	9.6875
fontdrvhost	640	
fontdrvhost	696	
Idle	0	
lsass	572	
Memory Compression	1324	
MicrosoftEdgeUpdate	2796	
MpDefenderCoreService	1320	
MsMpEng	2076	
NisSrv	3040	
notepad++	1388	1.640625
OneDrive	5068	4.859375
powershell	4664	1.8125
Registry	72	
RuntimeBroker	4068	2.84375
RuntimeBroker	4240	0.984375
RuntimeBroker	4672	0.171875
RuntimeBroker	4860	0.375
SearchApp	4124	16.390625
SearchIndexer	2404	
SecurityHealthService	5012	
SecurityHealthSystray	4984	0.09375
services	564	

I

17. Questions you must answer

1. Why is spyware difficult to detect?

-It executes silently.

2. What did the script collect?

-It collects system/process information.

3. Why was there no visible activity?

-spyware is stealthy and often unnoticed.

4. How would this affect TUT users?

-Privacy would be violated .

-Lecturer activity would be tracked .

5. What are two detection methods?

-Check for unusual files.

-Monitor processes.



6. What are two mitigation methods?


-Use anti virus which tracks for unusual logging.

-Monitor system logs .

Lab 6: Simulating Ransomware Behaviour

8. Method A: PowerShell







Windows PowerShell

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell https://aka.ms/pscore6

S C:\Users\222932050> Set-ExecutionPolicy -Scope Process Bypass

Execution Policy Change
The execution policy helps protect you from scripts that you do not trust. Changing the execution policy helps protect you to the security risks described in the about_Execution_Policies help topic. For more details, see https://go.microsoft.com/fwlink/?LinkID=135170. Do you want to change the execution policy for the process?
[Y] Yes [A] Yes to All [N] No [L] No to All [S] Suspend [?] Help (default is "N")
S C:\Users\222932050> C:\MalwareLab\spyware_safe.ps1
S C:\Users\222932050> C:\MalwareLab\spyware_log.txt
S C:\Users\222932050> Set-ExecutionPolicy -Scope Process Bypass

Execution Policy Change
The execution policy helps protect you from scripts that you do not trust. Changing the execution policy helps protect you to the security risks described in the about_Execution_Policies help topic. For more details, see https://go.microsoft.com/fwlink/?LinkID=135170. Do you want to change the execution policy for the process?
[Y] Yes [A] Yes to All [N] No [L] No to All [S] Suspend [?] Help (default is "N")
S C:\Users\222932050> C:\MalwareLab\ransomware_safe.ps1
S C:\Users\222932050> ^C
S C:\Users\222932050> Get-Content C:\MalwareLab\ransom_log.txt
05/02/2026 21:05:12] Ransomware simulation started
locked file : file1.txt
locked file : file2.txt
locked file : file3.txt
05/02/2026 21:05:12] Simulation completed.
S C:\Users\222932050>
```




```
222932050SM [Running] - Oracle VirtualBox
Windows PowerShell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell https://aka.ms/pscore6

PS C:\Users\222932050> Set-ExecutionPolicy -Scope Process Bypass

Execution Policy Change
The execution policy helps protect you from scripts that you do not trust. Changing the execution policy might expose
you to the security risks described in the about_Execution_Policies help topic at
https://go.microsoft.com/fwlink/?LinkID=135170. Do you want to change the execution policy?
[Y] Yes [A] Yes to All [N] No [L] No to All [S] Suspend [?] Help (default is "N"): A
PS C:\Users\222932050> C:\MalwareLab\spyware_safe.ps1
PS C:\Users\222932050> C:\MalwareLab\spyware_log.txt
PS C:\Users\222932050> Set-ExecutionPolicy -Scope Process Bypass

Execution Policy Change
The execution policy helps protect you from scripts that you do not trust. Changing the execution policy might expose
you to the security risks described in the about_Execution_Policies help topic at
https://go.microsoft.com/fwlink/?LinkID=135170. Do you want to change the execution policy?
[Y] Yes [A] Yes to All [N] No [L] No to All [S] Suspend [?] Help (default is "N"): Y
PS C:\Users\222932050> C:\MalwareLab\ransomware_safe.ps1
PS C:\Users\222932050> ^C
PS C:\Users\222932050> Get-Content C:\MalwareLab\ransom_log.txt
[05/02/2026 21:05:12] Ransomware simulation started
Locked file : file1.txt
Locked file : file2.txt
Locked file : file3.txt
[05/02/2026 21:05:12] Simulation completed.
PS C:\Users\222932050> Get-ChildItem C:\MalwareLab\Docs *.locked | ForEach-Object { Rename-Item $_.FullName ($_.BaseName)}
PS C:\Users\222932050>
```



18. Questions you must answer

1. What happened to the files?

-They were locked .

2. Why is this considered ransomware?

-It involves extorting money from users.

3. Which CIA principle was affected most?

-Availability.

4. How would this impact TUT operations?

-They would be disrupted and assignments would be lost.

5. How was the attack detected?


-Ransom note

6. How was recovery performed?

-By using the PowerShell to change the file extension.

Lab 7: Fileless Malware

Lab 7: Simulating Fileless Malware Behaviour



The screenshot shows a Windows PowerShell window titled "Administrator: Windows PowerShell" with the following content:

```
PS C:\Windows\system32> Get-History

Id CommandLine
-----
1 $code={ Add-Type -AssemblyName PresentationFramework [ System.Windows.MessageBox::Show("System Update Completed","TUT System") Start-...
2 $code={ Add-Type -AssemblyName PresentationFramework [ System.Windows.MessageBox::Show("System Update Completed","TUT System") Start-...
3 $code={ Add-Type -AssemblyName PresentationFramework [ System.Windows.MessageBox::Show("System Update Completed","TUT System") Start-...
4 $code={ Add-Type -AssemblyName PresentationFramework [ System.Windows.MessageBox::Show("System Update Completed","TUT System") Start-...
5 $code={ Add-Type -AssemblyName PresentationFramework [ System.Windows.MessageBox::Show("System Update Completed","TUT System") Start-...
6 $code={ Add-Type -AssemblyName PresentationFramework [ System.Windows.MessageBox::Show("System Update Completed","TUT System") Start-...
7 $code={ Add-Type -AssemblyName PresentationFramework [ System.Windows.MessageBox::Show("System Update Completed","TUT System") Start-...
8 $code={ Add-Type -AssemblyName PresentationFramework [ System.Windows.MessageBox::Show("System Update Completed","TUT System") Start-...
9 $code={ Add-Type -AssemblyName PresentationFramework [ System.Windows.MessageBox::Show("System Update Completed","TUT System") Start-...
10 $code={ Add-Type -AssemblyName PresentationFramework [ System.Windows.MessageBox::Show("System Update Completed","TUT System") Start-...
11 $code={ Add-Type -AssemblyName PresentationFramework [ System.Windows.MessageBox::Show("System Update Completed","TUT System") Start-...
12 $code={ Add-Type -AssemblyName PresentationFramework [ System.Windows.MessageBox::Show("System Update Completed","TUT System") Start-...
13 $code={ Add-Type -AssemblyName PresentationFramework [ System.Windows.MessageBox::Show("System Update Completed","TUT System") Start-...
14 $code={ Add-Type -AssemblyName PresentationFramework [ System.Windows.MessageBox::Show("System Update Completed","TUT System") Start-...
15 $code={ Add-Type -AssemblyName PresentationFramework [ System.Windows.MessageBox::Show("System Update Completed","TUT System") Start-...
16 $code={ Add-Type -AssemblyName PresentationFramework [ System.Windows.MessageBox::Show("System Update Completed","TUT System") Start-...

PS C:\Windows\system32> Get-ChildItem $env:TEMP

Directory: C:\Users\222932050\AppData\Local\Temp

Mode                LastWriteTime         Length Name
----                -
d-----          4/11/2026 11:06 PM             WinsAT
-a-----          5/2/2026  8:25 PM              53 .ses
-a-----          5/2/2026 12:00 PM          3538 cv_debug.log
-a-----          5/2/2026  1:20 AM          103586 wct366E.tmp
-a-----          5/2/2026  1:20 AM          103586 wct3A1D.tmp
-a-----          5/2/2026  1:20 AM          103586 wct4687.tmp
-a-----          5/2/2026  1:20 AM          103586 wct8DF9.tmp
-a-----          5/2/2026  1:20 AM          103586 wctC291.tmp
-a-----          5/2/2026  1:20 AM          103586 wctC3A5.tmp
-a-----          5/2/2026 11:58 AM              0 wctDBD7.tmp
-a-----          5/2/2026  1:20 AM          103586 wctDCF0.tmp
```

15. Questions you must answer

1. What makes this attack “fileless”?

-It is because it's doesn't depend on files.

2. Why is no file visible on disk?

-It is not stored on disk but it runs directly on memory.

3. Why is fileless malware difficult to detect?

It is difficult to detect because it is not saved on files in disks.

4. What evidence was left behind?

-System logs

5. How would this impact TUT systems?

- staff accounts could be compromised.

6. What are two detection methods?

- look for PowerShell running unexpectedly

-Check temporary logs.

7. What are two mitigation strategies?

- Restrict PowerShell execution.

- Monitor system activity.

Lab 8: Dropper & Downloader

```
222932050SM [Running] - Oracle VirtualBox
C:\Users\222932050> C:\Program Files\PowerShell\Microsoft.PowerShell.Core\Microsoft.PowerShell.exe
Copyright (C) Microsoft Corporation. All rights reserved.

Enter the new cross-platform PowerShell https://aka.ms/pscore6

C:\Users\222932050> Set-ExecutionPolicy -Scope Process Bypass

Execution Policy Change
Execution policy helps protect you from scripts that you do not trust. Changing the execution policy might expose you to the security risks described in the about_Execution_Policies help topic at https://go.microsoft.com/fwlink/?LinkID=135170. Do you want to change the execution policy?
Yes [A] Yes to All [N] No [L] No to All [S] Suspend [?] Help (default is "N"): A
C:\Users\222932050> C:\MalwareLab\dropper.ps1

C:\Users\222932050>
```

```
222932050SM [Running] - Oracle VirtualBox
C:\Users\222932050> C:\Program Files\PowerShell\Microsoft.PowerShell.Core\Microsoft.PowerShell.exe
Copyright (C) Microsoft Corporation. All rights reserved.

Enter the new cross-platform PowerShell https://aka.ms/pscore6

C:\Users\222932050> Set-ExecutionPolicy -Scope Process Bypass

Execution Policy Change
Execution policy helps protect you from scripts that you do not trust. Changing the execution policy might expose you to the security risks described in the about_Execution_Policies help topic at https://go.microsoft.com/fwlink/?LinkID=135170. Do you want to change the execution policy?
Yes [A] Yes to All [N] No [L] No to All [S] Suspend [?] Help (default is "N"): A
C:\Users\222932050> C:\MalwareLab\dropper.ps1


C:\Users\222932050> Get-ChildItem C:\MalwareLab

Directory: C:\MalwareLab

Mode                LastWriteTime         Length Name
----                -
---          5/2/2026   9:21 PM              Docs
---          5/2/2026   2:59 PM              Files
---          5/2/2026  12:56 PM          WormDemo
---          5/2/2026  10:36 PM             13 deployed_payload.ps1
---          5/2/2026  10:25 PM            298 dropper.ps1
---          5/2/2026  10:37 PM             70 dropper_log.txt
---          5/2/2026  10:36 PM             13 payload.ps1
---          5/2/2026  12:17 PM            245 trojan_payload.ps1
---          5/2/2026   2:44 PM            108 worm_log.txt
---          5/2/2026   2:44 PM            450 worm_safe.ps1


C:\Users\222932050>
```

PART 2: DOWNLOADER SIMULATION



```
PS C:\Users\222932050> Set-ExecutionPolicy -Scope Process Bypass

Execution Policy Change
The execution policy helps protect you from scripts that you do not trust. Changing the execution
policy might expose you to the security risks described in the about_Execution_Policies help topic
at https://go.microsoft.com/fwlink/?LinkID=135170. Do you want to change the execution policy?
[Y] Yes [A] Yes to All [N] No [L] No to All [S] Suspend [?] Help (default is "N"): A
PS C:\Users\222932050> C:\MalwareLab\downloader.ps1
is
on.
PS C:\Users\222932050>
```



```
1 #C:\MalwareLab\downloader.ps1
2 $source="C:\MalwareLab\payload.ps1"
3 $destination="C:\MalwareLab\downloaded_payload.ps1"
4 $log="C:\MalwareLab\dropper_log.txt"
5 Copy-Item $source $destination -Force
6 powershell -ExecutionPolicy Bypass -File $destination
7 "Downloader retrieved and executed payload" | Out-File $log
```

16. Questions students must answer

1. What is a dropper?

-A dropper is a small program that contains the malware inside itself and installs or deploys it onto the system.

2. What is a downloader?

-A downloader retrieves malware from another location.

3. What is the difference between them?

Dropper : contains a payload internally.

download :retrieves the payload from the external command and control server.

4. What files were created?

-new files were created.

5. How was the payload executed?

-via notepad

6. How would this impact TUT systems?

-spyware would be installed which would cause the student login details to be exposed.

7. How can this be detected?

-file creation

-check logs

8. How can it be mitigated?


- block unknown installers

- monitor file creation.


Lab 9: Simulating Obfuscation and Encoding Techniques

PART 1: ENCODING (OBFUSCATION)

Method A: PowerShell Encoding




```
PS C:\Users\222932050SM> $code = Get-Content "C:\MalwareLab\payload.ps1"-Raw
PS C:\Users\222932050SM> $encoded = [Convert]::ToBase64String([Text.Encoding]::UTF8.GetBytes($code))
PS C:\Users\222932050SM> $encoded | Out-File C:\MalwareLab\encoded.txt
PS C:\Users\222932050SM>
```




PART 2: DECODING (ANALYSIS)

Method A: PowerShell Decode



```
PS C:\Users\222932050SM> $code = Get-Content "C:\MalwareLab\encoded.txt"
PS C:\Users\222932050SM> $decoded= [Text.Encoding]::UTF8.GetString([Convert]::FromBase64String($code))
PS C:\Users\222932050SM> $decoded | Out-File C:\MalwareLab\decoded.ps1
PS C:\Users\222932050SM>
```

16. Questions students must answer

1. What is obfuscation?

-Technique used to hide malicious codes.

2. Why do attackers hide code?

-To avoid detection

3. What did encoding do to the script?

-It hides the malicious code.

4. How was the code restored?

-by converting the encoded text into normal text

5. Why is this dangerous at TUT?

-malicious scripts are unnoticed and they by pass antivirus and this could cause a deeper system compromise.

6. How can this be detected?

- Look for unusual strings .

7. How can this be mitigated?

- Use advance anti virus