Cucumber Report

| Start : Jun 05, 8:58:20.553 am	End : Jun 05, 9:00:38.509 am	Duration : 2 m 17.956 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 6 SKIPPED - 0	PASSED - 8 FAILED - 6 SKIPPED - 22

Features: 1 — 0 %

Scenarios: 7 — 14 %

Steps: 36 — 22 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Specific Debit	2 m 17.956 s	7	1	6	0	36	8	6	22

#	Feature Name	Scenario Name
1	Specific Debit	Add Specific Debit
2		Add Specific Debit without filling in fields
3		Action Date
4		Check Submitted
5		Delete Specific Debit
6		Edit Specific Debit

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@Done	7	1	6	0	1	0	1	0
@SuccessfulScenario	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Specific Debit	7	1	6	0	2 m 17.956 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Specific Debit	Successful login	5	5	0	0	27.973 s
2		Add Specific Debit	15	1	1	13	28.345 s
3		Add Specific Debit without filling in fields	6	0	1	5	4.963 s
4		Action Date	1	0	1	0	15.273 s
5		Check Submitted	4	2	1	1	12.691 s
6		Delete Specific Debit	3	0	1	2	32.752 s
7		Edit Specific Debit	2	0	1	1	15.772 s

Specific Debit

FAILED	DURATION - 2 m 17.956 s	Scenarios		Steps	
		Total - 7		Total - 36	
/ 8:58:20.553 am // 9:00:38.509 am /		Pass - 1	7	Pass - 8	36
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 22	

Successful login

PASSED	DURATION - 27.973 s		Steps	
/ 8:58:20.564 am // 8:58:48.537 am /			Total - 5	
Specific Debit			Pass - 5	5
@Done			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given I am on the login page	PASSED	4.857 s
2	When I enter my valid username and password	PASSED	10.704 s
3	And click the "Login" button	PASSED	0.447 s
4	Then I should be redirected to the homepage	PASSED	0.024 s
5	And see a welcome message with my "Welcome"	PASSED	4.313 s

Add Specific Debit

FAILED	DURATION - 28.345 s		Steps	
/ 8:58:48.577 am // 8:59:16.922 am /			Total - 15	
Specific Debit			Pass - 1	15
@SuccessfulScenario @Done			Fail - 1	
			Skip - 13	

#	Step / Hook Details	Status	Duration
1	Given I am on Specific Debit Tab	PASSED	11.111 s
2	When I Add a Specific Debit	FAILED	15.623 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.className: modal-content (tried for 15 second(s) with 500 milliseconds interval) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:53294}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53294/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2944c1af4dd7860ef26715b5796951ff
	  at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
	  at com.mobilife.pages.SpecificDebit.SpecificDebitPage.AddSpecificDebit(SpecificDebitPage.java:122)
	  at com.mobilife.automation.glue.StepDefinition.iAddASpecificDebit(StepDefinition.java:207)
	  at ?.I Add a Specific Debit(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:21)
	* Not displayable characters are replaced by '?'.		

3	Then Specific Debit Details window appears	SKIPPED	0.002 s
4	Then Find the policy	SKIPPED	0.000 s
5	When I select the policy	SKIPPED	0.001 s
6	Then Policy number filed is populated	SKIPPED	0.000 s
7	And Policy number is uneditable	SKIPPED	0.001 s
8	And Collection Method Should be "SSVS"	SKIPPED	0.001 s
9	And Premium Month date picker translates to MM/YY	SKIPPED	0.001 s
10	And The Amount is automatically populated	SKIPPED	0.001 s
11	And Matches the current Nett Premium	SKIPPED	0.001 s
12	And Nett Premium cannot be negative	SKIPPED	0.001 s
13	Then Enter Action Date	SKIPPED	0.000 s
14	Then Click Save	SKIPPED	0.001 s
15	And If it's after "14:30" Mobility will show an error text	SKIPPED	0.001 s

Add Specific Debit without filling in fields

FAILED	DURATION - 4.963 s
/ 8:59:16.957 am // 8:59:21.920 am /	
Specific Debit	
@Done	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When I Add a Specific Debit	FAILED	1.156 s

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button type="button" name="c2" id="c2" class="btn btn-primary rippleclick mrg-top10 fullWidth">...</button> is not clickable at point (410, 683). Other element would receive the click: <div id="SpecificDebitModal" class="modal fade in" tabindex="-1" role="dialog" aria-labelledby="SpecificDebitModalLabel" aria-hidden="true" data-backdrop="static" style="display: block;">...</div>   (Session info: chrome=114.0.5735.91) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [2944c1af4dd7860ef26715b5796951ff, clickElement {id=B231B22FC2F317FF71A9C9B01C14388C_element_26}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:53294}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53294/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (2944c1af4dd7860ef26715b5796951ff)] -> id: c2] Session ID: 2944c1af4dd7860ef26715b5796951ff
    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)
    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78)
    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
    at java.base/java.lang.reflect.Method.invoke(Method.java:578)
    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
    at jdk.proxy2/jdk.proxy2.$Proxy42.click(Unknown Source)
    at com.mobilife.pages.SpecificDebit.SpecificDebitPage.AddSpecificDebit(SpecificDebitPage.java:119)

| #	Step / Hook Details	Status	Duration
	at com.mobilife.automation.glue.StepDefinition.iAddASpecificDebit(StepDefinition.java:207) at ?.I Add a Specific Debit(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:40) * Not displayable characters are replaced by '?'.		
2	Then Specific Debit Details window appears	SKIPPED	0.001 s
3	And Find the policy	SKIPPED	0.001 s
4	When I select the policy	SKIPPED	0.001 s
5	And Click Save	SKIPPED	0.000 s
6	Then Error message will show below the empty textboxes	SKIPPED	0.000 s

Action Date

FAILED	DURATION - 15.273 s
/ 8:59:21.945 am // 8:59:37.218 am /	
Specific Debit	
@Done	

Steps
Total - 1
Pass - 0
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Then Enter Action Date	FAILED	13.180 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=114.0.5735.91) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2944c1af4dd7860ef26715b5796951ff, sendKeysToElement {id=B231B22FC2F317FF71A9C9B01C14388C_element_30, value=[Ljava.lang.CharSequence;@2e6b379c}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:53294}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53294/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (2944c1af4dd7860ef26715b5796951ff)] -> id: c10] Session ID: 2944c1af4dd7860ef26715b5796951ff
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)		
	at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)		
	at jdk.proxy2/jdk.proxy2.$Proxy42.sendKeys(Unknown Source)		
	at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.setActionDate(SpecificDebitDetailsWindow.java:176)		
	at com.mobilife.automation.glue.StepDefinition.enterActionDate(StepDefinition.java:292)		
	at ?.Enter Action Date(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:51) * Not displayable characters are replaced by '?'.		

Check Submitted

FAILED	DURATION - 12.691 s
/ 8:59:37.242 am // 8:59:49.933 am /	
Specific Debit	
@Done	

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

4

#	Step / Hook Details	Status	Duration
1	When Submitted checkbox empty(no tick) before the linked collection item is Submitted	PASSED	0.035 s
2	And Cannot tick Submitted checkbox	PASSED	0.047 s
3	And Can add notes	FAILED	10.551 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on windows (2944c1af4dd7860ef26715b5796951ff)] -> id: c14] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:53294}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53294/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		

#	Step / Hook Details	Status	Duration

	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2944c1af4dd7860ef26715b5796951ff
	   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
	   at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.writeNotes(SpecificDebitDetailsWindow.java:199)
	   at com.mobilife.automation.glue.StepDefinition.canAddNotes(StepDefinition.java:380)
	   at ?.Can add notes(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:57)
	* Not displayable characters are replaced by '?'.		

4	Then Submitted checkbox ticked after the linked collection item is submitted	SKIPPED	0.000 s

Delete Specific Debit

FAILED	DURATION - 32.752 s		Steps
/ 8:59:49.953 am // 9:00:22.705 am /			Total - 3
Specific Debit			Pass - 0
			Fail - 1
@Done			Skip - 2

#	Step / Hook Details	Status	Duration
1	When delete a saved specific debit before it has been submitted	FAILED	20.153 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.id: c23' (tried for 10 second(s) with 500 milliseconds interval)
	   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
	   at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.deleteSpecificDebit(SpecificDebitDetailsWindow.java:292)
	   at com.mobilife.automation.glue.StepDefinition.deleteASavedSpecificDebitBeforeItHasBeenSubmitted(StepDefinition.java:394)
	   at ?.delete a saved specific debit before it has been submitted(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:62)
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#c23"} (Session info: chrome=114.0.5735.91) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2944c1af4dd7860ef26715b5796951ff, findElement {using=id, value=c23}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:53294}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(),		

#	Step / Hook Details	Status	Duration

	se:cdp: ws://localhost:53294/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2944c1af4dd7860ef26715b5796951ff
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy42.isDisplayed(Unknown Source)
	    at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)
	    at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)
	    at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)
	    at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)
	    at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:660)
	    at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)
	    at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.deleteSpecificDebit(SpecificDebitDetailsWindow.java:292)
	    at com.mobilife.automation.glue.StepDefinition.deleteASavedSpecificDebitBeforeItHasBeenSubmitted(StepDefinition.java:394)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:578)
	    at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	    at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	    at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		

#	Step / Hook Details	Status	Duration
	at io.cumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148)		
	at io.cumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)		
	* Not displayable characters are replaced by '?'.		
2	Then deleting a Specific Debit the 'Deleted' column in the database table gets populated	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	And Cannot delete a specific debit after it has been submitted	SKIPPED	0.000 s

Edit Specific Debit

FAILED	DURATION - 15.772 s
/ 9:00:22.737 am // 9:00:38.509 am /	
Specific Debit	
@Done	

Steps
Total - 2
Pass - 0
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	When Allow Edit Specific Debit before Submission	FAILED	13.779 s

	org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.91) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2944c1af4dd7860ef26715b5796951ff, findChildElement {id=9CE730B92C95CF1D5B3328888A651FE9_element_47, using=xpath, value=//body[1]/div[7]/div[2]/form[1]/div[5]/div[1]/div[1]/div[2]/div[1]/div[1]/table[1]/tbody[1]/tr[4]/td[5]/i[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:53294}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53294/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2944c1af4dd7860ef26715b5796951ff
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.findElement(RemoteWebElement.java:227) at com.mobilife.pages.SpecificDebit.SpecificDebitPage.getAnUnSubmittedPolicy(SpecificDebitPage.java:149) at com.mobilife.automation.glue.StepDefinition.allowEditSpecificDebitBeforeSubmission(StepDefinition.java:470) at ?.Allow Edit Specific Debit before Submission(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:75) * Not displayable characters are replaced by '?'.		
2	When Deny Edit Specific Debit after Submission	SKIPPED	0.001 s