# Specific_Debit_Regression_Report

| Start : Jun 09, 2:40:54.473 pm	End : Jun 09, 2:43:51.297 pm	Duration : 2 m 56.824 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 6 SKIPPED - 0	PASSED - 18 FAILED - 6 SKIPPED - 12

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Specific Debit	*2 m 56.824 s*	*6*	*0*	*6*	*0*	*36*	*18*	*6*	*12*

#	Feature Name	Scenario Name
1	*Specific Debit*	*Successful login*
2		*Add Specific Debit*
3		*Add Specific Debit without filling in fields*
4		*Action Date*
5		*Check Submitted*
6		*Delete Specific Debit*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SuccessfulScenario	2	0	2	0	1	0	1	0
@Done	6	0	6	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Specific Debit	6	0	6	0	2 m 56.824 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Specific Debit	Successful login	5	4	1	0	39.154 s
2		Add Specific Debit	15	8	1	6	51.890 s
3		Add Specific Debit without filling in fields	6	3	1	2	24.040 s
4		Action Date	1	0	1	0	16.406 s
5		Check Submitted	4	2	1	1	12.002 s
6		Delete Specific Debit	5	1	1	3	33.014 s

Specific Debit

FAILED	DURATION - 2 m 56.824 s	Scenarios		Steps	
		Total - 6		Total - 36	
/ 2:40:54.473 pm // 2:43:51.297 pm /		Pass - 0		Pass - 18	
		Fail - 6	6	Fail - 6	36
		Skip - 0		Skip - 12	

Successful login

FAILED	DURATION - 39.154 s		Steps	
			Total - 5	
/ 2:40:54.479 pm // 2:41:33.633 pm /			Pass - 4	
Specific Debit			Fail - 1	5
@SuccessfulScenario @Done			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.010 s
	Successful login		
1	Given I am on the login page	PASSED	5.005 s
2	When I enter my valid username and password	PASSED	15.718 s
3	And click the "Login" button	PASSED	0.542 s
4	Then I should be redirected to the homepage	FAILED	6.021 s
	Not on the homepage		
5	And see a welcome message with my "Welcome"	PASSED	5.116 s

Add Specific Debit

FAILED	DURATION - 51.890 s

/ 2:41:33.714 pm // 2:42:25.604 pm /

Specific Debit

@SuccessfulScenario @Done

Steps
Total - 15
Pass - 8
Fail - 1
Skip - 6

15

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.007 s
	Add Specific Debit		
1	Given I am on Specific Debit Tab	PASSED	12.250 s
2	When I Add a Specific Debit	PASSED	0.139 s
3	Then Specific Debit Details window appears	PASSED	5.098 s
4	Then Find the policy	PASSED	15.437 s
5	Then the policy is "Selected"	PASSED	0.382 s
6	Then Policy number filed is populated	PASSED	10.145 s
7	And Policy number is uneditable	PASSED	0.020 s
8	And Collection Method Should be "SSVS"	PASSED	0.074 s
9	And Premium Month date picker translates to MM/YY	FAILED	6.159 s

	org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [484df04aeba1e8896b7ceb39a9786923, clickElement {id=219F628086EEAE466D6FDFC24AFC1FB7_element_183}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49676}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49676/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (484df04aeba1e8896b7ceb39a9786923)] -> xpath: //button[normalize-space()='Done']] Session ID: 484df04aeba1e8896b7ceb39a9786923
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.ChoosePremiumMonth(SpecificDebitDetailsWindow.java:190) at com.mobilife.automation.glue.StepDefinition.premiumMonthDatePickerTranslatesToMMYY(StepDefinition.java:352) at ?.Premium Month date picker translates to MM/YY(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:29) * Not displayable characters are replaced by '?'.		
10	And The Amount is automatically populated	SKIPPED	0.000 s
11	And Matches the current Nett Premium	SKIPPED	0.000 s
12	And Nett Premium cannot be negative	SKIPPED	0.006 s
13	Then Enter Action Date	SKIPPED	0.000 s
14	Then Click Save	SKIPPED	0.003 s
15	And If it's after "14:30" Mobility will show an error text	SKIPPED	0.000 s
	AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()	PASSED	0.131 s
	Close		

Add Specific Debit without filling in fields

FAILED	DURATION - 24.040 s
/ 2:42:25.713 pm // 2:42:49.753 pm /	
Specific Debit	
@Done	

Steps
Total - 6
Pass - 3
Fail - 1
Skip - 2

6

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.008 s
	Add Specific Debit without filling in fields		

#	Step / Hook Details	Status	Duration
1	When I Add a Specific Debit	PASSED	0.132 s
2	Then Specific Debit Details window appears	PASSED	5.085 s
3	And Find the policy	PASSED	15.450 s
4	When I select the policy	FAILED	0.000 s
	Step undefined		
5	And Click Save	SKIPPED	0.000 s
6	Then Error message will show below the empty textboxes	SKIPPED	0.000 s

Action Date

FAILED	DURATION - 16.406 s
/ 2:42:49.804 pm // 2:43:06.210 pm /	
Specific Debit	
@Done	

Steps
Total - 1
Pass - 0
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.010 s
	Action Date		
1	Then Enter Action Date	FAILED	13.161 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=114.0.5735.110) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [484df04aeba1e8896b7ceb39a9786923, sendKeysToElement {id=219F628086EEAE466D6FDFC24AFC1FB7_element_200, value=[Ljava.lang.CharSequence;@6de610c6]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49676}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49676/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (484df04aeba1e8896b7ceb39a9786923)] -> id: c10] Session ID: 484df04aeba1e8896b7ceb39a9786923
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy43.sendKeys(Unknown Source) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.setActionDate(SpecificDebitDetailsWindow.java:219) at com.mobilife.automation.glue.StepDefinition.enterActionDate(StepDefinition.java:391) at ?.Enter Action Date(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:52) * Not displayable characters are replaced by '?'.		

Check Submitted

FAILED	DURATION - 12.002 s
/ 2:43:06.243 pm // 2:43:18.245 pm /	
Specific Debit	
@Done	

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

4

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.010 s
	Check Submitted		
1	When Submitted checkbox empty(no tick) before the linked collection item is Submitted	PASSED	0.070 s
2	And Cannot tick Submitted checkbox	PASSED	0.070 s
3	And Can add notes	FAILED	10.011 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on windows (484df04aeba1e8896b7ceb39a9786923)] -> id: c14] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.		

#	Step / Hook Details	Status	Duration

	chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49676}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49676/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 484df04aeba1e8896b7ceb39a9786923
	    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
	    at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.writeNotes(SpecificDebitDetailsWindow.java:242)
	    at com.mobilife.automation.glue.StepDefinition.canAddNotes(StepDefinition.java:498)
	    at ?.Can add notes(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:58)
	* Not displayable characters are replaced by '?'.		

4	Then Submitted checkbox ticked after the linked collection item is submitted	SKIPPED	0.009 s

Delete Specific Debit

FAILED	DURATION - 33.014 s
/ 2:43:18.283 pm // 2:43:51.297 pm /	
Specific Debit	
@Done	

Steps
Total - 5
Pass - 1
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	5.278 s
	Delete Specific Debit		
1	When Allow Edit Specific Debit before Submission	PASSED	5.720 s
2	And delete a saved specific debit before it has been submitted	FAILED	20.080 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.id: c23' (tried for 10 second(s) with 500 milliseconds interval)
	    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
	    at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.deleteSpecificDebit(SpecificDebitDetailsWindow.java:335)
	    at com.mobilife.automation.glue.StepDefinition.deleteASavedSpecificDebitBeforeItHasBeenSubmitted(StepDefinition.java:537)
	    at ?.delete a saved specific debit before it has been submitted(file:///C:/Users/ymxab/Documents/Software%20Engineering/		

#	Step / Hook Details	Status	Duration
	MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:64)		

	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#c23"} (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/ exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os. version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [484df04aeba1e8896b7ceb39a9786923, findElement {using=id, value=c23}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca. ..}, goog:chromeOptions: {debuggerAddress: localhost:49676}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49676/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 484df04aeba1e8896b7ceb39a9786923
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy43.isDisplayed(Unknown Source)
	    at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)
	    at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)
	    at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)
	    at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)
	    at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:660)
	    at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)
	    at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.deleteSpecificDebit(SpecificDebitDetailsWindow.java:335)
	    at com.mobilife.automation.glue.StepDefinition.deleteASavedSpecificDebitBeforeItHasBeenSubmitted(StepDefinition.java:537)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:578)
	    at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	    at io.cucumber.java.Invoker.invoke(Invoker.java:24)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)		

#	Step / Hook Details	Status	Duration
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) * Not displayable characters are replaced by '?'.		
3	Then deleting a Specific Debit the 'Deleted' column in the database table gets populated	SKIPPED	0.000 s
4	And Deny Edit Specific Debit after Submission	SKIPPED	0.000 s
5	Then Cannot delete a specific debit after it has been submitted	SKIPPED	0.000 s