# Specific_Debit_Regression_Report

| Start : Jun 09, 5:58:53.296 pm | End : Jun 09, 6:01:03.865 pm | Duration : 2 m 10.569 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0 <br> FAILED - 1 <br> SKIPPED - 0 | PASSED - 0 <br> FAILED - 6 <br> SKIPPED - 0 | PASSED - 9 <br> FAILED - 7 <br> SKIPPED - 20 |



Features: 1



Scenarios: 6



Steps: 36

Pass % — 0 %

Pass % — 0 %

Pass % — 25 %

| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| *Specific Debit* | *2 m 10.569 s* | *6* | *0* | *6* | *0* | *36* | *9* | *7* | *20* |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | *Specific Debit* | *Successful login* |
| 2 | | *Add Specific Debit* |
| 3 | | *Add Specific Debit without filling in fields* |
| 4 | | *Action Date* |
| 5 | | *Check Submitted* |
| 6 | | *Delete Specific Debit* |

| TAG | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| **Name** | **T** | **P** | **F** | **S** | **T** | **P** | **F** | **S** |
| @SuccessfulScenario | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |
| @Done | 6 | 0 | 6 | 0 | 1 | 0 | 1 | 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Specific Debit | 6 | 0 | 6 | 0 | 2 m 10.569 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Specific Debit | Successful login | 5 | 4 | 1 | 0 | 36.235 s |
| 2 | | Add Specific Debit | 15 | 2 | 2 | 11 | 36.437 s |
| 3 | | Add Specific Debit without filling in fields | 6 | 0 | 1 | 5 | 2.216 s |
| 4 | | Action Date | 1 | 0 | 1 | 0 | 13.787 s |
| 5 | | Check Submitted | 4 | 2 | 1 | 1 | 10.631 s |
| 6 | | Delete Specific Debit | 5 | 1 | 1 | 3 | 31.041 s |

## Specific Debit

| FAILED | DURATION - 2 m 10.569 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 6 | | Total - 36 | |
| / 5:58:53.296 pm // 6:01:03.865 pm / | | Pass - 0 | 6 | Pass - 9 | 36 |
| | | Fail - 6 | | Fail - 7 | |
| | | Skip - 0 | | Skip - 20 | |

### Successful login

| FAILED | DURATION - 36.235 s | | Steps | |
|---|---|---|---|---|
| | | | Total - 5 | |
| / 5:58:53.302 pm // 5:59:29.537 pm / | | | Pass - 4 | 5 |
| Specific Debit | | | Fail - 1 | |
| @SuccessfulScenario @Done | | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | Successful login | | |
| 1 | Given I am on the login page | PASSED | 4.048 s |
| 2 | When I enter my valid username and password | PASSED | 15.465 s |
| 3 | And click the "Login" button | PASSED | 0.376 s |
| 4 | Then I should be redirected to the homepage | FAILED | 6.025 s |
| | Not on the homepage | | |
| 5 | And see a welcome message with my "Welcome" | PASSED | 5.080 s |

### Add Specific Debit

| FAILED | DURATION - 36.437 s |
|---|---|
| / 5:59:29.600 pm // 6:00:06.037 pm / | |
| Specific Debit | |
| @SuccessfulScenario @Done | |

**Steps**
Total - 15
Pass - 2
Fail - 2
Skip - 11

15

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | Add Specific Debit | | |
| 1 | Given I am on Specific Debit Tab | PASSED | 10.312 s |
| 2 | When I Add a Specific Debit | PASSED | 0.141 s |
| 3 | Then Specific Debit Details window appears | FAILED | 5.079 s |
| | Specific Debit Details window is not appearing | | |
| 4 | Then Find the policy | FAILED | 20.380 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on windows (c6642ebf1b8843e750c35a9b0fddeedf)] -> id: c18] (tried for 15 second(s) with 500 milliseconds interval) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50443}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50443/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c6642ebf1b8843e750c35a9b0fddeedf<br>    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)<br>    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)<br>    at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.SearchForUniquePolicy(SpecificDebitDetailsWindow.java:133)<br>    at com.mobilife.automation.glue.StepDefinition.findThePolicy(StepDefinition.java:260)<br>    at ?.Find the policy(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:24)<br>* Not displayable characters are replaced by '?'. | | |
| 5 | Then the policy is "Selected" | SKIPPED | 0.005 s |
| 6 | Then Policy number filed is populated | SKIPPED | 0.001 s |
| 7 | And Policy number is uneditable | SKIPPED | 0.001 s |
| 8 | And Collection Method Should be "SSVS" | SKIPPED | 0.003 s |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 9 | And Premium Month date picker translates to MM/YY | SKIPPED | 0.002 s |
| 10 | And The Amount is automatically populated | SKIPPED | 0.002 s |
| 11 | And Matches the current Nett Premium | SKIPPED | 0.003 s |
| 12 | And Nett Premium cannot be negative | SKIPPED | 0.002 s |
| 13 | Then Enter Action Date | SKIPPED | 0.003 s |
| 14 | Then Click Save | SKIPPED | 0.002 s |
| 15 | And If it's after "14:30" Mobility will show an error text | SKIPPED | 0.003 s |

## Add Specific Debit without filling in fields

| FAILED | DURATION - 2.216 s |
|--------|--------------------|
| */ 6:00:06.086 pm // 6:00:08.302 pm /* | |
| *Specific Debit* | |
| @Done | |

**Steps**
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) | PASSED | 0.006 s |
| | Add Specific Debit without filling in fields | | |
| 1 | When I Add a Specific Debit | FAILED | 1.225 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button type="button" name="c2" id="c2" class="btn btn-primary rippleclick mrg-top10 fullWidth">...</button> is not clickable at point (410, 683). Other element would receive the click: <div id="SpecificDebitModal" class="modal fade in" tabindex="-1" role="dialog" aria-labelledby="SpecificDebitModalLabel" aria-hidden="true" data-backdrop="static" style="display: block;">...</div>   (Session info: chrome=114.0.5735.110) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [c6642ebf1b8843e750c35a9b0fddeedf, clickElement {id=1ED1148EDAFE9790E691765DE6AEDE60_element_26}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca. ..}, goog:chromeOptions: {debuggerAddress: localhost:50443}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50443/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (c6642ebf1b8843e750c35a9b0fddeedf)] -> id: c2] Session ID: c6642ebf1b8843e750c35a9b0fddeedf<br><br>    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) | | |
| | at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) | | |
| | at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) | | |
| | at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source) | | |
| | at com.mobilife.pages.SpecificDebit.SpecificDebitPage.AddSpecificDebit(SpecificDebitPage.java:123) | | |
| | at com.mobilife.automation.glue.StepDefinition.iAddASpecificDebit(StepDefinition.java:230) | | |
| | at ?.I Add a Specific Debit(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:41) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | Then Specific Debit Details window appears | SKIPPED | 0.001 s |
| 3 | And Find the policy | SKIPPED | 0.001 s |
| 4 | Then the policy is "Selected" | SKIPPED | 0.002 s |
| 5 | And Click Save | SKIPPED | 0.000 s |
| 6 | Then Error message will show below the empty textboxes | SKIPPED | 0.001 s |

## Action Date

| FAILED | DURATION - 13.787 s | | Steps | |
|---|---|---|---|---|
| / 6:00:08.345 pm // 6:00:22.132 pm / | | | Total - 1 | |
| | | | Pass - 0 | |
| Specific Debit | | | Fail - 1 | 1 |
| | | | Skip - 0 | |
| @Done | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) | PASSED | 0.009 s |
| | Action Date | | |
| 1 | Then Enter Action Date | FAILED | 13.180 s |
| | org.openqa.selenium.ElementNotInteractableException: element not interactable   (Session info: chrome=114.0.5735.110) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [c6642ebf1b8843e750c35a9b0fddeedf, sendKeysToElement {id=1ED1148EDAFE9790E691765DE6AEDE60_element_31, value=[Ljava.lang.CharSequence;@26f75d9c}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50443}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50443/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (c6642ebf1b8843e750c35a9b0fddeedf)] -> id: c10] Session ID: c6642ebf1b8843e750c35a9b0fddeedf<br>  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)<br>  at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113)<br>  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)<br>  at java.base/java.lang.reflect.Method.invoke(Method.java:578)<br>  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)<br>  at jdk.proxy2/jdk.proxy2.$Proxy43.sendKeys(Unknown Source)<br>  at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.setActionDate(SpecificDebitDetailsWindow.java:212)<br>  at com.mobilife.automation.glue.StepDefinition.enterActionDate(StepDefinition.java:391)<br>  at ?.Enter Action Date(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/ SpecificDebit.feature:52)<br>* Not displayable characters are replaced by '?'. | | |

**Check Submitted**

| FAILED | DURATION - 10.631 s |
|---|---|
| / 6:00:22.163 pm // 6:00:32.794 pm / | |
| Specific Debit | |
| @Done | |

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

4

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) | PASSED | 0.016 s |
| | Check Submitted | | |
| 1 | When Submitted checkbox empty(no tick) before the linked collection item is Submitted | PASSED | 0.031 s |
| 2 | And Cannot tick Submitted checkbox | PASSED | 0.063 s |
| 3 | And Can add notes | FAILED | 10.224 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on windows (c6642ebf1b8843e750c35a9b0fddeedf)] -> id: c14] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50443}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50443/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c6642ebf1b8843e750c35a9b0fddeedf<br>    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)<br>    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)<br>    at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.writeNotes(SpecificDebitDetailsWindow.java:235)<br>    at com.mobilife.automation.glue.StepDefinition.canAddNotes(StepDefinition.java:498)<br>    at ?.Can add notes(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:58)<br>* Not displayable characters are replaced by '?'. | | |
| 4 | Then Submitted checkbox ticked after the linked collection item is submitted | SKIPPED | 0.000 s |

**Delete Specific Debit**

| FAILED | DURATION - 31.041 s |
| --- | --- |
| / 6:00:32.824 pm // 6:01:03.865 pm / | |
| Specific Debit | |
| @Done | |

**Steps**
Total - 5
Pass - 1
Fail - 1
Skip - 3

| # | Step / Hook Details | Status | Duration |
| --- | --- | --- | --- |
| | BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) | PASSED | 5.123 s |
| | Delete Specific Debit | | |
| 1 | When Allow Edit Specific Debit before Submission | PASSED | 5.419 s |
| 2 | And delete a saved  specific debit before it has been submitted | FAILED | 20.155 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.id: c23' (tried for 10 second(s) with 500 milliseconds interval)<br>    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)<br>    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)<br>    at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.deleteSpecificDebit(SpecificDebitDetailsWindow.java:328)<br>    at com.mobilife.automation.glue.StepDefinition.deleteASavedSpecificDebitBeforeItHasBeenSubmitted(StepDefinition.java:537)<br>    at ?.delete a saved  specific debit before it has been submitted(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:64)<br>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#c23"}   (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c6642ebf1b8843e750c35a9b0fddeedf, findElement {using=id, value=c23}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50443}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50443/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c6642ebf1b8843e750c35a9b0fddeedf<br>    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) | | |
| | at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.$Proxy43.isDisplayed(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:660) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) | | |
| | at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.deleteSpecificDebit(SpecificDebitDetailsWindow.java:328) | | |
| | at com.mobilife.automation.glue.StepDefinition.deleteASavedSpecificDebitBeforeItHasBeenSubmitted(StepDefinition.java:537) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:56) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambda$run$0(PickleRunners.java:151) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) | | |
| | at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |
| | at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) | | |
| | at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) | | |
| | at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) | | |
| | at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) | | |
| | at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) | | |
| | at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) | | |
| | at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) | | |
| | at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226) | | |
| | at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |
| | at org.junit.runner.JUnitCore.run(JUnitCore.java:137) | | |
| | at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) | | |
| | at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38) | | |
| | at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) | | |
| | at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) | | |
| | at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) | | |
| | at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then deleting a Specific Debit the 'Deleted' column in the database table gets populated | SKIPPED | 0.000 s |
| 4 | And Deny Edit Specific Debit after Submission | SKIPPED | 0.000 s |
| 5 | Then Cannot delete a specific debit after it has been submitted | SKIPPED | 0.000 s |