



Specific_Debit_Regression_Report

05 Jun 2023, 16:19:41


Start : Jun 05, 4:15:12.454 pm	End : Jun 05, 4:19:38.237 pm	Duration : 4 m 25.783 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 3 SKIPPED - 0	PASSED - 30 FAILED - 3 SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Specific Debit</u>	4 m 25.783 s	7	4	3	0	36	30	3	3

#	Feature Name	Scenario Name
1	<u>Specific Debit</u>	<u>Successful login</u>
2		<u>Delete Specific Debit</u>
3		<u>Edit Specific Debit</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Done	7	4	3	0	1	0	1	0
@SuccessfulScenario	1	1	0	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	7	4	3	0	4 m 25.783 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	<u>Successful login</u>	5	4	1	0	34.005 s
2		<u>Add Specific Debit</u>	15	15	0	0	1 m 40.205 s
3		<u>Add Specific Debit without filling in fields</u>	6	6	0	0	28.318 s
4		<u>Action Date</u>	1	1	0	0	15.325 s
5		<u>Check Submitted</u>	4	4	0	0	21.946 s
6		<u>Delete Specific Debit</u>	3	0	1	2	47.002 s
7		<u>Edit Specific Debit</u>	2	0	1	1	18.700 s

Specific Debit

FAILED	DURATION - 4 m 25.783 s	Scenarios		Steps	
/ 4:15:12.454 pm // 4:19:38.237 pm /		Total - 7		Total - 36	
		Pass - 4		Pass - 30	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 3	



Successful login

FAILED		DURATION - 34.005 s			Steps	
/ 4:15:12.459 pm // 4:15:46.464 pm /					Total - 5	
Specific Debit					Pass - 4	
@Done					Fail - 1	
					Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.016 s
	Successful login		
1	Given I am on the login page	PASSED	7.671 s
2	When I enter my valid username and password	PASSED	10.723 s
3	And click the "Login" button	PASSED	0.644 s
4	Then I should be redirected to the homepage	PASSED	0.035 s
	Not on the homepage		
5	And see a welcome message with my "Welcome"	FAILED	0.168 s
	java.lang.StringIndexOutOfBoundsException: Range [0, 7) out of bounds for length 0 at java.base/jdk.internal.util.Preconditions\$1.apply(Preconditions.java:55) at java.base/jdk.internal.util.Preconditions\$1.apply(Preconditions.java:52) at java.base/jdk.internal.util.Preconditions\$4.apply(Preconditions.java:213) at java.base/jdk.internal.util.Preconditions\$4.apply(Preconditions.java:210) at java.base/jdk.internal.util.Preconditions.outOfBounds(Preconditions.java:98) at java.base/jdk.internal.util.Preconditions.outOfBoundsCheckFromToIndex(Preconditions.java:112) at java.base/jdk.internal.util.Preconditions.checkFromToIndex(Preconditions.java:349)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.String.checkBoundsBeginEnd(String.java:4608) at java.base/java.lang.String.substring(String.java:2720) at com.mobilife.pages.MainPage.MainPage.getMessage(MainPage.java:69) at com.mobilife.automation.glue.StepDefinition.seeAWelcomeMessageWithMy(StepDefinition.java:185) at ?.see a welcome message with my "Welcome"(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:14) * Not displayable characters are replaced by '?'.		



Add Specific Debit

<div>PASSED</div>	<div>DURATION - 1 m 40.205 s</div>	<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 15</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 4:15:46.549 pm // 4:17:26.754 pm /				
Specific Debit				
@SuccessfulScenario @Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.005 s
	Add Specific Debit		
1	Given I am on Specific Debit Tab	PASSED	16.830 s
2	When I Add a Specific Debit	PASSED	1.284 s
3	Then Specific Debit Details window appears	PASSED	0.001 s
4	Then Find the policy	PASSED	0.599 s
5	When I select the policy	PASSED	1.222 s
6	Then Policy number filed is populated	PASSED	10.152 s
7	And Policy number is uneditable	PASSED	0.033 s
8	And Collection Method Should be "SSVS"	PASSED	0.066 s
9	And Premium Month date picker translates to MM/YY	PASSED	1.757 s
10	And The Amount is automatically populated	PASSED	0.057 s
11	And Matches the current Nett Premium	PASSED	0.043 s
12	And Nett Premium cannot be negative	PASSED	0.209 s
13	Then Enter Action Date	PASSED	3.396 s
14	Then Click Save	PASSED	1 m 1.360 s

#	Step / Hook Details	Status	Duration
15	And If it's after "14:30" Mobility will show an error text	PASSED	0.066 s

Add Specific Debit without filling in fields

PASSED		DURATION - 28.318 s			<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:17:26.801 pm // 4:17:55.119 pm /						
Specific Debit						
@Done						

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.006 s
	Add Specific Debit without filling in fields		
1	When I Add a Specific Debit	PASSED	4.490 s
2	Then Specific Debit Details window appears	PASSED	0.001 s
3	And Find the policy	PASSED	0.507 s
4	When I select the policy	PASSED	3.724 s
5	And Click Save	PASSED	0.298 s
6	Then Error message will show below the empty textboxes	PASSED	8.247 s



Action Date

PASSED	DURATION - 15.325 s	<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>15.325</td></tr></tbody></table>	Step	Duration (s)	1	15.325	<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	
Step	Duration (s)							
1	15.325							
/ 4:17:55.160 pm // 4:18:10.485 pm /								
Specific Debit								
@Done								

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
	Action Date		
1	Then Enter Action Date	PASSED	3.355 s

Check Submitted

<div>PASSED</div>	<div>DURATION - 21.946 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:18:10.509 pm // 4:18:32.455 pm /</div>				
<div>Specific Debit</div>				
<div>@Done</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.016 s
	Check Submitted		
1	When Submitted checkbox empty(no tick) before the linked collection item is Submitted	PASSED	0.072 s
2	And Cannot tick Submitted checkbox	PASSED	0.088 s
3	And Can add notes	PASSED	0.953 s
4	Then Submitted checkbox ticked after the linked collection item is submitted	PASSED	0.000 s

Delete Specific Debit

<div>FAILED</div> <div>DURATION - 47.002 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 4:18:32.487 pm // 4:19:19.489 pm /				
Specific Debit				
@Done				



#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	10.651 s
	Delete Specific Debit		
1	When delete a saved specific debit before it has been submitted	FAILED	20.062 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.id: c23' (tried for 10 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.deleteSpecificDebit(SpecificDebitDetailsWindow.java:292)</p> <p>at com.mobilife.automation.glue.StepDefinition.deleteASavedSpecificDebitBeforeItHasBeenSubmitted(StepDefinition.java:401)</p> <p>at ?.delete a saved specific debit before it has been submitted(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:62)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#c23"} (Session info: chrome=114.0.5735.91) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [403f965451a42528b1355e13bba6d106, findElement {using=id, value=c23}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Local\Google\Chrome\User Data\Profile 1\Extensions\gphmoeikfimehdhbhgmhplhdpogllgfoe}, goog:chromeOptions: {debuggerAddress: localhost:49237}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:49237/devtools, se.cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 403f965451a42528b1355e13bba6d106</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy42.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.deleteSpecificDebit(SpecificDebitDetailsWindow.java:292) at com.mobilife.automation.glue.StepDefinition.deleteASavedSpecificDebitBeforeItHasBeenSubmitted(StepDefinition.java:401) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) * Not displayable characters are replaced by '?'.		
2	Then deleting a Specific Debit the 'Deleted' column in the database table gets populated	SKIPPED	0.008 s
3	And Cannot delete a specific debit after it has been submitted	SKIPPED	0.000 s

Edit Specific Debit

FAILED DURATION - 18.700 s / 4:19:19.537 pm // 4:19:38.237 pm / Specific Debit @Done		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
---	--	--	---

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.000 s
	Edit Specific Debit		
1	When Allow Edit Specific Debit before Submission	FAILED	14.315 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.91) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [403f965451a42528b1355e13bba6d106, findChildElement {id=7B8AE74C063C72521EB11230FB26BDB7_element_359, using=xpath, value=//body[1]/div[7]/div[2]/form[1]/div[5]/div[1]/div[1]/div[2]/div[1]/div[1]/table[1]/tbody[1]/tr[4]/td[5]/i[1]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.91 (386bc09e8f4f..., userDataDir: C:\Users\lymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49237}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49237/devtoo..., se:cdpVersion: 114.0.5735.91,		

#	Step / Hook Details	Status	Duration
	<p>setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 403f965451a42528b1355e13bba6d106</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebElement.findElement(RemoteWebElement.java:227) at com.mobilife.pages.SpecificDebit.SpecificDebitPage.getAnUnSubmittedPolicy(SpecificDebitPage.java:148) at com.mobilife.automation.glue.StepDefinition.allowEditSpecificDebitBeforeSubmission(StepDefinition.java:477) at ?.Allow Edit Specific Debit before Submission(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:75) * Not displayable characters are replaced by '?'. </p>		
2	When Deny Edit Specific Debit after Submission	SKIPPED	0.000 s