


Specific_Debit_Regression_Report

06 Jun 2023, 13:52:36


Start : Jun 06, 1:50:58.944 pm	End : Jun 06, 1:52:34.791 pm	Duration : 1 m 35.847 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 7 SKIPPED - 0	PASSED - 0 FAILED - 6 SKIPPED - 30




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Specific Debit</u>	1 m 35.847 s	7	0	7	0	36	0	6	30

#	Feature Name	Scenario Name
1	<u>Specific Debit</u>	<u>Successful login</u>
2		<u>Add Specific Debit</u>
3		<u>Add Specific Debit without filling in fields</u>
4		<u>Action Date</u>
5		<u>Check Submitted</u>
6		<u>Delete Specific Debit</u>
7		<u>Edit Specific Debit</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SuccessfulScenario	2	0	2	0	1	0	1	0
@Done	7	0	7	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	7	0	7	0	1 m 35.847 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	<u>Successful login</u>	5	0	1	4	8.148 s
2		<u>Add Specific Debit</u>	15	0	1	14	30.738 s
3		<u>Add Specific Debit without filling in fields</u>	6	0	1	5	10.451 s
4		<u>Action Date</u>	1	0	1	0	13.554 s
5		<u>Check Submitted</u>	4	0	1	3	10.599 s
6		<u>Delete Specific Debit</u>	3	0	0	3	10.398 s
7		<u>Edit Specific Debit</u>	2	0	1	1	11.772 s

Specific Debit



FAILED	DURATION - 1 m 35.847 s	Scenarios		Steps	
/ 1:50:58.944 pm // 1:52:34.791 pm /		Total - 7	7	Total - 36	36
		Pass - 0		Pass - 0	
		Fail - 7		Fail - 6	
		Skip - 0		Skip - 30	

Successful login

<div>FAILED</div> <div>DURATION - 8.148 s</div>		<div></div>	Steps	<div></div>
/ 1:50:58.949 pm // 1:51:07.097 pm /			Total - 5	
Specific Debit			Pass - 0	
@SuccessfulScenario @Done			Fail - 1	
			Skip - 4	

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.005 s
	Successful login		
1	Given I am on the login page	FAILED	3.296 s
	junit.framework.ComparisonFailure: expected:<...tratusolvecloud.com/[]> but was:<...tratusolvecloud.com/[UserManagement/login/]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at junit.framework.TestCase.assertEquals(TestCase.java:260) at com.mobilife.automation.glue.StepDefinition.iAmOnTheLoginPage(StepDefinition.java:140) at ?.I am on the login page(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:11) * Not displayable characters are replaced by '?'.		
2	When I enter my valid username and password	SKIPPED	0.002 s
3	And click the "Login" button	SKIPPED	0.000 s
4	Then I should be redirected to the homepage	SKIPPED	0.000 s
5	And see a welcome message with my "Welcome"	SKIPPED	0.000 s

Add Specific Debit

FAILED		DURATION - 30.738 s			Steps Total - 15 Pass - 0 Fail - 1 Skip - 14			
/ 1:51:07.152 pm // 1:51:37.890 pm /								
Specific Debit								
@SuccessfulScenario @Done								



#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) Add Specific Debit	PASSED	0.006 s
1	Given I am on Specific Debit Tab <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //a[normalize-space()='Policy Management']' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at com.mobilife.pages.MainPage.MainPage.GoToSpecificDebitPage(MainPage.java:58) at com.mobilife.automation.glue.StepDefinition.i_am_on_specific_debit_tab(StepDefinition.java:215) at ?.I am on Specific Debit Tab(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:21) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='Policy Management']"} (Session info: chrome=114.0.5735.91) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4b860080819802796883af597bb4c7c9, findElement {using=xpath, value=//a[normalize-space()='Policy Management']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:60434}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60434/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4b860080819802796883af597bb4c7c9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	FAILED	20.131 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy42.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at com.mobilife.pages.MainPage.MainPage.GoToSpecificDebitPage(MainPage.java:58) at com.mobilife.automation.glue.StepDefinition.i_am_on_specific_debit_tab(StepDefinition.java:215) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) * Not displayable characters are replaced by '?'.		
2	When I Add a Specific Debit	SKIPPED	0.002 s
3	Then Specific Debit Details window appears	SKIPPED	0.001 s
4	Then Find the policy	SKIPPED	0.001 s
5	When I select the policy	SKIPPED	0.001 s
6	Then Policy number filed is populated	SKIPPED	0.000 s
7	And Policy number is uneditable	SKIPPED	0.000 s
8	And Collection Method Should be "SSVS"	SKIPPED	0.000 s
9	And Premium Month date picker translates to MM/YY	SKIPPED	0.000 s
10	And The Amount is automatically populated	SKIPPED	0.001 s
11	And Matches the current Nett Premium	SKIPPED	0.001 s
12	And Nett Premium cannot be negative	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
13	Then Enter Action Date	SKIPPED	0.001 s
14	Then Click Save	SKIPPED	0.001 s
15	And If it's after "14:30" Mobility will show an error text	SKIPPED	0.001 s
	<p>AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"div[id='SpecificDebitModal'] div[class='modal-content']"} (Session info: chrome=114.0.5735.91) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4b860080819802796883af597bb4c7c9, findElement {using=css selector, value=div[id='SpecificDebitModal'] div[class='modal-content']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\lymxab\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:60434}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60434/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4b860080819802796883af597bb4c7c9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy42.isDisplayed(Unknown Source) at com.mobilife.automation.glue.StepDefinition.cleanUpScenario(StepDefinition.java:512)</pre>	FAILED	10.036 s



Add Specific Debit without filling in fields

<div>FAILED</div> <div>DURATION - 10.451 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 1:51:37.922 pm // 1:51:48.373 pm /				
Specific Debit				
@Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) Add Specific Debit without filling in fields	PASSED	0.006 s
1	When I Add a Specific Debit <pre>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=114.0.5735.91) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4b860080819802796883af597bb4c7c9, clickElement {id=FCBA2440C5C2D9C5921F0791B01A7760_element_21}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60434}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60434/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (4b860080819802796883af597bb4c7c9)] -> id: c2] Session ID: 4b860080819802796883af597bb4c7c9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy42.click(Unknown Source) at com.mobilife.pages.SpecificDebit.SpecificDebitPage.AddSpecificDebit(SpecificDebitPage.java:118)</pre>	FAILED	10.087 s

#	Step / Hook Details	Status	Duration
	at com.mobilife.automation.glue.StepDefinition.iAddASpecificDebit(StepDefinition.java:230) at ?.I Add a Specific Debit(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:41) * Not displayable characters are replaced by '?'.		
2	Then Specific Debit Details window appears	SKIPPED	0.001 s
3	And Find the policy	SKIPPED	0.001 s
4	When I select the policy	SKIPPED	0.001 s
5	And Click Save	SKIPPED	0.001 s
6	Then Error message will show below the empty textboxes	SKIPPED	0.001 s



Action Date

FAILED DURATION - 13.554 s / 1:51:48.401 pm // 1:52:01.955 pm / Specific Debit @Done		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
---	--	--	---

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) Action Date	PASSED	0.005 s
1	Then Enter Action Date org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[normalize-space()='Done']"} (Session info: chrome=114.0.5735.91) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4b860080819802796883af597bb4c7c9, findElement {using=xpath, value="//button[normalize-space()='Done']"} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60434}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:60434/devtoo..., se.cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4b860080819802796883af597bb4c7c9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)	FAILED	13.113 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy42.click(Unknown Source) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.setActionDate(SpecificDebitDetailsWindow.java:177) at com.mobilife.automation.glue.StepDefinition.enterActionDate(StepDefinition.java:315) at ?.Enter Action Date(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:52) </pre> <p>* Not displayable characters are replaced by '?'. </p>		

Check Submitted



FAILED	DURATION - 10.599 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 1:52:01.975 pm // 1:52:12.574 pm /				
Specific Debit				
@Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.004 s
	Check Submitted		
1	When Submitted checkbox empty(no tick) before the linked collection item is Submitted	FAILED	10.022 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#c13 > i"} (Session info: chrome=114.0.5735.91) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver		

#	Step / Hook Details	Status	Duration
	<p>info: org.openqa.selenium.chrome.ChromeDriver Command: [4b860080819802796883af597bb4c7c9, findElement {using=css selector, value=#c13 > i}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60434}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60434/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4b860080819802796883af597bb4c7c9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy42.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:1006) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:477) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.isThereASubmittedCheckMark(SpecificDebitDetailsWindow.java:354) at com.mobilife.automation.glue.StepDefinition.submittedCheckboxEmptyNoTickBeforeTheLinkedCollectionItemIsSubmitted(StepDefinition.java:399) at ?.Submitted checkbox empty(no tick) before the linked collection item is Submitted(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:56) * Not displayable characters are replaced by '?'. </p>		
2	And Cannot tick Submitted checkbox	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
3	And Can add notes	SKIPPED	0.000 s
4	Then Submitted checkbox ticked after the linked collection item is submitted	SKIPPED	0.000 s

Delete Specific Debit

<div>FAILED</div> <div>DURATION - 10.398 s</div>		<div><table border="1"><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0</td></tr><tr><td>2</td><td>0</td></tr><tr><td>3</td><td>0</td></tr></tbody></table></div>	Step	Value	1	0	2	0	3	0	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div><div>3</div></div>
Step	Value											
1	0											
2	0											
3	0											
/ 1:52:12.596 pm // 1:52:22.994 pm /												
Specific Debit												
@Done												

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	FAILED	10.075 s
	Delete Specific Debit org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=114.0.5735.91) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4b860080819802796883af597bb4c7c9, clickElement {id=FCBA2440C5C2D9C5921F0791B01A7760_element_22}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:60434}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60434/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (4b860080819802796883af597bb4c7c9)] -> xpath: //button[@type='button']][normalize-space()='Cancel']] Session ID: 4b860080819802796883af597bb4c7c9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy42.click(Unknown Source) at com.mobilife.automation.glue.StepDefinition.setUp(StepDefinition.java:119)		
1	When delete a saved specific debit before it has been submitted	SKIPPED	0.001 s
2	Then deleting a Specific Debit the 'Deleted' column in the database table gets populated	SKIPPED	0.001 s
3	And Cannot delete a specific debit after it has been submitted	SKIPPED	0.000 s

Edit Specific Debit

FAILED DURATION - 11.772 s / 1:52:23.019 pm // 1:52:34.791 pm / Specific Debit @Done	<p>A bar chart with two bars. The first bar, labeled '1' on the x-axis, is purple and reaches a height of 10 on the y-axis. The second bar, labeled '2' on the x-axis, is light blue and reaches a height of 0 on the y-axis.</p>	Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	<p>A donut chart with a total of 2 segments. One segment is purple (representing 1 failure) and the other is light blue (representing 1 skip). The number '2' is displayed in the center of the donut.</p>
---	---	--	--

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) Edit Specific Debit	PASSED	0.004 s
1	When Allow Edit Specific Debit before Submission org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//table[@class='table table-hover table-striped table-bordered mrg-top10']"} (Session info: chrome=114.0.5735.91) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4b860080819802796883af597bb4c7c9, findElement {using=xpath, value=//table[@class='table table-hover table-striped table-bordered mrg-top10']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\lymxab\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:60434}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60434/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4b860080819802796883af597bb4c7c9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)	FAILED	11.399 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy42.findElements(Unknown Source) at com.mobilife.pages.SpecificDebit.SpecificDebitPage.getRows(SpecificDebitPage.java:77) at com.mobilife.pages.SpecificDebit.SpecificDebitPage.getSubmittedPolicies(SpecificDebitPage.java:80) at com.mobilife.automation.glue.StepDefinition.allowEditSpecificDebitBeforeSubmission(StepDefinition.java:496) at ?.Allow Edit Specific Debit before Submission(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:76) * Not displayable characters are replaced by '?'.		
2	When Deny Edit Specific Debit after Submission	SKIPPED	0.000 s