



# Specific\_Debit\_Regression\_Report

09 Jun 2023, 14:56:04


Start : Jun 09, 2:53:05.976 pm	End : Jun 09, 2:56:02.609 pm	Duration : 2 m 56.633 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 6 SKIPPED - 0	PASSED - 18 FAILED - 6 SKIPPED - 12




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Specific Debit</u>	2 m 56.633 s	6	0	6	0	36	18	6	12

#	Feature Name	Scenario Name
1	<u>Specific Debit</u>	<u>Successful login</u>
2		<u>Add Specific Debit</u>
3		<u>Add Specific Debit without filling in fields</u>
4		<u>Action Date</u>
5		<u>Check Submitted</u>
6		<u>Delete Specific Debit</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SuccessfulScenario	2	0	2	0	1	0	1	0
@Done	6	0	6	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	6	0	6	0	2 m 56.633 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	<u>Successful login</u>	5	4	1	0	40.926 s
2		<u>Add Specific Debit</u>	15	8	1	6	50.892 s
3		<u>Add Specific Debit without filling in fields</u>	6	3	1	2	22.524 s
4		<u>Action Date</u>	1	0	1	0	15.484 s
5		<u>Check Submitted</u>	4	2	1	1	13.007 s
6		<u>Delete Specific Debit</u>	5	1	1	3	33.494 s

## Specific Debit

<b>FAILED</b>	DURATION - 2 m 56.633 s	Scenarios		Steps	
/ 2:53:05.976 pm // 2:56:02.609 pm /		Total - 6	6	Total - 36	36
		Pass - 0		Pass - 18	
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 12	

## Successful login

<div>FAILED</div> <div>DURATION - 40.926 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 2:53:05.979 pm // 2:53:46.905 pm /				
Specific Debit				
@SuccessfulScenario @Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.012 s
	Successful login		
1	Given I am on the login page	PASSED	6.673 s
2	When I enter my valid username and password	PASSED	15.645 s
3	And click the "Login" button	PASSED	0.594 s
4	Then I should be redirected to the homepage	FAILED	6.031 s
	Not on the homepage		
5	And see a welcome message with my "Welcome"	PASSED	5.119 s

## Add Specific Debit

<b>FAILED</b>	<b>DURATION - 50.892 s</b>		<b>Steps</b> Total - 15 Pass - 8 Fail - 1 Skip - 6	
/ 2:53:46.975 pm // 2:54:37.867 pm /				
Specific Debit				
@SuccessfulScenario @Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.006 s
	Add Specific Debit		
1	Given I am on Specific Debit Tab	PASSED	11.126 s
2	When I Add a Specific Debit	PASSED	0.182 s
3	Then Specific Debit Details window appears	PASSED	5.088 s
4	Then Find the policy	PASSED	15.545 s
5	Then the policy is "Selected"	PASSED	0.275 s
6	Then Policy number filed is populated	PASSED	10.191 s
7	And Policy number is uneditable	PASSED	0.038 s
8	And Collection Method Should be "SSVS"	PASSED	0.052 s
9	And Premium Month date picker translates to MM/YY	FAILED	5.790 s
	org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"No node with given id found"} (Session info: chrome=114.0.5735.110) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4389ee21250a622d1c8fc6d078ca4ff7, clickElement {id=E03933DBA39DD05240F65510F6F1FC43_element_190}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49896}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49896/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (4389ee21250a622d1c8fc6d078ca4ff7)] -> xpath: //button[normalize-space()='Done']] Session ID: 4389ee21250a622d1c8fc6d078ca4ff7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.ChoosePremiumMonth(SpecificDebitDetailsWindow.java:190) at com.mobilife.automation.glue.StepDefinition.premiumMonthDatePickerTranslatesToMMYY(StepDefinition.java:352) at ?.Premium Month date picker translates to MM/YY(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/ src/main/resources/features/SpecificDebit.feature:29) * Not displayable characters are replaced by '?'. </pre>		
10	And The Amount is automatically populated	SKIPPED	0.003 s
11	And Matches the current Nett Premium	SKIPPED	0.001 s
12	And Nett Premium cannot be negative	SKIPPED	0.001 s
13	Then Enter Action Date	SKIPPED	0.001 s
14	Then Click Save	SKIPPED	0.002 s
15	And If it's after "14:30" Mobility will show an error text	SKIPPED	0.001 s
	AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()	PASSED	0.122 s
	Close		

### Add Specific Debit without filling in fields

<b>FAILED</b>	<b>DURATION - 22.524 s</b>
/ 2:54:38.035 pm // 2:55:00.559 pm /	
Specific Debit	
@Done	



Step	Count
1	0
2	5
3	15
4	0
5	0
6	0

**Steps**  
Total - 6  
Pass - 3  
Fail - 1  
Skip - 2

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.007 s
	Add Specific Debit without filling in fields		

#	Step / Hook Details	Status	Duration
1	When I Add a Specific Debit	PASSED	0.139 s
2	Then Specific Debit Details window appears	PASSED	5.114 s
3	And Find the policy	PASSED	15.457 s
4	When I select the policy	FAILED	0.003 s
	Step undefined		
5	And Click Save	SKIPPED	0.000 s
6	Then Error message will show below the empty textboxes	SKIPPED	0.000 s



### Action Date

<div>FAILED</div> <div>DURATION - 15.484 s</div>			<div>Steps</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 2:55:00.586 pm // 2:55:16.070 pm /				
Specific Debit				
@Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.006 s
	Action Date		
1	Then Enter Action Date	FAILED	13.265 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=114.0.5735.110) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [4389ee21250a622d1c8fc6d078ca4ff7, sendKeysToElement {id=E03933DBA39DD05240F65510F6F1FC43_element_208, value=[Ljava.lang.CharSequence;@6591f8ea]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\lymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49896}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49896/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (4389ee21250a622d1c8fc6d078ca4ff7)] -> id: c10] Session ID: 4389ee21250a622d1c8fc6d078ca4ff7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.setActionDate(SpecificDebitDetailsWindow.java:219) at com.mobilife.automation.glue.StepDefinition.enterActionDate(StepDefinition.java:391) at ?.Enter Action Date(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:52) * Not displayable characters are replaced by '?'. </pre>		



### Check Submitted

<div>FAILED</div> <div>DURATION - 13.007 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 2:55:16.083 pm // 2:55:29.090 pm /				
Specific Debit				
@Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.007 s
	Check Submitted		
1	When Submitted checkbox empty(no tick) before the linked collection item is Submitted	PASSED	0.053 s
2	And Cannot tick Submitted checkbox	PASSED	0.056 s
3	And Can add notes	FAILED	10.412 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on windows (4389ee21250a622d1c8fc6d078ca4ff7)] -> id: c14] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.		

#	Step / Hook Details	Status	Duration
	<p>chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:49896}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49896/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4389ee21250a622d1c8fc6d078ca4ff7</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)  at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.writeNotes(SpecificDebitDetailsWindow.java:242)  at com.mobilife.automation.glue.StepDefinition.canAddNotes(StepDefinition.java:498)  at ?.Can add notes(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:58)  * Not displayable characters are replaced by '?'. </p>		
4	Then Submitted checkbox ticked after the linked collection item is submitted	SKIPPED	0.005 s

### Delete Specific Debit

<b>FAILED</b> DURATION - 33.494 s / 2:55:29.115 pm // 2:56:02.609 pm / Specific Debit @Done		Steps Total - 5 Pass - 1 Fail - 1 Skip - 3	
---	---	--	---

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	5.155 s
	Delete Specific Debit		
1	When Allow Edit Specific Debit before Submission	PASSED	5.638 s
2	And delete a saved specific debit before it has been submitted	FAILED	20.077 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.id: c23' (tried for 10 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)  at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.deleteSpecificDebit(SpecificDebitDetailsWindow.java:335)  at com.mobilife.automation.glue.StepDefinition.deleteASavedSpecificDebitBeforeItHasBeenSubmitted(StepDefinition.java:537)  at ?.delete a saved specific debit before it has been submitted(file:///C:/Users/ymxab/Documents/Software%20Engineering/ </p>		

#	Step / Hook Details	Status	Duration
	<p>MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:64)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#c23"} (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4389ee21250a622d1c8fc6d078ca4ff7, findElement {using=id, value=c23}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49896}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:49896/devtoo..., se.cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4389ee21250a622d1c8fc6d078ca4ff7</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy43.isDisplayed(Unknown Source)  at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)  at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)  at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)  at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)  at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)  at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)  at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.deleteSpecificDebit(SpecificDebitDetailsWindow.java:335)  at com.mobilife.automation.glue.StepDefinition.deleteASavedSpecificDebitBeforeItHasBeenSubmitted(StepDefinition.java:537)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)  at java.base/java.lang.reflect.Method.invoke(Method.java:578)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)		

#	Step / Hook Details	Status	Duration
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) * Not displayable characters are replaced by '?'. 		
3	<a href="#">Then deleting a Specific Debit the 'Deleted' column in the database table gets populated</a>	SKIPPED	0.000 s
4	<a href="#">And Deny Edit Specific Debit after Submission</a>	SKIPPED	0.002 s
5	<a href="#">Then Cannot delete a specific debit after it has been submitted</a>	SKIPPED	0.001 s