Specific_Debit_Regression_Report

| Start : Jun 12, 4:45:20.992 am	End : Jun 12, 4:50:11.386 am	Duration : 4 m 50.394 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 3 SKIPPED - 0	PASSED - 32 FAILED - 4 SKIPPED - 0

1

6

36

Pass % 0 %

Pass % 50 %

Pass % 88 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Specific Debit	4 m 50.394 s	6	3	3	0	36	32	4	0

#	Feature Name	Scenario Name
1	*Specific Debit*	*Successful login*
2		*Add Specific Debit*
3		*Delete Specific Debit*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@SuccessfulScenario	2	0	2	0	1	0	1	0
@Done	6	3	3	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Specific Debit	6	3	3	0	4 m 50.394 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Specific Debit	Successful login	5	3	2	0	35.329 s
2		Add Specific Debit	15	14	1	0	3 m 1.189 s
3		Add Specific Debit without filling in fields	6	6	0	0	28.075 s
4		Action Date	1	1	0	0	4.157 s
5		Check Submitted	4	4	0	0	1.064 s
6		Delete Specific Debit	5	4	1	0	40.420 s

Specific Debit

FAILED	DURATION - 4 m 50.394 s	Scenarios		Steps	
		Total - 6		Total - 36	
/ 4:45:20.992 am // 4:50:11.386 am /		Pass - 3	6	Pass - 32	36
		Fail - 3		Fail - 4	
		Skip - 0		Skip - 0	

Successful login

FAILED	DURATION - 35.329 s		Steps	
/ 4:45:20.998 am // 4:45:56.327 am /			Total - 5	
Specific Debit			Pass - 3	5
@SuccessfulScenario @Done			Fail - 2	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.000 s
	Successful login		
1	Given I am on the login page	PASSED	3.207 s
2	When I enter my valid username and password	PASSED	15.409 s
3	And click the "Login" button	FAILED	0.638 s
	image		
	Hasn't Authenticated		
4	Then I should be redirected to the homepage	FAILED	6.034 s
	Not on the homepage		
5	And see a welcome message with my "Welcome"	PASSED	5.115 s

#	Step / Hook Details	Status	Duration
	AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()	PASSED	0.214 s
	image		

Add Specific Debit

FAILED	DURATION - 3 m 1.189 s
/ 4:45:56.407 am // 4:48:57.596 am /	
Specific Debit	
@SuccessfulScenario @Done	

Steps
Total - 15
Pass - 14
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.000 s
	Add Specific Debit		
1	Given I am on Specific Debit Tab	PASSED	8.869 s
2	When I Add a Specific Debit	PASSED	0.118 s
3	Then Specific Debit Details window appears	PASSED	4.076 s
4	Then Find the policy	PASSED	14.445 s
5	Then the policy is "Selected"	PASSED	0.214 s
6	Then Policy number filed is populated	PASSED	10.160 s
7	And Policy number is uneditable	PASSED	0.024 s
8	And Collection Method Should be "SSVS"	PASSED	0.054 s
9	And Premium Month date picker translates to MM/YY	PASSED	34.994 s
10	And The Amount is automatically populated	PASSED	0.036 s
11	And Matches the current Nett Premium	PASSED	0.032 s
12	And Nett Premium cannot be negative	PASSED	0.182 s
13	Then Enter Action Date	PASSED	3.287 s

#	Step / Hook Details	Status	Duration
14	Then Click Save	PASSED	1 m 11.593 s
	Can Save the Specific Debit		
15	And If it's after "14:30" Mobility will show an error text	FAILED	32.263 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.id: c10_validationLabel' (tried for 20 second(s) with 2000 milliseconds interval)
	    at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
	    at com.mobilife.automation.glue.StepDefinition.ifItSAfterMobilityWillShowAnErrorText(StepDefinition.java:507)
	    at ?.If it's after "14:30" Mobility will show an error text(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:36)
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#c10_validationLabel"} (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9c7a6b905ae91beca8cfaaade6a0257f, findElement {using=id, value=c10_validationLabel}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57915}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57915/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9c7a6b905ae91beca8cfaaade6a0257f
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy43.isDisplayed(Unknown Source)
	    at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)
	    at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)
	    at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at com.mobilife.automation.glue.StepDefinition.ifItSAfterMobilityWillShowAnErrorText(StepDefinition.java:507)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) * Not displayable characters are replaced by '?'.		
	AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()	PASSED	0.342 s
	image		

Add Specific Debit without filling in fields

PASSED	DURATION - 28.075 s		Steps	
/ 4:48:57.613 am // 4:49:25.688 am /			Total - 6	
Specific Debit			Pass - 6 Fail - 0	6
@Done			Skip - 0	

| #	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.002 s
	Add Specific Debit without filling in fields		
1	When I Add a Specific Debit	PASSED	0.176 s
2	Then Specific Debit Details window appears	PASSED	4.068 s
3	And Find the policy	PASSED	14.428 s

| #	Step / Hook Details	Status	Duration
4	Then the policy is "Selected"	PASSED	0.241 s
5	And Click Save	PASSED	0.283 s
6	Then Error message will show below the empty textboxes	PASSED	8.201 s
	AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()	PASSED	0.201 s
	image		

Action Date

PASSED	DURATION - 4.157 s		Steps	
/ 4:49:25.701 am // 4:49:29.858 am /			Total - 1	
Specific Debit			Pass - 1	
@Done			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.001 s
	Action Date		
1	Then Enter Action Date	PASSED	3.361 s
	AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()	PASSED	0.460 s
	image		

Check Submitted

PASSED	DURATION - 1.064 s

/ 4:49:29.870 am // 4:49:30.934 am /

Specific Debit

@Done

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.001 s
	Check Submitted		
1	When Submitted checkbox empty(no tick) before the linked collection item is Submitted	PASSED	0.117 s
2	And Cannot tick Submitted checkbox	PASSED	0.052 s
3	And Can add notes	PASSED	0.269 s
4	Then Submitted checkbox ticked after the linked collection item is submitted	PASSED	0.000 s
	AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()	PASSED	0.334 s
	image		

Delete Specific Debit

FAILED	DURATION - 40.420 s

/ 4:49:30.966 am // 4:50:11.386 am /

Specific Debit

@Done

Steps
Total - 5
Pass - 4
Fail - 1
Skip - 0

5

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	5.133 s
	Delete Specific Debit		
1	When Allow Edit Specific Debit before Submission	PASSED	6.277 s
2	And delete a saved specific debit before it has been submitted	PASSED	2.325 s
3	Then deleting a Specific Debit the 'Deleted' column in the database table gets populated	PASSED	1.441 s
4	And Deny Edit Specific Debit after Submission	PASSED	24.592 s
5	Then Cannot delete a specific debit after it has been submitted	FAILED	0.024 s

	org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9c7a6b905ae91beca8cfaaade6a0257f, isElementDisplayed {id=BD2C97CE070A353B2E634F5BC3494B8B_element_405}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca. ..}, goog:chromeOptions: {debuggerAddress: localhost:57915}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57915/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (9c7a6b905ae91beca8cfaaade6a0257f)] -> id: c23] Session ID: 9c7a6b905ae91beca8cfaaade6a0257f
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)
	  at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:313)
	  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:578)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	  at jdk.proxy2/jdk.proxy2.$Proxy43.isDisplayed(Unknown Source)
	  at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)
	  at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)
	  at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)
	  at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)
	  at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:660)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.deleteSpecificDebit(SpecificDebitDetailsWindow.java:319) at com.mobilife.automation.glue.StepDefinition.cannotDeleteASpecificDebitAfterItHasBeenSubmitted(StepDefinition.java:662) at ?.Cannot delete a specific debit after it has been submitted(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:67) * Not displayable characters are replaced by '?'.		
	AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()	PASSED	0.270 s
	image		