
10 Jun 2023, 11:20:11

Specific_Debit_Regression_Report




| Feature | | | Scer | nario | | | St | ер | |
|----------------|--------------|----------|------|-------|---|----------|----|----|----|
| Name | Duration | <i>T</i> | P | F | S | <i>T</i> | P | F | S |
| Specific Debit | 1 m 19.950 s | 6 | 0 | 6 | 0 | 36 | 7 | 5 | 24 |

FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name | Scenario Name |
|---|----------------|--|
| 1 | Specific Debit | Successful login |
| 2 | | Add Specific Debit |
| 3 | | Add Specific Debit without filling in fields |
| 4 | | Action Date |
| 5 | | Check Submitted |
| 6 | | Delete Specific Debit |


| TAG | Scenario | | | | Fea | ture | | |
|---------------------|----------|---|---|---|-----|------|---|---|
| Name | T | P | F | S | T | P | F | S |
| @SuccessfulScenario | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |
| @Done | 6 | 0 | 6 | 0 | 1 | 0 | 1 | 0 |

FEATURES SUMMARY -- 5 --



| # | Feature Name | T | P | F | S | Duration |
|---|----------------|---|---|---|---|--------------|
| 1 | Specific Debit | 6 | 0 | 6 | 0 | 1 m 19.950 s |

SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------|--|----|---|---|----|----------|
| 1 | Specific Debit | Successful login | 5 | 4 | 1 | 0 | 31.485 s |
| 2 | | Add Specific Debit | 15 | 1 | 1 | 13 | 9.603 s |
| 3 | | Add Specific Debit without filling in fields | 6 | 0 | 1 | 5 | 0.449 s |
| 4 | | Action Date | 1 | 0 | 1 | 0 | 13.590 s |
| 5 | | Check Submitted | 4 | 2 | 1 | 1 | 13.841 s |
| 6 | | Delete Specific Debit | 5 | 0 | 0 | 5 | 10.621 s |

DETAILED SECTION -- 7 -

Specific Debit


| FAILED | DURATION - 1 m 19.950 s | Scenarios | | Steps | |
|----------------------|-------------------------|-----------|---|------------|----|
| | | Total - 6 | | Total - 36 | |
| / 11:18:48.541 am // | ′ 11:20:08.491 am / | Pass - 0 | 6 | Pass - 7 | 36 |
| | | Fail - 6 | | Fail - 5 | 30 |
| | | Skip - 0 | | Skip - 24 | |
| | | | | | |

Successful login



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) | PASSED | 0.002 s |
| | Successful login | | |
| 1 | Given I am on the login page | PASSED | 3.441 s |
| 2 | When I enter my valid username and password | PASSED | 15.405 s |
| 3 | And click the "Login" button | PASSED | 0.461 s |
| 4 | Then I should be redirected to the homepage | FAILED | 6.029 s |
| | Not on the homepage | | |
| 5 | And see a welcome message with my "Welcome" | PASSED | 5.103 s |

Add Specific Debit



| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | Add Specific Debit | | |
| 1 | Given I am on Specific Debit Tab | PASSED | 8.925 s |
| 2 | When I Add a Specific Debit | FAILED | 0.014 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this. searchContext" is null | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at com.mobilife.pages.SpecificDebit.SpecificDebitPage.AddSpecificDebit(SpecificDebitPage.java:125) | | |
| | at com.mobilife.automation.glue.StepDefinition.iAddASpecificDebit(StepDefinition.java:233) | | |
| | at ?.I Add a Specific Debit(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/ | | |
| | SpecificDebit.feature:22) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then Specific Debit Details window appears | SKIPPED | 0.000 s |
| 4 | Then Find the policy | SKIPPED | 0.000 s |
| 5 | Then the policy is "Selected" | SKIPPED | 0.000 s |
| 6 | Then Policy number filed is populated | SKIPPED | 0.000 s |
| 7 | And Policy number is uneditable | SKIPPED | 0.000 s |
| 8 | And Collection Method Should be "SSVS" | SKIPPED | 0.004 s |
| 9 | And Premium Month date picker translates to MM/YY | SKIPPED | 0.000 s |
| 10 | And The Amount is automatically populated | SKIPPED | 0.000 s |
| 11 | And Matches the current Nett Premium | SKIPPED | 0.000 s |
| 12 | And Nett Premium cannot be negative | SKIPPED | 0.000 s |
| 13 | Then Enter Action Date | SKIPPED | 0.006 s |
| 14 | Then Click Save | SKIPPED | 0.000 s |
| 15 | And If it's after "14:30" Mobility will show an error text | SKIPPED | 0.000 s |

DETAILED SECTION -- 9 --


Add Specific Debit without filling in fields

| FAILED DURATION - 0.449 s | 0,15 | | | - | | | | Steps | |
|--|------|---|---|---|---|---|---|-----------|---|
| / 11:19:29.827 am // 11:19:30.276 am / | | 1 | | 1 | | | 1 | Total - 6 | |
| 7 11.13.23.027 an // 11.13.30.270 an / | | | | | | | | Pass - 0 | |
| Specific Debit | | | | | | | | Fail - 1 | б |
| | | | | ! | | | ! | Skip - 5 | |
| @Done | 0 - | 1 | 2 | 3 | 4 | 5 | 6 | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) | PASSED | 0.002 s |
| | Add Specific Debit without filling in fields | | |
| 1 | When I Add a Specific Debit | FAILED | 0.000 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this. searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at com.mobilife.pages.SpecificDebit.SpecificDebitPage.AddSpecificDebit(SpecificDebitPage.java:125) at com.mobilife.automation.glue.StepDefinition.iAddASpecificDebit(StepDefinition.java:233) at ?.I Add a Specific Debit(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:41) * Not displayable characters are replaced by '?'. | | |
| 2 | Then Specific Debit Details window appears | SKIPPED | 0.000 s |
| 3 | And Find the policy | SKIPPED | 0.000 s |
| 4 | Then the policy is "Selected" | SKIPPED | 0.000 s |
| 5 | And Click Save | SKIPPED | 0.000 s |
| 6 | Then Error message will show below the empty textboxes | SKIPPED | 0.000 s |

Action Date


DETAILED SECTION -- 10 --



| # Step / Hook Details | Sta | atus Duration |
|--|--|---------------|
| BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.S | Scenario) PASS | SED 0.000 s |
| Action Date | | |
| 1 Then Enter Action Date | FAILE | D 13.161 s |
| org.openqa.selenium.ElementNotInteractableException: element not interactable (Sessio '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.ver openqa.selenium.chrome.ChromeDriver Command: [6561994d27ba0dd54446842a226feff {id=86042B9746438DF9660A122A5E4DA526_element_154, value=[Ljava.lang.CharSequ {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chr (386bc09e8f4f, userDataDir: C:\Users\ymxab\AppData\Loca}, goog:chromeOptions: {d networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, pr se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeou unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauth webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:on windows (6561994d27ba0dd54446842a226feffa)] -> id: c10] Session ID: 6561994d27b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectCo at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(V at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpf at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpf at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpf at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverComma at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java at java.base/jak.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHand at java.base/jak.internal.reflect.DirectMethod.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(Lo | in info: chrome=114.0.5735.110) Build info: version: sion: '10.0', java.version: '20.0.1' Driver info: org. a, sendKeysToElement ence;@58aa5c94}] Capabilities ome: {chromedriverVersion: 114.0.5735.90 ebuggerAddress: localhost:54072}, oxy: Proxy(), se:cdp: ws://localhost:54072/devtoo, ts: {implicit: 0, pageLoad: 300000, script: 30000}, thn:extension:largeBlob: true, thenticators: true} Element: [[ChromeDriver: chrome a0dd54446842a226feffa instructorHandleAccessor.java:67) W3CHttpResponseCodec.java:200) ResponseCodec.java:133) ResponseCodec.java:133) CommandExecutor.java:183) andExecutor.java:158) DommandExecutor.java:158) Ligava:113) leAccessor.java:104) | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at com.mobilife.automation.glue.StepDefinition.enterActionDate(StepDefinition.java:394) | | |
| | at ?.Enter Action Date(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/ | | |
| | SpecificDebit.feature:52) | | |
| | * Not displayable characters are replaced by '?'. | | |


Check Submitted



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | Check Submitted | | |
| 1 | When Submitted checkbox empty(no tick) before the linked collection item is Submitted | PASSED | 0.048 s |
| 2 | And Cannot tick Submitted checkbox | PASSED | 0.041 s |
| 3 | And Can add notes | FAILED | 10.263 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on windows (6561994d27ba0dd54446842a226feffa)] -> id: c14] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\ymxab\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:54072}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54072/devtoo, se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6561994d27ba0dd54446842a226feffa at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.writeNotes(SpecificDebitDetailsWindow.java:235) at com.mobilife.automation.glue.StepDefinition.canAddNotes(StepDefinition.java:501) at ?.Can add notes(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:58) * Not displayable characters are replaced by '?'. | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 4 | Then Submitted checkbox ticked after the linked collection item is submitted | SKIPPED | 0.008 s |

Delete Specific Debit



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) | FAILED | 10.087 s |
| | Delete Specific Debit | | |
| | Delete Specific Debit org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=114.0.5735.110) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [6561994d27ba0dd54446842a226feffa, clickElement (id=86042B9746438DF9660A122A5E4DA526_element_159)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: (chromedriverVersion: 114.0.5735.90) (386bc09e8f4f, userDataDir: C:\Users\ymxab\AppData\\capaclaca\), goog:chromeOptions: {debuggerAddress: localhost:54072}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54072/devtoo, se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:pif: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (6561994d27ba0dd54446842a226feffa)] -> xpath: //button[@type=button'][normalize-space()='Cancel']] Session ID: 6561994d27ba0dd54446842a226feffa at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.gecode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) | | |
| | at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) | | |
| | at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |

DETAILED SECTION -- 13 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at com.mobilife.automation.glue.StepDefinition.setUp(StepDefinition.java:127) | | |
| 1 | When Allow Edit Specific Debit before Submission | SKIPPED | 0.000 s |
| 2 | And delete a saved specific debit before it has been submitted | SKIPPED | 0.000 s |
| 3 | Then deleting a Specific Debit the 'Deleted' column in the database table gets populated | SKIPPED | 0.000 s |
| 4 | And Deny Edit Specific Debit after Submission | SKIPPED | 0.000 s |
| 5 | Then Cannot delete a specific debit after it has been submitted | SKIPPED | 0.000 s |