
11 Jun 2023, 13:05:24

Specific_Debit_Regression_Report




Feature		Scenario				Step			
Name	Duration	<i>T</i>	P	F	S	<i>T</i>	P	F	S
Specific Debit	1 m 12.667 s	6	0	6	0	36	0	3	33

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Specific Debit	Successful login
2		Add Specific Debit
3		Add Specific Debit without filling in fields
4		Action Date
5		Check Submitted
6		Delete Specific Debit


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@SuccessfulScenario	2	0	2	0	1	0	1	0
@Done	6	0	6	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Specific Debit	6	0	6	0	1 m 12.667 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Specific Debit	Successful login	5	0	0	5	13.483 s
2		Add Specific Debit	15	0	0	15	10.073 s
3		Add Specific Debit without filling in fields	6	0	1	5	13.588 s
4		Action Date	1	0	1	0	13.678 s
5	-	Check Submitted	4	0	1	3	10.925 s
6		Delete Specific Debit	5	0	0	5	10.582 s

DETAILED SECTION -- 7 -

Specific Debit

FAILED	DURATION - 1 m 12.667 s	Scenarios		Steps	
		Total - 6		Total - 36	
/ 1:04:09.524 pm // 1	:05:22.191 pm /	Pass - 0	6	Pass - 0	36
		Fail - 6	_ · _	Fail - 3	30
		Skip - 0		Skip - 33	

Successful login




#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.initializeObjects()	FAILED	13.411 s
	org.springframework.jdbc.CannotGetJdbcConnectionException: Failed to obtain JDBC Connection		
	at org.springframework.jdbc.datasource.DataSourceUtils.getConnection(DataSourceUtils.java:83)		
	at org.springframework.jdbc.core.JdbcTemplate.execute(JdbcTemplate.java:646)		
	at org.springframework.jdbc.core.JdbcTemplate.query(JdbcTemplate.java:713)		
	at org.springframework.jdbc.core.JdbcTemplate.query(JdbcTemplate.java:744)		
	at org.springframework.jdbc.core.JdbcTemplate.query(JdbcTemplate.java:757)		
	at org.springframework.jdbc.core.JdbcTemplate.query(JdbcTemplate.java:815)		
	at com.mobilife.automation.glue.StepDefinition.initializeObjects(StepDefinition.java:100)		
	Caused by: com.mysql.cj.jdbc.exceptions.CommunicationsException: Communications link failure The last packet sent successfully to the		
	server was 0 milliseconds ago. The driver has not received any packets from the server.		
	at com.mysql.cj.jdbc.exceptions.SQLError.createCommunicationsException(SQLError.java:175)		
	at com.mysql.cj.jdbc.exceptions.SQLExceptionsMapping.translateException(SQLExceptionsMapping.java:64)		
	at com.mysql.cj.jdbc.ConnectionImpl.createNewIO(ConnectionImpl.java:825)		
	at com.mysql.cj.jdbc.ConnectionImpl. <init>(ConnectionImpl.java:446)</init>		
	at com.mysql.cj.jdbc.ConnectionImpl.getInstance(ConnectionImpl.java:239)		
	at com.mysql.cj.jdbc.NonRegisteringDriver.connect(NonRegisteringDriver.java:188)		
	at java.sql/java.sql.DriverManager.getConnection(DriverManager.java:683)		

#	Step / Hook Details	Status	Duration
	at java.sql/java.sql.DriverManager.getConnection(DriverManager.java:191)		
	at org.springframework.jdbc.datasource.DriverManagerDataSource.getConnectionFromDriverManager(DriverManagerDataSource.java:155)		
	at org.springframework.jdbc.datasource.DriverManagerDataSource.getConnectionFromDriver(DriverManagerDataSource.java:146)		
	at org.springframework.jdbc.datasource.AbstractDriverBasedDataSource.getConnectionFromDriver(AbstractDriverBasedDataSource.		
	java:205)		
	at org.springframework.jdbc.datasource.AbstractDriverBasedDataSource.getConnection(AbstractDriverBasedDataSource.java:169)		
	at org.springframework.jdbc.datasource.DataSourceUtils.fetchConnection(DataSourceUtils.java:159)		
	at org.springframework.jdbc.datasource.DataSourceUtils.doGetConnection(DataSourceUtils.java:117)		
	at org.springframework.jdbc.datasource.DataSourceUtils.getConnection(DataSourceUtils.java:80)		
	at org.springframework.jdbc.core.JdbcTemplate.execute(JdbcTemplate.java:646)		
	at org.springframework.jdbc.core.JdbcTemplate.query(JdbcTemplate.java:713)		
	at org.springframework.jdbc.core.JdbcTemplate.query(JdbcTemplate.java:744)		
	at org.springframework.jdbc.core.JdbcTemplate.query(JdbcTemplate.java:757)		
	at org.springframework.jdbc.core.JdbcTemplate.query(JdbcTemplate.java:815)		
	at com.mobilife.automation.glue.StepDefinition.initializeObjects(StepDefinition.java:100)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)		
	Caused by: com.mysql.cj.exceptions.CJCommunicationsException: Communications link failure The last packet sent successfully to the server		
	was 0 milliseconds ago. The driver has not received any packets from the server.		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at com.mysql.cj.exceptions.ExceptionFactory.createException(ExceptionFactory.java:62)		
	at com.mysql.cj.exceptions.ExceptionFactory.createException(ExceptionFactory.java:105)		
	at com.mysql.cj.exceptions.ExceptionFactory.createException(ExceptionFactory.java:150)		
	at com.mysql.cj.exceptions.ExceptionFactory.createCommunicationsException(ExceptionFactory.java:166)		
	at com.mysql.cj.protocol.a.NativeSocketConnection.connect(NativeSocketConnection.java:89)		
	at com.mysql.cj.NativeSession.connect(NativeSession.java:121)		
	at com.mysql.cj.jdbc.ConnectionImpl.connectOneTryOnly(ConnectionImpl.java:945)		
	at com.mysql.cj.jdbc.ConnectionImpl.createNewIO(ConnectionImpl.java:815)		
	66 more Caused by: java.net.UnknownHostException: No such host is known (mobility-qa.mysql.database.azure.com)		
	at java.base/java.net.Inet6AddressImpl.lookupAllHostAddr(Native Method)		
	at java.base/java.net.Inet6AddressImpl.lookupAllHostAddr(Inet6AddressImpl.java:52)		
	at java.base/java.net.InetAddress\$PlatformResolver.lookupByName(InetAddress.java:1061)		
	at java.base/java.net.lnetAddress.getAddressesFromNameService(InetAddress.java:1683)		
	at java.base/java.net.lnetAddress\$NameServiceAddresses.get(InetAddress.java:1004)		

#	Step / Hook Details	Status	Duration
	at java.base/java.net.InetAddress.getAllByName0(InetAddress.java:1673) at java.base/java.net.InetAddress.getAllByName(InetAddress.java:1533) at com.mysql.cj.protocol.StandardSocketFactory.connect(StandardSocketFactory.java:130) at com.mysql.cj.protocol.a.NativeSocketConnection.connect(NativeSocketConnection.java:63)		
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.019 s
	Successful login		
1	Given I am on the login page	SKIPPED	0.000 s
2	When I enter my valid username and password	SKIPPED	0.000 s
3	And click the "Login" button	SKIPPED	0.000 s
4	Then I should be redirected to the homepage	SKIPPED	0.000 s
5	And see a welcome message with my "Welcome"	SKIPPED	0.000 s

Add Specific Debit



#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.initializeObjects()	FAILED	0.010 s
	org.springframework.jdbc.CannotGetJdbcConnectionException: Failed to obtain JDBC Connection		
	at org.springframework.jdbc.datasource.DataSourceUtils.getConnection(DataSourceUtils.java:83)		
	at org.springframework.jdbc.core.JdbcTemplate.execute(JdbcTemplate.java:646)		
	at org.springframework.jdbc.core.JdbcTemplate.query(JdbcTemplate.java:713)		
	at org.springframework.jdbc.core.JdbcTemplate.query(JdbcTemplate.java:744)		
	at org.springframework.jdbc.core.JdbcTemplate.query(JdbcTemplate.java:757)		
	at org.springframework.jdbc.core.JdbcTemplate.query(JdbcTemplate.java:815)		
	at com.mobilife.automation.glue.StepDefinition.initializeObjects(StepDefinition.java:100)		
	Caused by: com.mysql.cj.jdbc.exceptions.CommunicationsException: Communications link failure The last packet sent successfully to the		
	server was 0 milliseconds ago. The driver has not received any packets from the server.		
	at com.mysql.cj.jdbc.exceptions.SQLError.createCommunicationsException(SQLError.java:175)		
	at com.mysql.cj.jdbc.exceptions.SQLExceptionsMapping.translateException(SQLExceptionsMapping.java:64)		


#	Step / Hook Details	Status	Duration
	at com.mysql.cj.jdbc.ConnectionImpl.createNewIO(ConnectionImpl.java:825)		
	at com.mysql.cj.jdbc.ConnectionImpl. <init>(ConnectionImpl.java:446)</init>		
	at com.mysql.cj.jdbc.ConnectionImpl.getInstance(ConnectionImpl.java:239)		
	at com.mysql.cj.jdbc.NonRegisteringDriver.connect(NonRegisteringDriver.java:188)		
	at java.sql/java.sql.DriverManager.getConnection(DriverManager.java:683)		
	at java.sql/java.sql.DriverManager.getConnection(DriverManager.java:191)		
	at org.springframework.jdbc.datasource.DriverManagerDataSource.getConnectionFromDriverManager(DriverManagerDataSource.java:155)		
	at org.springframework.jdbc.datasource.DriverManagerDataSource.getConnectionFromDriver(DriverManagerDataSource.java:146)		
	at org.springframework.jdbc.datasource.AbstractDriverBasedDataSource.getConnectionFromDriver(AbstractDriverBasedDataSource.		
	java:205)		
	at org.springframework.jdbc.datasource.AbstractDriverBasedDataSource.getConnection(AbstractDriverBasedDataSource.java:169)		
	at org.springframework.jdbc.datasource.DataSourceUtils.fetchConnection(DataSourceUtils.java:159)		
	at org.springframework.jdbc.datasource.DataSourceUtils.doGetConnection(DataSourceUtils.java:117)		
	at org.springframework.jdbc.datasource.DataSourceUtils.getConnection(DataSourceUtils.java:80)		
	at org.springframework.jdbc.core.JdbcTemplate.execute(JdbcTemplate.java:646)		
	at org.springframework.jdbc.core.JdbcTemplate.query(JdbcTemplate.java:713)		
	at org.springframework.jdbc.core.JdbcTemplate.query(JdbcTemplate.java:744)		
	at org.springframework.jdbc.core.JdbcTemplate.query(JdbcTemplate.java:757)		
	at org.springframework.jdbc.core.JdbcTemplate.query(JdbcTemplate.java:815)		
	at com.mobilife.automation.glue.StepDefinition.initializeObjects(StepDefinition.java:100)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)		
	Caused by: com.mysql.cj.exceptions.CJCommunicationsException: Communications link failure The last packet sent successfully to the server		
	was 0 milliseconds ago. The driver has not received any packets from the server.		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at com.mysql.cj.exceptions.ExceptionFactory.createException(ExceptionFactory.java:62)		
	at com.mysql.cj.exceptions.ExceptionFactory.createException(ExceptionFactory.java:105)		
	at com.mysql.cj.exceptions.ExceptionFactory.createException(ExceptionFactory.java:150)		
	at com.mysql.cj.exceptions.ExceptionFactory.createCommunicationsException(ExceptionFactory.java:166)		
	at com.mysql.cj.protocol.a.NativeSocketConnection.connect(NativeSocketConnection.java:89)		
	at com.mysql.cj.NativeSession.connect(NativeSession.java:121)		
	at com.mysql.cj.jdbc.ConnectionImpl.connectOneTryOnly(ConnectionImpl.java:945)		
	at com.mysql.cj.jdbc.ConnectionImpl.createNewIO(ConnectionImpl.java:815)		
	66 more Caused by: java.net.UnknownHostException: mobility-qa.mysql.database.azure.com		

#	Step / Hook Details	Status	Duration
	at java.base/java.net.InetAddress\$CachedAddresses.get(InetAddress.java:953) at java.base/java.net.InetAddress.getAllByName0(InetAddress.java:1673) at java.base/java.net.InetAddress.getAllByName(InetAddress.java:1533) at com.mysql.cj.protocol.StandardSocketFactory.connect(StandardSocketFactory.java:130) at com.mysql.cj.protocol.a.NativeSocketConnection.connect(NativeSocketConnection.java:63)		
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.004 s
	Add Specific Debit		
1	Given I am on Specific Debit Tab	SKIPPED	0.000 s
2	When I Add a Specific Debit	SKIPPED	0.000 s
3	Then Specific Debit Details window appears	SKIPPED	0.000 s
4	Then Find the policy	SKIPPED	0.000 s
5	Then the policy is "Selected"	SKIPPED	0.000 s
6	Then Policy number filed is populated	SKIPPED	0.000 s
7	And Policy number is uneditable	SKIPPED	0.000 s
8	And Collection Method Should be "SSVS"	SKIPPED	0.000 s
9	And Premium Month date picker translates to MM/YY	SKIPPED	0.000 s
10	And The Amount is automatically populated	SKIPPED	0.000 s
11	And Matches the current Nett Premium	SKIPPED	0.000 s
12	And Nett Premium cannot be negative	SKIPPED	0.000 s
13	Then Enter Action Date	SKIPPED	0.000 s
14	Then Click Save	SKIPPED	0.000 s
15	And If it's after "14:30" Mobility will show an error text	SKIPPED	0.003 s
	AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()	FAILED	10.034 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector";"selector";"div[id='SpecificDebitModal'] div[class='modal-content']"} (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b169d35c9470525d33fbdcf360924a53, findElement {using=css selector, value=div[id='SpecificDebitModal'] div[class='modal-content']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\ymxab\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:51541}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51541/devtoo, se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b169d35c9470525d33fbdcf360924a53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at or g. open qa. selenium. remote. service. Driver Command Executor. invoke Execute (Driver Command Executor. java: 183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org. openqa. selenium. remote. Element Location $\$ Element Finder $\$ 2. find Element (Element Location. java: 162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at or g. open qa. selenium. support. page factory. De fault Element Locator. find Element (De fault Element Locator. java: 70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy43.isDisplayed(Unknown Source)		
	at com.mobilife.automation.glue.StepDefinition.cleanUpScenario(StepDefinition.java:669)		

Add Specific Debit without filling in fields




#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.005 s
	Add Specific Debit without filling in fields		
1	When I Add a Specific Debit	FAILED	10.090 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#c2"} (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b169d35c9470525d33fbdcf360924a53, findElement {using=id, value=c2}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\ymxab\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:51541}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51541/devtoo,		

DETAILED SECTION -- 15 --

#	Step / Hook Details	Status	Duration
The state of the s	se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b169d35c9470525d33fbdcf360924a53 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)		
	at org.openqa.selenium.remote.Elementeocation.imdelement(Elementeocation.java.352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:332)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)		
	at com.mobilife.pages.SpecificDebit.SpecificDebitPage.AddSpecificDebit(SpecificDebitPage.java:125)		
	at com.mobilife.automation.glue.StepDefinition.iAddASpecificDebit(StepDefinition.java:241)		
	at ?.I Add a Specific Debit(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/		
	SpecificDebit.feature:41)		
	* Not displayable characters are replaced by '?'.		
2	Then Specific Debit Details window appears	SKIPPED	0.002 s
3	And Find the policy	SKIPPED	0.001 s
4	Then the policy is "Selected"	SKIPPED	0.000 s
5	And Click Save	SKIPPED	0.000 s
6	Then Error message will show below the empty textboxes	SKIPPED	0.001 s

Action Date


DETAILED SECTION -- 16 --



#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.002 s
	Action Date	1	
1	Then Enter Action Date	FAILED	13.048 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector":"selector:"		

#	Step / Hook Details	Status	Duration
	at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.setActionDate(SpecificDebitDetailsWindow.java:210)		
	at com.mobilife.automation.glue.StepDefinition.enterActionDate(StepDefinition.java:423)		
	at ?.Enter Action Date(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/		
	SpecificDebit.feature:52)		
	* Not displayable characters are replaced by '?'.		


Check Submitted



#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.002 s
	Check Submitted		
1	When Submitted checkbox empty(no tick) before the linked collection item is Submitted	FAILED	10.107 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector":"#c13 > i"} (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b169d35c9470525d33fbdc1360924a53, findElement {using=css selector, value=#c13 > i}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\ymxab\AppData_ca), goog:chromeOptions: {debuggerAddress: localhost:51541}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51541/devtoo, se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b169d35c9470525d33fbdcf360924a53 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.s		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy43.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51)		
	at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197)		
	at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:1006)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		
	at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)		
	at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:477)		
	at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.isThereASubmittedCheckMark(SpecificDebitDetailsWindow.java:388)		
	at com.mobilife.automation.glue.StepDefinition.submittedCheckboxEmptyNoTickBeforeTheLinkedCollectionItemIsSubmitted(StepDefinition.		
	java:518)		
	at ?.Submitted checkbox empty(no tick) before the linked collection item is Submitted(file:///C:/Users/ymxab/Documents/		
	Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:56)		
	* Not displayable characters are replaced by '?'.		
2	And Cannot tick Submitted checkbox	SKIPPED	0.001 s
3	And Can add notes	SKIPPED	0.000 s
4	Then Submitted checkbox ticked after the linked collection item is submitted	SKIPPED	0.002 s

Delete Specific Debit



DETAILED SECTION -- 19 --

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	FAILED	10.074 s
	Delete Specific Debit		
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"/blutton[@type=button*][normalize-space()='Cancel]"} (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: 20.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [b169435c9470525d33fbdcf360924a53, findElement {using=xpath, value=/button[promalize-space()=Cancel]} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.10}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), secdp: ws/localhosts.15414/j.evtoor.ws.ectdp.ws/localhosts.15414/j.evtoor.ws.ectdp.ws/localhosts.15414/j.evtoor.ws.ectdp.ws/localhosts.15414/j.evtoor.ws.ectdp.ws/localhosts.15414/j.evtoor.ws.ectdp.ws/localhosts.15414/j.evtoor.ws.ectdp.ws/localhosts.15414/j.evtoor.ws.ectdp.ws/localhosts.15414/j.evtoor.ws.ectdp.ws/localhosts.15414/j.evtoor.ws.ectdp.ws/localhosts.15414/j.evtoor.ws.ectdp.ws/localhosts.15414/j.evtoor.ws.ectdp.ws/localhosts.15441/j.evtoor.ws.ectdp.ws/localhosts.15441/j.evtoor.ws.ectdp.ws/localhosts.15441/j.evtoor.ws.ectdp.ws/localhosts.15441/j.evtoor.ws.ectdp.ws/localhosts.15441/j.evtoor.ws.ectdp.ws/localhosts.15441/j.evtoor.ws.ectdp.ws.ectdp.ws/localhosts.15441/j.evtoor.ws.ectdp.		
1	at com.mobilife.automation.glue.StepDefinition.setUp(StepDefinition.java:128) When Allow Edit Specific Debit before Submission	SKIPPED	0.002 s
2	And delete a saved specific debit before it has been submitted	SKIPPED	0.002 s
3	Then deleting a Specific Debit the 'Deleted' column in the database table gets populated	SKIPPED	0.002 s
4	And Deny Edit Specific Debit after Submission	SKIPPED	0.001 s
_	· · ·		0.001 s
5	Then Cannot delete a specific debit after it has been submitted	SKIPPED	0.000 8