

# Specific\_Debit\_Regression\_Report

11 Jun 2023, 04:19:30

Start : Jun 11, 4:15:09.158 am

End : Jun 11, 4:19:29.232 am

Duration : 4 m 20.074 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 5  
SKIPPED - 0


PASSED - 21  
FAILED - 4  
SKIPPED - 11




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Specific Debit</u>	4 m 20.074 s	6	1	5	0	36	21	4	11

#	Feature Name	Scenario Name
1	<u>Specific Debit</u>	<u>Successful login</u>
2		<u>Add Specific Debit without filling in fields</u>
3		<u>Action Date</u>
4		<u>Check Submitted</u>
5		<u>Delete Specific Debit</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@SuccessfulScenario	2	1	1	0	1	0	1	0
@Done	6	1	5	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	6	1	5	0	4 m 20.074 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	<u>Successful login</u>	5	4	1	0	33.371 s
2		<u>Add Specific Debit</u>	15	15	0	0	3 m 9.540 s
3		<u>Add Specific Debit without filling in fields</u>	6	0	1	5	2.584 s
4		<u>Action Date</u>	1	0	1	0	13.479 s
5		<u>Check Submitted</u>	4	2	1	1	10.565 s
6		<u>Delete Specific Debit</u>	5	0	0	5	10.370 s

## Specific Debit

<b>FAILED</b>	DURATION - 4 m 20.074 s	Scenarios		Steps	
/ 4:15:09.158 am // 4:19:29.232 am /		Total - 6		Total - 36	
		Pass - 1		Pass - 21	
		Fail - 5		Fail - 4	
		Skip - 0		Skip - 11	

## Successful login

<div>FAILED</div> <div>DURATION - 33.371 s</div>			Steps	
/ 4:15:09.165 am // 4:15:42.536 am /			Total - 5	
Specific Debit			Pass - 4	
@SuccessfulScenario @Done			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.001 s
	Successful login		
1	Given I am on the login page	PASSED	3.360 s
2	When I enter my valid username and password	PASSED	15.366 s
3	And click the "Login" button	PASSED	0.442 s
4	Then I should be redirected to the homepage	FAILED	6.043 s
	Not on the homepage		
5	And see a welcome message with my "Welcome"	PASSED	5.122 s



## Add Specific Debit

<b>PASSED</b>	<b>DURATION - 3 m 9.540 s</b>		<b>Steps</b> Total - 15 Pass - 15 Fail - 0 Skip - 0	
/ 4:15:42.633 am // 4:18:52.173 am /				
Specific Debit				
@SuccessfulScenario @Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.002 s
	Add Specific Debit		
1	Given I am on Specific Debit Tab	PASSED	8.997 s
2	When I Add a Specific Debit	PASSED	0.166 s
3	Then Specific Debit Details window appears	PASSED	5.087 s
4	Then Find the policy	PASSED	14.496 s
5	Then the policy is "Selected"	PASSED	0.304 s
6	Then Policy number filed is populated	PASSED	10.205 s
7	And Policy number is uneditable	PASSED	0.045 s
8	And Collection Method Should be "SSVS"	PASSED	0.097 s
9	And Premium Month date picker translates to MM/YY	PASSED	38.841 s
10	And The Amount is automatically populated	PASSED	0.065 s
11	And Matches the current Nett Premium	PASSED	0.025 s
12	And Nett Premium cannot be negative	PASSED	0.164 s
13	Then Enter Action Date	PASSED	3.405 s
14	Then Click Save	PASSED	1 m 46.635 s
	if there's an error we can change action date		
	Can Save the Specific Debit		
	Can Save the Specific Debit		
15	And If it's after "14:30" Mobility will show an error text	PASSED	0.025 s
	AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()	PASSED	0.080 s
	Close		

**Add Specific Debit without filling in fields**





<div>FAILED</div> <div>DURATION - 2.584 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 4:18:52.184 am // 4:18:54.768 am /				
Specific Debit				
@Done				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)</b> Add Specific Debit without filling in fields	PASSED	0.001 s
1	<b>When I Add a Specific Debit</b> <pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;button type="button" name="c2" id="c2" class="btn btn-primary rippleclick mrg-top10 fullWidth"&gt;...&lt;/button&gt; is not clickable at point (410, 683). Other element would receive the click: &lt;div class="swal2-container swal2-center swal2-fade swal2-shown" style="overflow-y: hidden;"&gt;...&lt;/div&gt; (Session info: chrome=114.0.5735.110) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a230f3dee068145a144f53295225071e, clickElement {id=858BC858EA769591D2E8A6681E79E2BD_element_153}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\lymxab\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:62384}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62384/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (a230f3dee068145a144f53295225071e)] -&gt; id: c2] Session ID: a230f3dee068145a144f53295225071e     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)     at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78)     at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)     at java.base/java.lang.reflect.Method.invoke(Method.java:578)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)</pre>	FAILED	1.178 s

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at com.mobilife.pages.SpecificDebit.SpecificDebitPage.AddSpecificDebit(SpecificDebitPage.java:125) at com.mobilife.automation.glue.StepDefinition.iAddASpecificDebit(StepDefinition.java:233) at ?.I Add a Specific Debit(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:41) * Not displayable characters are replaced by '?'.		
2	Then Specific Debit Details window appears	SKIPPED	0.001 s
3	And Find the policy	SKIPPED	0.001 s
4	Then the policy is "Selected"	SKIPPED	0.000 s
5	And Click Save	SKIPPED	0.000 s
6	Then Error message will show below the empty textboxes	SKIPPED	0.000 s



### Action Date

<b>FAILED</b> DURATION - 13.479 s / 4:18:54.787 am // 4:19:08.266 am / Specific Debit @Done		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
---	--	--	---

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)</b> Action Date	PASSED	0.001 s
1	<b>Then Enter Action Date</b> org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=114.0.5735.110) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a230f3dee068145a144f53295225071e, sendKeysToElement {id=858BC858EA769591D2E8A6681E79E2BD_element_354, value=[Ljava.lang.CharSequence;@4cf5d999]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62384}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62384/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (a230f3dee068145a144f53295225071e)] -> id: c10] Session ID: a230f3dee068145a144f53295225071e	FAILED	13.170 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.setActionDate(SpecificDebitDetailsWindow.java:210) at com.mobilife.automation.glue.StepDefinition.enterActionDate(StepDefinition.java:394) at ?.Enter Action Date(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:52) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		

## Check Submitted

<div>FAILED</div> <div>DURATION - 10.565 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 4:19:08.281 am // 4:19:18.846 am /				
Specific Debit				
@Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.000 s
	Check Submitted		
1	When Submitted checkbox empty(no tick) before the linked collection item is Submitted	PASSED	0.040 s
2	And Cannot tick Submitted checkbox	PASSED	0.037 s
3	And Can add notes	FAILED	10.189 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on windows (a230f3dee068145a144f53295225071e)] -&gt; id: c14] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:62384}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62384/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a230f3dee068145a144f53295225071e</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.writeNotes(SpecificDebitDetailsWindow.java:233)</p> <p>at com.mobilife.automation.glue.StepDefinition.canAddNotes(StepDefinition.java:501)</p> <p>at ?.Can add notes(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:58)</p> <p>* Not displayable characters are replaced by '?'. </p>		
4	Then Submitted checkbox ticked after the linked collection item is submitted	SKIPPED	0.001 s

## Delete Specific Debit

<div> <div>FAILED</div> <div>DURATION - 10.370 s</div> </div> <div>/ 4:19:18.862 am // 4:19:29.232 am /</div> <div>Specific Debit</div> <div>@Done</div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
--	--	---	--

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	FAILED	10.051 s
	Delete Specific Debit		
	<p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=114.0.5735.110) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a230f3dee068145a144f53295225071e, clickElement {id=858BC858EA769591D2E8A6681E79E2BD_element_164}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:62384}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62384/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability:</p>		

#	Step / Hook Details	Status	Duration
	false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (a230f3dee068145a144f53295225071e)] -> xpath: //button[@type='button']][normalize-space()='Cancel']] Session ID: a230f3dee068145a144f53295225071e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at com.mobilife.automation.glue.StepDefinition.setUp(StepDefinition.java:127)		
1	When Allow Edit Specific Debit before Submission	SKIPPED	0.000 s
2	And delete a saved specific debit before it has been submitted	SKIPPED	0.000 s
3	Then deleting a Specific Debit the 'Deleted' column in the database table gets populated	SKIPPED	0.000 s
4	And Deny Edit Specific Debit after Submission	SKIPPED	0.000 s
5	Then Cannot delete a specific debit after it has been submitted	SKIPPED	0.000 s