

# Cucumber PDF Report

05 Jun 2023, 10:50:22

Start : Jun 05, 10:47:51.160 am

End : Jun 05, 10:50:20.843 am

Duration : 2 m 29.683 s

Features




Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 6  
SKIPPED - 0


PASSED - 8  
FAILED - 6  
SKIPPED - 22




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Specific Debit</u>	2 m 29.683 s	7	1	6	0	36	8	6	22

#	Feature Name	Scenario Name
1	<u>Specific Debit</u>	<u>Add Specific Debit</u>
2		<u>Add Specific Debit without filling in fields</u>
3		<u>Action Date</u>
4		<u>Check Submitted</u>
5		<u>Delete Specific Debit</u>
6		<u>Edit Specific Debit</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Done	7	1	6	0	1	0	1	0
@SuccessfulScenario	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	7	1	6	0	2 m 29.683 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	<u>Successful login</u>	5	5	0	0	35.543 s
2		<u>Add Specific Debit</u>	15	1	1	13	32.781 s
3		<u>Add Specific Debit without filling in fields</u>	6	0	1	5	4.203 s
4		<u>Action Date</u>	1	0	1	0	14.838 s
5		<u>Check Submitted</u>	4	2	1	1	12.264 s
6		<u>Delete Specific Debit</u>	3	0	1	2	34.371 s
7		<u>Edit Specific Debit</u>	2	0	1	1	15.476 s

## Specific Debit

<b>FAILED</b>	DURATION - 2 m 29.683 s	Scenarios		Steps	
/ 10:47:51.160 am // 10:50:20.843 am /		Total - 7		Total - 36	
		Pass - 1		Pass - 8	
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 22	

## Successful login

<div>PASSED</div>	<div>DURATION - 35.543 s</div>	<div></div>	<div>Steps</div>	<div></div>
<div>/ 10:47:51.166 am // 10:48:26.709 am /</div>			<div>Total - 5</div>	
<div>Specific Debit</div>			<div>Pass - 5</div>	
<div>@Done</div>			<div>Fail - 0</div>	
			<div>Skip - 0</div>	

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.007 s
	Successful login		
1	Given I am on the login page	PASSED	8.161 s
2	When I enter my valid username and password	PASSED	10.746 s
3	And click the "Login" button	PASSED	0.440 s
4	Then I should be redirected to the homepage	PASSED	0.015 s
	Not on the homepage		
5	And see a welcome message with my "Welcome"	PASSED	5.781 s

## Add Specific Debit



<b>FAILED</b>	DURATION - 32.781 s		<b>Steps</b> Total - 15 Pass - 1 Fail - 1 Skip - 13	
/ 10:48:26.760 am // 10:48:59.541 am /				
Specific Debit				
@SuccessfulScenario @Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.004 s
	Add Specific Debit		
1	Given I am on Specific Debit Tab	PASSED	12.755 s
2	When I Add a Specific Debit	FAILED	15.471 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.className: modal-content (tried for 15 second(s) with 500 milliseconds interval) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49844}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49844/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cdeead00e9daa4fcd0f9125ecf5b769</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)  at com.mobilife.pages.SpecificDebit.SpecificDebitPage.AddSpecificDebit(SpecificDebitPage.java:122)  at com.mobilife.automation.glue.StepDefinition.iAddASpecificDebit(StepDefinition.java:214)  at ?.I Add a Specific Debit(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:21)</p> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then Specific Debit Details window appears	SKIPPED	0.002 s
4	Then Find the policy	SKIPPED	0.000 s
5	When I select the policy	SKIPPED	0.000 s
6	Then Policy number filed is populated	SKIPPED	0.000 s
7	And Policy number is uneditable	SKIPPED	0.001 s
8	And Collection Method Should be "SSVS"	SKIPPED	0.001 s
9	And Premium Month date picker translates to MM/YY	SKIPPED	0.001 s
10	And The Amount is automatically populated	SKIPPED	0.001 s



#	Step / Hook Details	Status	Duration
11	And Matches the current Nett Premium	SKIPPED	0.001 s
12	And Nett Premium cannot be negative	SKIPPED	0.001 s
13	Then Enter Action Date	SKIPPED	0.000 s
14	Then Click Save	SKIPPED	0.004 s
15	And If it's after "14:30" Mobility will show an error text	SKIPPED	0.001 s

### Add Specific Debit without filling in fields

<div>FAILED</div> <div>DURATION - 4.203 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 10:48:59.574 am // 10:49:03.777 am /				
Specific Debit				
@Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.005 s
	Add Specific Debit without filling in fields		
1	When I Add a Specific Debit <pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;button type="button" name="c2" id="c2" class="btn btn-primary rippleclick mrg-top10 fullWidth"&gt;...&lt;/button&gt; is not clickable at point (410, 683). Other element would receive the click: &lt;div id="SpecificDebitModal" class="modal fade in" tabindex="-1" role="dialog" aria-labelledby="SpecificDebitModalLabel" aria-hidden="true" data-backdrop="static" style="display: block;"&gt;...&lt;/div&gt; (Session info: chrome=114.0.5735.91) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cdeead00e9daa4fcd0f9125ecf5b769, clickElement {id=97CBF7F493478B24762C5C0CF8C4241C_element_26}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\lymxab\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:49844}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49844/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (2cdeead00e9daa4fcd0f9125ecf5b769)] -&gt; id: c2] Session ID: 2cdeead00e9daa4fcd0f9125ecf5b769     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre>	FAILED	1.184 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy42.click(Unknown Source) at com.mobilife.pages.SpecificDebit.SpecificDebitPage.AddSpecificDebit(SpecificDebitPage.java:119) at com.mobilife.automation.glue.StepDefinition.iAddASpecificDebit(StepDefinition.java:214) at ?.I Add a Specific Debit(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:40) * Not displayable characters are replaced by '?'.		
2	Then Specific Debit Details window appears	SKIPPED	0.000 s
3	And Find the policy	SKIPPED	0.001 s
4	When I select the policy	SKIPPED	0.001 s
5	And Click Save	SKIPPED	0.001 s
6	Then Error message will show below the empty textboxes	SKIPPED	0.001 s

### Action Date

<b>FAILED</b> DURATION - 14.838 s / 10:49:03.819 am // 10:49:18.657 am / Specific Debit @Done		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
---	--	--	--

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.004 s
	Action Date		
1	Then Enter Action Date	FAILED	13.124 s



#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=114.0.5735.91) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cdeead00e9daa4fcd0f9125ecf5b769, sendKeysToElement {id=97CBF7F493478B24762C5C0CF8C4241C_element_30, value=[Ljava.lang.CharSequence;@2f6f4ac4}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49844}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49844/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (2cdeead00e9daa4fcd0f9125ecf5b769)] -&gt; id: c10] Session ID: 2cdeead00e9daa4fcd0f9125ecf5b769</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)  at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)  at java.base/java.lang.reflect.Method.invoke(Method.java:578)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)  at jdk.proxy2/jdk.proxy2.\$Proxy42.sendKeys(Unknown Source)  at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.setActionDate(SpecificDebitDetailsWindow.java:176)  at com.mobilife.automation.glue.StepDefinition.enterActionDate(StepDefinition.java:299)  at ?.Enter Action Date(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:51)</p> <p>* Not displayable characters are replaced by '?'. </p>		

**Check Submitted**

<b>FAILED</b>	DURATION - 12.264 s		<b>Steps</b> Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 10:49:18.677 am // 10:49:30.941 am /				
Specific Debit				
@Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.003 s
	Check Submitted		
1	When Submitted checkbox empty(no tick) before the linked collection item is Submitted	PASSED	0.039 s
2	And Cannot tick Submitted checkbox	PASSED	0.042 s
3	And Can add notes  org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on windows (2cdeead00e9daa4fcd0f9125ecf5b769)] -> id: c14] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49844}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49844/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cdeead00e9daa4fcd0f9125ecf5b769 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.writeNotes(SpecificDebitDetailsWindow.java:199) at com.mobilife.automation.glue.StepDefinition.canAddNotes(StepDefinition.java:387) at ?.Can add notes(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:57) * Not displayable characters are replaced by '?'.  	FAILED	10.397 s
4	Then Submitted checkbox ticked after the linked collection item is submitted	SKIPPED	0.000 s

Delete Specific Debit



<div>FAILED</div> <div>DURATION - 34.371 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 10:49:30.961 am // 10:50:05.332 am /				
Specific Debit				
@Done				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)</b> Delete Specific Debit	PASSED	10.510 s
1	<b>When delete a saved specific debit before it has been submitted</b> <pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.id: c23' (tried for 10 second(s) with 500 milliseconds interval)   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)   at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.deleteSpecificDebit(SpecificDebitDetailsWindow.java:292)   at com.mobilife.automation.glue.StepDefinition.deleteASavedSpecificDebitBeforeItHasBeenSubmitted(StepDefinition.java:401)   at ?.delete a saved specific debit before it has been submitted(file:///C:/Users/ymxab/Documents/Software%20Engineering/ Mobilife%20Regrasson/src/main/resources/features/SpecificDebit.feature:62) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#c23"} (Session info: chrome=114.0.5735.91) For documentation on this error, please visit: https://selenium.dev/ exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os. version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cdeead00e9daa4fcd0f9125ecf5b769, findElement {using=id, value=c23}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:49844}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49844/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cdeead00e9daa4fcd0f9125ecf5b769   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) </pre>	FAILED	20.096 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy42.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.deleteSpecificDebit(SpecificDebitDetailsWindow.java:292) at com.mobilife.automation.glue.StepDefinition.deleteASavedSpecificDebitBeforeItHasBeenSubmitted(StepDefinition.java:401) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	Then deleting a Specific Debit the 'Deleted' column in the database table gets populated	SKIPPED	0.001 s
3	And Cannot delete a specific debit after it has been submitted	SKIPPED	0.000 s

### Edit Specific Debit

<div>FAILED</div> <div>DURATION - 15.476 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 10:50:05.367 am // 10:50:20.843 am /				
Specific Debit				
@Done				



#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.017 s
	Edit Specific Debit		
1	When Allow Edit Specific Debit before Submission	FAILED	13.391 s
	<p>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.91) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#stale_element_reference">https://selenium.dev/exceptions/#stale_element_reference</a> Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cdeead00e9daa4fcd0f9125ecf5b769, findChildElement {id=D571BE2529353ED78FE37CA70656014A_element_47, using=xpath, value=//body[1]/div[7]/div[2]/form[1]/div[5]/div[1]/div[1]/div[2]/div[1]/div[1]/table[1]/tbody[1]/tr[4]/td[5]/i[1]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:49844}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49844/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cdeead00e9daa4fcd0f9125ecf5b769</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebElement.findElement(RemoteWebElement.java:227)  at com.mobilife.pages.SpecificDebit.SpecificDebitPage.getAnUnSubmittedPolicy(SpecificDebitPage.java:149)  at com.mobilife.automation.glue.StepDefinition.allowEditSpecificDebitBeforeSubmission(StepDefinition.java:477)  at ?.Allow Edit Specific Debit before Submission(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:75)  * Not displayable characters are replaced by '?'. </p>		
2	When Deny Edit Specific Debit after Submission	SKIPPED	0.002 s