# Specific_Debit_Regression_Report

| Start : Jun 09, 1:01:15.898 pm | End : Jun 09, 1:03:57.594 pm | Duration : 2 m 41.696 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 6<br>SKIPPED - 0 | PASSED - 15<br>FAILED - 6<br>SKIPPED - 15 |

| Feature | | Scenario | | | | Step | | | |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Name | Duration | T | P | F | S | T | P | F | S |
| *Specific Debit* | 2 m 41.696 s | 6 | 0 | 6 | 0 | 36 | 15 | 6 | 15 |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | *Specific Debit* | *Successful login* |
| 2 | | *Add Specific Debit* |
| 3 | | *Add Specific Debit without filling in fields* |
| 4 | | *Action Date* |
| 5 | | *Check Submitted* |
| 6 | | *Delete Specific Debit* |

| TAG | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @SuccessfulScenario | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |
| @Done | 6 | 0 | 6 | 0 | 1 | 0 | 1 | 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Specific Debit | 6 | 0 | 6 | 0 | 2 m 41.696 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Specific Debit | Successful login | 5 | 4 | 1 | 0 | 37.109 s |
| 2 | | Add Specific Debit | 15 | 8 | 1 | 6 | 56.249 s |
| 3 | | Add Specific Debit without filling in fields | 6 | 1 | 2 | 3 | 27.073 s |
| 4 | | Action Date | 1 | 0 | 1 | 0 | 14.740 s |
| 5 | | Check Submitted | 4 | 2 | 1 | 1 | 14.010 s |
| 6 | | Delete Specific Debit | 5 | 0 | 0 | 5 | 11.860 s |

## Specific Debit

| FAILED | DURATION - 2 m 41.696 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 6 | | Total - 36 | |
| / 1:01:15.898 pm // 1:03:57.594 pm / | | Pass - 0 | | Pass - 15 | |
| | | Fail - 6 | 6 | Fail - 6 | 36 |
| | | Skip - 0 | | Skip - 15 | |

## Successful login

| FAILED | DURATION - 37.109 s | | Steps | |
|---|---|---|---|---|
| / 1:01:15.903 pm // 1:01:53.012 pm / | | | Total - 5 | |
| | | | Pass - 4 | |
| Specific Debit | | | Fail - 1 | 5 |
| @SuccessfulScenario @Done | | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) | PASSED | 0.008 s |
| | Successful login | | |
| 1 | Given I am on the login page | PASSED | 5.096 s |
| 2 | When I enter my valid username and password | PASSED | 15.414 s |
| 3 | And click the "Login" button | PASSED | 0.300 s |
| 4 | Then I should be redirected to the homepage | FAILED | 6.022 s |
| | Not on the homepage | | |
| 5 | And see a welcome message with my "Welcome" | PASSED | 5.093 s |

## Add Specific Debit

| FAILED | DURATION - 56.249 s |
|---|---|

/ 1:01:53.075 pm // 1:02:49.324 pm /

Specific Debit

@SuccessfulScenario @Done

**Steps**
Total - 15
Pass - 8
Fail - 1
Skip - 6

15

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) | PASSED | 0.006 s |
| | Add Specific Debit | | |
| 1 | Given I am on Specific Debit Tab | PASSED | 10.125 s |
| 2 | When I Add a Specific Debit | PASSED | 0.124 s |
| 3 | Then Specific Debit Details window appears | PASSED | 5.067 s |
| 4 | Then Find the policy | PASSED | 15.379 s |
| 5 | Then the policy is "Selected" | PASSED | 0.198 s |
| 6 | Then Policy number filed is populated | PASSED | 10.121 s |
| 7 | And Policy number is uneditable | PASSED | 0.009 s |
| 8 | And Collection Method Should be "SSVS" | PASSED | 0.041 s |
| 9 | And Premium Month date picker translates to MM/YY | FAILED | 13.468 s |
| | org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"No node with given id found"} (Session info: chrome=114.0.5735.110) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9fcc1c4e3896565f757993b51bc33233, clickElement {id=5BB50CF94339245CEA115BB79B6D0A96_element_185}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52870}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52870/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (9fcc1c4e3896565f757993b51bc33233)] -> xpath: //button[normalize-space()='Done']] Session ID: 9fcc1c4e3896565f757993b51bc33233<br>    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)<br>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78)<br>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:578)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)<br>at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source)<br>at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.ChoosePremiumMonth(SpecificDebitDetailsWindow.java:190)<br>at com.mobilife.automation.glue.StepDefinition.premiumMonthDatePickerTranslatesToMMYY(StepDefinition.java:352)<br>at ?.Premium Month date picker translates to MM/YY(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:29)<br>* Not displayable characters are replaced by '?'. | | |
| 10 | And The Amount is automatically populated | SKIPPED | 0.008 s |
| 11 | And Matches the current Nett Premium | SKIPPED | 0.000 s |
| 12 | And Nett Premium cannot be negative | SKIPPED | 0.000 s |
| 13 | Then Enter Action Date | SKIPPED | 0.000 s |
| 14 | Then Click Save | SKIPPED | 0.000 s |
| 15 | And If it's after "14:30" Mobility will show an error text | SKIPPED | 0.000 s |
| | AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario() | PASSED | 0.078 s |
| | Close | | |

## Add Specific Debit without filling in fields

| FAILED | DURATION - 27.073 s |
|---|---|
| / 1:02:49.703 pm // 1:03:16.776 pm / | |
| Specific Debit | |
| @Done | |

Steps
Total - 6
Pass - 1
Fail - 2
Skip - 3



| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) | PASSED | 0.001 s |
| | Add Specific Debit without filling in fields | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | When I Add a Specific Debit | PASSED | 0.095 s |
| 2 | Then Specific Debit Details window appears | FAILED | 5.078 s |
|   | Specific Debit Details window is not appearing | | |
| 3 | And Find the policy | FAILED | 20.212 s |
|   | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on windows (9fcc1c4e3896565f757993b51bc33233)] -> id: c18] (tried for 15 second(s) with 500 milliseconds interval) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52870}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52870/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9fcc1c4e3896565f757993b51bc33233<br>    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)<br>    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)<br>    at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.SearchForUniquePolicy(SpecificDebitDetailsWindow.java:140)<br>    at com.mobilife.automation.glue.StepDefinition.findThePolicy(StepDefinition.java:260)<br>    at ?.Find the policy(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:43)<br>* Not displayable characters are replaced by '?'. | | |
| 4 | When I select the policy | SKIPPED | 0.000 s |
| 5 | And Click Save | SKIPPED | 0.000 s |
| 6 | Then Error message will show below the empty textboxes | SKIPPED | 0.000 s |

## Action Date

| FAILED | DURATION - 14.740 s | | Steps | |
|---|---|---|---|---|
| / 1:03:16.817 pm // 1:03:31.557 pm / | | | Total - 1 | |
| Specific Debit | | | Pass - 0 | 1 |
|   | | | Fail - 1 | |
| @Done | | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
|   | BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) | PASSED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | Action Date | | |
| 1 | Then Enter Action Date | FAILED | 13.190 s |
| | org.openqa.selenium.ElementNotInteractableException: element not interactable   (Session info: chrome=114.0.5735.110) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [9fcc1c4e3896565f757993b51bc33233, sendKeysToElement {id=5BB50CF94339245CEA115BB79B6D0A96_element_202, value=[Ljava.lang.CharSequence;@79c4f23b}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52870}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52870/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (9fcc1c4e3896565f757993b51bc33233)] -> id: c10] Session ID: 9fcc1c4e3896565f757993b51bc33233<br>    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)<br>    at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113)<br>    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)<br>    at java.base/java.lang.reflect.Method.invoke(Method.java:578)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)<br>    at jdk.proxy2/jdk.proxy2.$Proxy43.sendKeys(Unknown Source)<br>    at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.setActionDate(SpecificDebitDetailsWindow.java:219)<br>    at com.mobilife.automation.glue.StepDefinition.enterActionDate(StepDefinition.java:391)<br>    at ?.Enter Action Date(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:52)<br>* Not displayable characters are replaced by '?'. | | |

## Check Submitted

| FAILED | DURATION - 14.010 s |
|---|---|

/ 1:03:31.633 pm // 1:03:45.643 pm /

*Specific Debit*

@Done



**Steps**
Total - 4
Pass - 2
Fail - 1
Skip - 1



| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) | PASSED | 0.010 s |
| | Check Submitted | | |
| 1 | When Submitted checkbox empty(no tick) before the linked collection item is Submitted | PASSED | 0.065 s |
| 2 | And Cannot tick Submitted checkbox | PASSED | 0.045 s |
| 3 | And Can add notes | FAILED | 10.535 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on windows (9fcc1c4e3896565f757993b51bc33233)] -> id: c14] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52870}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52870/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9fcc1c4e3896565f757993b51bc33233<br>    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)<br>    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)<br>    at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.writeNotes(SpecificDebitDetailsWindow.java:242)<br>    at com.mobilife.automation.glue.StepDefinition.canAddNotes(StepDefinition.java:498)<br>    at ?.Can add notes(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:58)<br>* Not displayable characters are replaced by '?'. | | |
| 4 | Then Submitted checkbox ticked after the linked collection item is submitted | SKIPPED | 0.000 s |

**Delete Specific Debit**

| FAILED | DURATION - 11.860 s |
|---|---|
| / 1:03:45.734 pm // 1:03:57.594 pm / | |
| Specific Debit | |
| @Done | |

**Steps**
Total - 5
Pass - 0
Fail - 0
Skip - 5

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) | FAILED | 10.127 s |
| | Delete Specific Debit | | |
| | org.openqa.selenium.ElementNotInteractableException: element not interactable   (Session info: chrome=114.0.5735.110) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [9fcc1c4e3896565f757993b51bc33233, clickElement {id=5BB50CF94339245CEA115BB79B6D0A96_element_166}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca. ..}, goog:chromeOptions: {debuggerAddress: localhost:52870}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52870/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (9fcc1c4e3896565f757993b51bc33233)] -> xpath: //button[@type='button'][normalize-space()='Cancel']] Session ID: 9fcc1c4e3896565f757993b51bc33233<br>    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)<br>    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78)<br>    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)<br>    at java.base/java.lang.reflect.Method.invoke(Method.java:578)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)<br>    at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source)<br>    at com.mobilife.automation.glue.StepDefinition.setUp(StepDefinition.java:124) | | |
| 1 | When Allow Edit Specific Debit before Submission | SKIPPED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 2 | And delete a saved  specific debit before it has been submitted | SKIPPED | 0.002 s |
| 3 | Then deleting a Specific Debit the 'Deleted' column in the database table gets populated | SKIPPED | 0.002 s |
| 4 | And Deny Edit Specific Debit after Submission | SKIPPED | 0.001 s |
| 5 | Then Cannot delete a specific debit after it has been submitted | SKIPPED | 0.000 s |