



# Specific\_Debit\_Regression\_Report

12 Jun 2023, 04:37:22


Start : Jun 12, 4:32:41.819 am	End : Jun 12, 4:37:21.576 am	Duration : 4 m 39.757 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 3 SKIPPED - 0	PASSED - 31 FAILED - 4 SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Specific Debit</u>	4 m 39.757 s	6	3	3	0	36	31	4	1

#	Feature Name	Scenario Name
1	<u>Specific Debit</u>	<u>Successful login</u>
2		<u>Add Specific Debit</u>
3		<u>Delete Specific Debit</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SuccessfulScenario	2	0	2	0	1	0	1	0
@Done	6	3	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	6	3	3	0	4 m 39.757 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	<u>Successful login</u>	5	3	2	0	35.629 s
2		<u>Add Specific Debit</u>	15	14	1	0	3 m 0.364 s
3		<u>Add Specific Debit without filling in fields</u>	6	6	0	0	27.941 s
4		<u>Action Date</u>	1	1	0	0	4.166 s
5		<u>Check Submitted</u>	4	4	0	0	1.033 s
6		<u>Delete Specific Debit</u>	5	3	1	1	30.504 s


## Specific Debit

<b>FAILED</b>	DURATION - 4 m 39.757 s	Scenarios		Steps	
/ 4:32:41.819 am // 4:37:21.576 am /		Total - 6		Total - 36	
		Pass - 3		Pass - 31	
		Fail - 3		Fail - 4	
		Skip - 0		Skip - 1	



## Successful login

<div>FAILED</div> <div>DURATION - 35.629 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 2</div> <div>Skip - 0</div>	<div></div>
/ 4:32:41.823 am // 4:33:17.452 am /				
Specific Debit				
@SuccessfulScenario @Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.002 s
	Successful login		
1	Given I am on the login page	PASSED	3.445 s
2	When I enter my valid username and password	PASSED	15.370 s
3	And click the "Login" button	FAILED	0.610 s
	image		
	Hasn't Authenticated		
			
4	Then I should be redirected to the homepage	FAILED	6.035 s
	Not on the homepage		
5	And see a welcome message with my "Welcome"	PASSED	5.099 s

#	Step / Hook Details	Status	Duration
	AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario() image 	PASSED	0.247 s

## Add Specific Debit


FAILED	DURATION - 3 m 0.364 s		Steps Total - 15 Pass - 14 Fail - 1 Skip - 0	
/ 4:33:17.517 am // 4:36:17.881 am /				
Specific Debit				
@SuccessfulScenario @Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) Add Specific Debit	PASSED	0.002 s
1	Given I am on Specific Debit Tab	PASSED	8.797 s
2	When I Add a Specific Debit	PASSED	0.131 s
3	Then Specific Debit Details window appears	PASSED	4.080 s
4	Then Find the policy	PASSED	14.484 s
5	Then the policy is "Selected"	PASSED	0.238 s
6	Then Policy number filed is populated	PASSED	10.122 s
7	And Policy number is uneditable	PASSED	0.016 s
8	And Collection Method Should be "SSVS"	PASSED	0.033 s
9	And Premium Month date picker translates to MM/YY	PASSED	34.466 s
10	And The Amount is automatically populated	PASSED	0.062 s
11	And Matches the current Nett Premium	PASSED	0.051 s
12	And Nett Premium cannot be negative	PASSED	0.191 s
13	Then Enter Action Date	PASSED	3.257 s





#	Step / Hook Details	Status	Duration
14	<p><a href="#">Then Click Save</a></p> <p>Can Save the Specific Debit</p>	PASSED	1 m 11.522 s
15	<p><a href="#">And If it's after "14:30" Mobility will show an error text</a></p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.id: c10_validationLabel' (tried for 20 second(s) with 2000 milliseconds interval)  at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)  at com.mobilife.automation.glue.StepDefinition.iftSAfterMobilityWillShowAnErrorText(StepDefinition.java:507)  at ?.If it's after "14:30" Mobility will show an error text(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:36)  Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#c10_validationLabel"} (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8f4376489493a54b070f2cc4cd2efd07, findElement {using=id, value=c10_validationLabel}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:64455}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64455/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8f4376489493a54b070f2cc4cd2efd07  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy43.isDisplayed(Unknown Source)  at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)  at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)  at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p>	FAILED	32.200 s


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at com.mobilife.automation.glue.StepDefinition.iftSAfterMobilityWillShowAnErrorText(StepDefinition.java:507) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) * Not displayable characters are replaced by '?'.		
	<b>AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()</b> image 	PASSED	0.302 s



### Add Specific Debit without filling in fields


PASSED		DURATION - 27.941 s			Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 4:36:17.898 am // 4:36:45.839 am /						
Specific Debit						
@Done						

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)</b> Add Specific Debit without filling in fields	PASSED	0.001 s
1	When I Add a Specific Debit	PASSED	0.126 s
2	Then Specific Debit Details window appears	PASSED	4.065 s
3	And Find the policy	PASSED	14.483 s



#	Step / Hook Details	Status	Duration
4	Then the policy is "Selected"	PASSED	0.215 s
5	And Click Save	PASSED	0.167 s
6	Then Error message will show below the empty textboxes	PASSED	8.185 s
	AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()	PASSED	0.176 s
	image		
			


## Action Date

PASSED	DURATION - 4.166 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 4:36:45.850 am // 4:36:50.016 am /				
Specific Debit				
@Done				



#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.001 s
	Action Date		
1	Then Enter Action Date	PASSED	3.401 s
	AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()	PASSED	0.446 s
	image		
			

## Check Submitted

<b>PASSED</b>	<b>DURATION - 1.033 s</b>		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:36:50.028 am // 4:36:51.061 am /				
Specific Debit				
@Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.001 s
	Check Submitted		
1	When Submitted checkbox empty(no tick) before the linked collection item is Submitted	PASSED	0.058 s
2	And Cannot tick Submitted checkbox	PASSED	0.049 s
3	And Can add notes	PASSED	0.274 s
4	Then Submitted checkbox ticked after the linked collection item is submitted	PASSED	0.001 s
	AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()	PASSED	0.336 s
	image		
			

## Delete Specific Debit

<div>FAILED</div> <div>DURATION - 30.504 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 4:36:51.072 am // 4:37:21.576 am /				
Specific Debit				
@Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	5.080 s
	Delete Specific Debit		
1	When Allow Edit Specific Debit before Submission	PASSED	6.265 s
2	And delete a saved specific debit before it has been submitted	PASSED	2.297 s
3	Then deleting a Specific Debit the 'Deleted' column in the database table gets populated	PASSED	1.881 s
4	And Deny Edit Specific Debit after Submission	FAILED	14.361 s
	junit.framework.ComparisonFailure: expected:<[10/22]> but was:<[08/23]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at junit.framework.TestCase.assertEquals(TestCase.java:260) at com.mobilife.automation.glue.StepDefinition.denyEditSpecificDebitAfterSubmission(StepDefinition.java:655) at ?.Deny Edit Specific Debit after Submission(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:66) * Not displayable characters are replaced by '?'.		
5	Then Cannot delete a specific debit after it has been submitted	SKIPPED	0.003 s
	AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()	PASSED	0.308 s
	image		
			