Specific_Debit_Regression_Report

| Start : Jun 09, 12:12:40.907 pm	End : Jun 09, 12:14:17.258 pm	Duration : 1 m 36.351 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 6 SKIPPED - 0	PASSED - 8 FAILED - 7 SKIPPED - 21

Features: 1

Scenarios: 6

Steps: 36

Pass % — Features: 0 %

Pass % — Scenarios: 0 %

Pass % — Steps: 22 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Specific Debit	*1 m 36.351 s*	*6*	*0*	*6*	*0*	*36*	*8*	*7*	*21*

#	Feature Name	Scenario Name
1	*Specific Debit*	*Successful login*
2		*Add Specific Debit*
3		*Add Specific Debit without filling in fields*
4		*Action Date*
5		*Check Submitted*
6		*Delete Specific Debit*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SuccessfulScenario	2	0	2	0	1	0	1	0
@Done	6	0	6	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Specific Debit	6	0	6	0	1 m 36.351 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Specific Debit	Successful login	5	4	1	0	28.737 s
2		Add Specific Debit	15	2	2	11	25.460 s
3		Add Specific Debit without filling in fields	6	0	1	5	2.590 s
4		Action Date	1	0	1	0	14.528 s
5		Check Submitted	4	2	1	1	11.932 s
6		Delete Specific Debit	5	0	1	4	12.773 s

Specific Debit

FAILED	DURATION - 1 m 36.351 s	Scenarios		Steps	
	/ 12:12:40.907 pm // 12:14:17.258 pm /	Total - 6 Pass - 0 Fail - 6 Skip - 0	6	Total - 36 Pass - 8 Fail - 7 Skip - 21	36

Successful login

FAILED	DURATION - 28.737 s		Steps	
/ 12:12:40.911 pm // 12:13:09.648 pm /			Total - 5	
Specific Debit			Pass - 4 Fail - 1 Skip - 0	5
@SuccessfulScenario @Done				

| #	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.006 s
	Successful login		
1	Given I am on the login page	PASSED	5.224 s
2	When I enter my valid username and password	PASSED	10.973 s
3	And click the "Login" button	PASSED	0.488 s
4	Then I should be redirected to the homepage	FAILED	6.030 s
	Not on the homepage		
5	And see a welcome message with my "Welcome"	PASSED	0.614 s

Add Specific Debit

FAILED	DURATION - 25.460 s
/ 12:13:09.723 pm // 12:13:35.183 pm /	
Specific Debit	
@SuccessfulScenario @Done	

Steps
Total - 15
Pass - 2
Fail - 2
Skip - 11

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.013 s
	Add Specific Debit		
1	Given I am on Specific Debit Tab	PASSED	17.934 s
2	When I Add a Specific Debit	PASSED	0.140 s
3	Then Specific Debit Details window appears	FAILED	0.574 s
	Specific Debit Details window is not appearing		
4	Then Find the policy	FAILED	4.461 s

	org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1c42f839e31129658a7dbe7ff1391bd1, isElementDisplayed {id=6CFDF1C28EEDCBD4BC83CC2F823207FE_element_156}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca. ..}, goog:chromeOptions: {debuggerAddress: localhost:55612}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55612/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (1c42f839e31129658a7dbe7ff1391bd1)] -> id: c18] Session ID: 1c42f839e31129658a7dbe7ff1391bd1
	
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:313) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy43.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.SearchForUniquePolicy(SpecificDebitDetailsWindow.java:140) at com.mobilife.automation.glue.StepDefinition.findThePolicy(StepDefinition.java:262) at ?.Find the policy(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:24) * Not displayable characters are replaced by '?'.		
5	Then the policy is "Selected"	SKIPPED	0.000 s
6	Then Policy number filed is populated	SKIPPED	0.000 s
7	And Policy number is uneditable	SKIPPED	0.000 s
8	And Collection Method Should be "SSVS"	SKIPPED	0.000 s
9	And Premium Month date picker translates to MM/YY	SKIPPED	0.001 s
10	And The Amount is automatically populated	SKIPPED	0.002 s
11	And Matches the current Nett Premium	SKIPPED	0.000 s
12	And Nett Premium cannot be negative	SKIPPED	0.000 s
13	Then Enter Action Date	SKIPPED	0.000 s
14	Then Click Save	SKIPPED	0.007 s
15	And If it's after "14:30" Mobility will show an error text	SKIPPED	0.000 s

Add Specific Debit without filling in fields

FAILED	DURATION - 2.590 s

/ 12:13:35.332 pm // 12:13:37.922 pm /

Specific Debit

@Done

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.009 s
	Add Specific Debit without filling in fields		
1	When I Add a Specific Debit	FAILED	1.220 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button type="button" name="c2" id="c2" class="btn btn-primary rippleclick mrg-top10 fullWidth">...</button> is not clickable at point (410, 683). Other element would receive the click: <div id="SpecificDebitModal" class="modal fade in" tabindex="-1" role="dialog" aria-labelledby="SpecificDebitModalLabel" aria-hidden="true" data-backdrop="static" style="display: block;">...</div> (Session info: chrome=114.0.5735.110) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1c42f839e31129658a7dbe7ff1391bd1, clickElement {id=6CFDF1C28EEDCBD4BC83CC2F823207FE_element_154}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca. ..}, goog:chromeOptions: {debuggerAddress: localhost:55612}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55612/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (1c42f839e31129658a7dbe7ff1391bd1)] -> id: c2] Session ID: 1c42f839e31129658a7dbe7ff1391bd1
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:578)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source) at com.mobilife.pages.SpecificDebit.SpecificDebitPage.AddSpecificDebit(SpecificDebitPage.java:123) at com.mobilife.automation.glue.StepDefinition.iAddASpecificDebit(StepDefinition.java:232) at ?.I Add a Specific Debit(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:41) * Not displayable characters are replaced by '?'.		
2	Then Specific Debit Details window appears	SKIPPED	0.002 s
3	And Find the policy	SKIPPED	0.002 s
4	When I select the policy	SKIPPED	0.001 s
5	And Click Save	SKIPPED	0.001 s
6	Then Error message will show below the empty textboxes	SKIPPED	0.000 s

Action Date

FAILED	DURATION - 14.528 s
/ 12:13:37.967 pm // 12:13:52.495 pm /	
Specific Debit	
@Done	

Steps
Total - 1
Pass - 0
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) Action Date	PASSED	0.008 s
1	Then Enter Action Date	FAILED	13.171 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=114.0.5735.110) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [1c42f839e31129658a7dbe7ff1391bd1, sendKeysToElement {id=6CFDF1C28EEDCBD4BC83CC2F823207FE_element_158, value=[Ljava.lang.CharSequence;@7d12429}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55612}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55612/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome		

| #	Step / Hook Details	Status	Duration

	on windows (1c42f839e31129658a7dbe7ff1391bd1)] -> id: c10] Session ID: 1c42f839e31129658a7dbe7ff1391bd1
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)
	    at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:578)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy43.sendKeys(Unknown Source)
	    at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.setActionDate(SpecificDebitDetailsWindow.java:219)
	    at com.mobilife.automation.glue.StepDefinition.enterActionDate(StepDefinition.java:393)
	    at ?.Enter Action Date(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:52)
	* Not displayable characters are replaced by '?'.		

Check Submitted

FAILED	DURATION - 11.932 s
/ 12:13:52.530 pm // 12:14:04.462 pm /	
Specific Debit	
@Done	

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

4

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.005 s
	Check Submitted		
1	When Submitted checkbox empty(no tick) before the linked collection item is Submitted	PASSED	0.068 s
2	And Cannot tick Submitted checkbox	PASSED	0.061 s

#	Step / Hook Details	Status	Duration
3	And Can add notes	FAILED	10.395 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on windows (1c42f839e31129658a7dbe7ff1391bd1)] -> id: c14] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55612}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55612/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1c42f839e31129658a7dbe7ff1391bd1
	
	  at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
	  at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.writeNotes(SpecificDebitDetailsWindow.java:242)
	  at com.mobilife.automation.glue.StepDefinition.canAddNotes(StepDefinition.java:500)
	  at ?.Can add notes(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:58)
	* Not displayable characters are replaced by '?'.		

4	Then Submitted checkbox ticked after the linked collection item is submitted	SKIPPED	0.000 s

Delete Specific Debit

FAILED	DURATION - 12.773 s
/ 12:14:04.485 pm // 12:14:17.258 pm /	
Specific Debit	
@Done	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

5

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	5.139 s
	Delete Specific Debit		
1	When Allow Edit Specific Debit before Submission	FAILED	5.617 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1c42f839e31129658a7dbe7ff1391bd1, clickElement		

#	Step / Hook Details	Status	Duration

	{id=6CFDF1C28EEDCBD4BC83CC2F823207FE_element_190}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55612}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55612/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[[[ChromeDriver: chrome on windows (1c42f839e31129658a7dbe7ff1391bd1)] -> xpath: //table[@class='table table-hover table-striped table-bordered mrg-top10']]] -> tag name: tr] Session ID: 1c42f839e31129658a7dbe7ff1391bd1
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78)
	    at com.mobilife.pages.SpecificDebit.SpecificDebitPage.getLatestSpecificDebit(SpecificDebitPage.java:73)
	    at com.mobilife.automation.glue.StepDefinition.allowEditSpecificDebitBeforeSubmission(StepDefinition.java:519)
	    at ?.Allow Edit Specific Debit before Submission(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:63)
	* Not displayable characters are replaced by '?'.		

2	And delete a saved specific debit before it has been submitted	SKIPPED	0.001 s
3	Then deleting a Specific Debit the 'Deleted' column in the database table gets populated	SKIPPED	0.000 s
4	And Deny Edit Specific Debit after Submission	SKIPPED	0.000 s
5	Then Cannot delete a specific debit after it has been submitted	SKIPPED	0.000 s