# Specific_Debit_Regression_Report

| Start : Jun 06, 8:40:55.339 am	End : Jun 06, 8:43:44.692 am	Duration : 2 m 49.353 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 3 SKIPPED - 0	PASSED - 30 FAILED - 3 SKIPPED - 3

Features: 1

Scenarios: 7

Steps: 36

Pass % — Features: 0 %

Pass % — Scenarios: 57 %

Pass % — Steps: 83 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Specific Debit	2 m 49.353 s	7	4	3	0	36	30	3	3

#	Feature Name	Scenario Name
1	*Specific Debit*	*Successful login*
2		*Delete Specific Debit*
3		*Edit Specific Debit*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Done	7	4	3	0	1	0	1	0
@SuccessfulScenario	1	1	0	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Specific Debit	7	4	3	0	2 m 49.353 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Specific Debit	Successful login	5	4	1	0	19.159 s
2		Add Specific Debit	15	15	0	0	1 m 31.992 s
3		Add Specific Debit without filling in fields	6	6	0	0	10.796 s
4		Action Date	1	1	0	0	3.517 s
5		Check Submitted	4	4	0	0	0.561 s
6		Delete Specific Debit	3	0	1	2	30.698 s
7		Edit Specific Debit	2	0	1	1	12.453 s

Specific Debit

FAILED	DURATION - 2 m 49.353 s	Scenarios		Steps	
		Total - 7		Total - 36	
/ 8:40:55.339 am // 8:43:44.692 am /		Pass - 4	7	Pass - 30	36
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 3	

Successful login

FAILED	DURATION - 19.159 s		Steps	
			Total - 5	
/ 8:40:55.354 am // 8:41:14.513 am /			Pass - 4	5
Specific Debit			Fail - 1	
@Done			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.000 s
	Successful login		
1	Given I am on the login page	PASSED	3.213 s
2	When I enter my valid username and password	PASSED	10.532 s
3	And click the "Login" button	PASSED	0.266 s
4	Then I should be redirected to the homepage	PASSED	0.017 s
	Not on the homepage		
5	And see a welcome message with my "Welcome"	FAILED	0.065 s

	java.lang.StringIndexOutOfBoundsException: Range [0, 7) out of bounds for length 0
	    at java.base/jdk.internal.util.Preconditions$1.apply(Preconditions.java:55)
	    at java.base/jdk.internal.util.Preconditions$1.apply(Preconditions.java:52)
	    at java.base/jdk.internal.util.Preconditions$4.apply(Preconditions.java:213)
	    at java.base/jdk.internal.util.Preconditions$4.apply(Preconditions.java:210)
	    at java.base/jdk.internal.util.Preconditions.outOfBounds(Preconditions.java:98)
	    at java.base/jdk.internal.util.Preconditions.outOfBoundsCheckFromToIndex(Preconditions.java:112)
	    at java.base/jdk.internal.util.Preconditions.checkFromToIndex(Preconditions.java:349)		

| #	Step / Hook Details	Status	Duration
	at java.base/java.lang.String.checkBoundsBeginEnd(String.java:4608) at java.base/java.lang.String.substring(String.java:2720) at com.mobilife.pages.MainPage.MainPage.getMessage(MainPage.java:69) at com.mobilife.automation.glue.StepDefinition.seeAWelcomeMessageWithMy(StepDefinition.java:185) at ?.see a welcome message with my "Welcome"(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:14) * Not displayable characters are replaced by '?'.		

Add Specific Debit

PASSED	DURATION - 1 m 31.992 s
/ 8:41:14.564 am // 8:42:46.556 am /	
Specific Debit	
@SuccessfulScenario @Done	

Steps
Total - 15
Pass - 15
Fail - 0
Skip - 0

15

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.000 s
	Add Specific Debit		
1	Given I am on Specific Debit Tab	PASSED	13.934 s
2	When I Add a Specific Debit	PASSED	1.175 s
3	Then Specific Debit Details window appears	PASSED	0.001 s
4	Then Find the policy	PASSED	0.225 s
5	When I select the policy	PASSED	0.655 s
6	Then Policy number filed is populated	PASSED	10.108 s
7	And Policy number is uneditable	PASSED	0.026 s
8	And Collection Method Should be "SSVS"	PASSED	0.028 s
9	And Premium Month date picker translates to MM/YY	PASSED	0.609 s
10	And The Amount is automatically populated	PASSED	0.032 s
11	And Matches the current Nett Premium	PASSED	0.029 s
12	And Nett Premium cannot be negative	PASSED	0.110 s
13	Then Enter Action Date	PASSED	3.199 s
14	Then Click Save	PASSED	1 m 1.364 s

#	Step / Hook Details	Status	Duration
15	And If it's after "14:30" Mobility will show an error text	PASSED	0.030 s
	AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()	PASSED	0.073 s
	Close		

Add Specific Debit without filling in fields

PASSED	DURATION - 10.796 s		Steps	
/ 8:42:46.570 am // 8:42:57.366 am /			Total - 6	
			Pass - 6	6
Specific Debit			Fail - 0	
			Skip - 0	
@Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.005 s
	Add Specific Debit without filling in fields		
1	When I Add a Specific Debit	PASSED	1.188 s
2	Then Specific Debit Details window appears	PASSED	0.000 s
3	And Find the policy	PASSED	0.206 s
4	When I select the policy	PASSED	0.571 s
5	And Click Save	PASSED	0.104 s
6	Then Error message will show below the empty textboxes	PASSED	8.132 s

Action Date

PASSED	DURATION - 3.517 s		Steps	
/ 8:42:57.390 am // 8:43:00.907 am /			Total - 1	
			Pass - 1	1
Specific Debit			Fail - 0	
			Skip - 0	
@Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.004 s
	Action Date		
1	Then Enter Action Date	PASSED	3.200 s

Check Submitted

PASSED	DURATION - 0.561 s
/ 8:43:00.926 am // 8:43:01.487 am /	
Specific Debit	
@Done	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.003 s
	Check Submitted		
1	When Submitted checkbox empty(no tick) before the linked collection item is Submitted	PASSED	0.018 s
2	And Cannot tick Submitted checkbox	PASSED	0.020 s
3	And Can add notes	PASSED	0.182 s
4	Then Submitted checkbox ticked after the linked collection item is submitted	PASSED	0.000 s

Delete Specific Debit

FAILED	DURATION - 30.698 s
/ 8:43:01.516 am // 8:43:32.214 am /	
Specific Debit	
@Done	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	10.309 s
	Delete Specific Debit		

#	Step / Hook Details	Status	Duration
1	When delete a saved specific debit before it has been submitted	FAILED	20.078 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.id: c23' (tried for 10 second(s) with 500 milliseconds interval)
	    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
	    at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.deleteSpecificDebit(SpecificDebitDetailsWindow.java:292)
	    at com.mobilife.automation.glue.StepDefinition.deleteASavedSpecificDebitBeforeItHasBeenSubmitted(StepDefinition.java:401)
	    at ?.delete a saved specific debit before it has been submitted(file:///C:/Users/ymxab/Documents/Software%20Engineering/ MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:62)
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#c23"} (Session info: chrome=114.0.5735.91) For documentation on this error, please visit: https://selenium.dev/ exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os. version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2a8fe7581d4b11f591976d4329563c35, findElement {using=id, value=c23}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca. ..}, goog:chromeOptions: {debuggerAddress: localhost:55627}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55627/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2a8fe7581d4b11f591976d4329563c35
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy42.isDisplayed(Unknown Source)
	    at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)
	    at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)
	    at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)
	    at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)
	    at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:660)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.deleteSpecificDebit(SpecificDebitDetailsWindow.java:292)		
	at com.mobilife.automation.glue.StepDefinition.deleteASavedSpecificDebitBeforeItHasBeenSubmitted(StepDefinition.java:401)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) * Not displayable characters are replaced by '?'.		
2	Then deleting a Specific Debit the 'Deleted' column in the database table gets populated	SKIPPED	0.002 s
3	And Cannot delete a specific debit after it has been submitted	SKIPPED	0.000 s

Edit Specific Debit

FAILED	DURATION - 12.453 s
/ 8:43:32.239 am // 8:43:44.692 am /	
Specific Debit	
@Done	

Steps
Total - 2
Pass - 0
Fail - 1
Skip - 1

2

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.004 s
	Edit Specific Debit		
1	When Allow Edit Specific Debit before Submission	FAILED	12.119 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.91) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2a8fe7581d4b11f591976d4329563c35, findChildElement {id=E2FBB669F4250E6F723CFCAD8D36E6DB_element_315, using=xpath, value=//body[1]/div[7]/div[2]/form[1]/div[5]/div[1]/div[1]/div[2]/div[1]/div[1]/table[1]/tbody[1]/tr[4]/td[5]/i[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55627}, networkConnectionEnabled: false,		

#	Step / Hook Details	Status	Duration

	pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55627/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2a8fe7581d4b11f591976d4329563c35
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebElement.findElement(RemoteWebElement.java:227)
	    at com.mobilife.pages.SpecificDebit.SpecificDebitPage.getAnUnSubmittedPolicy(SpecificDebitPage.java:148)
	    at com.mobilife.automation.glue.StepDefinition.allowEditSpecificDebitBeforeSubmission(StepDefinition.java:477)
	    at ?.Allow Edit Specific Debit before Submission(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:75)
	* Not displayable characters are replaced by '?'.		

2	When Deny Edit Specific Debit after Submission	SKIPPED	0.001 s