Specific_Debit_Regression_Report

Start : Jun 12, 4:09:28.418 am	End : Jun 12, 4:13:34.326 am	Duration : 4 m 5.908 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 3 SKIPPED - 0	PASSED - 31 FAILED - 4 SKIPPED - 1

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Specific Debit	*4 m 5.908 s*	*6*	*3*	*3*	*0*	*36*	*31*	*4*	*1*

#	Feature Name	Scenario Name
1	*Specific Debit*	*Successful login*
2		*Add Specific Debit*
3		*Delete Specific Debit*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SuccessfulScenario	2	0	2	0	1	0	1	0
@Done	6	3	3	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Specific Debit	6	3	3	0	4 m 5.908 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Specific Debit	Successful login	5	3	2	0	34.680 s
2		Add Specific Debit	15	14	1	0	2 m 39.188 s
3		Add Specific Debit without filling in fields	6	6	0	0	27.561 s
4		Action Date	1	1	0	0	3.472 s
5		Check Submitted	4	4	0	0	0.435 s
6		Delete Specific Debit	5	3	1	1	20.480 s

Specific Debit

FAILED	DURATION - 4 m 5.908 s	Scenarios		Steps	
		Total - 6		Total - 36	
/ 4:09:28.418 am // 4:13:34.326 am /		Pass - 3	6	Pass - 31	36
		Fail - 3		Fail - 4	
		Skip - 0		Skip - 1	

Successful login

FAILED	DURATION - 34.680 s		Steps	
			Total - 5	
/ 4:09:28.422 am // 4:10:03.102 am /			Pass - 3	5
Specific Debit			Fail - 2	
@SuccessfulScenario @Done			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.002 s
	Successful login		
1	Given I am on the login page	PASSED	3.375 s
2	When I enter my valid username and password	PASSED	15.469 s
3	And click the "Login" button	FAILED	1.024 s
	image		
	Hasn't Authenticated		
4	Then I should be redirected to the homepage	FAILED	6.022 s
	Not on the homepage		
5	And see a welcome message with my "Welcome"	PASSED	5.045 s

Add Specific Debit

FAILED	DURATION - 2 m 39.188 s
/ 4:10:03.124 am // 4:12:42.312 am /	
Specific Debit	
@SuccessfulScenario @Done	

Steps
Total - 15
Pass - 14
Fail - 1
Skip - 0

15

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.000 s
	Add Specific Debit		
1	Given I am on Specific Debit Tab	PASSED	10.161 s
2	When I Add a Specific Debit	PASSED	0.175 s
3	Then Specific Debit Details window appears	PASSED	4.076 s
4	Then Find the policy	PASSED	14.581 s
5	Then the policy is "Selected"	PASSED	0.295 s
6	Then Policy number filed is populated	PASSED	10.167 s
7	And Policy number is uneditable	PASSED	0.029 s
8	And Collection Method Should be "SSVS"	PASSED	0.069 s
9	And Premium Month date picker translates to MM/YY	PASSED	38.501 s
10	And The Amount is automatically populated	PASSED	0.077 s
11	And Matches the current Nett Premium	PASSED	0.040 s
12	And Nett Premium cannot be negative	PASSED	0.233 s
13	Then Enter Action Date	PASSED	3.420 s
14	Then Click Save	PASSED	41.677 s
	Can Save the Specific Debit		
15	And If it's after "14:30" Mobility will show an error text	FAILED	32.187 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.id: c10_validationLabel' (tried for 20 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at com.mobilife.automation.glue.StepDefinition.ifItSAfterMobilityWillShowAnErrorText(StepDefinition.java:507) at ?.If it's after "14:30" Mobility will show an error text(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/ src/main/resources/features/SpecificDebit.feature:36)		

#	Step / Hook Details	Status	Duration

	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#c10_validationLabel"} (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3ab3797884212e5569772e6a617994fb, findElement {using=id, value=c10_validationLabel}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:49276}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49276/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3ab3797884212e5569772e6a617994fb
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy44.isDisplayed(Unknown Source)
	  at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)
	  at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)
	  at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)
	  at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)
	  at com.mobilife.automation.glue.StepDefinition.ifItSAfterMobilityWillShowAnErrorText(StepDefinition.java:507)
	  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:578)
	  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	  at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()	PASSED	0.105 s
	Close		

Add Specific Debit without filling in fields

PASSED	DURATION - 27.561 s		Steps
/ 4:12:42.351 am // 4:13:09.912 am /			Total - 6
			Pass - 6
Specific Debit			Fail - 0
			Skip - 0
@Done			

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.002 s
	Add Specific Debit without filling in fields		
1	When I Add a Specific Debit	PASSED	0.249 s
2	Then Specific Debit Details window appears	PASSED	4.071 s
3	And Find the policy	PASSED	14.427 s
4	Then the policy is "Selected"	PASSED	0.135 s
5	And Click Save	PASSED	0.110 s
6	Then Error message will show below the empty textboxes	PASSED	8.132 s

Action Date

PASSED	DURATION - 3.472 s		Steps
/ 4:13:09.925 am // 4:13:13.397 am /			Total - 1
			Pass - 1
Specific Debit			Fail - 0
			Skip - 0
@Done			

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.000 s
	Action Date		
1	Then Enter Action Date	PASSED	3.195 s

Check Submitted

PASSED	DURATION - 0.435 s
/ 4:13:13.404 am // 4:13:13.839 am /	
Specific Debit	
@Done	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.000 s
	Check Submitted		
1	When Submitted checkbox empty(no tick) before the linked collection item is Submitted	PASSED	0.031 s
2	And Cannot tick Submitted checkbox	PASSED	0.026 s
3	And Can add notes	PASSED	0.107 s
4	Then Submitted checkbox ticked after the linked collection item is submitted	PASSED	0.000 s

Delete Specific Debit

FAILED	DURATION - 20.480 s
/ 4:13:13.846 am // 4:13:34.326 am /	
Specific Debit	
@Done	

Steps
Total - 5
Pass - 3
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	5.083 s
	Delete Specific Debit		

#	Step / Hook Details	Status	Duration
1	When Allow Edit Specific Debit before Submission	PASSED	6.152 s
2	And delete a saved specific debit before it has been submitted	PASSED	2.256 s
3	Then deleting a Specific Debit the 'Deleted' column in the database table gets populated	PASSED	1.205 s
4	And Deny Edit Specific Debit after Submission	FAILED	5.459 s

	org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3ab3797884212e5569772e6a617994fb, getElementAttribute {id=9AA0A4BBADF2574F3C8DF4B73A9D12D0_element_394, name=value}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca. ..}, goog:chromeOptions: {debuggerAddress: localhost:49276}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49276/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (3ab3797884212e5569772e6a617994fb)] -> id: c11] Session ID: 3ab3797884212e5569772e6a617994fb
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)
	    at org.openqa.selenium.remote.RemoteWebElement.getAttribute(RemoteWebElement.java:158)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:578)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy44.getAttribute(Unknown Source)
	    at com.mobilife.automation.glue.StepDefinition.denyEditSpecificDebitAfterSubmission(StepDefinition.java:653)
	    at ?.Deny Edit Specific Debit after Submission(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:66)
	* Not displayable characters are replaced by '?'.		

5	Then Cannot delete a specific debit after it has been submitted	SKIPPED	0.002 s