


Specific_Debit_Regression_Report

06 Jun 2023, 09:01:08


Start : Jun 06, 8:58:09.420 am	End : Jun 06, 9:01:04.912 am	Duration : 2 m 55.492 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 3 SKIPPED - 0	PASSED - 30 FAILED - 3 SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Specific Debit</u>	2 m 55.492 s	7	4	3	0	36	30	3	3

#	Feature Name	Scenario Name
1	<u>Specific Debit</u>	<u>Successful login</u>
2		<u>Delete Specific Debit</u>
3		<u>Edit Specific Debit</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Done	7	4	3	0	1	0	1	0
@SuccessfulScenario	1	1	0	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	7	4	3	0	2 m 55.492 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	<u>Successful login</u>	5	4	1	0	20.138 s
2		<u>Add Specific Debit</u>	15	15	0	0	1 m 32.438 s
3		<u>Add Specific Debit without filling in fields</u>	6	6	0	0	11.682 s
4		<u>Action Date</u>	1	1	0	0	3.881 s
5		<u>Check Submitted</u>	4	4	0	0	0.783 s
6		<u>Delete Specific Debit</u>	3	0	1	2	31.311 s
7		<u>Edit Specific Debit</u>	2	0	1	1	14.846 s

Specific Debit

FAILED	DURATION - 2 m 55.492 s	Scenarios		Steps	
/ 8:58:09.420 am // 9:01:04.912 am /		Total - 7		Total - 36	
		Pass - 4		Pass - 30	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 3	



Successful login

FAILED		DURATION - 20.138 s			Steps Total - 5 Pass - 4 Fail - 1 Skip - 0	
/ 8:58:09.420 am // 8:58:29.558 am /						
Specific Debit						
@Done						

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.008 s
	Successful login		
1	Given I am on the login page	PASSED	3.148 s
2	When I enter my valid username and password	PASSED	10.828 s
3	And click the "Login" button	PASSED	0.664 s
4	Then I should be redirected to the homepage	PASSED	0.022 s
	Not on the homepage		
5	And see a welcome message with my "Welcome"	FAILED	0.132 s
	<pre>java.lang.StringIndexOutOfBoundsException: Range [0, 7) out of bounds for length 0 at java.base/jdk.internal.util.Preconditions\$1.apply(Preconditions.java:55) at java.base/jdk.internal.util.Preconditions\$1.apply(Preconditions.java:52) at java.base/jdk.internal.util.Preconditions\$4.apply(Preconditions.java:213) at java.base/jdk.internal.util.Preconditions\$4.apply(Preconditions.java:210) at java.base/jdk.internal.util.Preconditions.outOfBounds(Preconditions.java:98) at java.base/jdk.internal.util.Preconditions.outOfBoundsCheckFromToIndex(Preconditions.java:112) at java.base/jdk.internal.util.Preconditions.checkFromToIndex(Preconditions.java:349)</pre>		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.String.checkBoundsBeginEnd(String.java:4608) at java.base/java.lang.String.substring(String.java:2720) at com.mobilife.pages.MainPage.MainPage.getMessage(MainPage.java:69) at com.mobilife.automation.glue.StepDefinition.seeAWelcomeMessageWithMy(StepDefinition.java:185) at ?.see a welcome message with my "Welcome"(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:14) * Not displayable characters are replaced by '?'.		



Add Specific Debit

<div>PASSED</div>	<div>DURATION - 1 m 32.438 s</div>	<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 15</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 8:58:29.783 am // 9:00:02.221 am /				
Specific Debit				
@SuccessfulScenario @Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.008 s
	Add Specific Debit		
1	Given I am on Specific Debit Tab	PASSED	12.279 s
2	When I Add a Specific Debit	PASSED	1.374 s
3	Then Specific Debit Details window appears	PASSED	0.000 s
4	Then Find the policy	PASSED	0.469 s
5	When I select the policy	PASSED	0.804 s
6	Then Policy number filed is populated	PASSED	10.174 s
7	And Policy number is uneditable	PASSED	0.029 s
8	And Collection Method Should be "SSVS"	PASSED	0.032 s
9	And Premium Month date picker translates to MM/YY	PASSED	1.066 s
10	And The Amount is automatically populated	PASSED	0.072 s
11	And Matches the current Nett Premium	PASSED	0.051 s
12	And Nett Premium cannot be negative	PASSED	0.183 s
13	Then Enter Action Date	PASSED	3.377 s
14	Then Click Save	PASSED	1 m 1.581 s



#	Step / Hook Details	Status	Duration
15	And If it's after "14:30" Mobility will show an error text	PASSED	0.040 s
	AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()	PASSED	0.246 s
	Close		

Add Specific Debit without filling in fields

PASSED	DURATION - 11.682 s		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:00:02.253 am // 9:00:13.935 am /				
Specific Debit				
@Done				



#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.008 s
	Add Specific Debit without filling in fields		
1	When I Add a Specific Debit	PASSED	1.789 s
2	Then Specific Debit Details window appears	PASSED	0.000 s
3	And Find the policy	PASSED	0.256 s
4	When I select the policy	PASSED	0.652 s
5	And Click Save	PASSED	0.186 s
6	Then Error message will show below the empty textboxes	PASSED	8.179 s

Action Date

PASSED	DURATION - 3.881 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 9:00:13.983 am // 9:00:17.864 am /				
Specific Debit				
@Done				



#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.024 s
	Action Date		
1	Then Enter Action Date	PASSED	3.446 s

Check Submitted

PASSED	DURATION - 0.783 s		
/ 9:00:17.896 am // 9:00:18.679 am /			
Specific Debit			
@Done			
		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.006 s
	Check Submitted		
1	When Submitted checkbox empty(no tick) before the linked collection item is Submitted	PASSED	0.032 s
2	And Cannot tick Submitted checkbox	PASSED	0.033 s
3	And Can add notes	PASSED	0.312 s
4	Then Submitted checkbox ticked after the linked collection item is submitted	PASSED	0.006 s

Delete Specific Debit

FAILED	DURATION - 31.311 s		
/ 9:00:18.709 am // 9:00:50.020 am /			
Specific Debit			
@Done			
		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	



#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	10.710 s
	Delete Specific Debit		

#	Step / Hook Details	Status	Duration
1	<p>When delete a saved specific debit before it has been submitted</p> <pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.id: c23' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.deleteSpecificDebit(SpecificDebitDetailsWindow.java:292) at com.mobilife.automation.glue.StepDefinition.deleteASavedSpecificDebitBeforeItHasBeenSubmitted(StepDefinition.java:401) at ?.delete a saved specific debit before it has been submitted(file:///C:/Users/ymxab/Documents/Software%20Engineering/ Mobilife%20Regrasson/src/main/resources/features/SpecificDebit.feature:62) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#c23"} (Session info: chrome=114.0.5735.91) For documentation on this error, please visit: https://selenium.dev/ exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os. version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [18d583934da3ed7276ff7cc5896ad93d, findElement {using=id, value=c23}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.91, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca ..}, goog:chromeOptions: {debuggerAddress: localhost:61508}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61508/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 18d583934da3ed7276ff7cc5896ad93d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy42.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) </pre>	FAILED	20.220 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.deleteSpecificDebit(SpecificDebitDetailsWindow.java:292) at com.mobilife.automation.glue.StepDefinition.deleteASavedSpecificDebitBeforeItHasBeenSubmitted(StepDefinition.java:401) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	Then deleting a Specific Debit the 'Deleted' column in the database table gets populated	SKIPPED	0.018 s
3	And Cannot delete a specific debit after it has been submitted	SKIPPED	0.000 s

Edit Specific Debit

<div>FAILED</div> <div>DURATION - 14.846 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 9:00:50.066 am // 9:01:04.912 am /				
Specific Debit				
@Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.007 s
	Edit Specific Debit		
1	When Allow Edit Specific Debit before Submission	FAILED	14.182 s
	<pre> org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.91) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [18d583934da3ed7276ff7cc5896ad93d, findChildElement {id=D387C8204536BE3735D6A4D0F10FEA5D_element_325, using=xpath, value=//body[1]/div[7]/div[2]/form[1]/div[5]/div[1]/div[1]/div[2]/div[1]/div[1]/table[1]/tbody[1]/tr[4]/td[5]/i[1]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, chrome: {chromedriverVersion: 114.0.5735.91, chrome: {386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:61508}}, networkConnectionEnabled: false, </pre>		

#	Step / Hook Details	Status	Duration
	<p>pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61508/devtoo..., se:cdpVersion: 114.0.5735.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 18d583934da3ed7276ff7cc5896ad93d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebElement.findElement(RemoteWebElement.java:227) at com.mobilife.pages.SpecificDebit.SpecificDebitPage.getAnUnSubmittedPolicy(SpecificDebitPage.java:148) at com.mobilife.automation.glue.StepDefinition.allowEditSpecificDebitBeforeSubmission(StepDefinition.java:477) at ?.Allow Edit Specific Debit before Submission(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:75) * Not displayable characters are replaced by '?'. </p>		
2	When Deny Edit Specific Debit after Submission	SKIPPED	0.000 s