



# Specific\_Debit\_Regression\_Report

09 Jun 2023, 15:17:21


Start : Jun 09, 3:13:01.603 pm	End : Jun 09, 3:17:17.417 pm	Duration : 4 m 15.814 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 3 SKIPPED - 0	PASSED - 29 FAILED - 3 SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Specific Debit</u>	4 m 15.814 s	6	3	3	0	36	29	3	4

#	Feature Name	Scenario Name
1	<u>Specific Debit</u>	<u>Successful login</u>
2		<u>Add Specific Debit</u>
3		<u>Delete Specific Debit</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SuccessfulScenario	2	0	2	0	1	0	1	0
@Done	6	3	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	6	3	3	0	4 m 15.814 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	<u>Successful login</u>	5	4	1	0	35.657 s
2		<u>Add Specific Debit</u>	15	13	1	1	2 m 24.696 s
3		<u>Add Specific Debit without filling in fields</u>	6	6	0	0	33.402 s
4		<u>Action Date</u>	1	1	0	0	5.402 s
5		<u>Check Submitted</u>	4	4	0	0	2.073 s
6		<u>Delete Specific Debit</u>	5	1	1	3	34.024 s

## Specific Debit


<b>FAILED</b>	DURATION - 4 m 15.814 s	Scenarios		Steps	
/ 3:13:01.603 pm // 3:17:17.417 pm /		Total - 6 Pass - 3 Fail - 3 Skip - 0		Total - 36 Pass - 29 Fail - 3 Skip - 4	

## Successful login

<div>FAILED</div> <div>DURATION - 35.657 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 3:13:01.610 pm // 3:13:37.267 pm /				
Specific Debit				
@SuccessfulScenario @Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.006 s
	Successful login		
1	Given I am on the login page	PASSED	4.580 s
2	When I enter my valid username and password	PASSED	15.471 s
3	And click the "Login" button	PASSED	0.301 s
4	Then I should be redirected to the homepage	FAILED	6.030 s
	Not on the homepage		
5	And see a welcome message with my "Welcome"	PASSED	5.149 s

## Add Specific Debit





#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.013 s
	Add Specific Debit		
1	Given I am on Specific Debit Tab	PASSED	10.703 s
2	When I Add a Specific Debit	PASSED	0.112 s
3	Then Specific Debit Details window appears	PASSED	5.059 s
4	Then Find the policy	PASSED	15.499 s
5	Then the policy is "Selected"	PASSED	0.209 s
6	Then Policy number filed is populated	PASSED	10.111 s
7	And Policy number is uneditable	PASSED	0.020 s
8	And Collection Method Should be "SSVS"	PASSED	0.040 s
9	And Premium Month date picker translates to MM/YY	PASSED	31.900 s
10	And The Amount is automatically populated	PASSED	0.042 s
11	And Matches the current Nett Premium	PASSED	0.020 s
12	And Nett Premium cannot be negative	PASSED	0.116 s
13	Then Enter Action Date	PASSED	3.361 s
14	Then Click Save	FAILED	1 m 4.899 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#stale_element_reference">https://selenium.dev/exceptions/#stale_element_reference</a> Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9662225af68d6c55a0f3a31d07e22ac8, clickElement {id=6A2D1CEC9456F67F0E39C4093A683C8C_element_355}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56872}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56872/devtoo..., se.cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (9662225af68d6c55a0f3a31d07e22ac8)] -> xpath: //button[normalize-space()='Done']] Session ID: 9662225af68d6c55a0f3a31d07e22ac8		





#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.setActionDate(SpecificDebitDetailsWindow.java:219) at com.mobilife.automation.glue.StepDefinition.enterActionDate(StepDefinition.java:391) at com.mobilife.automation.glue.StepDefinition.clickSave(StepDefinition.java:421) at ?.Click Save(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/ SpecificDebit.feature:35) * Not displayable characters are replaced by '?'.		
15	And If it's after "14:30" Mobility will show an error text	SKIPPED	0.007 s
	AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()	PASSED	0.650 s
	Close		

### Add Specific Debit without filling in fields

PASSED	DURATION - 33.402 s		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 3:16:02.424 pm // 3:16:35.826 pm /				
Specific Debit				
@Done				



#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.009 s
	Add Specific Debit without filling in fields		
1	When I Add a Specific Debit	PASSED	0.217 s
2	Then Specific Debit Details window appears	PASSED	5.062 s
3	And Find the policy	PASSED	15.502 s
4	Then the policy is "Selected"	PASSED	0.192 s
5	And Click Save	PASSED	0.444 s
6	Then Error message will show below the empty textboxes	PASSED	8.217 s

### Action Date

PASSED	DURATION - 5.402 s		
/ 3:16:35.844 pm // 3:16:41.246 pm /			
Specific Debit			
@Done			
 <p>A bar chart with a y-axis from 0 to 4 and an x-axis with a single bar at position 1. The bar is purple and reaches a height of 1.</p>		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	 <p>A green donut chart with the number 1 in the center, representing 100% completion.</p>



#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.002 s
	Action Date		
1	Then Enter Action Date	PASSED	3.346 s

### Check Submitted

PASSED	DURATION - 2.073 s		
/ 3:16:41.304 pm // 3:16:43.377 pm /			
Specific Debit			
@Done			
 <p>A bar chart with a y-axis from 0 to 0.3 and an x-axis with four bars at positions 1, 2, 3, and 4. The bars are purple and reach heights of approximately 0.04, 0.03, 0.18, and 0.04 respectively.</p>		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	 <p>A green donut chart with the number 4 in the center, representing 100% completion.</p>

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.005 s
	Check Submitted		
1	When Submitted checkbox empty(no tick) before the linked collection item is Submitted	PASSED	0.037 s
2	And Cannot tick Submitted checkbox	PASSED	0.031 s
3	And Can add notes	PASSED	0.173 s
4	Then Submitted checkbox ticked after the linked collection item is submitted	PASSED	0.000 s

### Delete Specific Debit

FAILED	DURATION - 34.024 s		<div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 3:16:43.393 pm // 3:17:17.417 pm /				
Specific Debit				
@Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	5.119 s
	Delete Specific Debit		
1	When Allow Edit Specific Debit before Submission	PASSED	5.984 s
2	And delete a saved specific debit before it has been submitted	FAILED	20.077 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.id: c23' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.deleteSpecificDebit(SpecificDebitDetailsWindow.java:334) at com.mobilife.automation.glue.StepDefinition.deleteASavedSpecificDebitBeforeItHasBeenSubmitted(StepDefinition.java:537) at ?.delete a saved specific debit before it has been submitted(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:64) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#c23"} (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9662225af68d6c55a0f3a31d07e22ac8, findElement {using=id, value=c23}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\gphmoeikfimehdlnbnagdmebfpphegknh, goog:chromeOptions: {debuggerAddress: localhost:56872}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:		

#	Step / Hook Details	Status	Duration
	<p>windows, proxy: Proxy(), se:cdp: ws://localhost:56872/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9662225af68d6c55a0f3a31d07e22ac8</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy43.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.deleteSpecificDebit(SpecificDebitDetailsWindow.java:334)</p> <p>at com.mobilife.automation.glue.StepDefinition.deleteASavedSpecificDebitBeforeItHasBeenSubmitted(StepDefinition.java:537)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:578)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p>		

#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)  at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)  at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)  at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)  at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)  at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)  at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)  at org.junit.runners.ParentRunner.run(ParentRunner.java:413)  at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)  at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)  at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)  at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)  at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)  at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)  at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)  at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)  at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)  at org.junit.runners.ParentRunner.run(ParentRunner.java:413)  at org.junit.runner.JUnitCore.run(JUnitCore.java:137)  at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)  at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)  at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)  at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)  at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)  at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)</p> <p>* Not displayable characters are replaced by '?'.  </p>		
3	Then deleting a Specific Debit the 'Deleted' column in the database table gets populated	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	And Deny Edit Specific Debit after Submission	SKIPPED	0.011 s
5	Then Cannot delete a specific debit after it has been submitted	SKIPPED	0.001 s