



Specific_Debit_Regression_Report

09 Jun 2023, 15:06:54


Start : Jun 09, 3:02:21.932 pm	End : Jun 09, 3:06:52.954 pm	Duration : 4 m 31.022 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 6 SKIPPED - 0	PASSED - 23 FAILED - 6 SKIPPED - 7




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Specific Debit</u>	4 m 31.022 s	6	0	6	0	36	23	6	7

#	Feature Name	Scenario Name
1	<u>Specific Debit</u>	<u>Successful login</u>
2		<u>Add Specific Debit</u>
3		<u>Add Specific Debit without filling in fields</u>
4		<u>Action Date</u>
5		<u>Check Submitted</u>
6		<u>Delete Specific Debit</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@SuccessfulScenario	2	0	2	0	1	0	1	0
@Done	6	0	6	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	6	0	6	0	4 m 31.022 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	<u>Successful login</u>	5	4	1	0	41.877 s
2		<u>Add Specific Debit</u>	15	13	1	1	2 m 25.598 s
3		<u>Add Specific Debit without filling in fields</u>	6	3	1	2	22.875 s
4		<u>Action Date</u>	1	0	1	0	15.583 s
5		<u>Check Submitted</u>	4	2	1	1	11.967 s
6		<u>Delete Specific Debit</u>	5	1	1	3	32.911 s

Specific Debit


FAILED	DURATION - 4 m 31.022 s	Scenarios		Steps	
/ 3:02:21.932 pm // 3:06:52.954 pm /		Total - 6		Total - 36	
		Pass - 0		Pass - 23	
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 7	

Successful login

<div>FAILED</div> <div>DURATION - 41.877 s</div>		<div></div>	Steps	<div></div>
/ 3:02:21.938 pm // 3:03:03.815 pm /			Total - 5	
Specific Debit			Pass - 4	
@SuccessfulScenario @Done			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.015 s
	Successful login		
1	Given I am on the login page	PASSED	6.049 s
2	When I enter my valid username and password	PASSED	15.800 s
3	And click the "Login" button	PASSED	0.400 s
4	Then I should be redirected to the homepage	FAILED	6.031 s
	Not on the homepage		
5	And see a welcome message with my "Welcome"	PASSED	5.158 s

Add Specific Debit



#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.012 s
	Add Specific Debit		
1	Given I am on Specific Debit Tab	PASSED	10.255 s
2	When I Add a Specific Debit	PASSED	0.110 s
3	Then Specific Debit Details window appears	PASSED	5.068 s
4	Then Find the policy	PASSED	15.297 s
5	Then the policy is "Selected"	PASSED	0.272 s
6	Then Policy number filed is populated	PASSED	10.107 s
7	And Policy number is uneditable	PASSED	0.025 s
8	And Collection Method Should be "SSVS"	PASSED	0.042 s
9	And Premium Month date picker translates to MM/YY	PASSED	33.953 s
10	And The Amount is automatically populated	PASSED	0.040 s
11	And Matches the current Nett Premium	PASSED	0.022 s
12	And Nett Premium cannot be negative	PASSED	0.115 s
13	Then Enter Action Date	PASSED	3.456 s
14	Then Click Save	FAILED	1 m 4.714 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [27be84784dd55cfb1d24f2cecb01ed, clickElement {id=0946989771267ED3B6DE5D94037D447F_element_353}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56404}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56404/devtoo..., se.cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (27be84784dd55cfb1d24f2cecb01ed)] -> xpath: //button[normalize-space()='Done']] Session ID: 27be84784dd55cfb1d24f2cecb01ed		



#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.setActionDate(SpecificDebitDetailsWindow.java:219) at com.mobilife.automation.glue.StepDefinition.enterActionDate(StepDefinition.java:391) at com.mobilife.automation.glue.StepDefinition.clickSave(StepDefinition.java:421) at ?.Click Save(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:35) * Not displayable characters are replaced by '?'.		
15	And If it's after "14:30" Mobility will show an error text	SKIPPED	0.000 s
	AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()	PASSED	0.239 s
	Close		

Add Specific Debit without filling in fields

FAILED DURATION - 22.875 s / 3:05:29.545 pm // 3:05:52.420 pm / Specific Debit @Done	<table border="1"> <caption>Test Results Data</caption> <thead> <tr> <th>Step</th> <th>Fail</th> <th>Pass</th> <th>Skip</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1</td> <td>0</td> <td>0</td> </tr> <tr> <td>2</td> <td>0</td> <td>5</td> <td>0</td> </tr> <tr> <td>3</td> <td>0</td> <td>15</td> <td>0</td> </tr> <tr> <td>4</td> <td>0</td> <td>0</td> <td>0</td> </tr> <tr> <td>5</td> <td>0</td> <td>0</td> <td>0</td> </tr> <tr> <td>6</td> <td>0</td> <td>0</td> <td>0</td> </tr> </tbody> </table>	Step	Fail	Pass	Skip	1	1	0	0	2	0	5	0	3	0	15	0	4	0	0	0	5	0	0	0	6	0	0	0	Steps Total - 6 Pass - 3 Fail - 1 Skip - 2	
Step	Fail	Pass	Skip																												
1	1	0	0																												
2	0	5	0																												
3	0	15	0																												
4	0	0	0																												
5	0	0	0																												
6	0	0	0																												

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.000 s
	Add Specific Debit without filling in fields		
1	When I Add a Specific Debit	PASSED	0.233 s
2	Then Specific Debit Details window appears	PASSED	5.060 s
3	And Find the policy	PASSED	15.649 s
4	When I select the policy	FAILED	0.003 s
	Step undefined		
5	And Click Save	SKIPPED	0.000 s
6	Then Error message will show below the empty textboxes	SKIPPED	0.000 s



Action Date

FAILED		DURATION - 15.583 s			Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 3:05:52.444 pm // 3:06:08.027 pm /						
Specific Debit						
@Done						

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.006 s
	Action Date		
1	Then Enter Action Date	FAILED	13.187 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=114.0.5735.110) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [27be84784dd55cfb1d24f2cecb01ed, sendKeysToElement {id=0946989771267ED3B6DE5D94037D447F_element_361, value=[Ljava.lang.CharSequence;@2b464384]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\lymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56404}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56404/devtoo..., se.cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (27be84784dd55cfb1d24f2cecb01ed)] -> id: c10] Session ID: 27be84784dd55cfb1d24f2cecb01ed at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.setActionDate(SpecificDebitDetailsWindow.java:218) at com.mobilife.automation.glue.StepDefinition.enterActionDate(StepDefinition.java:391) at ?.Enter Action Date(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:52) </pre> <p>* Not displayable characters are replaced by '?'.</p>		



Check Submitted

FAILED	DURATION - 11.967 s		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 3:06:08.062 pm // 3:06:20.029 pm /				
Specific Debit				
@Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.004 s
	Check Submitted		
1	When Submitted checkbox empty(no tick) before the linked collection item is Submitted	PASSED	0.037 s
2	And Cannot tick Submitted checkbox	PASSED	0.036 s
3	And Can add notes	FAILED	10.286 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on windows		

#	Step / Hook Details	Status	Duration
	<p>(27be84784dd55cfb1d24f2cecb01ed)] -> id: c14] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:56404}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56404/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 27be84784dd55cfb1d24f2cecb01ed</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.writeNotes(SpecificDebitDetailsWindow.java:241) at com.mobilife.automation.glue.StepDefinition.canAddNotes(StepDefinition.java:498) at ?.Can add notes(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:58) * Not displayable characters are replaced by '?'. </p>		
4	Then Submitted checkbox ticked after the linked collection item is submitted	SKIPPED	0.000 s

Delete Specific Debit

FAILED DURATION - 32.911 s / 3:06:20.043 pm // 3:06:52.954 pm / Specific Debit @Done		Steps Total - 5 Pass - 1 Fail - 1 Skip - 3	
---	---	--	--

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	5.112 s
	Delete Specific Debit		
1	When Allow Edit Specific Debit before Submission	PASSED	5.384 s
2	And delete a saved specific debit before it has been submitted	FAILED	20.144 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.id: c23' (tried for 10 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.deleteSpecificDebit(SpecificDebitDetailsWindow.java:334)</p>		

#	Step / Hook Details	Status	Duration
	<p>at com.mobilife.automation.glue.StepDefinition.deleteASavedSpecificDebitBeforeItHasBeenSubmitted(StepDefinition.java:537) at ?.delete a saved specific debit before it has been submitted(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:64) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#c23"} (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [27be84784dd55cfb1d24f2cecb01ed, findElement {using=id, value=c23}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Local\Temp\scoped_dir11405735_11405735.90}, goog:chromeOptions: {debuggerAddress: localhost:56404}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56404/devtools, se.cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 27be84784dd55cfb1d24f2cecb01ed</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.deleteSpecificDebit(SpecificDebitDetailsWindow.java:334) at com.mobilife.automation.glue.StepDefinition.deleteASavedSpecificDebitBeforeItHasBeenSubmitted(StepDefinition.java:537) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578)</p>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		

#	Step / Hook Details	Status	Duration
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) * Not displayable characters are replaced by '?'.		
3	Then deleting a Specific Debit the 'Deleted' column in the database table gets populated	SKIPPED	0.001 s
4	And Deny Edit Specific Debit after Submission	SKIPPED	0.000 s
5	Then Cannot delete a specific debit after it has been submitted	SKIPPED	0.000 s