




Specific_Debit_Regression_Report

12 Jun 2023, 02:45:23


Start : Jun 12, 2:41:08.363 am	End : Jun 12, 2:45:22.844 am	Duration : 4 m 14.481 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 3 SKIPPED - 0	PASSED - 31 FAILED - 4 SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Specific Debit</u>	4 m 14.481 s	6	3	3	0	36	31	4	1

#	Feature Name	Scenario Name
1	<u>Specific Debit</u>	<u>Successful login</u>
2		<u>Add Specific Debit</u>
3		<u>Delete Specific Debit</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SuccessfulScenario	2	0	2	0	1	0	1	0
@Done	6	3	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	6	3	3	0	4 m 14.481 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	<u>Successful login</u>	5	3	2	0	33.470 s
2		<u>Add Specific Debit</u>	15	14	1	0	2 m 36.066 s
3		<u>Add Specific Debit without filling in fields</u>	6	6	0	0	28.250 s
4		<u>Action Date</u>	1	1	0	0	3.889 s
5		<u>Check Submitted</u>	4	4	0	0	0.901 s
6		<u>Delete Specific Debit</u>	5	3	1	1	31.681 s

Specific Debit

FAILED	DURATION - 4 m 14.481 s	Scenarios		Steps	
/ 2:41:08.363 am // 2:45:22.844 am /		Total - 6 Pass - 3 Fail - 3 Skip - 0		Total - 36 Pass - 31 Fail - 4 Skip - 1	

Successful login

<div>FAILED</div> <div>DURATION - 33.470 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 2</div> <div>Skip - 0</div>	
/ 2:41:08.368 am // 2:41:41.838 am /				
Specific Debit				
@SuccessfulScenario @Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.001 s
	Successful login		
1	Given I am on the login page	PASSED	3.291 s
2	When I enter my valid username and password	PASSED	15.366 s
3	And click the "Login" button	FAILED	1.010 s
	image		
	Hasn't Authenticated		
			
4	Then I should be redirected to the homepage	FAILED	6.038 s
	Not on the homepage		
5	And see a welcome message with my "Welcome"	PASSED	5.113 s

Add Specific Debit

<div><div>FAILED</div><div>DURATION - 2 m 36.066 s</div></div>		<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>9.353</td></tr><tr><td>2</td><td>0.135</td></tr><tr><td>3</td><td>4.100</td></tr><tr><td>4</td><td>14.556</td></tr><tr><td>5</td><td>0.381</td></tr><tr><td>6</td><td>10.171</td></tr><tr><td>7</td><td>0.031</td></tr><tr><td>8</td><td>0.065</td></tr><tr><td>9</td><td>37.877</td></tr><tr><td>10</td><td>0.087</td></tr><tr><td>11</td><td>0.033</td></tr><tr><td>12</td><td>0.193</td></tr><tr><td>13</td><td>3.505</td></tr><tr><td>14</td><td>41.795</td></tr><tr><td>15</td><td>32.209</td></tr></tbody></table>	Step	Duration (s)	1	9.353	2	0.135	3	4.100	4	14.556	5	0.381	6	10.171	7	0.031	8	0.065	9	37.877	10	0.087	11	0.033	12	0.193	13	3.505	14	41.795	15	32.209	<div>Steps</div> <div>Total - 15</div> <div>Pass - 14</div> <div>Fail - 1</div> <div>Skip - 0</div> <div><div>15</div></div>
Step	Duration (s)																																		
1	9.353																																		
2	0.135																																		
3	4.100																																		
4	14.556																																		
5	0.381																																		
6	10.171																																		
7	0.031																																		
8	0.065																																		
9	37.877																																		
10	0.087																																		
11	0.033																																		
12	0.193																																		
13	3.505																																		
14	41.795																																		
15	32.209																																		
/ 2:41:41.910 am // 2:44:17.976 am /																																			
Specific Debit																																			
@SuccessfulScenario @Done																																			



#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.002 s
	Add Specific Debit		
1	Given I am on Specific Debit Tab	PASSED	9.353 s
2	When I Add a Specific Debit	PASSED	0.135 s
3	Then Specific Debit Details window appears	PASSED	4.100 s
4	Then Find the policy	PASSED	14.556 s
5	Then the policy is "Selected"	PASSED	0.381 s
6	Then Policy number filed is populated	PASSED	10.171 s
7	And Policy number is uneditable	PASSED	0.031 s
8	And Collection Method Should be "SSVS"	PASSED	0.065 s
9	And Premium Month date picker translates to MM/YY	PASSED	37.877 s
10	And The Amount is automatically populated	PASSED	0.087 s
11	And Matches the current Nett Premium	PASSED	0.033 s
12	And Nett Premium cannot be negative	PASSED	0.193 s
13	Then Enter Action Date	PASSED	3.505 s
14	Then Click Save	PASSED	41.795 s
	Can Save the Specific Debit		
15	And If it's after "14:30" Mobility will show an error text	FAILED	32.209 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.id: c10_validationLabel' (tried for 20 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at com.mobilife.automation.glue.StepDefinition.ifItSAfterMobilityWillShowAnErrorText(StepDefinition.java:507) at ?.If it's after "14:30" Mobility will show an error text(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:36)		

#	Step / Hook Details	Status	Duration
	<p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#c10_validationLabel"} (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [723a94e113d4c3f1d4f2aa99a1853b6c, findElement {using=id, value=c10_validationLabel}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62205}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62205/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 723a94e113d4c3f1d4f2aa99a1853b6c</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy44.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at com.mobilife.automation.glue.StepDefinition.ifItSAfterMobilityWillShowAnErrorText(StepDefinition.java:507) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)		



#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario() Close	PASSED	0.138 s

Add Specific Debit without filling in fields

PASSED	DURATION - 28.250 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:44:18.034 am // 2:44:46.284 am /				
Specific Debit				
@Done				



#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario) Add Specific Debit without filling in fields	PASSED	0.004 s
1	When I Add a Specific Debit	PASSED	0.235 s
2	Then Specific Debit Details window appears	PASSED	4.070 s
3	And Find the policy	PASSED	14.598 s
4	Then the policy is "Selected"	PASSED	0.374 s
5	And Click Save	PASSED	0.294 s
6	Then Error message will show below the empty textboxes	PASSED	8.262 s

Action Date

PASSED	DURATION - 3.889 s		<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:44:46.327 am // 2:44:50.216 am /				
Specific Debit				
@Done				



#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.001 s
	Action Date		
1	Then Enter Action Date	PASSED	3.459 s

Check Submitted

PASSED	DURATION - 0.901 s	 <p>Steps Total - 4 Pass - 4 Fail - 0 Skip - 0</p> 
/ 2:44:50.242 am // 2:44:51.143 am /		
Specific Debit		
@Done		

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.001 s
	Check Submitted		
1	When Submitted checkbox empty(no tick) before the linked collection item is Submitted	PASSED	0.070 s
2	And Cannot tick Submitted checkbox	PASSED	0.060 s
3	And Can add notes	PASSED	0.216 s
4	Then Submitted checkbox ticked after the linked collection item is submitted	PASSED	0.000 s

Delete Specific Debit

FAILED	DURATION - 31.681 s	 <p>Steps Total - 5 Pass - 3 Fail - 1 Skip - 1</p> 
/ 2:44:51.163 am // 2:45:22.844 am /		
Specific Debit		
@Done		

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	5.142 s
	Delete Specific Debit		

#	Step / Hook Details	Status	Duration
1	When Allow Edit Specific Debit before Submission	PASSED	6.324 s
2	And delete a saved specific debit before it has been submitted	PASSED	2.298 s
3	Then deleting a Specific Debit the 'Deleted' column in the database table gets populated	PASSED	1.362 s
4	<p>And Deny Edit Specific Debit after Submission</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#c9_dataGrid > table > tbody > tr:nth-child(4) > td:nth-child(5) > i"} (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [723a94e113d4c3f1d4f2aa99a1853b6c, findChildElement {id=F4C17431B89B22ED81068A607F7CE0AE_element_605, using=css selector, value=#c9_dataGrid > table > tbody > tr:nth-child(4) > td:nth-child(5) > i}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:62205}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:62205/devtoo..., se.cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 723a94e113d4c3f1d4f2aa99a1853b6c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebElement.findElement(RemoteWebElement.java:227) at com.mobilife.pages.SpecificDebit.SpecificDebitPage.getASubmittedPolicy(SpecificDebitPage.java:130) at com.mobilife.automation.glue.StepDefinition.denyEditSpecificDebitAfterSubmission(StepDefinition.java:644) at ?.Deny Edit Specific Debit after Submission(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:66) * Not displayable characters are replaced by '?'. </pre>	FAILED	16.168 s
5	Then Cannot delete a specific debit after it has been submitted	SKIPPED	0.002 s