Specific_Debit_Regression_Report

09 Jun 2023, 13:08:48

| Start : Jun 09, 1:06:52.122 pm	End : Jun 09, 1:08:46.168 pm	Duration : 1 m 54.046 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 6 SKIPPED - 0	PASSED - 12 FAILED - 5 SKIPPED - 19

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Specific Debit	*1 m 54.046 s*	*6*	*0*	*6*	*0*	*36*	*12*	*5*	*19*

#	Feature Name	Scenario Name
1	*Specific Debit*	*Successful login*
2		*Add Specific Debit*
3		*Add Specific Debit without filling in fields*
4		*Action Date*
5		*Check Submitted*
6		*Delete Specific Debit*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SuccessfulScenario	2	0	2	0	1	0	1	0
@Done	6	0	6	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Specific Debit	6	0	6	0	1 m 54.046 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Specific Debit	Successful login	5	4	1	0	38.852 s
2		Add Specific Debit	15	8	1	6	1 m 2.363 s
3		Add Specific Debit without filling in fields	6	0	1	5	3.256 s
4		Action Date	1	0	1	0	4.535 s
5		Check Submitted	4	0	1	3	2.904 s
6		Delete Specific Debit	5	0	0	5	1.705 s

Specific Debit

FAILED	DURATION - 1 m 54.046 s	Scenarios		Steps	
/ 1:06:52.122 pm // 1:08:46.168 pm /		Total - 6 Pass - 0 Fail - 6 Skip - 0	6	Total - 36 Pass - 12 Fail - 5 Skip - 19	36

Successful login

FAILED	DURATION - 38.852 s		Steps	
/ 1:06:52.128 pm // 1:07:30.980 pm /			Total - 5 Pass - 4 Fail - 1 Skip - 0	5
Specific Debit				
@SuccessfulScenario @Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.012 s
	Successful login		
1	Given I am on the login page	PASSED	5.481 s
2	When I enter my valid username and password	PASSED	16.095 s
3	And click the "Login" button	PASSED	0.319 s
4	Then I should be redirected to the homepage	FAILED	6.046 s
	Not on the homepage		
5	And see a welcome message with my "Welcome"	PASSED	5.118 s

Add Specific Debit

FAILED	DURATION - 1 m 2.363 s

/ 1:07:31.071 pm // 1:08:33.434 pm /

Specific Debit

@SuccessfulScenario @Done

Steps
Total - 15
Pass - 8
Fail - 1
Skip - 6

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.118 s
	Add Specific Debit		
1	Given I am on Specific Debit Tab	PASSED	11.511 s
2	When I Add a Specific Debit	PASSED	0.171 s
3	Then Specific Debit Details window appears	PASSED	5.110 s
4	Then Find the policy	PASSED	16.354 s
5	Then the policy is "Selected"	PASSED	0.739 s
6	Then Policy number filed is populated	PASSED	10.106 s
7	And Policy number is uneditable	PASSED	0.020 s
8	And Collection Method Should be "SSVS"	PASSED	0.054 s
9	And Premium Month date picker translates to MM/YY	FAILED	16.110 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=114.0.5735.110) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [05a5e480328dc596b9c6e818584fda6d, findElement {using=id, value=c11}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:53892}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53892/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 05a5e480328dc596b9c6e818584fda6d
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy43.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4230) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.ExpectedConditions$23.toString(ExpectedConditions.java:673) at java.base/java.lang.String.valueOf(String.java:4230) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.ChoosePremiumMonth(SpecificDebitDetailsWindow.java:168) at com.mobilife.automation.glue.StepDefinition.premiumMonthDatePickerTranslatesToMMYY(StepDefinition.java:352) at ?.Premium Month date picker translates to MM/YY(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:29) * Not displayable characters are replaced by '?'.		
10	And The Amount is automatically populated	SKIPPED	0.004 s
11	And Matches the current Nett Premium	SKIPPED	0.001 s
12	And Nett Premium cannot be negative	SKIPPED	0.000 s
13	Then Enter Action Date	SKIPPED	0.004 s
14	Then Click Save	SKIPPED	0.001 s
15	And If it's after "14:30" Mobility will show an error text	SKIPPED	0.000 s
	AFTER - com.mobilife.automation.glue.StepDefinition.cleanUpScenario()	FAILED	0.024 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=114.0.5735.110) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [05a5e480328dc596b9c6e818584fda6d, isElementDisplayed {id=9448D9AF1CE53CD82DECCA111654EAAF_element_155}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:53892}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53892/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (05a5e480328dc596b9c6e818584fda6d)] -> css selector: div[id='SpecificDebitModal'] div[class='modal-content']] Session ID: 05a5e480328dc596b9c6e818584fda6d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		

| #	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)		
	at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:313)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)		
	at jdk.proxy2/jdk.proxy2.$Proxy43.isDisplayed(Unknown Source)		
	at com.mobilife.automation.glue.StepDefinition.cleanUpScenario(StepDefinition.java:623)		

Add Specific Debit without filling in fields

FAILED	DURATION - 3.256 s
/ 1:08:33.592 pm // 1:08:36.848 pm /	
Specific Debit	
@Done	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.011 s
	Add Specific Debit without filling in fields		
1	When I Add a Specific Debit	FAILED	0.015 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=114.0.5735.110) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [05a5e480328dc596b9c6e818584fda6d, findElement {using=id, value=c2}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:53892}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53892/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability:		

| #	Step / Hook Details	Status	Duration

	false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 05a5e480328dc596b9c6e818584fda6d
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source)
	   at com.mobilife.pages.SpecificDebit.SpecificDebitPage.AddSpecificDebit(SpecificDebitPage.java:123)
	   at com.mobilife.automation.glue.StepDefinition.iAddASpecificDebit(StepDefinition.java:230)
	   at ?.I Add a Specific Debit(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:41)
	* Not displayable characters are replaced by '?'.		

2	Then Specific Debit Details window appears	SKIPPED	0.000 s
3	And Find the policy	SKIPPED	0.002 s
4	When I select the policy	SKIPPED	0.001 s
5	And Click Save	SKIPPED	0.001 s
6	Then Error message will show below the empty textboxes	SKIPPED	0.001 s

Action Date

FAILED	DURATION - 4.535 s
/ 1:08:36.923 pm // 1:08:41.458 pm /	
Specific Debit	
@Done	

Steps
Total - 1
Pass - 0
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.010 s
	Action Date		
1	Then Enter Action Date	FAILED	3.025 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=114.0.5735.110) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [05a5e480328dc596b9c6e818584fda6d, findElement {using=id, value=c10}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:53892}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53892/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 05a5e480328dc596b9c6e818584fda6d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy43.sendKeys(Unknown Source)		

| #	Step / Hook Details	Status	Duration
	at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.setActionDate(SpecificDebitDetailsWindow.java:219) at com.mobilife.automation.glue.StepDefinition.enterActionDate(StepDefinition.java:391) at ?.Enter Action Date(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:52) * Not displayable characters are replaced by '?'.		

Check Submitted

FAILED	DURATION - 2.904 s
/ 1:08:41.507 pm // 1:08:44.411 pm /	
Specific Debit	
@Done	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

4

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.017 s
	Check Submitted		
1	When Submitted checkbox empty(no tick) before the linked collection item is Submitted	FAILED	0.014 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=114.0.5735.110) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [05a5e480328dc596b9c6e818584fda6d, findElement {using=css selector, value=#c13 > i}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:53892}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53892/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 05a5e480328dc596b9c6e818584fda6d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy43.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1006) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:477) at com.mobilife.pages.SpecificDebit.SpecificDebitDetailsWindow.isThereASubmittedCheckMark(SpecificDebitDetailsWindow.java:397) at com.mobilife.automation.glue.StepDefinition.submittedCheckboxEmptyNoTickBeforeTheLinkedCollectionItemIsSubmitted(StepDefinition.java:486) at ?.Submitted checkbox empty(no tick) before the linked collection item is Submitted(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:56) * Not displayable characters are replaced by '?'.		
2	And Cannot tick Submitted checkbox	SKIPPED	0.001 s
3	And Can add notes	SKIPPED	0.001 s
4	Then Submitted checkbox ticked after the linked collection item is submitted	SKIPPED	0.001 s

Delete Specific Debit

FAILED	DURATION - 1.705 s		Steps	
/ 1:08:44.463 pm // 1:08:46.168 pm /			Total - 5	
Specific Debit			Pass - 0 Fail - 0	5
@Done			Skip - 5	

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	FAILED	0.012 s
	Delete Specific Debit		

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=114.0.5735.110) Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [05a5e480328dc596b9c6e818584fda6d, findElement {using=xpath, value=//button[@type='button'][normalize-space()='Cancel']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:53892}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53892/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 05a5e480328dc596b9c6e818584fda6d
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source)
	    at com.mobilife.automation.glue.StepDefinition.setUp(StepDefinition.java:124)		

1	When Allow Edit Specific Debit before Submission	SKIPPED	0.000 s
2	And delete a saved specific debit before it has been submitted	SKIPPED	0.001 s
3	Then deleting a Specific Debit the 'Deleted' column in the database table gets populated	SKIPPED	0.000 s
4	And Deny Edit Specific Debit after Submission	SKIPPED	0.000 s
5	Then Cannot delete a specific debit after it has been submitted	SKIPPED	0.000 s