



# Specific\_Debit\_Regression\_Report

12 Jun 2023, 03:48:26


Start : Jun 12, 3:43:49.078 am	End : Jun 12, 3:48:24.127 am	Duration : 4 m 35.049 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 3 SKIPPED - 0	PASSED - 31 FAILED - 4 SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Specific Debit</u>	4 m 35.049 s	6	3	3	0	36	31	4	1

#	Feature Name	Scenario Name
1	<u>Specific Debit</u>	<u>Successful login</u>
2		<u>Add Specific Debit</u>
3		<u>Delete Specific Debit</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SuccessfulScenario	2	0	2	0	1	0	1	0
@Done	6	3	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	6	3	3	0	4 m 35.049 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Specific Debit</u>	<u>Successful login</u>	5	3	2	0	35.531 s
2		<u>Add Specific Debit</u>	15	14	1	0	3 m 6.707 s
3		<u>Add Specific Debit without filling in fields</u>	6	6	0	0	27.636 s
4		<u>Action Date</u>	1	1	0	0	3.728 s
5		<u>Check Submitted</u>	4	4	0	0	0.616 s
6		<u>Delete Specific Debit</u>	5	3	1	1	20.703 s

## Specific Debit

<b>FAILED</b>	DURATION - 4 m 35.049 s	Scenarios		Steps	
/ 3:43:49.078 am // 3:48:24.127 am /		Total - 6 Pass - 3 Fail - 3 Skip - 0		Total - 36 Pass - 31 Fail - 4 Skip - 1	

## Successful login

<div>FAILED</div> <div>DURATION - 35.531 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 2</div> <div>Skip - 0</div>	<div></div>
/ 3:43:49.081 am // 3:44:24.612 am /				
Specific Debit				
@SuccessfulScenario @Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.002 s
	Successful login		
1	Given I am on the login page	PASSED	3.208 s
2	When I enter my valid username and password	PASSED	15.593 s
3	And click the "Login" button	FAILED	0.992 s
	image		
	Hasn't Authenticated		
			
4	Then I should be redirected to the homepage	FAILED	6.033 s
	Not on the homepage		
5	And see a welcome message with my "Welcome"	PASSED	5.136 s

## Add Specific Debit

<div>FAILED</div> <div>DURATION - 3 m 6.707 s</div>		<div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>10</td></tr><tr><td>2</td><td>1</td></tr><tr><td>3</td><td>5</td></tr><tr><td>4</td><td>15</td></tr><tr><td>5</td><td>1</td></tr><tr><td>6</td><td>11</td></tr><tr><td>7</td><td>1</td></tr><tr><td>8</td><td>1</td></tr><tr><td>9</td><td>40</td></tr><tr><td>10</td><td>1</td></tr><tr><td>11</td><td>1</td></tr><tr><td>12</td><td>1</td></tr><tr><td>13</td><td>4</td></tr><tr><td>14</td><td>75</td></tr><tr><td>15</td><td>33</td></tr></tbody></table></div>	Step	Duration (s)	1	10	2	1	3	5	4	15	5	1	6	11	7	1	8	1	9	40	10	1	11	1	12	1	13	4	14	75	15	33	<div>Steps</div> <div>Total - 15</div> <div>Pass - 14</div> <div>Fail - 1</div> <div>Skip - 0</div> <div><div><div></div></div><div>15</div></div>
Step	Duration (s)																																		
1	10																																		
2	1																																		
3	5																																		
4	15																																		
5	1																																		
6	11																																		
7	1																																		
8	1																																		
9	40																																		
10	1																																		
11	1																																		
12	1																																		
13	4																																		
14	75																																		
15	33																																		
/ 3:44:24.668 am // 3:47:31.375 am /																																			
Specific Debit																																			
@SuccessfulScenario @Done																																			

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.005 s
	Add Specific Debit		
1	Given I am on Specific Debit Tab	PASSED	9.199 s
2	When I Add a Specific Debit	PASSED	0.189 s
3	Then Specific Debit Details window appears	PASSED	4.103 s
4	Then Find the policy	PASSED	14.617 s
5	Then the policy is "Selected"	PASSED	0.382 s
6	Then Policy number filed is populated	PASSED	10.204 s
7	And Policy number is uneditable	PASSED	0.036 s
8	And Collection Method Should be "SSVS"	PASSED	0.077 s
9	And Premium Month date picker translates to MM/YY	PASSED	39.717 s
10	And The Amount is automatically populated	PASSED	0.043 s
11	And Matches the current Nett Premium	PASSED	0.022 s
12	And Nett Premium cannot be negative	PASSED	0.132 s
13	Then Enter Action Date	PASSED	3.548 s
14	Then Click Save	PASSED	1 m 11.705 s
	Can Save the Specific Debit		
15	And If it's after "14:30" Mobility will show an error text	FAILED	32.189 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.id: c10_validationLabel' (tried for 20 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at com.mobilife.automation.glue.StepDefinition.ifItSAfterMobilityWillShowAnErrorText(StepDefinition.java:507) at ?.If it's after "14:30" Mobility will show an error text(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:36)		





#	Step / Hook Details	Status	Duration
	<p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#c10_validationLabel"} (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b17e541a197b6a07e2991eaf67c475f6, findElement {using=id, value=c10_validationLabel}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ymxab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:64561}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64561/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b17e541a197b6a07e2991eaf67c475f6</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy44.isDisplayed(Unknown Source)  at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)  at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)  at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)  at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)  at com.mobilife.automation.glue.StepDefinition.iftSAfterMobilityWillShowAnErrorText(StepDefinition.java:507)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)  at java.base/java.lang.reflect.Method.invoke(Method.java:578)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)		





#	Step / Hook Details	Status	Duration
	Action Date		
1	Then Enter Action Date	PASSED	3.393 s

### Check Submitted

<div>PASSED</div>	<div>DURATION - 0.616 s</div>	<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 4</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 3:48:02.792 am // 3:48:03.408 am /</div>				
<div>Specific Debit</div>				
<div>@Done</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	0.001 s
	Check Submitted		
1	When Submitted checkbox empty(no tick) before the linked collection item is Submitted	PASSED	0.034 s
2	And Cannot tick Submitted checkbox	PASSED	0.033 s
3	And Can add notes	PASSED	0.183 s
4	Then Submitted checkbox ticked after the linked collection item is submitted	PASSED	0.001 s

### Delete Specific Debit

<div>FAILED</div> <div>DURATION - 20.703 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 3:48:03.424 am // 3:48:24.127 am /				
Specific Debit				
@Done				

#	Step / Hook Details	Status	Duration
	BEFORE - com.mobilife.automation.glue.StepDefinition.setUp(io.cucumber.java.Scenario)	PASSED	5.153 s
	Delete Specific Debit		
1	When Allow Edit Specific Debit before Submission	PASSED	6.498 s

#	Step / Hook Details	Status	Duration
2	<a href="#">And delete a saved specific debit before it has been submitted</a>	PASSED	2.293 s
3	<a href="#">Then deleting a Specific Debit the 'Deleted' column in the database table gets populated</a>	PASSED	1.268 s
4	<a href="#">And Deny Edit Specific Debit after Submission</a> org.openqa.selenium.InvalidSelectorException: Compound class names not permitted For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#invalid_selector_exception">https://selenium.dev/exceptions/#invalid_selector_exception</a> Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: driver.version: unknown at org.openqa.selenium.By\$ByClassName.<init>(By.java:310) at org.openqa.selenium.By.className(By.java:100) at com.mobilife.pages.SpecificDebit.SpecificDebitPage.getASubmittedPolicy(SpecificDebitPage.java:135) at com.mobilife.automation.glue.StepDefinition.denyEditSpecificDebitAfterSubmission(StepDefinition.java:644) at ?.Deny Edit Specific Debit after Submission(file:///C:/Users/ymxab/Documents/Software%20Engineering/MobiLife%20Regrassion/src/main/resources/features/SpecificDebit.feature:66) * Not displayable characters are replaced by '?'.	FAILED	5.143 s
5	<a href="#">Then Cannot delete a specific debit after it has been submitted</a>	SKIPPED	0.003 s