Construction Mechanism Mechanical and Electronic Strengthen Adhesive Strengthen Biocompatibility Hydrogel and Polymer Blends: A Survey

www.surveyx.cn

Abstract

This survey paper provides a comprehensive examination of the construction mechanisms, mechanical strengthening, electronic enhancement, adhesive strengthening, and biocompatibility of hydrogels and polymer blends. These advanced materials are pivotal in addressing contemporary challenges across biomedicine, electronics, and environmental sustainability. Hydrogels, with their crosslinked polymer networks, offer significant water retention and mimic biological tissues, making them indispensable in bioelectronic interfaces and tissue engineering. The survey explores innovative assembly methods and mechanical alloying techniques that enhance the durability and functionality of these materials. Moreover, it highlights the integration of conductive layers and advanced methods to improve electronic conductivity, broadening the application scope of hydrogels in electronic systems. Adhesive strengthening through surface treatments and chemical modifications is also discussed, emphasizing the importance of tailored adhesion properties for diverse applications. The paper delves into biocompatibility testing, crucial for ensuring the safe integration of materials in biological systems, and identifies challenges and future directions in the field. Applications in biomedicine, electronics, and environmental sectors are explored, showcasing the transformative potential of hydrogels and polymer blends. By synthesizing key findings, this survey underscores the significance of these materials in driving innovation and addressing critical societal needs.

1 Introduction

1.1 Advanced Materials and Structures

Advancements in materials and structures are essential for tackling challenges in sectors such as biomedicine, electronics, and environmental sustainability. Hydrogels, with their crosslinked polymer networks, are notable for their capacity to absorb and retain significant amounts of liquid while preserving structural integrity, making them ideal for applications in biomedical devices and agriculture [1]. Their multifunctionality and biocompatibility render them vital for bioelectronic interfaces, facilitating seamless integration with biological systems. In agriculture, hydrogels enhance water retention in sandy soils, effectively addressing irrigation issues in arid regions.

In tissue engineering, the design and synthesis of 3D biocompatible matrices are crucial for scaffolds that promote cell growth and tissue regeneration. Hydrogels' ability to deliver proteins without disrupting biological activity is critical for regenerative therapies [2]. Additionally, the synthesis of hyaluronic acid (HA)-based materials for biomineralization scaffolds is essential for targeting hard tissue regeneration. Cellulose-based hydrogels exemplify the sustainable nature and versatility of these materials, with applications spanning from biomedical to agricultural fields.



Figure 1: chapter structure

Advanced materials also enhance protective systems; for example, a novel biomimetic hydrogel that transforms into a silica aerogel under heat offers improved protection for critical infrastructure [3]. The integration of genetically modified microorganisms (GMMs) into hydrogels expands their application potential, enabling environmental sensing and the development of responsive engineered living materials. Furthermore, exploring the rheological properties of bioinspired gels for 3D bioprinting addresses challenges in mimicking natural structures and functions.

The lubricating properties of polymer hydrogels in aqueous environments are vital for biological systems and biomedical engineering, where low friction is paramount [4]. Surface-attached poly(N-isopropylacrylamide) (PNIPAM) network films, known for their temperature-responsive characteristics, demonstrate the adaptability of advanced materials in dynamic systems.

These advancements underscore the transformative potential of advanced materials and structures in driving innovation and addressing societal needs. The integration of these materials enhances functionality and efficiency while aligning with global sustainability goals. Challenges such as fast degradation in collagen-based membranes for Guided Bone Regeneration therapy highlight the need for durable materials in regenerative medicine. Additionally, addressing the limitations of static friction models between soft solids and hard surfaces emphasizes the need for improved understanding of bond rupture mechanisms. The development of versatile composite hydrogels through incorporating nanomaterials like porous gold nanorods further enhances their structural and property characteristics. The rapidly growing bio-integrated electronics industry requires materials that effectively interface with soft biological tissues like skin [5]. The challenges in manufacturing hydrogels with consistent electrochemical properties further illustrate the significance of advanced materials in contemporary applications [6].

1.2 Importance of Construction Mechanisms

The construction mechanisms of advanced materials, particularly hydrogels and polymer blends, are crucial for enhancing functionality and expanding application scope. Traditional hydrogels often exhibit limited mechanical strength and functionality, hindering their use in advanced fields [7]. Innovative construction techniques are needed to improve material properties and enable complex functionalities. For instance, the development of cellulose-based hydrogels highlights their unique properties and potential as biocompatible materials suitable for diverse applications, from drug delivery to tissue engineering [8].

Integrating construction mechanisms such as self-regulated, photoresponsive systems can lead to breakthroughs in soft actuators, enabling complex deformations necessary for automated soft robotics [9]. These advancements are vital for creating bioelectronic interfaces that effectively bridge the mechanical and electrical mismatch between biological tissues and rigid electronic systems [10]. The ability to transition materials between soft and stiff states based on hydration levels addresses the need for lightweight, compressible materials in various applications [11].

In biomedical applications, construction mechanisms are essential for developing biopolymer-based hydrogels that meet modern healthcare demands, such as effective drug delivery systems and tissue engineering scaffolds [12]. For example, protease-sensitive atelocollagen hydrogels have shown promise in promoting healing in chronic wounds where traditional dressings are inadequate, particularly for diabetic patients [13]. The development of nonwoven reinforced photocurable polyglycerol hydrogels addresses the challenge of providing mechanical support while facilitating tissue regeneration [14]. A new photoclick thiol-ene collagen-based hydrogel platform aims to create a pro-healing environment for muscle tissue repair, overcoming existing method limitations [15].

Characterizing hydrogels' mechanical and osmotic properties across varying water contents and compressions is critical for designing and applying these materials in diverse settings [16]. Additionally, creating bioinspired polymers with self-lubricating and antifouling properties mimics the low friction characteristics of natural cartilage, making them suitable for various biomedical applications [17].

Moreover, challenges such as the difficulty in melt processing lignin for carbon fiber production due to brittleness and lack of thermoplastic properties highlight the obstacles in construction mechanisms [18]. The inability of synthetic materials to replicate the complex mechanical properties of living tissues, which include dynamic responses to external stimuli, underscores the necessity for advanced construction strategies [19]. Achieving mechanical compatibility between device materials and biological tissues, ensuring long-term wearability without causing skin irritation, and maintaining stable signal detection despite human movement dynamics are primary challenges that construction mechanisms aim to address [20].

Strategically manipulating construction mechanisms in hydrogels and polymer blends significantly improves their mechanical properties and introduces functionalities such as shear-thinning, self-healing, and responsiveness. These advancements enhance intrinsic characteristics and broaden application potential across diverse fields, including biomedicine, soft electronics, and environmental sustainability, thereby addressing critical challenges such as durability and structural complexity in these materials [7, 11, 21].

1.3 Structure of the Survey

This survey is structured to provide a comprehensive exploration of the development and application of hydrogels and polymer blends, emphasizing their construction mechanisms, mechanical, electronic, and adhesive strengthening, as well as biocompatibility. The introduction sets the stage for understanding the significance of advanced materials and structures in modern applications, highlighting the transformative potential of hydrogels and polymer blends. The background section delves into core concepts and definitions, offering detailed explanations of key terms relevant to advanced material development.

Subsequent sections focus on specific aspects of these materials. The construction mechanisms section examines innovative methods and processes for assembling hydrogels and polymer blends, highlighting cutting-edge assembly techniques, mechanical alloying, and the role of advanced simulation and modeling. The mechanical strengthening section analyzes strategies for enhancing physical durability and load-bearing capacity, including reinforcement strategies and environmental impact.

The survey transitions to electronic strengthening, exploring methods to improve electrical conductivity and performance, followed by adhesive strengthening, which focuses on optimizing bonding capabilities. Biocompatibility is extensively examined, highlighting its critical role in ensuring biomaterials are safe and effective for various biological applications. This discussion encompasses rigorous testing and evaluation methods, including a wide array of in vitro and in vivo assessments to determine materials' cytocompatibility, genotoxicity, and overall biological response. The review emphasizes the importance of considering the chemical, mechanical, and structural properties of biomaterials and their interactions with biological environments to optimize functionality and biostability in clinical settings [22, 23, 24].

The applications section provides an overview of how hydrogels and polymer blends are utilized across fields such as biomedicine, electronics, and environmental applications, highlighting innovative uses and potential future developments. The paper concludes with reflections on the current state of research and potential future directions, identifying key areas for further investigation and development.The following sections are organized as shown in Figure 1.

2 Background and Definitions

2.1 Hydrogels and Polymer Blends

Hydrogels, as three-dimensional hydrophilic polymer networks, possess the ability to absorb substantial water amounts, crucial for applications mimicking natural tissues in biomedicine, electronics, and environmental engineering [6]. Their significant water content influences mechanical properties that are vital for cell behavior in tissue engineering [25]. Classified into natural, synthetic, or hybrid categories, hydrogels are versatile for moisturizing, absorption, and healing purposes [25]. Advances such as collagen-based hydrogels, which employ covalently crosslinked collagen triple helices, have enhanced mechanical robustness, addressing delamination issues due to swelling stresses [26].

Biomedical applications of hydrogels include drug delivery, tissue engineering, and wound healing, attributed to their biocompatibility [27]. Gelatin-based hydrogels are noted for mechanical stability and responsiveness [28], while injectable self-healing hydrogels offer mechanical support and biocompatibility, essential for minimally invasive therapies [29]. The rheological properties, such as shear-thinning and thixotropy, are significant for 3D bioprinting [25]. Despite their potential, further mechanical enhancements are needed for applications like artificial cartilage [30].

Polymer blends, comprising two or more polymers, achieve material properties unattainable by individual components, impacting mechanical and thermal behaviors critical for organic photovoltaics and drug delivery [31]. Incorporating polymers with upper-critical solubility temperature (UCST) allows dynamic hydrogen bonding and mechanical properties without extra cross-linking agents. Innovations like magnetic colloidal particles within polymer matrices enable manipulation via magnetic fields, showcasing advanced applications [20]. Hydrogels and polymer blends can mimic biological materials, particularly the cytoskeleton, through synthetic associative polymers.

Micron-sized cavities in hydrogel structures are pivotal for understanding their properties and applications. Covalently-interconnected heterojunctions enhance functionality, expanding applicability in flexible electronics, tissue engineering, soft robotics, and wearable technology [32, 33]. Hybrid double-network hydrogels, with transiently and permanently crosslinked networks, show enhanced toughness due to transient network yielding.

The nanoscale structure of self-assembled lipid hydrogels and their mechanical properties under ice-templating processes are critical for performance. The actuation capabilities of anisotropic gels under various stimuli further demonstrate material adaptability [26]. Additionally, complex hydrogel properties, shaped by interactions between the polymer network and bounded water, are significant in contexts like ultrasound wave propagation. Neutral hydrogels are crucial for applications such as contact lenses, where adhesive forces must be managed to prevent unwanted surface contact. The development and application of hydrogels and polymer blends are vital for advancing material science, offering innovative solutions to complex challenges across biomedicine, electronics, and environmental engineering. Their ability to mimic natural systems and integrate with biological environments underscores their significance in the evolution of advanced materials [30].

2.2 Biocompatibility Considerations

Biocompatibility is essential for materials used in biological systems, particularly scaffolds that support cell proliferation and tissue growth [34]. It is defined by the interaction between biomaterials and biological environments, influenced by surface properties, chemical composition, and mechanical behavior, which determine host responses [22].

Variability in biocompatibility, shaped by biological and clinical factors, complicates biomaterial standardization [22]. Rigorous testing ensures materials perform intended functions without adverse host effects. For instance, diamond-like carbon (DLC) coatings enhance the biocompatibility of pivot bearings in Ventricular Assist Devices (VADs), improving durability and performance [35].

In biomedical applications, conductive elastomers with high piezoresistance, conformability, and biocompatibility are crucial for technologies like in vivo blood pressure sensing devices [36]. These materials meet mechanical and functional demands while integrating with biological tissues to ensure safety and efficacy.

The environmental impact of synthetic polymers necessitates biodegradable alternatives for food and medical applications [37]. This is relevant in designing Metal-Organic Frameworks (MOFs) for drug delivery systems, where biocompatibility and biodegradability are crucial [24].

Existing methods often inadequately enhance polymer hydrophilicity or biocompatibility, limiting biomedical application effectiveness [38]. Designing biocompatible scaffolds that support cell proliferation and tissue growth is essential for effective tissue engineering and regenerative medicine [34].

3 Construction Mechanisms

Category	Feature	Method
Innovative Assembly Methods	Material Property Optimization Actuation and Manipulation Measurement and Detection Techniques	OpTiDDM[39], MD[31], 4VBC[25], DLC-PE[35] CGMD[27] DHVD[28], 2D-COS[30]
Mechanical Alloying and Composite Fabrication	Microscale Analysis	MFEM[40]
Advanced Simulation and Modeling Techniques	Simulation Model Robustness Machine Learning Applications Material Property Analysis Experimental Control Techniques	MVF[41] ML-CH[42] PDV[43], RDS[44], LAOS[21] CPMM[26]

Table 1: This table provides a comprehensive overview of the various methods and techniques employed in the construction mechanisms of hydrogels and polymer blends. It categorizes these techniques into innovative assembly methods, mechanical alloying and composite fabrication, and advanced simulation and modeling, detailing specific features and methods used within each category. The table highlights the diverse strategies utilized to enhance material properties and functionality, underscoring their significance in the field of material science.

Understanding the construction mechanisms that dictate the behavior and properties of hydrogels and polymer blends is fundamental to appreciating the innovative assembly methods shaping material science. These mechanisms encompass various processes and interactions that influence the structural integrity and functional performance of these materials. As illustrated in **??**, the hierarchical structure of these construction mechanisms highlights key innovative assembly methods, including mechanical alloying and composite fabrication, as well as advanced simulation and modeling techniques. Each category is further divided into specific techniques and their applications, showcasing the comprehensive strategies employed to enhance material properties and functionality. Table 1 provides a detailed summary of the methods and techniques associated with the construction mechanisms of hydrogels and polymer blends, illustrating the innovative approaches taken to optimize material properties and expand their application spectrum. Additionally, Table 3 offers a comprehensive comparison of various methods and techniques associated with these construction mechanisms, emphasizing their roles in enhancing material properties and expanding application possibilities. Exploring these foundational principles allows for a deeper contextualization of advancements in assembly techniques, emphasizing their significance in enhancing material functionality and application versatility.

3.1 Innovative Assembly Methods

Innovative assembly methods expand the functionality and application spectrum of hydrogels and polymer blends. Techniques such as integrating Optical Tweezers with Differential Dynamic Microscopy (OpTiDDM) facilitate simultaneous measurement of local stress and polymer dynamics, optimizing material properties in situ [39]. Using poly(acrylamide) as a cross-linking agent enhances solubility and thermal conductivity, crucial for precise thermal management applications [31].

The Controlled Permeability Measurement Method (CPMM) offers reliable permeability measurements in mixed granular systems, essential for developing materials with specific filtration and barrier properties [26]. Functionalizing type I collagen with 4-vinylbenzyl chloride (4VBC) improves swelling and rheological properties, presenting a novel approach to enhancing hydrogels' mechanical and functional attributes [25].

The Virginia Creeper (VC) model provides insights into convection phenomena during chemical reactions, enhancing the electrochemical properties of hydrogels [6]. Manipulating homogeneous hydrogel structures with spatially nonuniform electric fields enhances rapid actuation capabilities, making them versatile for soft robotics and smart materials [27].

In viral diagnostics, the mechanical contraction of DNA in response to virus binding offers a unique physical method for detection [28]. High-strength composite hydrogels synthesized with interpenetrating polymer networks of cellulose and polyacrylamide address the demand for robust materials in load-bearing applications [45].

Moreover, 2D correlation spectroscopy helps understand secondary structural changes in keratinocyte growth factor (KGF) during uptake and release from HEMA hydrogel [30]. Coating pivot bearings with diamond-like carbon film using plasma-enhanced chemical vapor deposition (PECVD) exemplifies an innovative method that improves durability and performance [35].

These methods significantly advance material science by introducing strategies for designing and optimizing hydrogels and polymer blends, resulting in improved mechanical properties, dynamic responsiveness, and programmable adhesion capabilities. Recent developments include engineering hydrogels with enhanced physicochemical properties and integrating machine learning for rapid property prediction, expanding applications in biomedicine, soft robotics, and smart materials [7, 46, 33, 47].

Figure 2 illustrates key innovative assembly methods in hydrogels and polymer blends, categorized into hydrogel enhancements, diagnostic and actuation methods, and material science advances. Each category highlights specific techniques and their contributions to advancing material properties and applications. Leveraging these techniques enables the development of materials with enhanced performance characteristics tailored to diverse application needs, driving the evolution of advanced materials.

3.2 Mechanical Alloying and Composite Fabrication

Mechanical alloying and composite fabrication enhance the mechanical properties of hydrogels and polymer blends, significantly improving their strength and ductility. In metal systems, such as zinc alloys, mechanical alloying demonstrates potential through harmonic structure formation, yielding materials with superior mechanical properties when combined with techniques like spark plasma sintering and hot extrusion [48]. Precise control over alloy composition and fabrication techniques facilitates the tailored development of materials with specific mechanical attributes.



Figure 2: This figure illustrates key innovative assembly methods in hydrogels and polymer blends, categorized into hydrogel enhancements, diagnostic and actuation methods, and material science advances. Each category highlights specific techniques and their contributions to advancing material properties and applications.

In hydrogels, synthesizing high-strength composite hydrogels via free-radical polymerization of acrylamide within cellulose matrices enhances mechanical properties [45]. This composite structure leverages cellulose's inherent strength to bolster the hydrogel's mechanical integrity, making it suitable for applications demanding robust performance under load.

Microscale finite element analysis simulating the mechanical behavior of cell-laden biomaterials provides a sophisticated approach to predicting performance under various conditions [40]. This method allows for detailed examination of mechanical interactions within composite materials, crucial for biomedical applications requiring precise mechanical performance.

Investigating phase behavior in polymer blends, particularly with non-symmetric, non-permanent cross-linked polymers, is vital for understanding thermal properties and phase separation dynamics. Research indicates that as temperature decreases, polymers tend to segregate, with weak cross-links potentially leading to complete or partial segregation, impacting thermal conductivity and overall performance [49, 31, 50, 46]. Understanding phase diagrams is instrumental in tailoring material properties for specific application requirements.

Mechanical alloying and composite fabrication techniques are integral to advancing material science, providing innovative solutions to enhance the mechanical properties and functionality of hydrogels and polymer blends. These methods facilitate the creation of specialized materials tailored to diverse applications, including hydrogels for biomedical devices and robust components for engineering, while addressing critical factors such as biocompatibility and dynamic responsiveness [7, 22].

3.3 Advanced Simulation and Modeling Techniques

Method Name	Modeling Techniques	Material Applications	Analytical Methods
RDS[44]	-	Consumer Products	Dielectric Spectroscopy
PDV[43]	Viscoplastic Mechanisms	Biomedical Applications	Parallel-disk Viscometry
LAOS[21]	-	Hydrogel Designs	Laos Rheology
CPMM[26]	-	Drainage Systems	Pressure Drop
MVF[41]	Finite Elements	Composite Hydrogel Structures	Eigenvalue Analysis
ML-CH[42]	Cahn–hilliard Simulation	Polymer Blend Morphologies	Gaussian Process Classification

Table 2: This table presents a comprehensive overview of various advanced simulation and modeling techniques, highlighting their specific material applications and the analytical methods employed. It includes methods such as viscoplastic mechanisms and finite elements, applied across diverse fields like biomedical applications and composite hydrogel structures, demonstrating the versatility and breadth of these approaches.

Advanced simulation and modeling techniques are essential for understanding the construction mechanisms of hydrogels and polymer blends, offering insights into their complex behavior and facilitating the development of materials with enhanced properties. Integrating the Flory-Rehner model with multibody finite element modeling provides a robust framework for describing the elastic properties of swollen gels, accounting for intricate interactions within particle packings [51]. This approach is pivotal for predicting hydrogel behavior under varying conditions, optimizing their application in biomedical and industrial contexts.

Utilizing viscoplastic chain pull-out mechanisms offers a novel perspective on crack dynamics and fracture mechanics in reversible hydrogels, contrasting with classical fracture models [52]. Such insights are critical for designing hydrogels with improved fracture resistance and mechanical integrity. Additionally, rheo-dielectric spectroscopy facilitates the analysis of time-dependent behavior and electrical conductivity in polymer nanocomposites under diverse processing conditions [44]. This technique provides a comprehensive understanding of material responses to external stimuli, essential for optimizing electronic applications.

Parallel-disk viscometry determines yield stress and viscosity, offering precise control over material properties [43]. This method characterizes the viscoplastic behavior of hydrogels and polymer blends, ensuring their suitability for various applications. Large Amplitude Oscillatory Shear (LAOS) enhances the understanding of both linear and non-linear viscoelastic properties, enabling detailed analysis of material responses to sinusoidal shear strain cycles [21].

Concurrent modeling of hydraulic fracture mechanics and poroelasticity provides insights into the interplay between brittle layers and hydrogel substrates under strain, crucial for determining material toughness [53]. This method involves maintaining constant sample volume and controlling the ionic content of the draining solution, affecting gel swelling and permeability [26]. Such theoretical perspectives are vital for developing materials that withstand mechanical stress while maintaining functional integrity. The effectiveness of these methods is based on cellulose's unique structural properties, which provide mechanical reinforcement and enhance hydrogel stability under compressive loads [45].

Advanced simulation and modeling techniques are crucial in material science, particularly for the precise design and optimization of hydrogels and polymer blends. These methods include machine learning algorithms that enhance morphology classification and prediction efficiency in multi-component polymer systems, essential for applications like organic photovoltaics and drug delivery. Innovations in hydrogel engineering have led to materials with improved mechanical properties and dynamic functionalities, suitable for diverse applications in biomedicine and soft electronics. Techniques like reduced-order modeling and proper orthogonal decomposition facilitate analyzing hydrogel behavior under various conditions, enabling the identification of material parameters and uncertainty propagation, thereby enhancing performance and applicability [7, 54, 42]. By leveraging these methods, researchers can develop materials with enhanced performance characteristics tailored to meet the specific demands of diverse applications, from bioelectronics to structural engineering. Table 2 provides a detailed overview of advanced simulation and modeling techniques, illustrating their applications in material science and the corresponding analytical methods used.



(a) The image shows two different scenarios involving a point X in a bounded domain B0, with two different boundary conditions.[41]

(b) High-resolution image analysis methods[42]

(c) Structural Analysis of Concrete Beam with FRP Reinforcement and CFRP Plates[55]

Figure 3: Examples of Advanced Simulation and Modeling Techniques

As shown in Figure 3, advanced simulation and modeling techniques play a pivotal role in enhancing the precision and efficiency of structural analysis within construction mechanisms. The examples illustrate the application of these techniques in various scenarios to address complex engineering challenges. The first example showcases two scenarios involving a point X within a bounded domain B0, each subjected to distinct boundary conditions, highlighting the importance of boundary specifications in domain analysis. The second example delves into high-resolution image analysis methods, employing sophisticated techniques like Principal Component Analysis (PCA) and Convolutional Neural Networks (CNN) to extract meaningful insights from high-resolution images, thereby facilitating accurate modeling and prediction. The final example focuses on the structural analysis of concrete beams reinforced with Fiber Reinforced Polymer (FRP) and Carbon Fiber Reinforced Polymer (CFRP) plates, demonstrating the application of finite element models to evaluate the structural integrity and performance of reinforced concrete structures. Collectively, these examples underscore the transformative impact of advanced simulation and modeling techniques in modern construction engineering, enabling more reliable and efficient design and analysis processes [41, 42, 55].

Feature	Innovative Assembly Methods	Mechanical Alloying and Composite Fabrication	Advanced Simulation and Modeling Techniques
Application Focus	Hydrogels And Polymers	Mechanical Properties	Construction Mechanisms
Key Technique	Optiddm Integration	Free-radical Polymerization	Multibody Finite Element
Material Enhancement	Enhanced Solubility	Increased Strength	Improved Fracture Resistance

Table 3: This table provides a comparative analysis of three distinct methodologies in material science: innovative assembly methods, mechanical alloying and composite fabrication, and advanced simulation and modeling techniques. Each method is evaluated based on its application focus, key techniques utilized, and the resulting material enhancements achieved. This comparison highlights the diverse strategies employed to optimize the properties and applications of hydrogels and polymer blends.

4 Mechanical Strengthening

4.1 Reinforcement Strategies

Reinforcement strategies are essential for improving the mechanical properties of hydrogels and polymer blends, enhancing their utility across diverse fields. A notable advancement is the use of interpenetrating polymer networks (IPNs), which significantly bolster mechanical attributes. Integrating cellulose within polyacrylamide matrices exemplifies this approach, markedly increasing hydrogel strength, making them ideal for applications such as artificial cartilage [45]. This composite structure exploits cellulose's inherent strength to reinforce hydrogel integrity.

Incorporating nanomaterials into polymer matrices is another effective strategy. Localized electric fields can induce long-range interactions within hydrogels, demonstrating significant deformation responses and showcasing advanced processing techniques' potential to reinforce these materials [27]. Predictive models addressing crack branching instabilities reveal the impact of structural non-uniformity on mechanical behavior under stress [6]. These models, combined with mechanisms that promote simultaneous crack growth, enhance fracture resistance. Additionally, microscale finite element modeling accurately predicts the mechanical properties of cell-laden biomaterials, improving designs for tissue engineering.

Energy-stable finite element methods, which handle logarithmic and nonlinear terms implicitly, refine mechanical behavior modeling, ensuring accurate material performance predictions [56]. Collectively, these strategies advance material science by offering innovative solutions to enhance the mechanical robustness and functionality of hydrogels and polymer blends. By leveraging these techniques, researchers can develop materials tailored for diverse applications, from biomedical engineering to environmental technologies.

4.2 Mechanical Behavior under Stress

Understanding the mechanical behavior of hydrogels and polymer blends under stress is crucial for their application in fields like biomedical and structural engineering. Factors such as microstructural characteristics, crosslinking density, and reinforcing agents significantly influence mechanical properties. Mechanical indentation tests, using Hertzian contact mechanics, measure the elastic modulus across varying swelling states, providing insights into elastic behavior under different conditions [57].

Synthesized gels, like polysodium acrylate-co-acrylamide superabsorbents, exhibit improved mechanical behavior under stress compared to traditional methods, as shown by water absorbency measurements [58]. Confinement alters hydrogel swelling behavior, leading to strain localization and a transition from Hertzian to non-Hertzian contact mechanics, vital for understanding mechanical response under stress [1].

Advanced modeling techniques, including multiscale modeling and homogenization of fiber-reinforced hydrogel scaffolds, address mechanical environments and stress distribution under applied loads, offering a comprehensive understanding of mechanical behavior [59]. Chemical modifications, such as benzylation or methacrylation of collagen hydrogels, result in significant variations in mechanical properties and swelling behavior [25].

The mechanics of polymer networks, particularly chain breaking and reforming under stress, are pivotal in material failure [56]. Dynamic light scattering micro-rheology (DLSR) analyzes the linear viscoelastic behavior of soft materials by measuring the intensity autocorrelation of scattered light from embedded probe particles [29]. This technique provides insights into the viscoelastic properties of hydrogels and polymer blends, crucial for applications demanding precise mechanical performance.

Understanding mechanical behavior under stress is essential for optimizing the design and application of hydrogels and polymer blends. Advanced testing and characterization techniques, such as rheological assessments and innovative hydrogel engineering, enable the development of materials with customized mechanical properties tailored to meet diverse application requirements, from 3D bioprinted biomedical devices to resilient structures in civil engineering. This approach facilitates fine-tuning material behavior, ensuring properties such as shear-thinning, self-healing capabilities, and structural integrity are optimized for specific functional demands, enhancing performance in regenerative medicine and structural applications [7, 60].

4.3 Impact of Environmental Conditions

Environmental conditions significantly influence the mechanical performance of hydrogels and polymer blends, affecting stability, elasticity, and durability. For instance, hydrogels like PEGDA demonstrate stability under specific experimental conditions for at least 24 hours, highlighting resilience in controlled environments [61]. However, differential shrinkage can lead to various cracking behaviors, including shrinkage without cracking, reversible cracking, and irreversible cracking, crucial for understanding material integrity under environmental stress [62].

Viscoelastic properties of hydrogels such as I275 exhibit power-law behavior, remaining robust under deformation, reflecting a complex interplay between molecular unfolding and network structure [63]. This behavior is essential for applications requiring materials to withstand dynamic environmental conditions. Additionally, the surface morphology of grafted PNIPAM films is significantly influenced by swelling and evaporation processes, resulting in distinct patterns locked in upon drying, critical for applications where surface properties are paramount [64].

Environmental factors also impact mechanical behavior under multi-axial loading. Slow crack speed in these materials may be stabilized by poroelastic effects, underscoring the need for improved material models to predict performance under complex loading conditions [65]. Furthermore, transient swelling significantly affects instability onset in layered hydrogels, essential for applications requiring stability under moisture variation [66].

The coupling of normal and frictional stresses in sliding hydrogels provides insights into mechanical performance under varying conditions, crucial for optimizing use in low-friction applications [67]. However, limitations in modeling approaches, as discussed in microscale modeling of cell-laden biomaterials, highlight potential discrepancies due to idealized assumptions, affecting predictive accuracy of mechanical performance.

Understanding the impact of environmental conditions on mechanical performance is vital for optimizing hydrogel and polymer blend applications. By integrating environmental factors into material design and testing, researchers can develop innovative, resilient materials that address specific environmental challenges, such as enhancing water capture rates in arid regions through bioinspired architectures, optimizing permeability in mixed granular materials for efficient drainage, and creating tougher composites that mitigate catastrophic failure through hydraulic coupling. This comprehensive approach improves material performance and contributes to sustainable solutions for pressing global issues like water scarcity and material durability [68, 26, 53].

5 Electronic Strengthening

5.1 Conductive Layer Integration

Integrating conductive layers into hydrogels and polymer blends significantly enhances their electronic properties, enabling advanced applications. Incorporating molybdenum diselenide ($MoSe_2$) into polyacrylamide matrices markedly improves the composite's optical and electronic characteristics [69]. Surface modifications like Plasma Electrolytic Oxidation (PEO) enhance corrosion resistance in magnesium alloy scaffolds, preserving conductive layer integrity in harsh environments [70]. This ensures the longevity of electronic components under corrosive conditions.

Innovations such as the development of Omnipotent Hydrogel Creatures (OHCs) through free radical polymerization and ion-selective diffusion represent a novel method for bioelectricity generation, enhancing hydrogel conductivity and enabling meta-creature systems in bioelectronics [71]. Integrating polymer relaxation dynamics with mesoscopic simulations deepens the understanding of hydrogel friction, optimizing electronic applications where surface interactions are crucial [72]. Furthermore, coarse-grained molecular dynamics simulations reveal the contraction response of polyelectrolyte hydrogels under various electric field conditions, providing insights into conductive layer behavior [27].

These integrations enhance hydrogel functionality in electronic systems, advancing flexible electronics, bioelectronic interfaces, and applications in biomedicine and sensor technology [32, 7, 10, 73]. By leveraging these techniques, researchers can develop materials with superior conductivity tailored to meet diverse electronic application demands.

5.2 Advanced Methods for Enhanced Conductivity

Advanced techniques are crucial for enhancing hydrogel and polymer blend conductivity in electronic systems. Combining a UCST polymer with polypyrrole nanotubes significantly boosts mechanical and electrochemical performance in supercapacitors, exploiting polypyrrole's unique conductive properties for superior electronic capabilities [74]. The Virginia Creeper (VC) model provides insights into enhancing hydrogel electrochemical performance, essential for effective electronic device applications [6]. Understanding convection during chemical reactions aids in designing hydrogels with optimized electrochemical properties.

A novel method for preparing hydrogel membranes has achieved a two-order magnitude increase in water permeability, indicating improved ion transport and conductivity vital for electronic devices requiring efficient charge transfer [75]. These methods highlight the transformative potential of innovative materials in enhancing conductivity. Techniques such as suspension printing of liquid metal and hydrogel engineering enable the development of materials precisely addressing modern electronic application requirements, paving the way for flexible, resilient devices with enhanced functionalities, including soft electronics capable of significant deformation and power sources mimicking biological electric organs [76, 7, 77, 32].

5.3 Impact of Electric Fields and Environmental Factors

Electric fields and environmental factors critically influence the conductivity of hydrogels and polymer blends, affecting their performance in electronic applications. Electric fields can significantly alter structural and conductive properties; the contraction response of polyelectrolyte hydrogels depends on electric field strength, frequency, and surrounding salt concentration, with coarse-grained molecular dynamics simulations showing these parameters affect electrostatic interactions within the hydrogel network [27]. Environmental factors such as humidity and temperature also impact hydrogel conductivity, as moisture content affects ionic mobility, influencing overall conductivity [57].

Interactions between electric fields and environmental factors can lead to complex hydrogel behaviors. Coupling electric fields with swelling behavior can induce anisotropic expansion or contraction, affecting conductive pathways. This phenomenon is crucial for designing smart materials that dynamically respond to external stimuli, fostering innovation in soft robotics and bioelectronics [67].

Understanding the interplay between electric fields and environmental factors is vital for optimizing hydrogel and polymer blend design in electronic systems. By leveraging advanced knowledge of liquid metal and hydrogel materials, researchers can engineer innovative conductive materials with customized properties, significantly enhancing functionality across applications, including soft electronics, wearable biosensors, and portable power generation systems. This approach enables the development of resilient 3D structures maintaining high shape fidelity and artificial electric organs capable of generating substantial electrical power, broadening technological applications in flexible and biocompatible devices [76, 20, 77, 32].

6 Adhesive Strengthening

6.1 Surface Treatments and Chemical Modifications

Enhancing the adhesive properties of hydrogels and polymer blends through surface treatments and chemical modifications is crucial for creating materials with tailored adhesion suited for diverse applications. The integration of engineered bacterial cells into hydrogels showcases the potential of bio-hybrid systems in developing advanced adhesives [78]. The use of methylcellulose and cellulose nanocrystal nanocomposites further highlights the benefits of environmentally friendly solvents in producing fibers with high ductility and toughness, essential for robust and flexible adhesives [79].

The dual hydrophilic and hydrophobic nature of polyelectrolytes, such as PLEY(4:1), significantly influences polymer behavior and adhesion properties, facilitating the design of materials with specific adhesive characteristics across various environments [80]. However, the brittleness of fibrillar foams remains a challenge, necessitating further research to enhance their mechanical robustness [81].

Advanced modeling techniques, including density functional theory, provide insights into hydrogel wetting behavior, aiding the design of materials with improved surface interactions [82]. Innovations like self-closing cracks and hydrogels with engineered surface topologies offer dynamic control over adhesion energy and kinetics [62, 33]. These strategies are pivotal for advancing adhesive properties, enabling the development of superior adhesives tailored for applications ranging from dental adhesives to innovative hydrogels for biomedicine and soft electronics [7, 83].

6.2 Controlled Grafting and Adhesion Manipulation

Controlled grafting and adhesion manipulation are essential for optimizing the adhesive properties of hydrogels and polymer blends across various fields. Engineering the surface network topology in hydrogels facilitates the creation of systems with supramolecular linkages, enabling tunable adhesion properties and dynamic control over adhesion energy, spatial distribution, and kinetics [33].

Strategically modifying surface properties through controlled grafting techniques results in hydrogels with reversible adhesion properties, critical for applications requiring precise bonding control. This approach enhances adhesion modulation, benefiting tissue engineering, soft robotics, and wearable devices. The hydrogel's surface network topology supports diverse adhesion behaviors while maintaining bulk mechanics, allowing stable adhesion kinetics in applications like smart wound patches and drug-eluting devices [33, 84, 7].

Advanced modeling techniques that consider molecular chain formation and rupture at sliding interfaces significantly improve adhesion behavior prediction in soft solids. This approach enhances static friction predictions by incorporating aging time and shear rate, emphasizing hydrogel elasticity's role in adhesion characteristics [85, 86, 82]. Understanding these interactions enables the design of hydrogels and polymer blends with tailored adhesion properties, expanding applicability across biomedicine, electronics, and environmental engineering.

Controlled grafting and adhesion manipulation represent significant advancements in engineering hydrogels and polymer blends, enhancing mechanical and adhesive properties and enabling precise control over structural and functional characteristics. By integrating novel chemistries and sophisticated architectures, researchers are developing hydrogels that are shear-thinning, self-healing, and responsive, broadening applications in biomedicine, soft robotics, and flexible electronics. This dynamic programmability in adhesion strength and spatial distribution is crucial for applications like smart wound patches and drug-eluting devices [7, 33, 47, 32, 83].

6.3 Reactive Compatibilization and Dispersion Stability

Reactive compatibilization and dispersion stability are vital in developing hydrogels and polymer blends, ensuring uniform component distribution and enhancing overall material properties. Amyloid fibril-based bioplastics illustrate the potential for creating sustainable materials with excellent dispersion stability, suitable for food packaging due to their transparency and UV-blocking properties [87].

In hydrogels, achieving stable dispersion is crucial for optimizing active agent release profiles. Future research aims to develop second-generation hydrogels that minimize protein denaturation, such as keratinocyte growth factor (KGF), thereby improving therapeutic efficacy [30]. Maintaining dispersion stability is critical for consistent performance in biomedical applications.

Reactive compatibilization involves strategically modifying polymer interfaces to enhance compatibility and dispersion stability. By facilitating chemical interactions between different polymer phases, this technique improves the mechanical and thermal properties of polymer blends, making them suitable for demanding applications. Enhanced dispersion stability significantly broadens the applicability of materials across diverse fields, including food packaging, biomedical engineering, soft electronics, and sensor technology, by enabling the design of hydrogels and other polymers with superior mechanical properties and dynamic responsiveness [7, 29].

Reactive compatibilization and dispersion stability are pivotal in advancing hydrogels and polymer blends. Researchers can employ advanced rheological techniques to meticulously tailor the properties of bioinspired gels and soft materials, enhancing their stability and performance to meet specific application requirements, such as 3D bioprinting in regenerative medicine and tissue engineering. These methods allow precise control over material behavior, facilitating the design of structures that mimic natural biological systems and ensuring optimal functionality across diverse settings [29, 60].

7 Biocompatibility

7.1 Biocompatibility Testing and Evaluation

Benchmark	Size	Domain	Task Format	Metric
WE43-LPBF[70]	1,000	Biomedical Engineering	Mechanical Testing	Corrosion Rate, Yield Strength
CFRP-SB[88]	15	Structural Engineering	Strength Testing	Strain, Displacement
3D-Hydrogel[89]	1,200	Granular Mechanics	Force Measurement	Vertical Stress, Contact Force

Table 4: Table illustrating representative benchmarks in biocompatibility testing, detailing their respective sizes, domains, task formats, and metrics. The benchmarks include WE43-LPBF in biomedical engineering, CFRP-SB in structural engineering, and 3D-Hydrogel in granular mechanics, each with specific testing metrics pertinent to their field.

Biocompatibility testing is crucial in biomedical material development, ensuring materials do not provoke adverse biological reactions while performing their intended functions. This comprehensive assessment includes mechanical, chemical, and biological evaluations, focusing on interactions between biomaterials and biological tissues, as well as their stability in physiological environments. It involves in vitro and in vivo tests assessing cytocompatibility, genotoxicity, sensitization, irritation, toxicity (acute and chronic), and hemocompatibility, following international standards [90, 22, 23]. Beyond traditional toxicity assessments, it emphasizes an understanding of host response mechanisms.

Mechanical testing, such as evaluating swelling behavior, compression resistance, and tissue integration, is vital for assessing material performance. Hydrogels synthesized from bacterial and plant cellulose, for example, have undergone compressive tests to understand their mechanical behavior under various conditions [45]. These tests are essential for determining robustness and structural integrity within biological contexts.

In vitro and in vivo studies are integral to biocompatibility assessments. Vero cell cultures provide a more physiologically relevant environment for evaluating bioinspired polymers compared to traditional 2D cultures, while in vivo studies in animal models offer insights into tissue response and integration [35]. Dynamic Light Scattering Micro-Rheology (DLSR) has been used to study biologically relevant materials, such as breast cancer cells in collagen gels, highlighting its utility in biocompatibility evaluations [29].

Advanced methodologies, such as integrating electrical contacts in in vivo blood pressure sensing devices, underscore the importance of ensuring sensor safety in clinical applications. These techniques enable accurate simulations of physiological conditions, assessing material performance in dynamic biological environments. The development of magnetic field-activated smart implants and theranostic systems further emphasizes biocompatibility's role in drug release mechanisms. Studies demonstrate successful doxorubicin release from PNIPAM/FeRh composites in response to a 3 T magnetic field, confirming high biocompatibility and supporting the metabolic and proliferative activity of primary mouse embryonic fibroblasts [91, 22].

Future research should optimize testing methodologies, explore scalable processes for industrial applications [58], and investigate the effects of swelling on permeability to develop independent control of volume expansion during experiments [26]. Examining frictional behavior in hydrogels is critical for their biocompatibility and performance in biological applications [67].

Biocompatibility testing and evaluation are complex, multidisciplinary processes essential for ensuring the safe and effective use of biomaterials in biomedical applications. These processes encompass a wide range of assessments, including in vitro and in vivo tests that evaluate various properties such as cytocompatibility, genotoxicity, and hemocompatibility, ensuring materials perform their intended functions while eliciting appropriate biological responses. Advancements in technologies like 3D printing introduce new challenges in maintaining biocompatibility, highlighting the need for rigorous specifications based on biocompatibility mechanisms to optimize material selection and design for medical devices [92, 22, 23]. Comprehensive testing methods enable researchers to develop materials that meet stringent biocompatibility requirements, facilitating their successful integration into medical devices and therapies. Table 4 presents a comprehensive overview of representative benchmarks utilized in biocompatibility testing, highlighting their domain-specific task formats and metrics.

7.2 Applications and Implications of Biocompatibility

Biocompatible materials are pivotal in advancing applications across various domains, including tissue engineering, drug delivery, soft robotics, and environmental filtration. The development of composite hydrogels, as highlighted by [93], showcases their potential in biomedical applications due to enhanced biocompatibility. These hydrogels facilitate tissue engineering and controlled drug delivery, providing platforms for developing advanced therapeutic solutions tailored to individual patient needs.

In soft robotics, hydroelastomers emerge as key materials due to their soft, tough, and highly elastic nature, crucial for applications requiring flexibility and adaptability [94]. The biocompatibility of these materials ensures their safe integration into systems interacting with biological tissues, expanding their utility in creating responsive robotic systems and biomedical devices.

Environmental applications of biocompatible materials are exemplified by innovations in filtration technologies. The tuning of water and intrinsic permeability in hydrogels offers promising solutions for environmental filtration, particularly in addressing microplastic pollution [95]. The use of low-cost, abundant materials with high water uptake and stability under cyclic conditions enhances their suitability for sustainable environmental applications [96].

The broader implications of biocompatible materials extend to drug targeting techniques and the development of smart materials, as explored in studies on hindered nematic alignment and hematite [97]. These findings emphasize the potential of biocompatible materials in creating advanced systems that can dynamically interact with biological environments, offering innovative solutions in both medical and engineering fields.

Furthermore, the integration of $MoSe_2$ enhanced polyacrylamide composites in optoelectronic applications demonstrates the intersection of biocompatibility with advanced electronic systems, highlighting the potential for broader applications in biocompatible contexts [69]. However, current studies often overlook the long-term stability and biocompatibility of these materials, which can hinder their widespread adoption [98]. Addressing these challenges is critical for ensuring the safe and effective use of biocompatible materials in diverse applications.

Low-friction hydrogel interfaces, as explored in [99], further illustrate the significance of biocompatibility in designing materials for both engineering and biomedical fields. These interfaces are essential for applications requiring minimal friction and high durability, such as in medical implants and prosthetics.

The applications and implications of biocompatible materials are vast, offering transformative solutions to complex challenges across diverse fields. By harnessing the exceptional properties of advanced hydrogels—such as remarkable stretchability, enhanced mechanical strength, and dynamic responsiveness—researchers can effectively address current limitations in material performance. This innovative approach facilitates the development of versatile applications in biomedicine, including soft robotics and minimally invasive surgical tools, while also contributing to environmental technologies through improved sensor and actuator designs. Systematic exploration of molecular architecture and cutting-edge techniques like 3D bioprinting and AI-driven predictions can unlock the full potential of these materials, paving the way for significant advancements across multiple fields [7, 100, 60, 47].

7.3 Challenges and Future Directions

Biocompatibility research faces numerous complex challenges that must be systematically addressed to facilitate the effective application of biomaterials in biomedical fields. These challenges include establishing comprehensive specifications to ensure the safety and functionality of devices while accounting for intricate interactions between materials and biological systems over both acute and chronic periods. Recent advancements in areas such as 3D printing and tissue engineering highlight the importance of optimizing material properties to enhance biocompatibility, while ongoing evaluations of chemical, mechanical, and structural characteristics are essential for developing new biomaterials that can safely integrate with the human body [23, 24, 90, 22, 92]. A significant challenge is the lack of standardized testing protocols, which can lead to inconsistent results and hinder comparisons of biocompatibility across different studies. Future research should focus on developing standardized testing protocols and specifications for biomaterials based on newly defined biocompatibility pathways, with empirical studies validating these specifications to ensure reliable and reproducible results.

The exploration of hybrid materials and the integration of biological and synthetic components offer promising avenues for enhancing biocompatibility and functionality. Future research should investigate hybrid systems, including the use of 4D printing technologies and stimuli-responsive polymer systems, to create materials that can adapt to dynamic biological environments. Optimizing material properties through innovative biomaterials that adhere to biocompatibility mechanisms, as well as investigating new biocompatible fuels derived from bio-renewable resources, will contribute to sustainable practices and improved interactions with biological systems [24, 101, 37, 22, 18].

Understanding the complex interactions between materials and biological systems over extended periods remains a critical challenge. Future studies should focus on investigating these interactions, particularly the effects of different environmental factors on material behavior. Optimizing the grafting process and systematically exploring how environmental factors influence delamination behavior are crucial, as advancements in adhesive materials, including functional monomers and bioactive molecules, can significantly improve mechanical properties and bonding reliability in various substrates [101, 102, 83, 26].

Developing materials with enhanced mechanical and rheological properties is another area of focus. Future research should investigate the critical transition from wrinkling to creasing in hydrogels during transient swelling processes, emphasizing the incorporation of viscoelastic effects into computational models. This exploration is essential for understanding the complex dynamics of swelling-induced surface instabilities and internal stress development, as highlighted in recent studies analyzing the swelling mechanics and rupture behavior of hydrogels under varying conditions. Addressing these aspects will provide deeper insights into the mechanical properties and failure mechanisms of hydrogels, pivotal in applications ranging from tissue engineering to drug delivery [103, 104, 105, 106, 107]. Microscopic investigations of gel structure and dynamics, as well as the effects of environmental conditions on rheological properties, will offer valuable insights for optimizing material performance.

Furthermore, optimizing Metal-Organic Frameworks (MOFs) for specific biomedical applications, including surface modifications for enhanced targeting, and conducting extensive in vivo studies to better understand their pharmacokinetics, will be essential for advancing their use in drug delivery systems [24]. Refining phase diagrams to include more complex interactions and validating them with experimental data will also contribute to developing materials with tailored properties [50].

Finally, future work could focus on the experimental validation of models exploring additional parameters influencing toughening mechanisms, applying these insights to design new materials with improved mechanical properties [53]. By addressing these challenges and pursuing these research directions, the field of biocompatibility can continue to evolve, leading to the development of materials that are safer, more effective, and better suited for a wide range of biomedical applications.

8 Applications of Hydrogels and Polymer Blends

The utilization of hydrogels and polymer blends has broadened significantly, demonstrating their adaptability across various domains. This section delves into their pivotal roles, particularly in biomedicine and healthcare, where their unique attributes, such as biocompatibility and tissue-mimicking capabilities, render them transformative. The discussion highlights innovations addressing critical healthcare challenges.

8.1 Biomedicine and Healthcare

Hydrogels and polymer blends are integral to biomedicine, providing innovative solutions for tissue engineering, drug delivery, and surgical applications. Protease-sensitive atelocollagen hydrogels have shown enhanced wound healing, improving wound closure and re-epithelialization in diabetic mice compared to conventional dressings [13]. This highlights hydrogels' potential in managing chronic wounds. Swelling-induced stresses in hydrogels, which can lead to delamination, offer insights for designing advanced biomedical materials [108]. Environmentally sustainable gellan gum-based hydrogels eliminate hazardous solvents, aligning with eco-friendly healthcare practices [109]. Bio-inspired soft grippers utilizing hydrogel technologies are emerging in surgical assistance and rehabilitation, providing precise control essential for delicate medical procedures [100]. Biocompatible micro-/nanomotors hold promise for targeted drug delivery and minimally invasive surgeries, although design challenges remain [110]. Ensuring biocompatible components with optimal sizes and stable frameworks enhances drug delivery systems' efficacy [24]. These applications underscore the vast potential of hydrogels and polymer blends in biomedicine, offering transformative solutions to medical challenges and improving patient outcomes [7, 83, 22].

8.2 Electronics and Energy

Hydrogels and polymer blends are increasingly crucial in electronics and energy, enhancing device performance and energy efficiency. Their integration into electronic applications provides flexibility, stretchability, and biocompatibility, essential for developing wearable electronics and bio-integrated devices. For instance, incorporating $MoSe_2$ into polyacrylamide matrices significantly improves the optical and electronic properties of composites, showcasing hydrogels' potential in optoelectronic devices [69]. In energy storage, hydrogels enhance supercapacitors and batteries' performance, with conductive polymers like polypyrrole nanotubes improving supercapacitors' electrochemical performance [74]. The development of Omnipotent Hydrogel Creatures (OHCs) for bioelectricity generation highlights hydrogels' potential in energy harvesting applications [71]. Hydrogels also improve thermal management in electronic devices, with poly(acrylamide) enhancing solubility and thermal conductivity [31]. These contributions underscore the significant role of hydrogels and polymer blends in electronics and energy, offering innovative solutions that enhance device functionality and energy efficiency [7, 76, 47, 32, 20].

8.3 Environmental and Industrial Applications

Hydrogels and polymer blends are gaining attention for their potential in environmental and industrial applications due to properties like high water retention, tunable permeability, and mechanical robustness. These materials address environmental challenges such as water scarcity and pollution. Hydrogels with enhanced water retention capabilities are vital for improving agricultural productivity in arid regions, providing sustainable solutions for water conservation [1]. In environmental remediation, hydrogels are utilized for microplastic filtration and pollutant adsorption, significantly enhancing water purification systems' efficiency [95]. Industrially, hydrogels and polymer blends are incorporated into composite materials requiring enhanced mechanical properties, with cellulose-polyacrylamide matrices improving hydrogels' mechanical strength [45]. In the textile industry, hydrogels enable innovative smart fabrics with moisture-wicking and temperature-regulating capabilities, enhancing comfort and functionality [7, 111, 8]. Additionally, hydrogels and polymer blends are explored for developing responsive materials in industrial sensors and actuators, ideal for creating smart systems that monitor and respond to environmental changes in real-time [27]. These applications highlight hydrogels' potential to revolutionize industrial processes by enhancing efficiency and sustainability, addressing critical issues in sustainability across various sectors [7, 8, 112].

9 Conclusion

9.1 Future Directions and Research Opportunities

The advancement of hydrogels and polymer blends presents a fertile ground for research, poised to drive substantial progress across various fields. Enhancing the structural and mechanical properties of these materials is paramount. For example, refining the architecture of cellulose-polyacrylamide hydrogels could significantly boost their mechanical resilience, making them more adaptable for rigorous applications. Similarly, investigating diamond-like carbon (DLC) coatings for polyether ether ketone (PEEK) bearings may lead to improved durability and reduced wear, enhancing performance in mechanical systems.

In the realm of sensor technology, there is a need to refine hydrogel compositions to heighten sensitivity, particularly for virus detection, while also developing portable devices that leverage specific binding interactions. Exploring diverse electric field configurations could optimize the deformation responses of polyelectrolyte hydrogels, broadening their utility in smart materials and responsive systems.

Modeling techniques stand to benefit from further development, particularly through the integration of additional physical phenomena into statistical mechanical models, thereby expanding their relevance across various materials. Extending homogenization models to incorporate non-homogeneous coefficients and variable boundary conditions could deepen the understanding of poroelasticity in fiber-reinforced hydrogels, leading to more precise predictions of material behavior.

The tunability of thermal properties in polymer blends is another promising research avenue. Future investigations could explore alternative polymer systems and conduct experimental validations to enhance control over thermal transport, crucial for applications necessitating precise thermal management. Additionally, optimizing throughput via multi-sample setups and incorporating spatial resolution techniques could provide detailed insights into material heterogeneity, thereby enriching the comprehension of hydrogel dynamics.

Lastly, examining the applicability of phenomena such as cross-hatching instability to other materials could illuminate underlying mechanisms, thereby expanding the horizons of materials science research. Addressing these research opportunities will propel the evolution of hydrogels and polymer blends, leading to the creation of more effective, versatile materials suitable for a wide array of applications.

References

[1] Chaitanya Joshi, Mathew Q. Giso, Jean-François Louf, Sujit S. Datta, and Timothy J. Atherton. Effect of confinement on the mechanics of a swelling hydrogel bead, 2023.

[2] Shohini Sen-Britain, Wesley Hicks, Robert Hard, and Joseph A. Gardella Jr au2. Differential orientation and conformation of keratinocyte growth factor observed at hema, hema/mma, and hema/maa hydrogel surfaces developed for wound healing, 2018.

[3] Changxin Dong, Andrea I. d'Aquino, Samya Sen, Ian A. Hall, Anthony C. Yu, Jesse D. Acosta, and Eric A. Appel. Water-enhancing gels exhibiting heat-activated formation of silica aerogels for protection of critical infrastructure during catastrophic wildfire, 2024.

[4] Lola Ciapa, Jessica Delavoipire, Yvette Tran, Emilie Verneuil, and Antoine Chateauminois. Transient sliding of thin hydrogel films: the role of poroelasticity, 2020.

[5] Shuo Chen, Lijie Sun, Xiaojun Zhou, Yifan Guo, Jianchun Song, Sihao Qian, Zenghe Liu, Qingbao Guan, Eric Meade Jeffries, Wenguang Liu, et al. Mechanically and biologically skin-like elastomers for bio-integrated electronics. *Nature communications*, 11(1):1107, 2020.

[6] Hanqing Dai, Wenqing Dai, Yuanyuan Chen, Wanlu Zhang, Yimeng Wang, Ruiqian Guo, and Guoqi Zhang. "stumbling-to-fetters" mechanism and virginia creeper model in hydrogel for designing bionic cardiovascular system, 2024.

[7] Yu Shrike Zhang and Ali Khademhosseini. Advances in engineering hydrogels. *Science*, 356(6337):eaaf3627, 2017.

[8] SM Fijul Kabir, Partha P Sikdar, B Haque, MA Rahman Bhuiyan, A Ali, and MN Islam. Cellulose-based hydrogel materials: Chemistry, properties and their prospective applications. *Progress in biomaterials*, 7:153–174, 2018.

[9] Jingxuan Li, Jiaqi Miao, and Alan C. H. Tsang. Self-regulated photoresponsive heterogeneous pnipam hydrogel actuators, 2024.

[10] Hyunwoo Yuk, Baoyang Lu, and Xuanhe Zhao. Hydrogel bioelectronics. *Chemical Society Reviews*, 48(6):1642–1667, 2019.

[11] Humphrey Yang, Zeyu Yan, Danli Luo, and Lining Yao. Foamfactor: Hydrogel-foam composite with tunable stiffness and compressibility, 2021.

[12] Ayaz Mahmood, Dev Patel, Brandon Hickson, John DesRochers, and Xiao Hu. Recent progress in biopolymer-based hydrogel materials for biomedical applications. *International Journal of Molecular Sciences*, 23(3):1415, 2022.

[13] Giuseppe Tronci, Jie Yin, Roisin A. Holmes, He Liang, Stephen J. Russell, and David J. Wood. Protease-sensitive atelocollagen hydrogels promote healing in a diabetic wound model, 2016.

[14] Michael Phillips, Giuseppe Tronci, Christopher M. Pask, and Stephen J. Russell. Nonwoven reinforced photocurable poly(glycerol sebacate)-based hydrogels, 2024.

[15] Roisin Holmes, Xuebin B. Yang, David J. Wood, and Giuseppe Tronci. A photo-click thiol-ene collagen-based hydrogel platform for skeletal muscle tissue engineering, 2023.

[16] Yanxia Feng, Dominic Gerber, Stefanie Heyden, Martin Kröger, Eric R. Dufresne, Lucio Isa, and Robert W. Style. Characterizing hydrogel behavior under compression with gel-freezing osmometry, 2024.

[17] Weifeng Lin, Monika Kluzek, Nir kampf, Yifeng Cao, and Jacob Klein. Bioinspired polymer-incorporating self-lubricating and antifouling hydrogels, 2024.

[18] Mario Culebras, Anne Beaucamp, Yan Wang, Manuel M Clauss, Erik Frank, and Maurice N Collins. Biobased structurally compatible polymer blends based on lignin and thermoplastic elastomer polyurethane as carbon fiber precursors. *ACS Sustainable Chemistry & Engineering*, 6(7):8816–8825, 2018.

[19] Yin Fang, Endao Han, Xin-Xing Zhang, Yuanwen Jiang, Yiliang Lin, Jiuyun Shi, Jiangbo Wu, Lingyuan Meng, Xiang Gao, Philip J. Griffin, Xianghui Xiao, Hsiu-Ming Tsai, Hua Zhou, Xiaobing Zuo, Qing Zhang, Miaoqi Chu, Qingteng Zhang, Ya Gao, Leah K. Roth, Reiner Bleher, Zhiyuan Ma, Zhang Jiang, Jiping Yue, Chien-Min Kao, Chin-Tu Chen, Andrei Tokmakoff, Jin Wang, Heinrich M. Jaeger, and Bozhi Tian. Dynamic and programmable cellular-scale granules enable tissue-like materials, 2019.

[20] Yaejoon Jung. Stretchable and wearable bio-integrated electronics: A review. *International Journal of High School Research*, 6(3), 2024.

[21] Vinay Kopnar, Adam O'Connell, Natasha Shirshova, and Anders Aufderhorst-Roberts. Mechanistic origins of yielding in hybrid double network hydrogels, 2024.

[22] David F Williams. Specifications for innovative, enabling biomaterials based on the principles of biocompatibility mechanisms. *Frontiers in bioengineering and biotechnology*, 7:255, 2019.

[23] Bogdan Huzum, Bogdan Puha, Riana Maria Necoara, Stefan Gheorghevici, Gabriela Puha, Alexandru Filip, Paul Dan Sirbu, and Ovidiu Alexa. Biocompatibility assessment of biomaterials used in orthopedic devices: An overview. *Experimental and Therapeutic Medicine*, 22(5):1315, 2021.

[24] Namita Singh, Somayah Qutub, and Niveen M Khashab. Biocompatibility and biodegradability of metal organic frameworks for biomedical applications. *Journal of Materials Chemistry B*, 9(30):5925–5934, 2021.

[25] Giuseppe Tronci, Colin A. Grant, Neil H. Thomson, Stephen J. Russell, and David J. Wood. Influence of 4-vinylbenzylation on the rheological and swelling properties of photo-activated collagen hydrogels, 2015.

[26] Emilie Verneuil and Douglas J. Durian. Permeability of mixed soft and hard granular material: hydrogels as drainage modifiers, 2011.

[27] Ekrem Bahceci and Aykut Erbas. Contraction response of a polyelectrolyte hydrogel under spatially nonuniform electric fields, 2024.

[28] Jaeoh Shin, Andrey G. Cherstvy, and Ralf Metzler. Sensing viruses by mechanical tension of dna in responsive hydrogels, 2013.

[29] Pamela C Cai, Brad A Krajina, Michael J Kratochvil, Lei Zou, Audrey Zhu, Elizabeth B Burgener, Paul L Bollyky, Carlos E Milla, Matthew J Webber, Andrew J Spakowitz, et al. Dynamic light scattering microrheology for soft and living materials. *Soft Matter*, 17(7):1929–1939, 2021.

[30] Shohini Sen-Britain, Wesley Hicks, Robert Hard, and Joseph A. Gardella Jr au2. The mechanism of secondary structural changes in keratinocyte growth factor during uptake and release from a hydroxyethyl(methacrylate) hydrogel revealed by 2d correlation spectroscopy, 2018.

[31] Daniel Bruns, Tiago Espinosa de Oliveira, Joerg Rottler, and Debashish Mukherji. Tuning morphology and thermal transport of asymmetric smart polymer blends by macromolecular engineering, 2019.

[32] Lixuan Hu, Pei Lin Chee, Sigit Sugiarto, Yong Yu, Chuanqian Shi, Ren Yan, Zhuoqi Yao, Xuewen Shi, Jiacai Zhi, Dan Kai, et al. Hydrogel-based flexible electronics. *Advanced Materials*, 35(14):2205326, 2023.

[33] Zhen Yang, Guangyu Bao, Shuaibing Jiang, Xingwei Yang, Ran Huo, Xiang Ni, Luc Mongeau, Rong Long, and Jianyu Li. Programming hydrogel adhesion with engineered polymer network topology, 2023.

[34] C. S. Dias, C. A. Custodio, G. C. Antunes, M. M. Telo da Gama, J. F. Mano, and N. A. M. Araujo. How to design cell-mediated self-assembled colloidal scaffolds, 2020.

[35] Rosa Corrêa Leoncio de Sá, Vladimir Jesus Trava Airoldi, Tarcísio Fernandes Leão, Evandro Drigo da Silva, Jeison Willian Gomes da Fonseca, Bruno Utiyama da Silva, Edir Branzoni Leal, João Roberto Moro, Aron José Pazin de Andrade, and Eduardo Guy Perpétuo Bock. In vitro durability - pivot bearing with diamond like carbon for ventricular assist devices, 2015.

[36] Chandrabhan Kushwah, Martin Riesenhuber, Soren Aasmul, Mariann Gyongyosi, and Alain Nogaret. In-vivo blood pressure sensing with bi-filler nanocomposite, 2024.

[37] Jaya Baranwal, Brajesh Barse, Antonella Fais, Giovanna Lucia Delogu, and Amit Kumar. Biopolymer: A sustainable material for food and medical applications. *Polymers*, 14(5):983, 2022.

[38] Nikola Slepickova Kasalkova, Veronika Juricova, Silvie Rimpelova, Dominik Fajstavr, Bara Frydlova, Zdenka Kolska, Vaclav Svorcik, and Petr Slepicka. Lipss pattern induced by polymer surface instability for myoblast cell guidance, 2023.

[39] Karthik R. Peddireddy, Ryan Clairmont, Philip Neill, Ryan McGorty, and Rae M. Robertson-Anderson. Optiddm (optical tweezers integrating differential dynamic microscopy) maps the spatiotemporal propagation of nonlinear stresses in polymer blends and composites, 2022.

[40] Abhinaba Banerjee, Sudipto Datta, Amit Roy Chowdhury, and Pallab Datta. Cell-laden alginate biomaterial modelling using three-dimensional (3d) microscale finite element technique, 2021.

[41] Siddharth Sriram, Elten Polukhov, and Marc-Andre Keip. Transient stability analysis of composite hydrogel structures based on a minimization-type variational formulation, 2021.

[42] Pavan Inguva, Lachlan Mason, Indranil Pan, Miselle Hengardi, and Omar K. Matar. Numerical simulation, clustering and prediction of multi-component polymer precipitation, 2020.

[43] Li Quan and Dilhan M. Kalyon. Parallel-disk and cone-and-plate viscometry of a viscoplastic hydrogel with apparent wall slip, 2021.

[44] Roland Kádár, Mahdi Abbasi, Roxana Figuli, Mikael Rigdahl, and Manfred Wilhelm. Linear and nonlinear rheology combined with dielectric spectroscopy of hybrid polymer nanocomposites for semiconductive applications. *Nanomaterials*, 7(2):23, 2017.

[45] Alexander Buyanov, Iosif Gofman, and Natalya Saprykina. High-strength cellulose-polyacrylamide hydrogels: mechanical behavior and structure depending on the type of cellulose, 2019.

[46] Shivank S. Shukla, Christopher Kuenneth, and Rampi Ramprasad. Polymer informatics beyond homopolymers, 2023.

[47] Shahriar Hojjati Emmami, Ali Pilehvar Meibody, Lobat Tayebi, Mohammadamin Tavakoli, and Pierre Baldi. Unraveling the molecular magic: Ai insights on the formation of extraordinarily stretchable hydrogels, 2024.

[48] J Venezuela and MS Dargusch. The influence of alloying and fabrication techniques on the mechanical properties, biodegradability and biocompatibility of zinc: A comprehensive review. *Acta biomaterialia*, 87:1–40, 2019.

[49] Yasuya Nakayama and Toshihisa Kajiwara. Quantifying hierarchical mixture quality in polymer composite materials: structure and inhomogeneity in multiple scales, 2012.

[50] Edilson Vargas and Marcia C. Barbosa. Phase-diagram for irregular and non-symmetric cross-linked polymer blends, 1997.

[51] Ahmed Elgailani and Craig E Maloney. A multi-body finite element model for hydrogel packings: Linear response to shear, 2024.

[52] Tristan Baumberger, Christiane Caroli, and David Martina. Solvent control of crack dynamics in a reversible hydrogel, 2006.

[53] Alessandro Lucantonio and Giovanni Noselli. Concurrent factors determine toughening in the hydraulic fracture of poroelastic composites, 2017.

[54] Gopal Agarwal, Jorge-Humberto Urrea-Quintero, Henning Wessels, and Thomas Wick. Parameter identification and uncertainty propagation of hydrogel coupled diffusion-deformation using pod-based reduced-order modeling, 2024.

[55] MZ Naser, Rami Antoun Hawileh, and Jamal Abdalla. Modeling strategies of finite element simulation of reinforced concrete beams strengthened with frp: A review. *Journal of Composites Science*, 5(1):19, 2021.

[56] Michael R. Buche and Meredith N. Silberstein. Chain breaking in the statistical mechanical constitutive theory of polymer networks, 2021.

[57] Yiwei Gao, Nicholas K. K. Chai, Negin Garakani, Sujit S. Datta, and H. Jeremy Cho. Scaling laws to predict humidity-induced swelling and stiffness in hydrogels, 2021.

[58] Hussam-Aldeen Kalaleh, Mohammad Tally, and Yomen Atassi. Preparation of poly(sodium acrylate-co-acrylamide) superabsorbent copolymer via alkaline hydrolysis of acrylamide using microwave irradiation, 2015.

[59] M. J. Chen, L. S. Kimpton, J. P. Whiteley, M. Castilho, J. Malda, C. P. Please, S. L. Waters, and H. M. Byrne. Multiscale modelling and homogensation of fibre-reinforced hydrogels for tissue engineering, 2017.

[60] Maria Bercea. Rheology as a tool for fine-tuning the properties of printable bioinspired gels. *Molecules*, 28(6):2766, 2023.

[61] Andrea Testa, Hendrik T. Spanke, Etienne Jambon-Puillet, Mohammad Yasir, Andreas M. Küffner, Paolo Arosio, Eric R. Dufresne, Robert W. Style, and Aleksander A. Rebane. Surface passivation method for super-repellence of aqueous macromolecular condensates, 2023.

[62] H. Jeremy Cho, Nancy B. Lu, Michael P. Howard, Rebekah A. Adams, and Sujit S. Datta. Crack formation and self-closing in shrinkable, granular packings, 2019.

[63] Anders Aufderhorst-Roberts, Sophie Cussons, David J. Brockwell, and Lorna Dougan. Power law rheology of folded protein hydrogels, 2022.

[64] Caroline Kopecz-Muller, Clémence Gaunand, Yvette Tran, Matthieu Labousse, Elie Raphael, Thomas Salez, Finn Box, and Joshua D Mcgraw. Swelling and evaporation determine surface morphology of grafted hydrogel thin films, 2025.

[65] Chenzhuo Li, Danila Zubko, Damien Delespaul, and John M. Kolinski. 3d characterization of kinematic fields and poroelastic swelling near the tip of a propagating crack in a hydrogel, 2024.

[66] Arne Ilseng, Victorien Prot, Bjørn T. Stokke, and Bjørn H. Skallerud. Buckling initiation in layered hydrogels during transient swelling, 2019.

[67] Lola Ciapa, Yvette Tran, Christian Frétigny, Antoine Chateauminois, and Emilie Verneuil. Molecular adsorption induces normal stresses at frictional interfaces of hydrogels, 2024.

[68] Yiwei Gao, Santiago Ricoy, Addison Cobb, Ryan Phung, Areianna Lewis, Aaron Sahm, Nathan Ortiz, Sameer Rao, and H. Jeremy Cho. High-yield atmospheric water capture via bioinspired material segregation, 2023.

[69] Bengu Ozugur Uysal and Onder Pekcan. Novel mose$_2$-enhanced polyacrylamide composites with tunable refractive index and band gap energy, 2023.

[70] M. Li, F. Benn, T. Derra, N. Kroeger, M. Zinser, R. Smeets, J. M. Molina-Aldareguía, A. Kopp, and J. LLorca. Microstructure, mechanical properties, corrosion resistance and cytocompatibility of we43 mg alloy scaffolds fabricated by laser powder bed fusion for biomedical applications, 2020.

[71] Hanqing Dai, Wenqing Dai, Yuanyuan Chen, Wanlu Zhang, Yimeng Wang, Ruiqian Guo, and Guoqi Zhang. Meta-creatures: Developing an omnipotent hydrogel cell to construct bio-inspired systems, 2024.

[72] Jan Mees, Rok Simič, Thomas C. O'Connor, Nicholas D. Spencer, and Lars Pastewka. Molecular mechanisms of self-mated hydrogel friction, 2022.

[73] Benjamin Chollet, Mengxing Li, Ekkachai Martwong, Bruno Bresson, Christian Frétigny, Patrick Tabeling, and Yvette Tran. Multiscale surface-attached hydrogel thin films with tailored architecture, 2017.

[74] Roman Elashnikov, Olena Khrystonko, Tereza Jilková, Silvie Rimpelová, Zdenka Kolská, Václav Švorčík, and Oleksiy Lyutakov. High strength self-healable supercapacitor based on supramolecular polymer hydrogel with upper critical solubility temperature, 2024.

[75] Malak Alaa Eddine, S. Belbekhouche, Sixtine de Chateauneuf-Randon, Thomas Salez, Artem Kovalenko, Bruno Bresson, and C. Monteux. Large and non-linear permeability amplification with polymeric additives in hydrogel membranes, 2022.

[76] Anirvan Guha, Trevor J. Kalkus, Thomas B. H. Schroeder, Oliver G. Willis, and Michael Mayer. Powering electronic devices from salt gradients in aa battery-sized stacks of hydrogel-infused paper, 2020.

[77] Qian Wu, Fengbo Zhu, Ziliang Wu, Yu Xie, Jin Qian, Jun Yin, and Huayong Yang. Suspension printing of liquid metal in yield-stress fluid for resilient 3d constructs with electromagnetic functions. *npj Flexible Electronics*, 6(1):50, 2022.

[78] Daniel P. Martins, Huong Q. O'Reilly, Lee Coffey, Paul D. Cotter, and Sasitharan Balasubramaniam. Hydrogel-based bio-nanomachine transmitters for bacterial molecular communications, 2020.

[79] V. Hynninen, P. Mohammadi, W. Wagermaier, S. Hietala, M. B. Linder, O. Ikkala, and Nonappa. Methyl cellulose/cellulose nanocrystal nanocomposite fibers with high ductility, 2019.

[80] Jorge Monreal. Polyelectrolyte polypeptide scaling laws via mechanical and dielectric relaxation measurements, 2016.

[81] Ghazi Ben Messaoud, Niki Baccile, Ghazi Messaoud, Thomas Zinn, and Francisco Fernandes. Soft lamellar solid foams from ice-templating of self-assembled lipid hydrogels: organization drives the mechanical properties, 2019.

[82] Priyam Chakraborty, Surjyasish Mitra, A-Reum Kim, Boxin Zhao, and Sushanta K. Mitra. A density functional theory approach to interpret elastowetting of hydrogels, 2023.

[83] M Cadenaro, U Josic, T Maravić, C Mazzitelli, G Marchesi, E Mancuso, L Breschi, and A Mazzoni. Progress in dental adhesive materials. *Journal of dental research*, 102(3):254–262, 2023.

[84] Hamed Mortazavi and Cornelis Storm. Self-assembling multiblock amphiphiles: Molecular design, supramolecular structure, and mechanical properties, 2015.

[85] Chandan Shakya, Jasper van der Gucht, and Joshua A. Dijksman. Viscoelastic material properties determine contact mechanics of hydrogel spheres, 2024.

[86] Arun K. Singh and Vinay A. Juvekar. A modified model for static friction of a soft and hard solid interface, 2021.

[87] Mohammad Peydayesh, Massimo Bagnani, and Raffaele Mezzenga. Sustainable bioplastics from amyloid fibril-biodegradable polymer blends, 2021.

[88] Ilona Szewczak, Patryk Rozylo, and Katarzyna Rzeszut. Influence of mechanical properties of steel and cfrp tapes on the effectiveness of strengthening thin-walled beams. *Materials*, 14(9):2388, 2021.

[89] Jonathan Barés, Nicolas Brodu, Hu Zheng, and Joshua A. Dijksman. Transparent experiments: Releasing data from mechanical tests on three dimensional hydrogel sphere packings, 2019.

[90] Ning Yi, Haitao Cui, Lijie Grace Zhang, and Huanyu Cheng. Integration of biological systems with electronic-mechanical assemblies. *Acta biomaterialia*, 95:91–111, 2019.

[91] Abdulkarim A. Amirov, Elizaveta S. Permyakova, Dibir M. Yusupov, Irina V. Savintseva, Eldar K. Murliev, Kamil Sh. Rabadanov, Anton L. Popov, Alisa M. Chirkova, and Akhmed M. Aliev. Thermoresponsive pnipam/ferh smart composite activated by magnetic field for doxorubicin release, 2024.

[92] Joseph Rey H Sta. Agueda, Qiyi Chen, Reymark D Maalihan, Jingbo Ren, Ítalo GM da Silva, Nathaniel P Dugos, Eugene B Caldona, and Rigoberto C Advincula. 3d printing of biomedically relevant polymer materials and biocompatibility. *MRS communications*, 11(2):197–212, 2021.

[93] Irfan Khan, Snigdharani Panda, Sugam Kumar, and Sunita Srivastava. A composite hydrogel of porous gold nanorods and gelatin: Nanoscale structure and rheo-mechanical properties, 2024.

[94] Simon Moser, Yanxia Feng, Oncay Yasa, Stefanie Heyden, Michael Kessler, Esther Amstad, Eric R. Dufresne, Robert K. Katzschmann, and Robert W. Style. Hydroelastomers: soft, tough, highly swelling composites, 2022.

[95] Malak Alaa Eddine, Alain Carvalho, M. Schmutz, Thomas Salez, Sixtine de Chateauneuf-Randon, Bruno Bresson, Nadège Pantoustier, C. Monteux, and S. Belbekhouche. Tuning the water intrinsic permeability of pegda hydrogel membranes by adding free peg chains of varying molar masses, 2024.

[96] Levi Hoogendoorn, Mauricio Huertas, Phillip Nitz, Naiyu Qi, Johannes Baller, Carsten Prinz, and Gustav Graeber. Sustainable, low-cost sorbents based on calcium chloride-loaded polyacrylamide hydrogels, 2023.

[97] Annemarie Nack, Julian Seifert, Christopher Passow, and Joachim Wagner. Hindered nematic alignment of hematite spindles in viscoelastic matrices, 2017.

[98] Tyler R Ray, Jungil Choi, Amay J Bandodkar, Siddharth Krishnan, Philipp Gutruf, Limei Tian, Roozbeh Ghaffari, and John A Rogers. Bio-integrated wearable systems: a comprehensive review. *Chemical reviews*, 119(8):5461–5533, 2019.

[99] Jessica Delavoipière, Emilie Verneuil, Yvette Tran, Bertrand Heurtefeu, Chung Yuen Hui, and Antoine Chateauminois. Friction of poroelastic contacts with thin hydrogel films, 2018.

[100] Rekha Raja and Ali Leylavi Shoushtari. Bio-inspired soft grippers for biological applications, 2024.

[101] Burhan Ates, Suleyman Koytepe, Ahmet Ulu, Canbolat Gurses, and Vijay Kumar Thakur. Chemistry, structures, and advanced applications of nanocomposites from biorenewable resources. *Chemical Reviews*, 120(17):9304–9362, 2020.

[102] Debashish Mukherji, Shubham Agarwal, Tiago Espinosa de Oliveira, Céline Ruscher, and Jörg Rottler. Simple generic picture of toughness in solid polymer blends, 2022.

[103] Thibault Bertrand, Jorge Peixinho, Shomeek Mukhopadhyay, and Christopher W. MacMinn. Dynamics of swelling and drying in a spherical gel, 2016.

[104] Michele Curatolo, Paola Nardinocchi, Eric Puntel, and Luciano Teresi. Transient instabilities in swelling dynamics, 2017.

[105] Jorge-Humberto Urrea-Quintero, Michele Marino, Thomas Wick, and Udo Nackenhorst. A comparative analysis of transient finite-strain coupled diffusion-deformation theories for hydrogels, 2024.

[106] Jing Wang and Justin C. Burton. Hyperelastic swelling of stiff hydrogels, 2024.

[107] Kelsey-Ann Leslie, Robert Doane-Solomon, Srishti Arora, Sabrina Curley, Caroline Szczepanski, and Michelle M. Driscoll. Gel rupture in a dynamic environment, 2020.

[108] Anusree Augustine, Nicolas Gauthier, Marc Veillerot, Banguuo Zhu, Chung-Yuen Hui, Yvette Tran, Emilie Verneuil, and Antoine Chateauminois. Swelling induced debonding of thin hydrogel films grafted on silicon substrates, 2023.

[109] Silvia Franco, Leonardo Severini, Elena Buratti, Letizia Tavagnacco, Simona Sennato, Mauro Missori, Barbara Ruzicka, Claudia Mazzuca, Emanuela Zaccarelli, and Roberta Angelini. Gellan-based hydrogels and microgels for culturage heritage: a rheological perspective, 2024.

[110] Juanfeng Ou, Kun Liu, Jiamiao Jiang, Daniela A Wilson, Lu Liu, Fei Wang, Shuanghu Wang, Yingfeng Tu, and Fei Peng. Micro-/nanomotors toward biomedical applications: the recent progress in biocompatibility. *Small*, 16(27):1906184, 2020.

[111] Yang Zhou, Xiaoxiao Dong, Yuanyuan Mi, Fan Fan, Quan Xu, Hong Zhao, Shancheng Wang, and Yi Long. Hydrogel smart windows. *Journal of Materials Chemistry A*, 8(20):10007–10025, 2020.

[112] Waleed Abobatta. Impact of hydrogel polymer in agricultural sector. *Adv. Agric. Environ. Sci. Open Access*, 1(2):59–64, 2018.

Disclaimer:

SurveyX is an AI-powered system designed to automate the generation of surveys. While it aims to produce high-quality, coherent, and comprehensive surveys with accurate citations, the final output is derived from the AI's synthesis of pre-processed materials, which may contain limitations or inaccuracies. As such, the generated content should not be used for academic publication or formal submissions and must be independently reviewed and verified. The developers of SurveyX do not assume responsibility for any errors or consequences arising from the use of the generated surveys.