Oral Probiotics for Anti-inflammatory Purposes in Peri-implantitis: A Survey

Abstract

This survey paper explores the use of oral probiotics as a therapeutic strategy for managing peri-implantitis, an inflammatory condition affecting the tissues surrounding dental implants. The paper highlights the significance of maintaining implant health through the modulation of the oral microbiome and reduction of inflammation. Key mechanisms by which probiotics exert their effects include competitive inhibition of pathogenic bacteria, enhancement of the host immune response, and modulation of inflammatory pathways. Despite promising findings, challenges such as strain selection, colonization efficacy, and the establishment of standardized protocols limit the widespread clinical adoption of probiotics. The survey emphasizes the need for rigorous randomized controlled trials to establish the long-term efficacy and safety of probiotics in clinical settings. Additionally, advancements in implant technology and personalized approaches are identified as promising avenues for enhancing probiotic therapy outcomes. By addressing these challenges and leveraging emerging trends, the integration of probiotics into routine clinical practice for peri-implantitis management can be realized, leading to improved patient outcomes and enhanced oral health.

1 Introduction

1.1 Significance of Implant Health

Maintaining implant health is essential for the longevity and functionality of dental implants, which are increasingly utilized in modern dentistry as restorative solutions for edentulous patients, enhancing both aesthetics and functionality. The success of these implants relies heavily on the health of the surrounding peri-implant tissues. Peri-implantitis, marked by inflammation and subsequent bone loss, poses a substantial risk to implant stability and patient outcomes [1].

The role of the oral microbiome in implant health has garnered significant attention, with microbial dysbiosis—a disruption in the balance of oral microbial communities—identified as a key contributor to peri-implantitis. This inflammatory condition jeopardizes both hard and soft tissues surrounding dental implants and is influenced by local factors, such as microbial composition, as well as systemic metabolic conditions like obesity and diabetes, which can exacerbate inflammation and oxidative stress [2, 3, 4]. Probiotics have emerged as a promising intervention to modulate the oral microbiome, potentially preventing or alleviating dysbiosis and thereby averting the inflammatory processes that threaten implant integrity.

Furthermore, the interplay between host factors and the oral microbiome is vital for maintaining a healthy peri-implant environment. Insights into these interactions can inform strategies to prevent dysbiosis and protect implant health [5]. The therapeutic potential of probiotics is highlighted by their capacity to enhance microbial stability and bolster the immune response, contributing to the overall health of dental implants [6].

Figure 1: chapter structure

1.2 Structure of the Survey

This survey is systematically organized to provide an in-depth exploration of oral probiotics and their anti-inflammatory potential in the context of peri-implantitis. The initial sections establish the importance of implant health and outline the survey's structure. Subsequent sections present a comprehensive overview of peri-implantitis, including its causes and implications for dental health, alongside an introduction to probiotics and their general health benefits, particularly in oral health [4].

Following this foundation, the survey examines the mechanisms of probiotic action, detailing their effects on the oral microbiome and inflammation. This includes a discussion of probiotic mechanisms, modulation of oral microbiota, immune modulation, inflammation reduction, and antimicrobial and biofilm modulation effects. The evidence supporting the use of probiotics for preventing and treating peri-implantitis is reviewed, addressing their overall effectiveness in maintaining oral health and summarizing relevant clinical studies and trials.

Additionally, the survey addresses the challenges and considerations in implementing probiotic therapy for peri-implantitis, including strain selection, colonization challenges, and the complexities of microbiome modulation. The necessity for standardized protocols is emphasized. The survey concludes with a comprehensive overview of future directions in dental implant research, identifying key areas such as enhancing clinical trial methodologies, the importance of strain-specific

investigations, the integration of personalized treatment approaches, the emergence of innovative implant technologies, and the critical role of educational and psychosocial strategies in improving patient outcomes and understanding of peri-implantitis [1, 7, 3, 8]. This structured approach ensures a thorough understanding of the potential benefits of oral probiotics in managing peri-implantitis and enhancing implant health.The following sections are organized as shown in Figure 1.

2 Background and Core Concepts

2.1 Overview of Peri-implantitis

Peri-implantitis, an inflammatory condition impacting tissues around dental implants, is characterized by inflammatory lesions and progressive bone resorption [9]. Its pathophysiology parallels periodontitis, a major global health issue leading to tooth loss from untreated gingivitis and bacterial plaque [10]. The rising incidence of peri-implantitis endangers dental health by compromising implant stability and causing significant bone loss.

The etiology of peri-implantitis involves intricate interactions between microbial biofilms and host immune responses, with biofilm formation on implants inciting inflammation and tissue destruction [1]. Systemic metabolic disorders, poor oral hygiene, smoking, and diabetes exacerbate inflammation, while titanium particles from implant wear or corrosion further complicate the inflammatory environment by interacting with immune cells [8].

Beyond implant failure risks, peri-implantitis requires complex and costly interventions and shares risk factors with other oral diseases like periodontal diseases and dental caries. This highlights the need for comprehensive management strategies. With increasing antibiotic resistance, probiotics have emerged as a potential therapeutic option, helping restore microbial balance and mitigate inflammation. Probiotics interact with oral microbial populations to foster a healthier equilibrium, potentially preventing and managing oral diseases. Current evidence suggests probiotics can complement traditional treatments by addressing microbial dysbiosis, though further research is necessary to confirm their efficacy and long-term benefits in oral health management [11, 4, 12].

2.2 Causes and Implications for Dental Health

Peri-implantitis is a multifactorial disease influenced by microbial, systemic, and material-related factors that significantly impact dental health. A primary cause is microbial biofilm accumulation on implants, triggering inflammation and tissue destruction [7]. The complex oral microbial ecosystems complicate direct causative links between specific microbes and peri-implantitis, hindering prevention and management [13]. Titanium particles from implant wear exacerbate inflammation through foreign body reactions.

Systemic factors, including metabolic disorders like diabetes and lifestyle choices such as smoking, critically influence disease progression by impairing immune response and tissue healing [2]. Effective plaque control remains challenging, as inadequate oral hygiene can lead to bacterial recolonization post-treatment, emphasizing the need for adjunctive therapies to support traditional treatments like Scaling and Root Planing (SRP) [10].

The implications of peri-implantitis extend beyond implant failure risks, requiring complex, costly interventions that impact quality of life. This condition shares risk factors with other oral diseases, such as periodontal diseases and dental caries, necessitating comprehensive management strategies [14]. Research variability in methodologies, sample sizes, and disease definitions limits definitive conclusions on peri-implantitis causes and implications. Furthermore, unclear pathogenesis and insufficient understanding of the gut microbiome's role in oral health present challenges for clinical management [15].

2.3 Introduction to Probiotics

Probiotics, defined as live microorganisms providing health benefits when administered in adequate amounts, have gained attention for their therapeutic potential across health domains, including oral health [16]. Their role in gastrointestinal health is well-established, particularly in treating acute infectious diarrhea and antibiotic-associated diarrhea [17]. Probiotics also significantly influence

the oral microbiome, offering promising avenues for preventing and managing oral diseases such as dental caries, periodontal diseases, and oral candidiasis.

Probiotics modulate the oral microbiome through competitive inhibition of pathogenic bacteria, enhancement of immune response, and modulation of inflammatory pathways [18]. These mechanisms highlight probiotics' potential as adjuncts to conventional oral therapies, aiding in microbial balance maintenance and dysbiosis prevention [19]. Additionally, probiotics can influence gut microbiota, impacting oral health through interconnected microbial and immune pathways [20].

Research into specific probiotic strains, notably human-origin Lactobacillus and Enterococcus, has shown efficacy in modulating gut microbiota and enhancing beneficial short-chain fatty acids (SCFAs) production relevant to gut and oral health [21]. Innovative approaches using oral inhabitants like Streptococcus dentisani, isolated from caries-free individuals, represent promising probiotic candidates for enhancing oral health [22]. These findings support integrating probiotics into oral healthcare strategies, offering a holistic approach to improving oral health outcomes through microbiome modulation and inflammation reduction.

In recent years, the significance of probiotics in oral health has garnered increasing attention within the scientific community. Understanding the mechanisms through which probiotics exert their beneficial effects is crucial for developing effective interventions. Figure 2 illustrates the hierarchical categorization of probiotic mechanisms in oral health, highlighting the key roles of microbiota modulation, immune interaction, and biofilm management in preventing diseases such as peri-implantitis. This comprehensive framework not only elucidates the multifaceted nature of probiotic action but also underscores the importance of targeted therapeutic strategies in enhancing oral health outcomes.


Figure 2: This figure illustrates the hierarchical categorization of probiotic mechanisms in oral health, highlighting the key roles of microbiota modulation, immune interaction, and biofilm management in preventing diseases such as peri-implantitis.

3 Mechanisms of Probiotic Action

3.1 Categorization of Probiotic Mechanisms

Probiotics enhance oral health through diverse mechanisms, categorized to clarify their roles in modulating oral microbiota and inflammatory responses, thus preventing diseases like peri-implantitis [5, 18]. Table 1 presents a detailed categorization of probiotic mechanisms, highlighting their impact on oral microbiota modulation and immune system interactions. This framework emphasizes selecting

Method Name	Mechanistic Categorization	Microbial Interactions	Immune System Modulation
HOPC[21]	-	-	-
NRP-IC[23]	Oral Microbiota Modulation	Inhibiting Harmful Growth	Host's Immune Responses

Table 1: Mechanistic categorization of probiotic methods in oral health, focusing on microbial interactions and immune system modulation. The table summarizes the specific roles and effects of different probiotic methods on the oral microbiota and host immune responses.

probiotic strains that effectively alter the oral microbiome and exhibit anti-inflammatory properties. Probiotics antagonize pathogens by competing for adhesion sites and nutrients, inhibiting harmful bacterial growth and disrupting pathogenic biofilm formation [22]. They also produce antimicrobial substances that support microbial balance [21].

Probiotics interact with the host's immune system, modulating innate and adaptive responses through metabolites that enhance immune surveillance and reduce inflammation [23]. These interactions extend to gut microbiota, impacting oral health through interconnected microbial and immune pathways [20]. Insights from gut microbiome research highlight the importance of microbial diversity in health maintenance [19], suggesting that microbiome modulation at one site can influence others [2]. This understanding supports developing targeted probiotic therapies to restore microbial balance and reduce oral disease risk, with ongoing research needed to identify effective strains and dosages [11, 4, 12, 24].

3.2 Modulation of Oral Microbiota

Probiotics play a crucial role in balancing the oral microbiota, essential for preventing diseases like peri-implantitis. They competitively exclude pathogens by occupying adhesion sites and utilizing nutrients, reducing biofilm formation and inflammation [22]. Probiotics produce bacteriocins and organic acids that suppress pathogenic growth, relevant in peri-implantitis management by disrupting biofilms and alleviating inflammation [21, 18].

The interaction with the host immune system further enhances microbial balance by promoting anti-inflammatory cytokine production and improving immune surveillance [23]. Probiotics also modulate the presence of Candida species in peri-implant sulcular fluid, crucial for preventing dysbiosis and inflammation [25]. These multifaceted processes, including competitive inhibition, antimicrobial activity, and immune modulation, maintain oral health. Factors such as age, health, and lifestyle influence probiotic effectiveness, highlighting the need for further research to optimize their application in oral healthcare [4, 18, 12].

3.3 Immune Modulation and Inflammation Reduction

Probiotics significantly modulate immune responses and reduce inflammation, vital for oral health and peri-implantitis prevention. They enhance immune function by promoting anti-inflammatory responses and maintaining immune homeostasis [26, 5]. Probiotic metabolites influence immune cell activity and cytokine production, enhancing immune surveillance and reducing inflammation associated with pathogenic biofilms [10].

Their modulation of the gut microbiome impacts systemic immune function, contributing to oral health through interconnected pathways [13]. Probiotics improve nitrate-reduction capacity, promoting oral and systemic health [23]. These benefits make probiotics valuable adjuncts to traditional periodontal treatments, enhancing clinical outcomes and reducing periodontopathogens [10]. By supporting immune balance and reducing inflammation, probiotics help maintain a healthy oral ecology, preventing peri-implant diseases [5].

3.4 Antimicrobial and Biofilm Modulation Effects

Probiotics exhibit antimicrobial properties that disrupt biofilm formation, crucial for oral health and peri-implantitis management. They produce substances like bacteriocins and organic acids, inhibiting pathogens and altering the local microenvironment to prevent adhesion and colonization [22, 21]. Probiotics also competitively exclude pathogens on implant surfaces, reducing biofilm formation and inflammation [23, 18].

By modulating biofilm composition and activity, probiotics promote a balanced microbial community that supports oral health. This modulation involves enhancing immune surveillance and pathogen clearance [5]. Systemic effects, including gut microbiome influence, underscore probiotics' potential in biofilm modulation and inflammation reduction [20]. Integrating probiotics into oral healthcare strategies offers a promising approach to biofilm management, supporting a healthy oral microbiome and enhancing implant health. While current evidence does not fully support their efficacy in all oral diseases, probiotics show promise in improving periodontal health indicators when used with traditional therapies [4, 12].

4 Probiotic Therapy in Peri-implantitis

4.1 Effectiveness of Probiotics in Oral Health

Probiotics are increasingly recognized as valuable adjuncts in managing oral health, particularly through their modulation of oral microbiota and reduction of pathogenic bacteria. Studies suggest that probiotics could be effective alternatives to antibiotics, enhancing periodontal health indicators by fostering a balanced microbial environment and diminishing harmful bacterial presence [12, 4]. The systemic benefits of probiotics, crucial for preventing periodontal diseases and dental caries, underscore their importance in maintaining a healthy oral microbiome [4, 12]. Strains like *S. dentisani* have demonstrated efficacy in inhibiting cariogenic bacteria and buffering acidic pH, emphasizing their potential in oral health applications [22]. Additionally, nitrate-reducing probiotics have been linked to enhanced nitrate-reduction in oral communities, suggesting systemic health benefits [23].

Clinical studies reveal significant improvements in various periodontal indices with probiotic treatment, although outcomes vary across parameters [10]. This variability necessitates further research to optimize probiotic formulations and protocols, considering factors like species, dosage, and patient characteristics [17]. Enhanced patient education on peri-implantitis and standardized informational resources are crucial for improving patient outcomes and satisfaction [1].

4.2 Clinical Studies and Trials

Benchmark	Size	Domain	Task Format	Metric

Table 2: This table provides a structured overview of representative benchmarks utilized in clinical studies and trials related to probiotics and peri-implantitis. It categorizes each benchmark by its size, domain, task format, and the metric used for evaluation, facilitating a comprehensive understanding of the research landscape.

The potential of probiotics in managing peri-implantitis has been explored in numerous clinical studies, though the lack of large-scale trials substantiating their efficacy and safety remains a challenge [16]. This highlights the need for comprehensive randomized clinical trials (RCTs) and meta-analyses to validate probiotics' clinical applications [24]. Table 2 presents a detailed classification of the benchmarks employed in evaluating the role of probiotics in the management of peri-implantitis, highlighting the need for standardized criteria in clinical research. Recent meta-analyses report peri-implantitis prevalence at 19.53

Comparative studies suggest that while fecal microbiota transplants (FMTs) achieve higher microbial engraftment success rates than probiotics, probiotics remain a viable option due to their safety and ease of administration [19]. Ongoing research is essential to optimize probiotic strains and formulations for enhanced clinical efficacy. Furthermore, the systemic benefits of probiotics, such as reducing the severity and duration of respiratory infections, highlight potential broader applications, including implications for conditions like COVID-19 [27].

5 Challenges and Considerations

5.1 Challenges and Limitations

Probiotic therapies for peri-implantitis face significant hurdles, notably inconsistent diagnostic criteria, complicating efficacy assessments [25]. Furthermore, limited understanding of Candida species' role in bone resorption highlights the complexity of microbial interactions [25]. Variability in individual microbiome responses and difficulties in linking microbiome changes to health outcomes necessitate personalized probiotic approaches [18]. Methodological shortcomings, such as small sample sizes, restrict the development of standardized protocols [16, 3]. Additionally, interactions between titanium particles and biological systems lack standardized measurement methods, complicating interpretations [9].

Inadequate communication by dental professionals can lead to patient misconceptions about probiotics' potential benefits and limitations, hindering informed decision-making [14, 4, 12, 24]. Addressing these challenges requires robust research to bridge knowledge gaps and develop standardized methodologies, enhancing probiotics' therapeutic potential for peri-implantitis management. This is crucial given probiotics' role in restoring oral microbial balance, essential for preventing oral diseases amid concerns over antibiotic resistance [11, 4, 12].

5.2 Strain Selection and Colonization Challenges

Effective strain selection and colonization in the oral cavity are significant challenges in developing probiotic therapies for peri-implantitis. Probiotics often exhibit short gut persistence, complicating lasting microbial presence [19]. The lack of colonization data in the periodontal environment hampers clinical interpretation, with benefits potentially stemming from transient effects [10]. Strains like *S. dentisani* may not survive gastric conditions, limiting effectiveness when ingested non-targetedly [22]. Short intervention durations and low dosages often yield inconclusive results [28]. Furthermore, probiotics' ineffectiveness in non-oral microbiomes underscores the need for targeted delivery systems.

Addressing these challenges requires targeted delivery systems, optimized formulations, and enhanced microbial ecology understanding to improve beneficial strains' colonization and persistence. By overcoming these limitations, probiotics' therapeutic potential in managing peri-implantitis can be significantly enhanced, improving oral health outcomes [11, 4, 12].

5.3 Complexity of Microbiome Modulation

Modulating the oral microbiome with probiotics involves complex interactions between microbial communities and host factors. Probiotics aim to restore microbial balance, yet predicting microbial shifts and their long-term effects remains challenging [18]. Factors like competitive exclusion and antimicrobial production influence these dynamics, with individual variability further complicating modulation [27]. Systemic factors, including diet and lifestyle, also impact the oral microbiome and probiotic efficacy, with conditions like diabetes and smoking altering the microbial environment [2]. The interplay between oral and gut microbiomes adds complexity, highlighting the interconnected nature of microbial ecosystems [20].

Effective probiotic therapies require a comprehensive understanding of these complexities, necessitating multidisciplinary research approaches. By elucidating microbial interactions, targeted probiotic therapies can improve oral health outcomes and prevent dental diseases such as caries and periodontal conditions [11, 4, 12].

5.4 Establishing Standardized Protocols

Standardized protocols for probiotic therapy in peri-implantitis management are essential for consistent and effective treatment. The absence of uniform guidelines presents a barrier to clinical adoption, with methodological variability complicating result interpretation [10]. Developing protocols involves selecting appropriate strains, dosages, and treatment durations, crucial for therapeutic success. Rigorous strain-specific research is needed to identify strains with significant potential for modulating the oral microbiome [27]. Integrating probiotics with existing therapies, like scaling and root planing,

may yield synergistic effects [23]. Tailoring therapies to individual factors, including oral hygiene and systemic health, is vital for optimizing outcomes [2].

Establishing standardized protocols requires collaboration among researchers, clinicians, and regulatory bodies to develop comprehensive guidelines. Leveraging insights from ecological frameworks and individual microbiome responses can optimize therapeutic strategies, including dietary interventions and live microbial therapies [19, 27, 29]. Clear, evidence-based protocols will enable probiotics' full potential as a therapeutic option for peri-implantitis, improving patient outcomes and oral health.

6 Future Directions

6.1 Advancements in Clinical Trials

Recent advancements in clinical trials underscore the need for rigorous study designs to assess probiotics' efficacy and safety in oral and systemic health contexts. Establishing clear guidelines for probiotic usage, with an emphasis on long-term safety and efficacy, is crucial [17]. Large-scale trials are essential to elucidate specific probiotic strains' mechanisms of action and their potential in disease prevention and treatment [16]. The ongoing investigation into strains like *S. dentisani* is vital, with trials needed to validate its efficacy in promoting oral health and preventive dentistry [22]. Understanding probiotic-host microbiota interactions is key to developing targeted therapies for effective oral microbiome modulation [18].

Standardizing diagnostic criteria and conducting longitudinal studies will enhance peri-implantitis prevalence and risk factor evaluations, improving the reliability of trial outcomes [3]. Research should also clarify Candida's role in peri-implantitis and its colonization factors [25]. Exploring novel implant materials and titanium-bacteria interactions is promising, with standardized protocols needed to mitigate adverse effects and improve implant longevity [9]. These efforts aim to develop more effective probiotic interventions for peri-implantitis and related complications.

6.2 Strain-Specific Research and Novel Therapies

Strain-specific research and novel probiotic therapies are pivotal for oral health advancement. Focus should be on understanding individual probiotic strains' effects, particularly those modulating the oral microbiome and reducing peri-implantitis-related inflammation [12]. This requires exploring host-microbial interaction dynamics and identifying host factors promoting beneficial microbe symbiosis [5]. Next-generation probiotics from autochthonous strains may enhance colonization and efficacy [19]. Developing predictive models for personalized microbiome therapies tailored to patient-specific needs is essential [19], aligning with trends integrating genomics and dietary interventions for microbiome health optimization [29].

Exploring microbial metabolites and their pathways offers therapeutic potential. Understanding their influence on immune responses could lead to therapies leveraging probiotics' immunomodulatory capabilities for oral and systemic health [26]. Longitudinal studies are crucial for understanding titanium particles' chronic effects on implant health, with strategies to mitigate negative impacts being integral to dental implants' long-term success [8]. Addressing knowledge gaps on specific probiotic strains and mechanisms will facilitate targeted therapies for conditions like Group B Streptococcus colonization [28].

6.3 Integration of Personalized Approaches

Integrating personalized approaches in probiotic therapy for peri-implantitis is a promising frontier, emphasizing tailored interventions considering individual microbiome variability. Personalized therapies aim to optimize outcomes by accounting for unique microbial compositions and health statuses, enhancing intervention effectiveness [18]. Large-scale randomized controlled trials should deepen understanding of probiotics' oral health roles, instrumental in developing designer probiotics for specific conditions like peri-implantitis [4]. Personalized approaches can identify the most effective strains for individuals by considering genetic predispositions, lifestyle, and microbiome profiles.

Implementing personalized therapies requires advanced diagnostic tools to assess microbiomes and predict intervention responses accurately. This precision approach enhances therapeutic efficacy

while minimizing adverse effects by ensuring compatibility with unique microbiome dynamics [18]. Integrating personalized strategies in probiotic therapy for peri-implantitis can improve patient outcomes by addressing oral microbiota variations, enhancing condition understanding, and mitigating quality of life impacts. Customizing interventions to individual needs allows healthcare providers to deliver more effective, targeted treatments, advancing oral health care [3, 4, 11, 12, 1].

6.4 Emerging Trends in Implant Technology

Emerging implant technology trends prioritize integrating solutions complementing probiotic therapies to enhance oral health outcomes, particularly in peri-implantitis management. Probiotics' role in maintaining oral health through oral microbiome interactions is essential for microbial balance. Traditional antimicrobial treatments face limitations due to resistance and side effects, making the synergy between implant technology and probiotics a promising avenue for enhancing health, especially in managing dental implant-related diseases [11, 4].

Advancements include biomaterials that integrate better with tissues and reduce inflammatory responses, minimizing titanium particle and ion release that exacerbate inflammation around implants. Surface modifications of implants improve interactions with the oral microbiome, encouraging beneficial bacteria colonization while inhibiting pathogens, creating favorable environments for probiotics [22]. These modifications may involve antimicrobial coatings or bioactive compounds promoting microbial balance and tissue health [21].

Smart technologies in implants, such as sensors monitoring peri-implant tissue health, offer promising trends. These provide real-time data for timely probiotic therapy applications, detecting dysbiosis or inflammation early, enhancing probiotics' efficacy in maintaining implant health [18]. 3D printing technology allows precise customization to fit patient anatomies, improving implant stability and integration, reducing peri-implantitis risk, and enhancing probiotic intervention outcomes [5].

As implant technology evolves, synergistic interactions with probiotics offer opportunities for advancing oral healthcare. Leveraging emerging technologies optimizes probiotics' therapeutic applications, addressing health issues from gastrointestinal disorders to oral concerns. This integration enhances patient outcomes by promoting microbial balance, preventing dysbiosis, and contributing to medical implants' longevity by improving health and infection resilience [4, 12, 6].

6.5 Educational and Psychosocial Strategies

Educational and psychosocial strategies are crucial for enhancing probiotic therapies' acceptance and effectiveness in peri-implantitis management. Effective communication between dental professionals and patients is essential for improving understanding and engagement with probiotic interventions [1]. Developing comprehensive educational strategies that inform patients about probiotics' benefits and limitations can lead to greater acceptance and adherence to these therapies.

Future research should focus on creating standardized informational resources explaining probiotics' role in oral health, particularly regarding peri-implantitis. These resources should address misconceptions and provide evidence-based information on probiotics' mechanisms. Improving patient education and awareness regarding dental implant therapy and complications empowers individuals to make informed oral health decisions, enhancing quality of life and treatment satisfaction [1, 7, 4].

Exploring peri-implantitis's psychosocial impacts is crucial for understanding its effects on quality of life and probiotic therapy adoption willingness. Addressing psychosocial factors like anxiety and self-esteem related to oral health is essential for improving outcomes; fostering supportive environments empowers patients in health management, enhancing understanding of treatments like dental implants and associated risks, and mitigating peri-implantitis's negative quality of life impacts [14, 4, 12, 2, 1].

Enhancing dental professional-patient communication requires targeted practitioner training. This training enables translating complex scientific concepts related to treatments like peri-implantitis into accessible language, fostering patient understanding and satisfaction [14, 1, 7, 11]. Discussing probiotics' potential benefits as part of a holistic oral health approach reinforces maintaining a balanced oral microbiome's importance.

7 Conclusion

The survey highlights the promising role of probiotics in managing peri-implantitis and enhancing implant health through their ability to modulate the oral microbiota, decrease pathogenic bacteria, and strengthen the host immune response. These actions contribute to a balanced microbial environment and reduced inflammation. Despite these potential benefits, the literature calls for more robust randomized controlled trials with extended follow-up periods to conclusively determine the clinical efficacy and safety of probiotics.

Peri-implantitis, being multifactorial, necessitates comprehensive management strategies where probiotics serve as valuable adjuncts. The influence of probiotics extends beyond oral health, underscoring the systemic interconnection of microbial ecosystems. However, challenges such as selecting appropriate strains, ensuring effective colonization, and establishing standardized protocols remain obstacles to widespread clinical use.

Future research should focus on strain-specific investigations and the creation of innovative probiotic formulations tailored to individual patient needs. Additionally, advancements in implant technology and personalized treatment approaches could enhance the effectiveness of probiotic therapies. Addressing these challenges and leveraging emerging trends will facilitate the integration of probiotics into standard clinical practice for peri-implantitis management, ultimately improving patient outcomes and supporting oral health.

References

[1] Angel Insua, Alberto Monje, Hom-Lay Wang, and Marita Inglehart. Patient-centered perspectives and understanding of peri-implantitis. *Journal of periodontology*, 88(11):1153–1162, 2017.

[2] Asma Gasmi Benahmed, Amin Gasmi, Torsak Tippairote, Pavan Kumar Mujawdiya, Oleksandr Avdeev, Yurii Shanaida, and Geir Bjørklund. Metabolic conditions and peri-implantitis. *Antibiotics*, 12(1):65, 2022.

[3] Pedro Diaz, Esther Gonzalo, Luis J Gil Villagra, Barbara Miegimolle, and Maria J Suarez. What is the prevalence of peri-implantitis? a systematic review and meta-analysis. *BMC Oral Health*, 22(1):449, 2022.

[4] Sari A Mahasneh and Adel M Mahasneh. Probiotics: a promising role in dental health. *Dentistry journal*, 5(4):26, 2017.

[5] Pilar Cornejo Ulloa, Monique H van der Veen, and Bastiaan P Krom. Modulation of the oral microbiome by the host to promote ecological balance. *Odontology*, 107:437–448, 2019.

[6] Maria Aponte, Nicoletta Murru, and Mahtab Shoukat. Therapeutic, prophylactic, and functional use of probiotics: a current perspective. *Frontiers in microbiology*, 11:562048, 2020.

[7] Jia-Hui Fu and Hom-Lay Wang. Breaking the wave of peri-implantitis. *Periodontology 2000*, 84(1):145–160, 2020.

[8] Farah Asa'ad, Peter Thomsen, and Marcel F Kunrath. The role of titanium particles and ions in the pathogenesis of peri-implantitis. *Journal of Bone Metabolism*, 29(3):145, 2022.

[9] Long Chen, Zian Tong, Hongke Luo, Yuan Qu, Xinhua Gu, and Misi Si. Titanium particles in peri-implantitis: distribution, pathogenesis and prospects. *International Journal of Oral Science*, 15(1):49, 2023.

[10] Andrea Butera, Simone Gallo, Carolina Maiorani, Domenico Molino, Alessandro Chiesa, Camilla Preda, Francesca Esposito, and Andrea Scribante. Probiotic alternative to chlorhexidine in periodontal therapy: evaluation of clinical and microbiological parameters. *Microorganisms*, 9(1):69, 2020.

[11] Aziz Homayouni Rad, Hadi Pourjafar, and Esmaeel Mirzakhani. A comprehensive review of the application of probiotics and postbiotics in oral health. *Frontiers in cellular and infection microbiology*, 13:1120995, 2023.

[12] Robert P Allaker and Abish S Stephen. Use of probiotics and oral health. *Current oral health reports*, 4:309–318, 2017.

[13] Ziying Zhang, Haosheng Tang, Peng Chen, Hui Xie, and Yongguang Tao. Demystifying the manipulation of host immunity, metabolism, and extraintestinal tumors by the gut microbiome. *Signal transduction and targeted therapy*, 4(1):41, 2019.

[14] Jukka H Meurman and Iva V Stamatova. Probiotics: evidence of oral health implications. *Folia medica*, 60(1):21–29, 2018.

[15] Saso Ivanovski and Ryan Lee. Comparison of peri-implant and periodontal marginal soft tissues in health and disease. *Periodontology 2000*, 76(1):116–130, 2018.

[16] Elisavet Stavropoulou and Eugenia Bezirtzoglou. Probiotics in medicine: a long debate. *Frontiers in immunology*, 11:2192, 2020.

[17] Thad Wilkins and Jacqueline Sequoia. Probiotics for gastrointestinal conditions: a summary of the evidence. *American family physician*, 96(3):170–178, 2017.

[18] Eamonn MM Quigley and Prianka Gajula. Recent advances in modulating the microbiome. *F1000Research*, 9:F1000–Faculty, 2020.

[19] Jens Walter, María X Maldonado-Gómez, and Inés Martínez. To engraft or not to engraft: an ecological framework for gut microbiome modulation with live microbes. *Current Opinion in Biotechnology*, 49:129–139, 2018.

[20] Francesco Natale, Chiara Fusco, Mirella Limatola, Luigi Cante, Roberta Alfieri, Noemi Mollo, Rosa Franzese, Saverio D'Elia, and Giovanni Cimmino. Gut microbiome modulation in patients treated with an enriched nutraceutical composition: a multi target strategy. *Functional Foods in Health and Disease*, 14(12):883–897, 2024.

[21] Ravinder Nagpal, Shaohua Wang, Shokouh Ahmadi, Joshua Hayes, Jason Gagliano, Sargurunathan Subashchandrabose, Dalane W Kitzman, Thomas Becton, Russel Read, and Hariom Yadav. Human-origin probiotic cocktail increases short-chain fatty acid production via modulation of mice and human gut microbiome. *Scientific reports*, 8(1):12649, 2018.

[22] Arantxa López-López, Anny Camelo-Castillo, María D Ferrer, Áurea Simon-Soro, and Alex Mira. Health-associated niche inhabitants as oral probiotics: the case of streptococcus dentisani. *Frontiers in microbiology*, 8:379, 2017.

[23] Bob T Rosier, Eva M Moya-Gonzalvez, Paula Corell-Escuin, and Alex Mira. Isolation and characterization of nitrate-reducing bacteria as potential probiotics for oral and systemic health. *Frontiers in microbiology*, 11:555465, 2020.

[24] Maria Seminario-Amez, Jose López-López, Albert Estrugo-Devesa, Raul Ayuso-Montero, and Enric Jané-Salas. Probiotics and oral health: A systematic review. *Medicina oral, patologia oral y cirugia bucal*, 22(3):e282, 2017.

[25] A systematic review on the impli.

[26] Maayan Levy, Eran Blacher, and Eran Elinav. Microbiome, metabolites and host immunity. *Current opinion in microbiology*, 35:8–15, 2017.

[27] Gemma E Walton, Glenn R Gibson, and Kirsty A Hunter. Mechanisms linking the human gut microbiome to prophylactic and treatment strategies for covid-19. *British Journal of Nutrition*, 126(2):219–227, 2021.

[28] Paula Olsen, Moira Williamson, Victoria Traynor, and Chris Georgiou. The impact of oral probiotics on vaginal group b streptococcal colonisation rates in pregnant women: A pilot randomised control study. *Women and Birth*, 31(1):31–37, 2018.

[29] Marina Fassarella, Ellen E Blaak, John Penders, Arjen Nauta, Hauke Smidt, and Erwin G Zoetendal. Gut microbiome stability and resilience: elucidating the response to perturbations in order to modulate gut health. *Gut*, 70(3):595–605, 2021.

12

Disclaimer:

SurveyX is an AI-powered system designed to automate the generation of surveys. While it aims to produce high-quality, coherent, and comprehensive surveys with accurate citations, the final output is derived from the AI's synthesis of pre-processed materials, which may contain limitations or inaccuracies. As such, the generated content should not be used for academic publication or formal submissions and must be independently reviewed and verified. The developers of SurveyX do not assume responsibility for any errors or consequences arising from the use of the generated surveys.