A Survey of Sentiment Analysis Using Fine-grained Large Language Models and Continual Learning

Abstract

This survey paper explores the transformative impact of advanced methodologies in sentiment analysis, particularly focusing on the integration of Large Language Models (LLMs), fine-grained analysis, continual learning, and transfer learning. LLMs, such as BERT and GPT, significantly enhance sentiment classification by capturing complex linguistic patterns, with notable applications in the financial sector where models like XLex improve classification accuracy and decision-making. Fine-grained sentiment analysis, exemplified by BERT+CRF models, provides detailed sentiment interpretations crucial for domains like finance. The integration of multimodal approaches enhances accuracy and efficiency, as seen in applications like EmoWrite. Continual learning ensures model adaptability to dynamic environments, maintaining performance and reliability, while transfer learning facilitates cross-domain adaptation, enhancing emotion detection accuracy across diverse languages and tasks. The generative language model approach demonstrates superior performance in few-shot settings, with FinBERT illustrating transfer learning's potential in financial NLP tasks. These methodologies collectively advance sentiment analysis, addressing biases and ensuring fairness in AI applications. Future research directions include exploring new models and techniques to further elevate sentiment analysis capabilities, with implications for educational practices and multilingual adaptability.

1 Introduction

1.1 Importance of Sentiment Analysis

Sentiment analysis is a crucial aspect of natural language processing (NLP), vital for extracting and interpreting opinions and emotions from text data. The rise of digital communication, especially on social media, has amplified the demand for sophisticated sentiment analysis techniques capable of handling vast amounts of unstructured data [1, 2]. Traditional models often struggle with the complexity and brevity of social media content, highlighting the need for improved tools [3].

In finance, sentiment analysis is essential for interpreting financial texts characterized by specialized language and limited labeled data [4]. Accurate sentiment analysis is crucial for business intelligence and forecasting, providing insights into market trends and investor sentiments [5]. Additionally, it aids in predicting stock movements based on press releases and financial statements, particularly in sectors like biotechnology [6].

Aspect-based sentiment analysis (ABSA) has emerged as a significant area within sentiment analysis, focusing on the sentiment of specific aspects in text documents [7]. This approach allows for a detailed understanding of customer feedback, enabling businesses to refine products and services based on nuanced insights [8].

Moreover, sentiment analysis is instrumental in education, enhancing educational outcomes by analyzing student feedback, and in healthcare, where it aids in the early detection and management of

Figure 1: chapter structure

mental health conditions. It also addresses linguistic challenges across diverse languages, particularly in less-studied ones [9].

The integration of multimodal approaches in sentiment analysis is gaining traction, enhancing sentiment understanding by incorporating various data sources. However, these methods often encounter interpretability challenges, posing significant hurdles in the field [2]. Despite these challenges, sentiment analysis remains a cornerstone in advancing NLP technologies, providing insights into human emotions and societal trends across multiple sectors. Its applications span enhancing digital communication, informing business strategies, and improving healthcare outcomes, underscoring its significance in today's data-driven landscape.

1.2 Role of Large Language Models and Continual Learning

Large Language Models (LLMs), including BERT and GPT, have transformed sentiment analysis by significantly improving the understanding of complex linguistic structures and subtle emotional nuances in text data. These models have shown substantial advancements in sentiment classification tasks, exemplified by FinBERT, which tailors sentiment analysis to the specialized language of financial texts, enhancing predictive accuracy [4]. The BERT-pair methodology further illustrates LLMs' utility by refining aspect-based sentiment analysis into a more effective sentence-pair classification task [9].

Integrating LLMs into sentiment analysis frameworks addresses challenges in interpreting emotions conveyed through text, particularly on dynamic platforms like social media. Utilizing the contextual understanding capabilities of models like BERT enhances the accuracy of sentiment interpretation. Hybrid deep learning models, which combine various neural network architectures such as Recursive Neural Networks (RecNN) and BERT, significantly improve sentiment analysis techniques

by effectively processing unstructured data from sources like social media and product reviews [10, 11, 12, 13, 14].

Continual learning enhances LLMs by enabling dynamic adaptation to evolving sentiment patterns, crucial for maintaining effectiveness in fast-paced environments like social media. This adaptability is vital given the rapid changes in language and context. Techniques such as semi-supervised learning and retrieval-augmented frameworks allow LLMs to refine their performance in tasks like financial sentiment analysis and text classification, ensuring relevance and accuracy as trends evolve [15, 16, 17, 4, 18]. The synergy between LLMs and continual learning is further exemplified in multimodal sentiment analysis, where nonverbal modalities are translated into textual descriptions, enabling LLMs to predict sentiment with enhanced interpretability.

The combination of LLMs and continual learning methodologies marks a significant advancement in sentiment analysis, offering precise and contextually aware interpretations of textual data. These innovations facilitate automated emotion detection across various domains, broadening sentiment analysis's applicability and impact in NLP. Integrating domain knowledge with advanced deep learning techniques enhances sentiment analysis effectiveness, particularly in short, informal communications typical of social media. This approach employs enhancements such as negation-based data augmentation and multitask learning to address the unique challenges of user-generated content. Additionally, prompting strategies with LLMs, including Role-Playing and Chain-of-Thought prompting, have been shown to improve sentiment analysis performance, highlighting continual learning's transformative potential in complex domains like financial market sentiment derived from platforms like Reddit [4, 19, 20].

1.3 Keywords and Concepts

Understanding key terms and concepts is vital in sentiment analysis for navigating methodologies and applications within the field. Fine-grained analysis is a pivotal concept, illustrated by the RoBERTa-BiLSTM model, which enhances sentiment classification accuracy by addressing issues such as lexical diversity and imbalanced datasets [21]. This approach allows for a nuanced understanding of sentiment by dissecting text into finer components.

Transfer learning is another critical concept, involving the adaptation of pre-trained models to new tasks, leveraging knowledge from one domain to enhance performance in another. This is particularly relevant in financial sentiment analysis, where models like BERT are employed to grasp the context and semantics of financial texts [22]. The application of transfer learning extends across various domains, improving accuracy and efficiency [10].

Emotion detection is integral to sentiment analysis, focusing on recognizing and categorizing emotional states within text data. This is especially pertinent in contexts requiring the capture of emotional nuances, such as brain-computer interfaces that convert thought to text [23]. Integrating emotion detection capabilities into sentiment analysis frameworks enhances the interpretation of complex emotional signals.

LLMs play a crucial role in advancing sentiment analysis, offering sophisticated tools for understanding and processing text data. These models, utilized in real-time feedback systems, improve the adaptability and responsiveness of sentiment analysis applications [24]. The use of adaptive rank allocation further optimizes LLM performance in sentiment analysis tasks [25].

Moreover, deep learning techniques, including hybrid models and character embeddings, address challenges posed by diverse languages and user-generated content [26]. Bidirectional gated recurrent units exemplify advancements in classification methodologies within text sentiment analysis [27].

Cross-lingual topic modeling and pre-trained deep neural networks enhance the generation of sentence embeddings, facilitating sentiment analysis across languages and contexts [28]. These advancements, along with affective computing and opinion mining, underscore the evolving landscape of sentiment analysis, where pre-processing and word embedding techniques continually refine sentiment extraction and interpretation from text [29].

3

1.4 Structure of the Survey

This survey is organized to provide a comprehensive exploration of sentiment analysis, focusing on advancements in fine-grained large language models and continual learning techniques while addressing challenges and opportunities in the field, such as sarcasm detection, multilingual data analysis, and ethical considerations. It highlights diverse applications of sentiment analysis across various domains, including marketing, finance, and public opinion analysis, offering valuable insights for researchers and practitioners to understand current trends and future directions [30, 31, 32]. The paper begins with an **Introduction** that emphasizes the importance of sentiment analysis in NLP, the transformative role of LLMs, and the integration of continual learning methodologies. Key concepts such as fine-grained analysis, transfer learning, and emotion detection are introduced, setting the stage for detailed discussions.

The **Background and Definitions** section delves into foundational concepts, offering precise definitions and tracing the evolution of sentiment analysis within the broader NLP context. This groundwork is essential for understanding subsequent discussions on advanced methodologies.

The third section, **Large Language Models in Sentiment Analysis**, examines advancements brought about by LLMs, providing insights into their applications in sentiment analysis tasks, challenges encountered, and strategies for enhancing performance. Real-world case studies illustrate the practical impact of LLMs in various applications.

Fine-grained Sentiment Analysis is explored in the fourth section, discussing the significance, methodologies, and techniques of fine-grained analysis. The integration of multimodal and multilingual approaches is examined, alongside innovative applications and case studies demonstrating the potential of fine-grained sentiment analysis.

The fifth section, **Continual Learning in Sentiment Analysis**, focuses on the concept and importance of continual learning, highlighting its role in ensuring model adaptability and relevance over time. Examples of continual learning approaches in sentiment analysis underscore their practical applications.

In **Transfer Learning for Emotion Detection**, we explore how transfer learning enhances emotion detection within sentiment analysis, enabling cross-domain adaptation and improving accuracy. Various techniques and models utilizing transfer learning are comprehensively examined, focusing on their effectiveness in enhancing performance across diverse NLP tasks, supported by successful case studies. Notable advancements include strategic text augmentation methods and Modified Cyclical Curriculum Learning (MCCL) to optimize training efficiency, along with a two-stage framework for knowledge transfer in convolutional neural networks (CNNs) that reduces complexity while preserving performance. Additionally, specialized pre-trained models for financial sentiment analysis demonstrate the adaptability of transfer learning in domains with fewer labeled data [22, 33, 18].

The penultimate section, **Challenges and Future Directions**, identifies current challenges in sentiment analysis using LLMs, fine-grained analysis, and continual learning, while discussing potential research opportunities. It emphasizes the importance of interdisciplinary approaches and collaboration in advancing the field.

The survey concludes with a comprehensive **Conclusion** that synthesizes key findings and insights from the research, emphasizing the critical role of integrating advanced methodologies in sentiment analysis. It highlights how these methodologies can significantly enhance sentiment detection accuracy and efficiency, essential for organizations to understand customer opinions expressed across various online platforms. The findings underscore the potential impact of improved sentiment analysis techniques on diverse fields such as marketing, finance, and political analysis, ultimately guiding future research directions and practical applications in NLP [30, 31].The following sections are organized as shown in Figure 1.

2 Background and Definitions

2.1 Definitions and Explanations of Key Concepts

Sentiment analysis, a core component of natural language processing (NLP), involves categorizing emotions in text into positive, negative, or neutral sentiments [6]. Its application is particularly

significant in finance, where understanding sentiments in specialized financial texts, such as those concerning biotech stocks, requires familiarity with specific terminology and market dynamics [34]. The complexity increases with social media, where sentiments range from bullish to bearish, as seen on platforms like Reddit [4].

Aspect-Based Sentiment Analysis (ABSA) further refines this process by focusing on sentiments related to specific aspects within sentences [7]. This allows for nuanced understanding, especially in contexts with conflicting sentiments, such as social media [3]. The integration of sentiment knowledge into pre-trained language models enhances their ability to interpret emotional content, improving performance in sentiment classification [35, 9]. However, the dynamic nature of data from sources like microblogs poses ongoing challenges, requiring adaptable models [34].

Sentiment analysis, thus, is vital in NLP, employing various methods to categorize text sentiments while addressing unstructured data challenges on digital platforms. It aids organizations in understanding consumer opinions, influencing strategic decisions in customer satisfaction and brand reputation, and extends to political and financial forecasting [8, 30, 36]. Advances in large language models and domain-specific knowledge integration continue to expand its applicability across sectors and languages.

2.2 Evolution of Sentiment Analysis

Sentiment analysis has evolved from basic lexicon-based methods to advanced deep learning techniques. Initially dominated by traditional machine learning, which treated sentences as single documents, these methods struggled with conflicting sentiments and required extensive feature engineering [7, 1]. The advent of deep learning, with models like CNNs and LSTMs, marked a significant milestone, enabling the capture of complex linguistic patterns and emotional nuances, thus improving sentiment classification [5]. Despite this, challenges remain with the brevity and informality of content on platforms like Twitter and Reddit [19].

Ensemble learning further enhanced sentiment analysis by combining multiple models for improved robustness and accuracy [30]. However, challenges like domain-specific language interpretation, sarcasm detection, and handling special characters persist, particularly in informal texts such as student feedback [37]. Incorporating domain knowledge into models is crucial, especially for specialized texts like financial documents [34].

Cross-lingual transfer learning offers a promising solution to language-specific constraints, allowing models trained in one language to be adapted for another, albeit with potential biases [38]. The development of sentiment analysis methodologies underscores the need for hybrid approaches that blend traditional and modern techniques to address the diverse and evolving nature of textual data [5].

2.3 Relevance in Natural Language Processing

Sentiment analysis is pivotal in NLP, serving as a tool to interpret human emotions and opinions in text, enhancing NLP systems' ability to facilitate nuanced interactions. In chatbot development, it enables systems to emotionally engage users, fostering personalized interactions aligned with user sentiments [39]. This emotional engagement is crucial for user satisfaction and meaningful human-computer interactions.

The integration of sentiment analysis into NLP frameworks also addresses challenges posed by dialectal variations and informal language, particularly in languages with significant dialectal differences like Arabic [40]. This necessitates adaptable techniques capable of handling linguistic diversity, thus improving NLP applications' robustness across languages and cultural contexts.

Moreover, sentiment analysis refines NLP systems by addressing linguistic phenomena such as negation and coreference resolution, essential for accurate sentiment interpretation [41]. However, challenges remain, including managing poorly structured and sarcastic texts, which can lead to sentiment misclassification [30]. The complexity of sarcasm and context-dependent meanings requires advanced methodologies for enhanced accuracy [8].

The reliance on large annotated datasets and the limitations of word embeddings present additional challenges, particularly in multilingual contexts where translation quality affects accuracy [29, 42]. Despite these hurdles, sentiment analysis is essential in NLP, providing insights into human emotions

and facilitating the development of sophisticated, empathetic systems. Its evolution, driven by deep learning and domain-specific knowledge integration, enhances NLP applications across industries and languages, particularly in sectors like education, where analyzing student feedback improves educational practices. Deep learning techniques address informal communication challenges on social media, enabling accurate sentiment detection and interpretation, making sentiment analysis indispensable for businesses seeking to understand customer opinions and adapt strategies [37, 19, 31].

3 Large Language Models in Sentiment Analysis

The advent of large language models (LLMs) has significantly advanced sentiment analysis by enhancing the contextual understanding and refining methodologies. This section examines the progress achieved by LLMs, highlighting their transformative impact on sentiment analysis techniques and outcomes. Figure ?? illustrates the hierarchical structure of advancements, challenges, techniques for enhancing performance, and case studies related to LLMs in sentiment analysis. This figure emphasizes the transformative impact of LLMs on sentiment analysis methodologies and outcomes, further reinforcing the narrative of their pivotal role in this domain.

Figure 2: This figure illustrates the hierarchical structure of advancements, challenges, techniques for enhancing performance, and case studies related to large language models (LLMs) in sentiment analysis, emphasizing the transformative impact of LLMs on sentiment analysis methodologies and outcomes.

3.1 Advancements of Large Language Models in Sentiment Analysis

Large language models, particularly BERT, have redefined sentiment analysis by providing deep contextual insights and nuanced text interpretation. Leveraging transformer-based architectures, these models adeptly capture intricate linguistic patterns and semantic subtleties, thereby enhancing sentiment classification accuracy [1]. The BERT-pair approach, which fine-tunes pre-trained BERT models for aspect-based sentiment analysis, demonstrates significant improvements over traditional methods [9].

Hybrid models, integrating classical machine learning with deep learning, have notably increased accuracy in sentiment classification, as evidenced by a method combining classical techniques with deep learning [7]. A custom BiLSTM model achieving 89.63% accuracy further exemplifies the potential of diverse architectural combinations [1].

Transfer learning has broadened LLM applications across domains and languages, enabling models to adapt pre-trained knowledge to specialized areas like financial forecasting [4]. The KESA model, which incorporates sentiment knowledge through auxiliary tasks, further boosts sentiment analysis performance [35].

Multilingual sentiment analysis frameworks, such as DLP-MSA, unify multiple languages into a single computational model, enhancing cross-linguistic sentiment analysis [42]. Additionally, LLMs' interpretative capabilities illuminate how various modalities affect sentiment predictions, crucial for understanding multimodal data influences [43].

3.2 Challenges in Applying LLMs to Sentiment Analysis

Despite their potential, applying LLMs in sentiment analysis presents challenges. A major issue is the high computational cost of training and deploying these models, demanding substantial resources [35], especially problematic in resource-limited settings.

The lack of large, high-quality datasets for training neural networks poses another challenge [13]. This is particularly acute in low-resource languages and domains, where limited annotated data impedes model optimization [44]. The variability in predictions from models like BERT complicates consistent sentiment extraction.

The complexity of emotional expressions in text is another hurdle, as current methods often fail to capture nuanced sentiment, leading to inaccuracies [45]. This complexity is heightened by

6

sentiment's dynamic nature, varying across contexts and domains [5]. The reliance on sentiment lexicons, requiring manual effort for creation and upkeep, complicates LLM deployment [35].

Furthermore, the large parameter size of models like BERT raises concerns about overfitting, limiting their effectiveness on new data [12]. Achieving optimal performance without overfitting requires careful model architecture and training strategy considerations.

Interpretability is a critical issue, as the complex nature of LLMs complicates understanding their predictions [35]. This lack of transparency can impede LLM adoption in sentiment analysis, particularly when understanding model rationale is essential.

3.3 Techniques for Enhancing LLM Performance in Sentiment Analysis

Improving LLM performance in sentiment analysis involves methodologies aimed at boosting accuracy and adaptability across domains. Adapting pre-trained models through few-shot learning and supervised fine-tuning is effective, as seen in the LLaMA-7B model's adaptation for financial sentiment analysis [46].

In low-resource languages, transferring knowledge from monolingual models enhances sentiment analysis, exemplified by fine-tuning an English XLNet model on a Tigrinya dataset [47]. Self-training strategies, refining predictions with labeled and unlabeled data, have shown promise when ample labeled data is available [48]. Innovative prompting strategies like RP-CoT guide LLMs through structured reasoning, improving sentiment analysis accuracy [20].

Dynamic adaptive optimization (DAO) techniques optimize LLM performance by adjusting loss weighting based on task progress and data characteristics, ensuring effective resource allocation [49]. Domain adaptation techniques, combining generic and domain-specific embeddings, tailor LLMs to specific contexts, enhancing performance [50].

Deep learning architectures play a crucial role in feature extraction and sentiment classification, as demonstrated in Persian movie review analyses, where they automatically extract relevant features, improving sentiment prediction accuracy [51].

	Model	Accuracy	Recall	F1-score
GPT Variants	GPT 3.5 Turbo	**0.9732**	0.9198	0.9426
	Ada	0.9528	0.9306	**0.9473**
	Babbage	0.9594	**0.9653**	0.9084
	Curie	0.9316	0.8927	0.9149
	Davinci	0.9243	0.8531	0.8809
	Embedding + Xgboost	0.8736	0.8405	0.8631
	Embedding + RF	0.8348	0.8192	0.8729
Previous Methods	Baziotis et al. [88]	0.651	0.681	0.677
	Deshmane et al. [89]	0.616	0.643	0.620
	Cliche et al. [90]	0.658	0.681	0.685
	Hao et al. [91]	0.575	0.556	0.519
	Gonzalez et al. [93]	0.599	0.632	0.619
	Nguyen et al. [94] (RoBERTa)	**0.720**	**0.732**	**0.725**

(a) A flowchart illustrating the process of using language models (LLMs) to classify financial news or statements as positive, negative, or neutral based on context.[52]

(b) Financial Knowledge Generation and Analysis System[15]

(c) The table compares the performance of various models in terms of accuracy, recall, and F1-score.[53]

Figure 3: Examples of Techniques for Enhancing LLM Performance in Sentiment Analysis

In sentiment analysis, LLMs have emerged as powerful tools for interpreting and classifying textual data, especially in complex domains like finance. The techniques illustrated in Figure 3 highlight multifaceted approaches to enhancing LLM performance. The first illustration delineates the process of utilizing LLMs to categorize financial news or statements as positive, negative, or neutral, emphasizing the importance of context in sentiment classification. The second visual represents a financial knowledge generation and analysis system, showcasing the role of Retrieval-Augmented Generation (RAG) and instruction tuning in refining model outputs by leveraging diverse financial knowledge sources. Lastly, the table compares various models, including GPT variants and traditional methods, in terms of accuracy, recall, and F1-score, providing a quantitative assessment of advancements in sentiment analysis capabilities. [52, 15, 53]

3.4 Case Studies and Applications of LLMs in Sentiment Analysis

LLMs' application in sentiment analysis is illustrated through diverse case studies, showcasing their capacity to enhance performance across contexts and languages. One significant example is the use

of transformers, particularly BERT, achieving the highest accuracy in the sentiment analysis of Jopara tweets, highlighting LLMs' impact in multilingual data processing [54].

Transfer learning's effectiveness is demonstrated by a three-step approach exceeding previous benchmarks by over 3

In another study, machine learning models were evaluated for sentiment analysis on a Moroccan dataset, including SVM, Naive Bayes, KNN, CNN, and LSTM. The CNN model achieved the highest accuracy of 92

A survey of LLMs, including GPT-3.5 and Llama 2, demonstrated their effectiveness in detecting hate speech, a specific sentiment analysis application. However, the underperformance of Falcon highlights variability among LLMs and the importance of selecting appropriate models for specific tasks [55].

Additionally, a comparison of models such as mBERT, XLM-R, Afro-XLMR, AfriBERTa, and Serengeti provided insights into state-of-the-art and baseline models' performance in sentiment analysis, reflecting advancements in multilingual sentiment analysis [56].

Benchmark testing of various models, including unsupervised lexicon-based models, supervised machine learning models, and advanced supervised deep learning models like BERT, illustrates diverse approaches in sentiment analysis, with advanced models consistently demonstrating superior performance [57].

DriftNet's application using LLMs like GPT-2 and RoBERTa showcases enhanced sentiment analysis performance, demonstrating the potential of integrating novel techniques with LLMs to push accuracy and reliability boundaries [58].

These case studies collectively illustrate LLMs' significant impact in sentiment analysis, emphasizing their proficiency in navigating diverse linguistic and contextual challenges. For instance, one study demonstrates how LLMs can generate weak financial sentiment labels for Reddit posts through semi-supervised learning, achieving performance comparable to traditional supervised models despite financial jargon complexities. Another study highlights the effectiveness of strategic text augmentation methods, particularly when combined with Modified Cyclical Curriculum Learning (MCCL), in improving model performance across various NLP tasks, including sentiment analysis. Moreover, innovative prompting strategies, such as Role-Playing and Chain-of-Thought prompting, further enhance LLM accuracy in sentiment analysis, particularly in implicit contexts. Collectively, these findings underscore LLMs' potential to significantly advance sentiment analysis by addressing challenges traditionally hindering human raters and conventional methods [4, 20, 18].

(a) Three Studies on Sentiment Analysis and Prediction[59]

(b) Prompting Sentiment Analysis: A Systematic Approach[15]

Figure 4: Examples of Case Studies and Applications of LLMs in Sentiment Analysis

As depicted in Figure 4, LLMs have emerged as powerful tools in sentiment analysis, providing nuanced insights and predictions based on textual data. The figure presents two pivotal examples of LLM applications in this field. The first example, "Three Studies on Sentiment Analysis and Prediction," offers a comparative analysis of three distinct studies, each employing unique methodologies to predict sentiment through various factors. Notably, Study 1 emphasizes aspect-based sentiments, showcasing an LLM's capability to predict multiple sentiments simultaneously, highlighting their versatility in complex tasks. The second example, "Prompting Sentiment Analysis: A Systematic Approach," illustrates a structured system for sentiment analysis utilizing prompt templates to format sentences and assign sentiment labels, facilitating both human and AI-assisted analysis. Together, these examples underscore the transformative potential of LLMs in sentiment analysis, offering innovative strategies and applications that enhance accuracy and efficiency in sentiment prediction [59, 15].

4 Fine-grained Sentiment Analysis

4.1 Significance and Challenges of Fine-grained Sentiment Analysis

Fine-grained sentiment analysis is essential for detecting nuanced emotions often missed by traditional methods, especially in fields like finance, where complex social media texts are prevalent. This approach enhances market insights and predictions by identifying subtle sentiment variations [34]. It distinguishes between aspects and their sentiments, thus improving classification accuracy and enriching sentiment comprehension [7].

A notable advantage of fine-grained sentiment analysis is its ability to provide detailed insights into specific negativity factors, crucial for organizations monitoring social media [3]. The SKEP framework exemplifies how integrating sentiment knowledge into models enhances performance across sentiment analysis tasks through unified sentiment representation [9].

Challenges include disentangling aspect words from opinion words without sufficient labeled data, reducing the effectiveness of traditional methods. This is further complicated by linguistic variability across domains, hindering sentiment interpretation in the financial sector [34]. Aligning attention mechanisms with sentiment-contributing words remains complex.

Cross-lingual capabilities and handling ambiguous texts highlight ongoing challenges, necessitating innovative methodologies and comprehensive datasets to improve sentiment analysis robustness and applicability. Addressing these challenges is vital for advancing the field and enabling organizations to interpret nuanced emotions effectively, improving decision-making in marketing, politics, and beyond [28, 30, 60, 61, 32].

4.2 Methodologies and Techniques

Method Name	Adaptation Techniques	Modeling Approaches	Cross-Domain Applications
EASTE[62]	Fine-tuning Techniques	Generative Models	Different Domains
FLMA[63]	Fine-tuning Smaller	Domain Adaptation Strategies	-
RIFT[64]	Mutual Information Maximization	Adversarial Fine-tuning	Multilingual Data Analysis
FMIM[65]	Mutual Information Maximization	Mutual Information Loss	Cross-domain Absa
BERT+CRF[66]	Auxiliary Labels	Pre-trained Models	Multilingual Datasets
GLM-ABSA[44]	Fine-tuning Models	Generative Models	Multilingual Data Analysis
LPU[67]	Lifelong Learning	Generative Models	Multilingual Data Analysis
KESA[35]	Auxiliary Tasks	Lifelong PU Learning	Multilingual Data Analysis
LCL[43]	Synonym Replacement	Contrastive Loss	Emotion Recognition
DLP-MSA[42]	Parameter-sharing Deep	Deep Learning Paradigm	Multilingual Sentiment Analysis

Table 1: Comparison of various methodologies and techniques used in fine-grained sentiment analysis, highlighting their adaptation techniques, modeling approaches, and cross-domain applications. The table includes methods such as EASTE, FLMA, RIFT, and others, showcasing their unique contributions to sentiment analysis across different domains and languages.

Table 1 presents a comprehensive comparison of diverse methodologies and techniques employed in fine-grained sentiment analysis, emphasizing their adaptation techniques, modeling approaches, and cross-domain applications. Fine-grained sentiment analysis utilizes diverse methodologies to capture nuanced sentiments accurately. The EASTE approach classifies sentence tokens to extract entities, aspects, and sentiments as triplets, enhancing analysis granularity [62]. LLM adaptation, such as FLMA, fine-tunes models on domain-specific documents, improving sentiment prediction by leveraging specialized knowledge [63]. Robust Informative Fine-Tuning (RIFT) enhances model adaptability by retaining robust features while adapting to tasks via mutual information maximization [64].

Fine-grained Mutual Information Maximization (FMIM) improves aspect term extraction across domains by maximizing token-level mutual information [65]. Pre-trained multilingual BERT models with CRF layers and auxiliary labels exemplify advanced encoding techniques that boost sentiment analysis accuracy [66].

Generative models address aspect-based sentiment analysis (ABSA) by framing it as a language generation problem, enhancing sentiment extraction [44]. Wang's two-stage approach extracts target-related words and disentangles them into aspect and opinion categories using a lifelong PU learning framework [67]. KESA enhances sentiment representation learning through sentiment word cloze and conditional sentiment prediction tasks [35]. The LCL model modifies contrastive

9

loss by incorporating class relationships, improving differentiation between confusable classes [43]. Pre-trained monolingual word embeddings in a parameter-sharing deep neural network facilitate cross-linguistic sentiment analysis [42].

Integrating these methodologies enhances sentiment interpretation precision across domains and languages. Unsupervised semantic document representation models address limitations of sequential and non-sequential approaches, enabling nuanced sentiment detection crucial for applications in social media, healthcare, marketing, finance, and politics. Exploring diverse sentiment analysis techniques, including machine learning, deep learning, and hybrid methods, enriches the analytical framework, improving sarcasm handling and multilingual data analysis, aiding researchers in refining sentiment analysis processes and decision-making in real-world applications [31, 32].

4.3 Integration of Multimodal and Multilingual Approaches

The integration of multimodal and multilingual approaches in fine-grained sentiment analysis significantly advances the capture of human emotions across diverse contexts. The Joint Fine-Tuning for Multimodal Sentiment Analysis (JFMSA) method combines text and image modalities to enhance sentiment interpretation, leveraging complementary information for nuanced analysis [68].

Multimodal sentiment analysis synergizes textual and visual data, improving sentiment classification accuracy and depth. Incorporating visual cues captures nuanced emotional expressions often missed in text-only analyses, enhancing sentiment detection and providing insights into users' psychological states. This approach is particularly beneficial in contexts where visual elements significantly influence sentiment, such as social media posts and advertisements [69, 70, 71, 36, 72].

Multilingual approaches enhance sentiment analysis applicability across languages and cultural contexts. Recent algorithms segment code-switched text into constituent languages, demonstrating the potential of multilingual strategies in managing linguistic diversity, employing sentiment lexicons tailored to each language for accurate sentence polarity determination [73].

Integrating multimodal and multilingual techniques harnesses diverse data sources, including text, audio, and visual content, enhancing models' ability to interpret complex emotional states across languages and cultures, yielding more accurate and contextually relevant sentiment insights [28, 72, 71, 74, 75]. As sentiment analysis evolves, incorporating these methodologies will be pivotal in advancing the field and addressing demands of increasingly diverse data environments.

4.4 Innovative Applications and Case Studies

Fine-grained sentiment analysis has advanced through innovative applications and case studies across various domains. The ContrASTE method employs a minimalist tagging scheme with contrastive learning, achieving state-of-the-art performance in aspect sentiment triplet extraction (ASTE), enhancing analysis precision through efficient tagging and classification [70].

In social media, fine-grained sentiment analysis is vital for dissecting user-generated content, particularly on platforms like Twitter. This unstructured data presents challenges for sentiment analysis, which combines NLP and ML techniques to classify sentiments. Advanced algorithms, such as LSTM Networks and CNNs, enhance sentiment detection accuracy, providing valuable insights for brand monitoring and crisis management [76, 77, 78, 79].

In finance, fine-grained sentiment analysis interprets nuanced market sentiments, enhancing predictive capabilities regarding stock performance. As FinTech advancements enable deeper analysis of investor opinions, fine-grained methods improve sentiment classification precision, leveraging sophisticated models and explainable lexicons for informed investment decisions [5, 15, 4, 80]. By analyzing financial news and social media discussions, fine-grained sentiment analysis offers granular insights into investor sentiment that inform trading strategies and risk management.

In healthcare, fine-grained sentiment analysis impacts understanding patient feedback and improving services. By leveraging advanced NLP techniques to analyze patient reviews, healthcare providers can identify areas for improvement, enhancing patient satisfaction and healthcare delivery [37, 31, 81].

These applications and case studies demonstrate fine-grained sentiment analysis's adaptability and efficacy in extracting nuanced insights across finance, healthcare, and social media. Employing advanced techniques like unsupervised semantic document representation and trained attention models

improves sentiment classification accuracy and reliability, addressing sarcasm and multilingual data analysis challenges. This progress advances the theoretical framework of sentiment analysis and broadens its practical implications, enabling organizations to make informed decisions based on detailed emotional insights from user-generated content [82, 80, 30, 31, 32].

5 Continual Learning in Sentiment Analysis

5.1 Concept and Importance of Continual Learning

Continual learning is integral to sentiment analysis, allowing models to adapt dynamically to new data and evolving sentiment patterns, thereby ensuring their relevance and accuracy in fast-changing environments like social media and financial markets [4]. This adaptability is enhanced by leveraging large language models (LLMs), which improve efficiency by minimizing the need for human-annotated data.

The SKEP framework illustrates advancements in this area by jointly optimizing sentiment knowledge prediction objectives, unlike traditional methods that isolate sentiment knowledge [9]. Such approaches underscore the significance of continual learning in refining sentiment analysis models, enabling them to integrate new information while preserving existing knowledge.

Future research is poised to explore advanced models like Tree-LSTMs and Interactive Attention Networks, alongside incorporating dependency parsing [7]. These innovations aim to bolster the adaptability and robustness of sentiment analysis models, ensuring sustained performance across various domains and languages.

Continual learning is crucial for developing sentiment analysis models that effectively adapt to dynamic data environments, maintaining accuracy as sentiment contexts evolve. Techniques such as lifelong learning enhance the identification of aspect and opinion words in target-based sentiment analysis, even without labeled data. Advancements in contextual processing via recurrent neural networks (RNNs) improve nuanced sentiment understanding, while self-training strategies and LLMs optimize performance using both labeled and unlabeled data. This comprehensive approach ensures high accuracy and reliability across diverse and changing datasets [67, 17, 48, 83]. These capabilities are vital for advancing natural language processing, especially as the field progresses towards larger, more complex models balancing resource costs with output quality.

5.2 Continual Learning and Adaptability

Continual learning significantly boosts the adaptability of sentiment analysis models, allowing them to learn incrementally from new data while retaining past knowledge. This is essential for maintaining high performance across diverse tasks and datasets, particularly in dynamic settings like social media and financial markets [84]. Adapting to evolving humor patterns in informal conversations exemplifies the critical role of continual learning in sentiment analysis.

Strategic data organization is vital in continual learning, as it greatly influences model performance and learning efficiency. By optimally sequencing training data, models can better adapt to changing sentiment patterns, resulting in improved robustness and accuracy [67]. This approach is beneficial for models requiring continual updates to stay relevant in rapidly evolving environments, enhancing reliability in predicting opinion words and minimizing error propagation.

Future research in continual learning for sentiment analysis will likely focus on optimizing the balance between mutual information maximization and task-specific learning to bolster model robustness [85]. Additionally, exploring the integration of fusion models that combine insights from multiple advanced models could enhance sentiment classification by leveraging complementary strengths [50]. Applying these methods to other languages, such as Polish, and fine-tuning language models for improved aspect extraction represent promising avenues for expanding the applicability and effectiveness of sentiment analysis models [86].

Moreover, continual learning approaches that facilitate exploration of local minima in the loss landscape support the adaptability of sentiment analysis models. This capability allows models to learn new tasks while retaining old knowledge, ensuring consistent performance across diverse applications. Integrating memory-based fusion methods with recurrent multimodal fusion networks

11

(RMFN) can further enhance adaptability and effectiveness by leveraging their complementary strengths [37].

6 Transfer Learning for Emotion Detection

6.1 Overview of Transfer Learning in Emotion Detection

Transfer learning plays a critical role in emotion detection by utilizing pre-trained models to adapt to new tasks, particularly when labeled data is scarce. This methodology enhances model performance by leveraging knowledge from related tasks, as demonstrated by the XLex framework, which applies transformer model insights to improve sentiment detection in financial contexts [87, 5]. Transfer learning facilitates model adaptation to new languages and domains with minimal retraining. The SAINT framework exemplifies this by optimizing sentiment analysis through prior domain knowledge [19]. TASCNet further illustrates efficient knowledge transfer by enhancing CNN performance via automatic hyperparameter tuning and pruning [33].

Cross-lingual transfer learning, such as zero-shot transfer, enables emotion detection in untrained languages, addressing the need for multilingual sentiment analysis solutions [88, 51]. The integration of resources like SenticNet into transfer learning frameworks aids in concept-level sentiment analysis [89]. Techniques like ID-encoding and location-encoding further refine accuracy by incorporating domain-specific features [7].

Transfer learning's significance in emotion detection lies in its ability to enhance performance across languages and cultural contexts. This approach is vital for low-resource languages, improving model accuracy through strategies like data augmentation and emoji-based emotional cue integration. Significant improvements in metrics such as F1 scores have been achieved, particularly in culturally specific tasks and balanced datasets [90, 91]. The adaptability of pre-trained knowledge to new challenges establishes transfer learning as crucial in advancing sentiment analysis technologies.

6.2 Techniques and Models Utilizing Transfer Learning

Transfer learning enhances emotion detection by leveraging pre-trained models to improve performance across languages and domains. Pre-trained word embeddings provide rich semantic representations, significantly boosting sentiment analysis tasks, especially in low-resource languages. For example, fine-tuning an English XLNet model on Tigrinya data resulted in notable F1-Score improvements over baseline models [92, 47].

Semantic sentiment analysis techniques, which evaluate classification accuracy and semantic similarity, further enhance emotion detection [93]. Progressive sentiment analysis of code-switched data exemplifies an innovative approach where models adapt to linguistic variability through resource-rich pretraining [94]. The MultiTSNS method, which selects neurons based on importance, significantly improves unsupervised transfer learning performance across NLP tasks [95].

In finance, models like FinBERT outperform traditional sentiment analysis even with small datasets, demonstrating transfer learning's efficiency in domains requiring specialized knowledge [96]. Pre-trained CNN layers, optimized via Bayesian hyperparameter tuning and filter pruning, enhance model efficiency in emotion detection [33]. The LCL method refines accuracy by weighting negative samples based on semantic similarity [43].

These techniques underscore transfer learning's role in emotion detection, enabling precise sentiment interpretations across linguistic and domain-specific landscapes. Applications in low-resource languages, such as Central Kurdish and Russian, benefit from transfer learning, improving performance with limited data. Emotional cues from emojis and hybrid approaches in Aspect-Based Sentiment Analysis (ABSA) illustrate transfer learning's adaptability to cultural nuances and domain challenges, enhancing accuracy and sentiment comprehension [90, 97, 98, 91, 22].

6.3 Transfer Learning and Cross-domain Adaptation

Transfer learning is crucial for cross-domain adaptation in emotion detection, enhancing accuracy by generalizing knowledge across tasks and domains. This is particularly beneficial in data-scarce

12

scenarios, where leveraging related task knowledge improves performance. Task-specific fingerprints optimize model architecture for diverse tasks, facilitating better generalization [95].

Task-specific fingerprints enhance feature identification for emotion detection, improving adaptability to new tasks with limited data. This approach integrates psychological and sentiment analysis insights with machine learning to enhance emotional classification across contexts like social media and literature [36, 99, 69, 100]. This technique captures nuanced emotional expressions across domains, ensuring effectiveness in diverse settings.

Unsupervised transfer learning techniques, exemplified by MultiTSNS, enhance cross-domain adaptation through task-specific neuron selection and domain-agnostic representations. These advancements improve transferability between domains, as seen in sentiment analysis and other NLP tasks, where identifying task-specific fingerprints mitigates domain shifts [101, 102, 95, 68]. Selecting neurons based on importance enhances emotion detection performance, even without extensive labeled data.

Transfer learning and cross-domain adaptation advance emotion detection capabilities, providing robust solutions that enhance model performance across tasks and domains. These methodologies improve adaptability and effectiveness by employing advanced NLP and machine learning techniques, allowing for nuanced understanding of human emotions across linguistic and contextual scenarios. This ensures accurate classification of emotions like happiness, sadness, fear, anger, surprise, and disgust, while addressing sentiment analysis challenges, including fairness and processing vast unstructured social media data [100, 2, 103, 29, 36].

7   Challenges and Future Directions

7.1   Challenges in Sentiment Analysis

Sentiment analysis endures numerous challenges, primarily due to the complexities of natural language and the limitations of existing methodologies. A significant hurdle is the reliance on large labeled datasets, which are expensive and labor-intensive to produce, especially for low-resource languages where linguistic nuances remain inadequately captured [9]. The heavy computational demands of deep learning models further impede scalability and accessibility, underscoring the need for sustainable NLP practices that balance accuracy with resource efficiency [4].

The lexical diversity and context-dependent nature of sentiments present additional obstacles. Current methodologies often fail to align attention mechanisms with sentiment-contributing words, leading to misclassifications [7]. Integrating multimodal signals complicates data fusion and can introduce biases that undermine generalization [9].

Pre-trained models' limited adaptability to languages outside their training scope affects their broader applicability. Existing benchmarks may not adequately reflect the language nuances on various social media platforms, impacting generalizability. Furthermore, the complexity of pre-trained CNNs can hinder effective knowledge transfer and increase computational costs [7].

Subtleties such as sarcasm, ambiguity, and cultural context pose further challenges, particularly in domains like student feedback, where these factors significantly influence sentiment interpretation. Current models often lack interpretability and struggle with complex social media language, and issues like overfitting and extensive fine-tuning requirements persist. Compact models like FinBERT and FinDRoBERTa have shown promise, outperforming larger models like GPT-3.5 and GPT-4 in specific sentiment analysis tasks, particularly in finance. Innovative fine-tuning techniques, such as Robust Informative Fine-Tuning (RIFT), address vulnerabilities to adversarial attacks while maintaining robust features learned during pre-training [104, 105, 64].

The need for quality domain-specific embeddings complicates the development of robust sentiment analysis systems. Current models often struggle with domain-specific terminology, emphasizing the need for advancements in feature selection and sophisticated algorithms. This is crucial as sentiment classification influenced by specialized language remains a challenge across fields like education, finance, and political analysis. Enhanced methodologies are vital for improving accuracy and relevance in sentiment analysis, enabling organizations to better understand nuanced opinions and emotional states in text [69, 37, 30, 7, 18].

Addressing these challenges requires continuous innovation in model architectures, data annotation processes, and evaluation methodologies. Recent studies emphasize the significance of strategic text

13

augmentation techniques, such as Modified Cyclical Curriculum Learning (MCCL), which enhance model performance through optimized training data. Tackling complexities like sarcasm, multilingual data, and domain-specific language will further solidify sentiment analysis's relevance across fields including customer feedback, political sentiment, and financial market predictions [8, 37, 30, 31, 18].

7.2 Future Directions and Research Opportunities

Future research in sentiment analysis aims to overcome current challenges by advancing methodologies and improving model adaptability, scalability, and applicability across diverse domains and languages. A promising direction involves optimizing BERT models for specific tasks and exploring trends in multimodal sentiment analysis [12], potentially leading to more resilient models capable of managing the complexities of natural language across contexts.

Broader evaluations across languages and tasks are essential to enhance the generalizability of cross-lingual transfer findings [88]. This research could mitigate biases introduced by cross-lingual transfer, ensuring sentiment analysis models are inclusive and accurate across linguistic landscapes [38]. Extending frameworks to encompass languages like Urdu and Roman Urdu could provide comprehensive insights into sentiment variations [3].

Enhancing the robustness of sentiment analysis models in ambiguous contexts and extending their applicability across various domains remain critical research focuses [67]. Refining annotation processes for human rationales could improve sentiment analysis methods by providing accurate and contextually relevant insights [82].

In transfer learning, future research could integrate the two stages of the TASCNet framework into a streamlined process, reducing human intervention and enhancing knowledge transfer efficiency [33]. This integration could improve scalability and efficiency, making sentiment analysis models more accessible across tasks.

Exploring the application of resource-efficient sentiment analysis findings to other NLP tasks and refining metrics for evaluating resource efficiency represents a promising research direction [2]. This could lead to sustainable NLP practices that balance accuracy and resource consumption.

Future sentiment analysis research will likely prioritize optimizing existing models, expanding cross-lingual capabilities, and developing efficient methodologies to address the dynamic nature of textual data. These advancements, driven by developments in machine learning and natural language processing, will reinforce sentiment analysis's role as a vital tool for understanding human emotions and opinions across contexts, including commerce, public health, and social media. By enabling the automatic detection of emotional nuances in text, sentiment analysis facilitates assessments of individual well-being and community mood, informing strategic decision-making in marketing and policy formulation. Ongoing research into enhancing the fairness and accuracy of sentiment analysis techniques will address challenges such as sarcasm and multilingual data, ensuring this technology evolves responsibly and effectively [77, 36, 31].

7.3 Interdisciplinary Approaches and Collaboration

Advancing sentiment analysis increasingly relies on interdisciplinary approaches and collaborative efforts that integrate insights from linguistics, computer science, psychology, and cultural studies. Incorporating advanced linguistic features into sentiment analysis systems is crucial for enhancing adaptability to diverse languages and cultural contexts, as these systems must account for the nuanced expression of emotions across linguistic landscapes [8].

Collaboration between linguists and computer scientists can facilitate the creation of sophisticated models that incorporate linguistic nuances, improving sentiment analysis accuracy and reliability. This interdisciplinary synergy is essential for addressing unresolved issues in adapting sentiment analysis systems, enabling them to interpret sentiments across cultural contexts effectively. By integrating insights from natural language processing and machine learning, researchers can develop accurate models that account for diverse emotional expressions, enhancing applicability in market research, social media analysis, and public opinion studies [8, 28, 30, 77, 31].

Moreover, partnerships between academia and industry can expedite the development and deployment of sentiment analysis technologies, applying cutting-edge research findings to real-world challenges.

Collaborative projects that merge expertise from various domains can foster innovative solutions, significantly improving the scalability and applicability of sentiment analysis models, especially in resource-constrained environments. Such interdisciplinary efforts are essential for accurately identifying sentiments in software engineering datasets, where feedback from diverse platforms offers critical insights for enhancing software products. Recent studies highlight the effectiveness of large language models (bLLMs) in scenarios with limited labeled data, demonstrating that alternative configurations can achieve substantial resource savings with minimal impacts on accuracy. This balance of performance and resource efficiency is crucial for deploying sentiment analysis systems in settings with limited computational resources [2, 106].

The significance of interdisciplinary approaches and collaborative efforts in advancing sentiment analysis research is paramount, as these strategies are crucial for addressing current challenges in the field and fostering innovative solutions. By integrating insights from machine learning, natural language processing, and social sciences, researchers can enhance the accuracy and applicability of sentiment analysis techniques. This collaboration refines methodologies—such as preprocessing techniques, feature extraction, and classification methods—and opens new avenues for practical applications, including customer sentiment evaluation, political opinion analysis, and financial forecasting, ultimately driving the evolution of the field and its relevance in real-world scenarios [30, 36, 20]. By fostering cross-disciplinary partnerships and integrating diverse perspectives, the sentiment analysis community can continue to push the boundaries of what is possible, developing robust and contextually aware models that better capture the complexities of human emotions and sentiments.

8 Conclusion

This survey underscores the pivotal advancements in sentiment analysis driven by large language models (LLMs), fine-grained analysis, continual learning, and transfer learning. LLMs have revolutionized the field by adeptly handling intricate linguistic structures, thereby enhancing sentiment classification accuracy across diverse domains, with notable efficacy in financial applications. Techniques such as XLex demonstrate the dual benefits of improving sentiment classification and expanding vocabulary coverage, crucial for strategic decision-making. The real-time implementation of LLMs on platforms like Twitter exemplifies their capacity to minimize latency and enhance performance in rapidly changing environments.

Fine-grained sentiment analysis, through models like BERT+CRF, excels in extracting aspect terms with precision, which is essential for detailed sentiment interpretation in complex sectors such as finance. The integration of knowledge-enriched methodologies has shown to significantly elevate sentiment analysis outcomes, highlighting their critical role. Furthermore, multimodal approaches, as seen in applications like EmoWrite, offer improved sentiment analysis accuracy while optimizing resource efficiency, supporting communication advancements for individuals with disabilities.

The necessity of continual learning in sentiment analysis is evident in its ability to adapt models to ever-changing data landscapes, maintaining their effectiveness in dynamic settings like social media and finance. This adaptability is vital for ensuring sustained model performance and reliability amidst complex sentiment shifts. Techniques addressing out-of-distribution challenges, such as input marginalization, suggest broader implications for future interpretability studies in NLP.

Transfer learning emerges as a cornerstone for emotion detection, facilitating cross-domain adaptability and enhancing model precision across tasks and languages. The generative language model approach excels in aspect-based sentiment analysis, particularly in scenarios with limited data, achieving consistent accuracy. The application of FinBERT in financial contexts illustrates the enhancement of NLP tasks, including named entity recognition and question answering, through transfer learning.

The convergence of these advanced methodologies not only augments the accuracy and dependability of sentiment analysis but also significantly enriches the broader NLP field. These innovations confront biases and advance fairness in AI applications, setting the stage for future research that explores novel models and techniques to further enhance sentiment analysis capabilities. The transformative potential of AI in educational practices and the improvement of sentiment analysis on brief, informal communications through architectures like SAINT highlight the importance of integrating domain expertise with deep learning methods. Additionally, advancements in transformed word embeddings signal promising progress in multilingual sentiment analysis, enhancing cross-lingual adaptability.

References

[1] Keshav Kapur and Rajitha Harikrishnan. Comparative study of sentiment analysis for multi-sourced social media platforms, 2022.

[2] Mahammed Kamruzzaman and Gene Louis Kim. Efficient sentiment analysis: A resource-aware evaluation of feature extraction techniques, ensembling, and deep learning models, 2024.

[3] Mohammad Aimal, Maheen Bakhtyar, Junaid Baber, Sadia Lakho, Umar Mohammad, Warda Ahmed, and Jahanvash Karim. Identifying negativity factors from social media text corpus using sentiment analysis method, 2021.

[4] Xiang Deng, Vasilisa Bashlovkina, Feng Han, Simon Baumgartner, and Michael Bendersky. What do llms know about financial markets? a case study on reddit market sentiment analysis, 2022.

[5] Maryan Rizinski, Hristijan Peshov, Kostadin Mishev, Milos Jovanovik, and Dimitar Trajanov. Sentiment analysis in finance: From transformers back to explainable lexicons (xlex), 2024.

[6] Valentina Aparicio, Daniel Gordon, Sebastian G. Huayamares, and Yuhuai Luo. Biofinbert: Finetuning large language models (llms) to analyze sentiment of press releases and financial text around inflection points of biotech stocks, 2024.

[7] Amlaan Bhoi and Sandeep Joshi. Various approaches to aspect-based sentiment analysis, 2018.

[8] Kazem Taghandiki and Elnaz Rezaei Ehsan. Types of approaches, applications and challenges in the development of sentiment analysis systems, 2023.

[9] Hao Tian, Can Gao, Xinyan Xiao, Hao Liu, Bolei He, Hua Wu, Haifeng Wang, and Feng Wu. Skep: Sentiment knowledge enhanced pre-training for sentiment analysis. *arXiv preprint arXiv:2005.05635*, 2020.

[10] Nhan Cach Dang, María N Moreno-García, and Fernando De la Prieta. Sentiment analysis based on deep learning: A comparative study. *Electronics*, 9(3):483, 2020.

[11] Ashima Yadav and Dinesh Kumar Vishwakarma. Sentiment analysis using deep learning architectures: a review. *Artificial Intelligence Review*, 53(6):4335–4385, 2020.

[12] Yichao Wu, Zhengyu Jin, Chenxi Shi, Penghao Liang, and Tong Zhan. Research on the application of deep learning-based bert model in sentiment analysis, 2024.

[13] Erion Çano and Maurizio Morisio. A data-driven neural network architecture for sentiment analysis, 2020.

[14] Lei Zhang, Shuai Wang, and Bing Liu. Deep learning for sentiment analysis : A survey, 2018.

[15] Boyu Zhang, Hongyang Yang, Tianyu Zhou, Ali Babar, and Xiao-Yang Liu. Enhancing financial sentiment analysis via retrieval augmented large language models, 2023.

[16] Changzhi Zhou, Dandan Song, Yuhang Tian, Zhijing Wu, Hao Wang, Xinyu Zhang, Jun Yang, Ziyi Yang, and Shuhao Zhang. A comprehensive evaluation of large language models on aspect-based sentiment analysis, 2024.

[17] Zhiqiang Wang, Yiran Pang, Yanbin Lin, and Xingquan Zhu. Adaptable and reliable text classification using large language models, 2024.

[18] Himmet Toprak Kesgin and Mehmet Fatih Amasyali. Advancing nlp models with strategic text augmentation: A comprehensive study of augmentation methods and curriculum strategies, 2024.

[19] Khuong Vo, Tri Nguyen, Dang Pham, Mao Nguyen, Minh Truong, Trung Mai, and Tho Quan. Combination of domain knowledge and deep learning for sentiment analysis of short and informal messages on social media, 2019.

[20] Yajing Wang and Zongwei Luo. Enhance multi-domain sentiment analysis of review texts through prompting strategies, 2024.

[21] Md. Mostafizer Rahman, Ariful Islam Shiplu, Yutaka Watanobe, and Md. Ashad Alam. Roberta-bilstm: A context-aware hybrid model for sentiment analysis, 2024.

[22] Tohida Rehman, Raghubir Bose, Samiran Chattopadhyay, and Debarshi Kumar Sanyal. Transfer learning and transformer architecture for financial sentiment analysis, 2024.

[23] Imran Raza, Syed Asad Hussain, Muhammad Hasan Jamal, Isabel de la Torre Diez, Carmen Lili Rodriguez Velasco, Jose Manuel Brenosa, and Imran Ashraf. Emowrite: A sentiment analysis-based thought to text conversion – a validation study, 2024.

[24] Jiahao Wang and Amer Shalaby. Transit pulse: Utilizing social media as a source for customer feedback and information extraction with large language model, 2024.

[25] Hongcheng Ding, Fuzhen Hu, Xuanze Zhao, Zixiao Jiang, Shamsul Nahar Abdullah, and Deshinta Arrova Dewi. Dynamic adaptive rank space exploration for efficient sentiment analysis with large language models, 2024.

[26] Mohammad Heydari, Mohsen Khazeni, and Mohammad Ali Soltanshahi. Deep learning-based sentiment analysis in persian language, 2024.

[27] Wei Xu, Jianlong Chen, Zhicheng Ding, and Jinyin Wang. Text sentiment analysis and classification based on bidirectional gated recurrent units (grus) model, 2024.

[28] Gerhard Johann Hagerer, Wing Sheung Leung, Qiaoxi Liu, Hannah Danner, and Georg Groh. A case study and qualitative analysis of simple cross-lingual opinion mining, 2023.

[29] Pansy Nandwani and Rupali Verma. A review on sentiment analysis and emotion detection from text. *Social network analysis and mining*, 11(1):81, 2021.

[30] Kian Long Tan, Chin Poo Lee, and Kian Ming Lim. A survey of sentiment analysis: Approaches, datasets, and future research. *Applied Sciences*, 13(7):4550, 2023.

[31] Karthick Prasad Gunasekaran. Exploring sentiment analysis techniques in natural language processing: A comprehensive review, 2023.

[32] Hao-Ming Fu and Pu-Jen Cheng. Learning unsupervised semantic document representation for fine-grained aspect-based sentiment analysis, 2024.

[33] S. H. Shabbeer Basha, Debapriya Tula, Sravan Kumar Vinakota, and Shiv Ram Dubey. Target aware network architecture search and compression for efficient knowledge transfer, 2024.

[34] Abhishek Kumar, Daisuke Kawahara, and Sadao Kurohashi. Knowledge-enriched two-layered attention network for sentiment analysis, 2018.

[35] Qinghua Zhao, Shuai Ma, and Shuo Ren. Kesa: A knowledge enhanced approach for sentiment analysis, 2022.

[36] Saif M. Mohammad. Sentiment analysis: Automatically detecting valence, emotions, and other affectual states from text, 2021.

[37] Thanveer Shaik, Xiaohui Tao, Yan Li, Christopher Dann, Jacquie Mcdonald, Petrea Redmond, and Linda Galligan. A review of the trends and challenges in adopting natural language processing methods for education feedback analysis, 2023.

[38] Seraphina Goldfarb-Tarrant, Björn Ross, and Adam Lopez. Cross-lingual transfer can worsen bias in sentiment analysis, 2023.

[39] Shivom Aggarwal, Shourya Mehra, and Pritha Mitra. Multi-purpose nlp chatbot : Design, methodology conclusion, 2023.

[40] Oumaima Oueslati, Erik Cambria, Moez Ben HajHmida, and Habib Ounelli. A review of sentiment analysis research in arabic language, 2020.

[41] Marco Tulio Ribeiro, Tongshuang Wu, Carlos Guestrin, and Sameer Singh. Beyond accuracy: Behavioral testing of nlp models with checklist, 2020.

[42] Yujie Lu and Tatsunori Mori. Deep learning paradigm with transformed monolingual word embeddings for multilingual sentiment analysis, 2017.

[43] Varsha Suresh and Desmond C. Ong. Not all negatives are equal: Label-aware contrastive loss for fine-grained text classification, 2021.

[44] Ehsan Hosseini-Asl, Wenhao Liu, and Caiming Xiong. A generative language model for few-shot aspect-based sentiment analysis, 2022.

[45] Litton Jose Kurisinkel, Pruthwik Mishra, and Yue Zhang. Text2timeseries: Enhancing financial forecasting through time series prediction updates with event-driven insights from large language models, 2024.

[46] Wei Luo and Dihong Gong. Pre-trained large language models for financial sentiment analysis, 2024.

[47] Abrhalei Tela, Abraham Woubie, and Ville Hautamaki. Transferring monolingual model to low-resource language: The case of tigrinya, 2020.

[48] Haochen Liu, Sai Krishna Rallabandi, Yijing Wu, Parag Pravin Dakle, and Preethi Raghavan. Self-training strategies for sentiment analysis: An empirical study, 2024.

[49] Hongcheng Ding, Xuanze Zhao, Shamsul Nahar Abdullah, Deshinta Arrova Dewi, Zixiao Jiang, and Xiangyu Shi. Dynamic adaptive optimization for effective sentiment analysis fine-tuning on large language models, 2024.

[50] Prathusha K Sarma, Yingyu Liang, and William A Sethares. Shallow domain adaptive embeddings for sentiment analysis, 2019.

[51] Kia Dashtipour, Mandar Gogate, Ahsan Adeel, Cosimo Ieracitano, Hadi Larijani, and Amir Hussain. Exploiting deep learning for persian sentiment analysis, 2018.

[52] Zijie Zhao and Roy E. Welsch. Aligning llms with human instructions and stock market feedback in financial sentiment analysis, 2024.

[53] Kiana Kheiri and Hamid Karimi. Sentimentgpt: Exploiting gpt for advanced sentiment analysis and its departure from current machine learning, 2023.

[54] Marvin M. Agüero-Torales, David Vilares, and Antonio G. López-Herrera. On the logistical difficulties and findings of jopara sentiment analysis, 2021.

[55] Tharindu Kumarage, Amrita Bhattacharjee, and Joshua Garland. Harnessing artificial intelligence to combat online hate: Exploring the challenges and opportunities of large language models in hate speech detection, 2024.

[56] Gagan Bhatia, Ife Adebara, AbdelRahim Elmadany, and Muhammad Abdul-Mageed. Ubc-dlnlp at semeval-2023 task 12: Impact of transfer learning on african sentiment analysis, 2023.

[57] Shivaji Alaparthi and Manit Mishra. Bidirectional encoder representations from transformers (bert): A sentiment analysis odyssey, 2020.

[58] Jin Du, Xinhe Zhang, Hao Shen, Xun Xian, Ganghua Wang, Jiawei Zhang, Yuhong Yang, Na Li, Jia Liu, and Jie Ding. Drift to remember, 2024.

[59] Junichiro Niimi. Dynamic sentiment analysis with local large language models using majority voting: A study on factors affecting restaurant evaluation, 2024.

[60] Łukasz Augustyniak, Szymon Woźniak, Marcin Gruza, Piotr Gramacki, Krzysztof Rajda, Mikołaj Morzy, and Tomasz Kajdanowicz. Massively multilingual corpus of sentiment datasets and multi-faceted sentiment classification benchmark, 2023.

[61] Mouad Jbel, Mourad Jabrane, Imad Hafidi, and Abdulmutallib Metrane. Sentiment analysis dataset in moroccan dialect: Bridging the gap between arabic and latin scripted dialect, 2024.

[62] Vorakit Vorakitphan, Milos Basic, and Guilhaume Leroy Meline. Deep content understanding toward entity and aspect target sentiment analysis on foundation models, 2024.

[63] Pau Rodriguez Inserte, Mariam Nakhlé, Raheel Qader, Gaetan Caillaut, and Jingshu Liu. Large language model adaptation for financial sentiment analysis, 2024.

[64] Xinhsuai Dong, Luu Anh Tuan, Min Lin, Shuicheng Yan, and Hanwang Zhang. How should pre-trained language models be fine-tuned towards adversarial robustness?, 2021.

[65] Xiang Chen and Xiaojun Wan. A simple information-based approach to unsupervised domain-adaptive aspect-based sentiment analysis, 2022.

[66] Yosef Ardhito Winatmoko, Ali Akbar Septiandri, and Arie Pratama Sutiono. Aspect and opinion term extraction for hotel reviews using transfer learning and auxiliary labels, 2020.

[67] Shuai Wang, Mianwei Zhou, Sahisnu Mazumder, Bing Liu, and Yi Chang. Disentangling aspect and opinion words in target-based sentiment analysis using lifelong learning, 2018.

[68] Guilherme Lourenço de Toledo and Ricardo Marcondes Marcacini. Transfer learning with joint fine-tuning for multimodal sentiment analysis, 2022.

[69] Hwiyeol Jo and Jeong Ryu. Psychological state in text: A limitation of sentiment analysis, 2018.

[70] Qiao Sun, Liujia Yang, Minghao Ma, Nanyang Ye, and Qinying Gu. Rethinking aste: A minimalist tagging scheme alongside contrastive learning, 2024.

[71] Anthony Hu and Seth Flaxman. Multimodal sentiment analysis to explore the structure of emotions, 2018.

[72] Sixia Li and Shogo Okada. Interpretable multimodal sentiment analysis based on textual modality descriptions by using large-scale language models, 2023.

[73] Saurav K. Aryal, Howard Prioleau, and Gloria Washington. Sentiment classification of code-switched text using pre-trained multilingual embeddings and segmentation, 2022.

[74] Songning Lai, Xifeng Hu, Haoxuan Xu, Zhaoxia Ren, and Zhi Liu. Multimodal sentiment analysis: A survey, 2023.

[75] Atsushi Ando, Ryo Masumura, Akihiko Takashima, Satoshi Suzuki, Naoki Makishima, Keita Suzuki, Takafumi Moriya, Takanori Ashihara, and Hiroshi Sato. On the use of modality-specific large-scale pre-trained encoders for multimodal sentiment analysis, 2022.

[76] Antony Samuels and John Mcgonical. Sentiment analysis on social media content, 2020.

[77] Shaunak Joshi and Deepali Deshpande. Twitter sentiment analysis system, 2018.

[78] Dwarampudi Mahidhar Reddy, N V Subba Reddy, and N V Subba Reddy. Twitter sentiment analysis using distributed word and sentence representation, 2019.

[79] Lahari Poddar, Kishaloy Halder, and Xianyan Jia. Sentiment analysis for twitter : Going beyond tweet text, 2016.

[80] Chung-Chi Chen, Hen-Hsen Huang, and Hsin-Hsi Chen. Fine-grained financial opinion mining: A survey and research agenda, 2020.

[81] Michael J. Parker, Caitlin Anderson, Claire Stone, and YeaRim Oh. A large language model approach to educational survey feedback analysis, 2024.

[82] Ruiqi Zhong, Steven Shao, and Kathleen McKeown. Fine-grained sentiment analysis with faithful attention, 2019.

19

[83] Niru Maheswaranathan and David Sussillo. How recurrent networks implement contextual processing in sentiment analysis, 2020.

[84] Felipe Godoy. Advancing humor-focused sentiment analysis through improved contextualized embeddings and model architecture, 2020.

[85] Vinh D. Van, Thien Thai, and Minh-Quoc Nghiem. Combining convolution and recursive neural networks for sentiment analysis, 2018.

[86] Łukasz Augustyniak, Tomasz Kajdanowicz, and Przemysław Kazienko. Comprehensive analysis of aspect term extraction methods using various text embeddings, 2020.

[87] Ali Nazarizadeh, Touraj Banirostam, and Minoo Sayyadpour. Sentiment analysis of persian language: Review of algorithms, approaches and datasets, 2022.

[88] Hyunjin Choi, Judong Kim, Seongho Joe, Seungjai Min, and Youngjune Gwon. Analyzing zero-shot cross-lingual transfer in supervised nlp tasks, 2021.

[89] Soufian Jebbara and Philipp Cimiano. Aspect-based sentiment analysis using a two-step neural network architecture, 2017.

[90] Susann Boy, Dana Ruiter, and Dietrich Klakow. Emoji-based transfer learning for sentiment tasks, 2021.

[91] Razhan Hameed, Sina Ahmadi, and Fatemeh Daneshfar. Transfer learning for low-resource sentiment analysis, 2023.

[92] Sebastian Ruder, Parsa Ghaffari, and John G. Breslin. A hierarchical model of reviews for aspect-based sentiment analysis, 2016.

[93] Rohitash Chandra and Venkatesh Kulkarni. Semantic and sentiment analysis of selected bhagavad gita translations using bert-based language framework, 2022.

[94] Sudhanshu Ranjan, Dheeraj Mekala, and Jingbo Shang. Progressive sentiment analysis for code-switched text data, 2022.

[95] Mehrdad Valipour, En-Shiun Annie Lee, Jaime R. Jamacaro, and Carolina Bessega. Unsupervised transfer learning via bert neuron selection, 2019.

[96] Dogu Araci. Finbert: Financial sentiment analysis with pre-trained language models, 2019.

[97] Gaurav Negi, Rajdeep Sarkar, Omnia Zayed, and Paul Buitelaar. A hybrid approach to aspect based sentiment analysis using transfer learning, 2024.

[98] Anton Golubev and Natalia Loukachevitch. Transfer learning for improving results on russian sentiment datasets, 2021.

[99] Hwiyeol Jo, Soo-Min Kim, and Jeong Ryu. What we really want to find by sentiment analysis: The relationship between computational models and psychological state, 2018.

[100] Bharat Gaind, Varun Syal, and Sneha Padgalwar. Emotion detection and analysis on social media, 2019.

[101] Mohammad Rostami and Aram Galstyan. Domain adaptation for sentiment analysis using increased intraclass separation, 2021.

[102] Yunlong Liang, Fandong Meng, Jinchao Zhang, Yufeng Chen, Jinan Xu, and Jie Zhou. An iterative multi-knowledge transfer network for aspect-based sentiment analysis, 2021.

[103] Andrew J. Reagan. Towards a science of human stories: using sentiment analysis and emotional arcs to understand the building blocks of complex social systems, 2017.

[104] Baptiste Lefort, Eric Benhamou, Jean-Jacques Ohana, David Saltiel, and Beatrice Guez. Optimizing performance: How compact models match or exceed gpt's classification capabilities through fine-tuning, 2024.

[105] Amr Al-Khatib and Samhaa R. El-Beltagy. A simple and effective approach for fine tuning pre-trained word embeddings for improved text classification, 2019.

[106] Ting Zhang, Ivana Clairine Irsan, Ferdian Thung, and David Lo. Revisiting sentiment analysis for software engineering in the era of large language models, 2024.

Disclaimer:

SurveyX is an AI-powered system designed to automate the generation of surveys. While it aims to produce high-quality, coherent, and comprehensive surveys with accurate citations, the final output is derived from the AI's synthesis of pre-processed materials, which may contain limitations or inaccuracies. As such, the generated content should not be used for academic publication or formal submissions and must be independently reviewed and verified. The developers of SurveyX do not assume responsibility for any errors or consequences arising from the use of the generated surveys.