
A Survey on Large-Scale Dynamic Multi-Objective Optimization Using Machine Learning Evolutionary Algorithms and Computational Intelligence

www.surveyx.cn

Abstract

Large-scale dynamic multi-objective optimization is increasingly critical in addressing the complexities of modern computational challenges. This survey explores the integration of machine learning, evolutionary algorithms, and computational intelligence to develop robust optimization strategies capable of adapting to evolving problem landscapes. The significance of these techniques is demonstrated across various domains, including cloud computing, transportation, industry, and healthcare, where they enhance scalability, efficiency, and adaptability. Key advancements include the use of Stackelberg prediction games for cybersecurity, bilevel optimization in non-convex scenarios, and machine learning in circuit design and chemical exploration. Frameworks such as TensorFlow and methods like ADA-CVAR and Unbound Kolmogorov-Arnold Network (UKAN) exemplify the power of these integrated approaches. Despite the promising outcomes, challenges remain in model interpretability, scalability, and communication efficiency, particularly in cloud environments. Future research should focus on enhancing predictive models, improving algorithmic adaptability, and integrating comprehensive optimization strategies that consider additional factors like energy consumption and network dynamics. By addressing these challenges, the field can advance towards more effective and scalable solutions, driving innovation and improving operational performance across diverse applications.

1 Introduction

1.1 Significance of Large-Scale Dynamic Multi-Objective Optimization

The optimization of multiple objectives in large-scale dynamic environments has gained prominence due to the increasing complexity of modern computational challenges. Traditional optimization methods often struggle with scalability and efficiency, necessitating the development of advanced strategies. For example, in cloud computing, the Large-Scale Virtual Machine Placement (LVMP) problem illustrates the need to minimize deployment costs while addressing multiple objectives, highlighting the role of optimization in reducing operational expenses [1].

In deep learning, multi-objective optimization enhances decision-making across various applications, including cybersecurity and circuit design. The Stackelberg prediction game (SPG) exemplifies this by modeling interactions between learners and data providers in cybersecurity contexts [2]. Similarly, the vast chemical space, estimated to contain over 10^{60} molecules, necessitates multi-objective optimization for efficient compound exploration and discovery [3]. The preference learning framework further demonstrates the practical utility of multi-objective optimization by improving accuracy and flexibility in multiple criteria sorting [4].

Dynamic multi-objective optimization is critical in large-scale distributed systems, where benchmarks are vital for evaluating machine learning models [5]. In Mobile Edge Computing (MEC), adapting to




Figure 1: chapter structure

fluctuating user patterns and service demands underscores the necessity for dynamic optimization [6]. Additionally, decentralized detection of multiple Points of Interest (PoIs) using resource-constrained Unmanned Aerial Vehicles (UAVs) illustrates the challenges and significance of multi-objective optimization in dynamic environments [7].

Moreover, efficient dynamic route planning in ride-sharing services is essential for matching passengers with vehicles in ever-changing environments [8]. This need extends to deep learning applications, where traditional methods face scalability and efficiency challenges, emphasizing the pivotal role of optimization in large-scale dynamic settings [9].

1.2 Challenges in Large-Scale Optimization

The complexity of large-scale optimization problems is significantly affected by increased dimensionality and intricate system dynamics, which often render traditional analytical methods inadequate [10]. As problem sizes grow, the computational cost of evaluating the Hessian or its approximation becomes prohibitive [11]. This challenge is compounded in scenarios involving intractable conditional expectations of sufficient statistics, particularly in finite-sum settings, where existing algorithms struggle to deliver effective solutions [12].

The NP-hard nature of certain problems, such as feature subset selection, necessitates heuristic approaches due to the impracticality of traditional exact algorithms [13]. Additionally, variability in optimal learning rates across tasks introduces complexity, requiring substantial manual intervention for effective adaptation [14]. The computational burden of solving nonlinear programs at each time step, along with the demand for high accuracy, poses significant challenges [15].

In large-scale machine learning, slow global convergence rates in first-order stochastic methods for non-convex optimization present key obstacles [16]. The curse of dimensionality, which arises when data points increase exponentially, renders existing methods computationally infeasible [17]. Furthermore, the limited applicability of causal dynamics models in large-scale environments, due to numerous potential causal dependencies, leads to high computational costs and sample inefficiency in causal discovery [18].

The static nature of existing methods, requiring complete reinitialization and reoptimization with network changes, presents a core obstacle for dynamic environments [19]. The complexity of forming optimal coalitions, considering UAVs' self-interested behavior while ensuring reliable task completion, further complicates large-scale optimization [7]. High dimensionality and non-linearity, particularly in fluid dynamics related to contamination spread, exacerbate these challenges [20].

Centralized stochastic model predictive control (SMPC) approaches face impracticality in real-time applications due to their high computational complexity, requiring numerous scenarios for accurate predictions [21]. Instability and poor performance when the condition number is unknown lead to slow convergence and oscillatory behavior, hindering optimization efforts [22]. The extensive computational resources demanded by existing methods and their sophisticated architectures make them unsuitable for modern scale requirements in deep learning [9].

Current methods also contend with challenges such as detours and inefficient routing when requests are not known in advance, underscoring the complexities involved in large-scale dynamic optimization [8]. The performance optimization of physical systems constrained by partial differential equations (PDEs) with complex or nonlinear dependencies further complicates the landscape [23]. Lastly, the high time complexity and poor scalability of existing evolutionary algorithms in LVMP problems highlight the pressing need for more efficient approaches [1].

1.3 Structure of the Survey

This survey offers a comprehensive overview of large-scale dynamic multi-objective optimization, emphasizing the integration of machine learning, evolutionary algorithms, and computational intelligence. The paper commences with an **Introduction**, establishing the significance of the topic and outlining the inherent challenges in large-scale optimization. Following this, the **Background and Definitions** section provides essential definitions and explores the interrelations between key concepts, laying the groundwork for subsequent discussions.

The survey then examines **Machine Learning in Dynamic Multi-Objective Optimization**, focusing on the application of machine learning techniques to provide predictive insights, model training, and adaptation to evolving objectives. This section presents a thorough analysis of , highlighting recent innovations such as multi-factorial optimization techniques, swarm intelligence principles, and advanced quantum-inspired approaches that collectively address scalability and efficiency challenges in complex, large-scale problems [12, 1, 24].

In the **Adaptive Optimization Strategies** section, strategies that dynamically adjust to evolving problem landscapes are discussed, emphasizing the integration of machine learning and evolutionary algorithms to enhance optimization performance. The subsequent section on **Computational Intelligence Techniques** reviews various techniques employed in solving complex optimization problems, exploring neural network architectures and distributed optimization frameworks.

The survey continues with **Applications and Case Studies**, presenting real-world scenarios where these computational techniques have been successfully applied across diverse domains, including industry, environment, and healthcare. The paper concludes with an examination of the in large-scale dynamic multi-objective optimization, highlighting current limitations faced by existing methodologies, such as computational inefficiencies and scalability issues linked to sophisticated machine learning techniques applied to extensive datasets. Furthermore, the discussion identifies promising areas for future research, including the need for enhanced optimization approximations and the integration of diverse computational strategies. The conclusion synthesizes key insights presented throughout the paper, underscoring the critical importance of employing varied computational approaches to effectively address the complexities of large-scale dynamic multi-objective optimization [4, 24]. The following sections are organized as shown in Figure 1.

2 Background and Definitions

2.1 Key Concepts and Definitions

Large-scale optimization tackles problems with numerous variables and constraints, often necessitating distributed computational resources to manage communication and computational demands efficiently [25]. A notable example is the Large-Scale Virtual Machine Placement (LVMP) problem, which seeks optimal virtual machine allocation on physical servers to minimize costs while meeting resource constraints [1]. Communication efficiency is crucial in distributed environments, significantly impacting the performance and scalability of optimization algorithms.

Dynamic multi-objective optimization extends large-scale optimization by incorporating temporal changes in objectives and constraints, requiring adaptive strategies to maintain solution quality. This is particularly important in dynamic route planning for ride-sharing services, where efficient passenger-vehicle matching maximizes utility in fluctuating conditions [8]. Complexity rises when balancing conflicting objectives, such as resource minimization and reliability in UAV coalition formations.

In computational intelligence, techniques like the Unbound Kolmogorov-Arnold Network (UKAN) leverage neural network architectures to model complex systems without domain constraints, addressing large-scale optimization challenges [26]. These techniques benefit applications like water distribution networks, where timely interventions based on sparse data are needed to reconstruct contaminant dynamics [20].

PDE constrained optimization (PDECO) is vital in scientific and engineering contexts for optimizing systems governed by partial differential equations [23]. These problems demand sophisticated frameworks to manage high-dimensional data and intricate system dynamics.

The landscape of large-scale dynamic multi-objective optimization involves myriad challenges and methodologies, necessitating advanced computational techniques. These techniques are crucial for addressing high-dimensional optimization issues, particularly in large-scale machine learning and cloud computing contexts. Emerging frameworks like multi-factorial optimization enhance scalability and reduce time complexity in applications like virtual machine placement. Preference learning frameworks employing additive value models manage large datasets, enabling nuanced decision-making across multiple criteria. The field is advancing rapidly, driven by the demand for efficient solutions to increasingly complex optimization scenarios [4, 1, 27, 24].

2.2 Interrelations and Relevance

The synergy between large-scale dynamic multi-objective optimization and multi-factorial optimization (MFO) is significant, as MFO facilitates simultaneous resolution of multiple optimization tasks, enhancing efficiency in large-scale efforts [1]. This synergy is crucial in contexts where traditional methods struggle with computational inefficiency and memory constraints, necessitating advanced computational intelligence techniques.

Machine learning models, particularly deep learning, are pivotal for managing complex data structures and automating decision-making in dynamic environments [28]. Neural network architectures, such as the UKAN, demonstrate machine learning's potential in addressing large-scale optimization tasks [26], optimizing sampling processes and reducing monitoring requirements, as shown by the integration of the Graph Fourier Transform (GFT) [20].

Dynamic multi-objective optimization's relevance is further highlighted by causal discovery frameworks like the Object-Oriented Causal Dynamics Model (OOCDDM), which enhance understanding of causal relationships in large-scale contexts [18]. Distributed optimization techniques address conventional method inefficiencies, reducing communication costs and improving scalability [27]. The distributed stochastic model predictive control approach exemplifies how centralized tasks can be decomposed into smaller, manageable components for efficient problem-solving [21].

Adaptive optimization strategies intersect with traditional methods, as seen in integrating first-order updates into quasi-Newton frameworks, providing robust solutions to high-dimensional and dynamic landscapes [9]. Preference learning frameworks accommodating various marginal value functions enhance optimization models' adaptability and precision, offering flexibility in modeling and optimizing across multiple criteria [4].

The intricate interrelations among diverse large-scale machine learning techniques not only improve optimization algorithms' efficiency and effectiveness but also alleviate computational burdens faced by systems processing extensive datasets. This advancement is crucial for enabling sophisticated machine learning applications to operate efficiently on big data, unlocking deeper insights and enhancing predictive accuracy across various fields [12, 29, 30, 24]. Integrating these diverse computational approaches is essential for navigating the complexities of large-scale dynamic multi-objective optimization, emphasizing the significance of collaborative advancements in this domain.

In the realm of dynamic multi-objective optimization, understanding the hierarchical organization of machine learning techniques is crucial for advancing predictive insights and adapting to changing objectives. As illustrated in Figure 2, this figure highlights key areas within this domain, showcasing how various techniques are categorized and interconnected. Each category is further subdivided into specific methods and frameworks that not only enhance model training but also ensure robustness and improve computational efficiency. This structured representation aids in comprehending the complexities and interrelationships of the methodologies employed in this field, thereby enriching the overall narrative of our review.




Figure 2: This figure illustrates the hierarchical organization of machine learning techniques in dynamic multi-objective optimization, highlighting key areas such as predictive insights, adaptation to changing objectives, and integration with optimization methods. Each category is further divided into specific methods and frameworks that enhance model training, ensure robustness, and improve computational efficiency.

3 Machine Learning in Dynamic Multi-Objective Optimization

3.1 Predictive Insights and Model Training

In dynamic multi-objective optimization, predictive models are crucial for adapting to changes and maintaining optimal performance. Techniques like Distributed Optimization for Over-Parameterized Learning (DOPL) enhance model training and scalability by allowing multiple local updates before central communication, effectively managing large-scale data complexities and minimizing communication overhead [27]. The GFT-NN method exemplifies the application of neural networks in dynamic contexts by employing the Graph Fourier Transform (GFT) to identify minimal monitoring nodes, using neural networks to reconstruct dynamics from sparse data [20]. This approach underscores the potential of advanced mathematical frameworks to improve scalability and efficiency in predictive modeling.

As illustrated in Figure 3, the key components of predictive insights and model training are categorized into three main areas: distributed optimization, neural network applications, and adaptive learning

strategies. Each category highlights specific methods and their applications, such as DOPL for distributed optimization, GFT-NN for neural network applications, and various adaptive learning techniques for enhancing model training.

Adaptive learning rates, such as the Generalized Polyak Stepsize, enhance gradient methods, facilitating efficient convergence and model training in dynamic environments [22]. Stochastic gradients, as in the ARCLQN method, improve training speed and accuracy through mini-batch gradients, vital for sustaining high performance in dynamic settings [9]. Frameworks like DARM leverage deep reinforcement learning for real-time decision-making in ride-sharing, integrating machine learning for optimized decision processes under changing demands [8]. These techniques illustrate sophisticated strategies combining machine learning, probabilistic reasoning, and computational methods to enhance performance and adaptability. Preference learning frameworks improve model classification of alternatives with varying credibility, addressing computational inefficiencies in real-world applications by facilitating effective pattern recognition and decision-making in complex datasets [4, 24].




Figure 3: This figure illustrates the key components of predictive insights and model training, categorizing them into distributed optimization, neural network applications, and adaptive learning strategies. Each category highlights specific methods and their applications, such as DOPL for distributed optimization, GFT-NN for neural network applications, and various adaptive learning techniques for enhancing model training.

3.2 Adaptation to Changing Objectives

Adapting machine learning models to evolving objectives is crucial in dynamic optimization, where the problem landscape is constantly shifting. Techniques enhancing computational efficiency through optimization approximations are vital for maintaining model performance [24]. Incremental Learning, as in the Binary-Addition-Tree (BAT) algorithm, allows dynamic performance updates, enhancing efficiency in rapidly changing environments [19]. Adaptive Sampling methods like ADA-CVAR focus on challenging examples by sampling from the loss distribution's tail, improving Conditional Value-at-Risk (CVaR) optimization and ensuring model robustness amid evolving objectives [31].

Venn Predictors, including Inductive Venn-ABERS Predictors (IVAPs) and Conditional Venn-ABERS Predictors (CVAPs), provide a framework for ensuring validity through perfect calibration. IVAPs offer probabilistic predictions with guaranteed validity, while CVAPs enhance empirical performance by combining multiple IVAPs [29]. These predictors are beneficial in dynamic settings, where accuracy and reliability are paramount for effective adaptation to changing objectives. The discussed techniques underscore the necessity of adaptive strategies in machine learning models, enabling them to adjust effectively to shifting objectives while managing large-scale data complexities. Such approaches enhance performance in high-stakes applications where risk management is critical [12, 30, 24, 28, 31].

3.3 Integration with Machine Learning

Integrating machine learning with other optimization techniques is crucial for enhancing performance and adaptability in dynamic multi-objective optimization. Evolutionary strategies optimize neural

architectures by preserving and iteratively improving the best-performing architectures through mutations, facilitating effective solution discovery [30]. Novel algorithmic frameworks, such as the Perturbed Proximal Preconditioned SPIDER (3P-SPIDER) method, enhance Expectation-Maximization (EM) algorithms by combining perturbation and proximal methods, improving over traditional incremental EM methods [12]. This integration allows efficient handling of complex optimization problems in dynamic environments.

Probabilistic prediction frameworks, including IVAPs and CVAPs, exemplify the integration of machine learning with optimization by providing well-calibrated probabilities that enhance accuracy through efficient merging [29]. The Unbound Kolmogorov-Arnold Network (UKAN) further illustrates integration by combining Multilayer Perceptrons (MLPs) with Kolmogorov-Arnold Networks (KANs) and employing a Coarse-Grained (CG) model for B-spline function coefficients, enhancing computational efficiency and flexibility [26]. These examples underscore the importance of integrating machine learning with various optimization techniques to address challenges in large-scale dynamic multi-objective optimization, ensuring well-calibrated and computationally efficient models for diverse applications [29, 30].

4 Evolutionary Algorithms for Large-Scale Optimization

Evolutionary algorithms have advanced significantly to address the complexities of large-scale optimization, adapting to dynamic challenges through various innovations. This section explores key advancements such as incremental learning, multi-task evolution, and swarm intelligence integration, enhancing the robustness of these algorithms in tackling dynamic multi-objective optimization problems.

4.1 Algorithmic Innovations and Techniques

Recent developments in evolutionary algorithms have introduced innovative approaches to enhance their applicability to large-scale dynamic optimization problems. The integration of incremental learning within the Binary-Addition-Tree (BAT) framework allows adaptation to changes without full retraining, improving scalability and robustness, especially in network reliability analysis [19]. The Multi-Factorial Evolutionary Algorithm (MFEA) evolves multiple tasks simultaneously, leveraging synergies across tasks to enhance efficiency in solving complex problems [1]. Physics-informed optimization, such as Bi-level Physics-informed Neural networks with Broyden's hypergradients (BPN), addresses PDE constrained optimization problems, providing scalable solutions for high-dimensional data [23].

Swarm intelligence principles, as seen in the Multi-Objective Bee Algorithm for Feature Subset Selection (MOBAFS), improve exploration and exploitation in vast solution spaces, valuable for feature subset selection in software product lines [13]. Parallel and distributed processing techniques, like the Distributed Accumulated Newton Conjugate Gradient (DANCE) method, enhance scalability and statistical accuracy through multistage learning [27, 1]. These advancements, including multi-factorial optimization and novel mutation operators, significantly improve scalability and efficiency in addressing large-scale dynamic optimization challenges [12, 24].




Figure 4: Examples of Algorithmic Innovations and Techniques

As illustrated in Figure 4, evolutionary algorithms' exploration for large-scale optimization addresses computational challenges in machine learning. The figure provides visual examples of innovations

and techniques, such as network architecture comparisons, optimization algorithm performance across tasks, and deep learning model training processes, underscoring the breadth of this field [30, 14, 24].

4.2 Swarm Intelligence and Multi-Objective Optimization

Swarm intelligence, inspired by the collective behavior of social organisms, effectively solves multi-objective optimization problems by exploring complex search spaces in dynamic environments [13]. The Multi-Objective Bee Algorithm for Feature Selection (MOBAFS) demonstrates swarm intelligence in multi-objective optimization, balancing exploration and exploitation to enhance machine learning model performance [13].

Algorithms like Particle Swarm Optimization (PSO) and Ant Colony Optimization (ACO) adapt to dynamic multi-objective optimization, utilizing cooperative behavior to navigate solution spaces [7]. Swarm intelligence's integration with machine learning models, such as neural networks, facilitates hybrid algorithms that adaptively learn and optimize complex systems [20]. Its application extends to network reliability analysis and dynamic routing, optimizing configurations and routing paths in real-time [19].

Swarm intelligence, exemplified by MOBAFS and Multi-Factorial Optimization (MFO), provides a robust framework for multi-objective optimization in complex, dynamic environments like software product lines and cloud computing [1]. Its integration with other computational techniques expands its capabilities, offering promising solutions to complex optimization challenges across domains.

4.3 Quantum-Inspired and Coalition Formation Algorithms

Quantum-inspired algorithms offer novel approaches to solving complex multi-objective optimization problems in dynamic environments, such as UAV networks. The Quantum-Inspired Genetic Algorithm (QIGA) integrates quantum computing principles with genetic algorithms, enhancing exploration and exploitation of complex search spaces [7]. QIGA's application in UAV networks optimizes objectives like energy efficiency and task completion, leveraging quantum mechanics to navigate solution spaces efficiently [31].

Coalition formation algorithms, inspired by game theory, complement quantum-inspired approaches by focusing on strategic interactions among network agents. The leader-follower coalition formation model dynamically reconfigures coalitions in response to environmental changes, ensuring efficient resource allocation and task distribution [7]. By integrating quantum-inspired and coalition formation algorithms, these sophisticated approaches deliver comprehensive solutions that significantly improve optimization models' efficiency and adaptability in complex, dynamic environments [4, 27].

5 Adaptive Optimization Strategies

5.1 Dynamic Algorithm Enhancements

Dynamic algorithm enhancements are crucial for optimizing strategies in evolving problem landscapes, ensuring sustained performance in dynamic environments. The Multi-Factorial Evolutionary Algorithm (MFEA) exemplifies this adaptability by using a greedy-based allocation operator with a re-migration and merge operator to dynamically allocate resources and merge solutions as conditions change [1]. The Homotopy Stochastic Gradient Descent (H-SGD) method employs a homotopy map to transition from simpler to more complex problems, facilitating smoother convergence in non-convex optimization landscapes, which is essential for maintaining robustness against shifting objectives and constraints [16].

Incremental learning frameworks, such as the Incremental Learning Binary-Addition-Tree (IL-BAT), enable dynamic algorithms to learn from new data and adapt to changes in network structures, enhancing efficiency and scalability in rapidly changing environments [19]. The GFT-NN method optimizes sampling by focusing on essential monitoring nodes, allowing dynamic adaptation to varying contamination scenarios, thereby improving overall system performance [20]. The Distributed Stochastic Model Predictive Control (SMPC) approach manages uncertainties probabilistically, offering more flexible control strategies compared to traditional robust methods, particularly beneficial in environments with frequently changing optimization objectives [21].

The Generalized Polyak Stepsize (ALR) method enhances dynamic optimization by adjusting step sizes according to the optimization landscape, effectively navigating ill-conditioned problems better than conventional methods [22]. The Distributed Optimization for Over-Parameterized Learning (DOPL) method allows for arbitrary local optimization steps before communication, minimizing communication overhead while ensuring convergence, vital for large-scale data handling [27]. The ARCLQN method combines first-order updates with second-order methods to enable dynamic adjustments in optimization strategies, providing a robust framework for addressing dynamic challenges [9]. In ride-sharing operations, the Distributed Architecture for Ride-sharing Matching (DARM) framework adapts in real-time to demand and pricing, enhancing decision-making processes in dynamic environments [8]. The COCOA framework facilitates parallel optimization on local data, requiring minimal communication, thus supporting scalability and performance in distributed optimization tasks [25].

Dynamic algorithm enhancements are essential for adaptive mechanisms in optimization strategies, improving local optimization processes and performance in high-stakes scenarios through risk-averse training, and addressing complexities in large-scale learning frameworks through optimized communication and computational efficiency [27, 31, 12]. Techniques like incremental learning, adaptive sampling, and communication-efficient frameworks empower algorithms to effectively respond to evolving challenges, ensuring high performance and adaptability in dynamic optimization scenarios.




Figure 5: Examples of Dynamic Algorithm Enhancements

As illustrated in Figure 5, adaptive optimization strategies and dynamic algorithm enhancements are essential in evolving computational landscapes, where efficiency and performance are critical. The first illustration, a flowchart of a genetic algorithm process, outlines the structured approach of this evolutionary algorithm, emphasizing stages such as preprocessing, initialization, and iterative updates, which are vital for solving complex optimization problems by mimicking natural selection. The second illustration presents a comparative analysis of optimization algorithms in deep learning, focusing on the performance of Adam, D-Adapt Adam, and Mechanic Adam across diverse datasets, highlighting their adaptive nature in enhancing learning efficiency and model performance. Collectively, these examples underscore the significance of adaptive strategies and dynamic enhancements in optimizing algorithms for various computational tasks.

5.2 Handling Large-Scale and Complex Problems

Addressing large-scale and complex optimization challenges necessitates innovative strategies that balance computational efficiency with solution quality. The Mechanic learning rate tuner significantly

reduces manual tuning requirements, enhancing model performance across tasks by automatically adjusting learning rates, thus conserving time and computational resources [14]. This automation is vital for optimizing models in large-scale environments, where manual adjustments are both time-consuming and error-prone.

In Unmanned Aerial Vehicle (UAV) networks, the leader-follower coalition formation method exemplifies an effective strategy for managing complex optimization problems by dynamically forming coalitions among UAVs to optimize resource utilization and improve task completion rates, addressing the challenges inherent in large-scale operations [7].

These strategies highlight the importance of adaptive mechanisms and strategic frameworks in optimization processes. Advancements in preference learning frameworks accommodating diverse value models, adaptive sampling algorithms for risk-averse learning, and multi-factorial optimization techniques enhancing efficiency in large-scale virtual machine placement within cloud computing environments are noteworthy [4, 31, 1]. By automating tuning processes and optimizing resource allocation through coalition formation, these approaches provide robust solutions to the challenges posed by large-scale and complex optimization problems, ensuring sustained performance and adaptability in dynamic environments.

6 Computational Intelligence Techniques

Category	Feature	Method
Exploration of Neural Network Architectures	Adaptive Training Techniques	M[14]
Distributed Optimization Frameworks	Privacy and Local Computation	FLDOT[32]
	Adaptable Control Mechanisms	DSMPC[21]
	Communication and Scalability	DOPL[27], COCOA[25]

Table 1: This table presents a summary of key methods in computational intelligence, focusing on neural network architectures and distributed optimization frameworks. It highlights adaptive training techniques, privacy-preserving frameworks, and communication-efficient strategies that enhance scalability and efficiency in handling complex optimization tasks.

Computational intelligence is pivotal in addressing complex optimization challenges, with neural network architectures playing a crucial role in modeling intricate patterns and relationships. Table 3 presents a detailed comparison of the features and techniques utilized in the exploration of neural network architectures and distributed optimization frameworks, offering insights into their respective roles in advancing computational intelligence. Table 1 provides a comprehensive overview of the methods employed in computational intelligence, detailing the features and techniques used in neural network exploration and distributed optimization frameworks. Recent advancements include dynamic tuning methods like the Mechanic technique for automatic learning rate adjustment and privacy-preserving frameworks, which are essential for handling dynamic real-world data and enhancing deep learning scalability across domains such as healthcare, cybersecurity, and visual recognition [28, 14, 24].

6.1 Exploration of Neural Network Architectures

Neural network architectures have significantly enhanced optimization capabilities, offering robust solutions in dynamic environments. Central to computational intelligence, these architectures integrate with techniques like the Mechanic learning rate tuner, which automatically adjusts learning rates based on observed gradients, optimizing the performance of base optimization algorithms during training [14]. This automatic adjustment is crucial in large-scale environments where manual tuning is impractical.

The Federated Learning Discrete Optimal Transport (FLDOT) framework exemplifies the adaptability of neural networks, enabling privacy-preserving learning, which is vital in scenarios involving sensitive data [32]. This framework ensures effective deployment of neural networks in distributed settings while maintaining performance and data privacy.

Additionally, the synergy between classical convex feasibility problems and modern deep learning optimization, facilitated by distributed optimization techniques, underscores neural networks' relevance in computational intelligence [27]. This integration supports efficient handling of over-parameterized models, enhancing scalability and applicability in complex optimization tasks.

These advancements highlight neural networks’ pivotal role in computational intelligence. By employing dynamic tuning methods, privacy-preserving frameworks, and distributed optimization strategies, neural networks adeptly address large-scale and complex optimization problems. Distributed optimization allows extensive local updates before communication, improving efficiency and convergence. Moreover, evolutionary algorithms facilitate the automatic discovery of highly accurate models, minimizing human intervention while adapting to real-world data variations. This comprehensive approach positions neural networks as powerful tools in various fields, driving advancements in deep learning and artificial intelligence [27, 28, 30].

6.2 Distributed Optimization Frameworks

Method Name	Scalability Strategies	Communication Efficiency	Privacy Preservation
COCOA[25]	Local Computations	Reduced Communication Requirements	-
FLDOT[32]	Federated Learning	Efficient Computation	Preserving Privacy
DSMPC[21]	Parallel Processing	Soft Communication Protocol	Probabilistic Information Exchange
DOPL[27]	Local Updates	Reduced Communication Costs	Improving Privacy

Table 2: Comparison of distributed optimization frameworks highlighting their scalability strategies, communication efficiency, and privacy preservation capabilities. The table includes COCOA, FLDOT, DSMPC, and DOPL, each employing distinct methods to enhance distributed computing performance.

Distributed optimization frameworks are integral for managing large-scale optimization tasks across multiple systems, optimizing resource utilization and scalability. These frameworks leverage distributed computing to handle large datasets’ complexities, ensuring effective optimization in dynamic environments. COCOA is a prominent framework that facilitates parallel optimization on local data while minimizing communication overhead. By allowing independent optimization tasks and communicating a single update vector to the master node, COCOA enhances scalability and reduces communication costs, making it ideal for large-scale distributed optimization [25].

The Federated Learning Discrete Optimal Transport (FLDOT) framework advances privacy-preserving optimization across distributed systems, ensuring data localization and collaborative optimization [32], particularly beneficial for sensitive data scenarios.

The Distributed Stochastic Model Predictive Control (SMPC) framework exemplifies distributed optimization in control systems by decomposing centralized tasks into smaller components, allowing more flexible control strategies and enhancing adaptability in dynamic environments [21].

Furthermore, the Distributed Optimization for Over-Parameterized Learning (DOPL) method addresses communication efficiency challenges by permitting arbitrary local optimization steps before communication, reducing the communication burden while maintaining convergence, thus effective for large-scale distributed optimization [27].

These frameworks underscore the critical role of advanced distributed computing techniques in significantly improving scalability, efficiency, and adaptability of optimization processes, especially in dynamic and large-scale environments. Table 2 presents a comparative analysis of various distributed optimization frameworks, illustrating their approaches to scalability, communication efficiency, and privacy preservation. Frameworks like COCOA and TensorFlow utilize local computation and minimize communication overhead, enabling rapid convergence to high-quality solutions amid vast datasets and complex machine learning tasks. By facilitating extensive local updates before communication, these approaches enhance performance and integrate big data processing with high-performance computing technologies, addressing challenges in large-scale machine learning applications [33, 24, 5, 27, 25]. The integration of privacy-preserving methods, communication-efficient strategies, and flexible control mechanisms provides robust solutions for complex optimization challenges across multiple systems.

7 Applications and Case Studies

7.1 Applications in Real-World Scenarios

Large-scale dynamic multi-objective optimization techniques are pivotal in diverse real-world applications, addressing complex challenges with efficiency. In cloud computing, the Large-Scale Virtual

Feature	Exploration of Neural Network Architectures	Distributed Optimization Frameworks
Optimization Focus	Dynamic Tuning Methods	Resource Utilization
Communication Strategy	Not Specified	Minimize Communication Overhead
Privacy Preservation	Privacy-preserving Learning	Privacy-preserving Optimization

Table 3: This table provides a comparative analysis of the features associated with neural network architectures and distributed optimization frameworks within computational intelligence. It highlights key aspects such as optimization focus, communication strategy, and privacy preservation, underscoring the distinct methodologies employed in each domain to enhance scalability and efficiency.

Machine Placement (LVMP) problem necessitates optimization strategies to minimize deployment costs while meeting resource constraints and service level agreements, thus enhancing scalability [1]. In transportation, optimization is crucial for dynamic route planning in ride-sharing services, as seen in the Distributed Architecture for Ride-sharing Matching (DARM), which uses deep reinforcement learning to optimize passenger-vehicle matching and pricing strategies amid fluctuating demand [8].

In industrial settings, Multi-Factorial Evolutionary Algorithms (MFEA) optimize manufacturing by solving multiple tasks simultaneously, facilitating knowledge transfer and improving production efficiency [1]. Environmental management benefits from techniques like the GFT-NN method, which employs neural networks to optimize water distribution networks by identifying critical monitoring nodes, thereby enhancing response to contamination [20].

In healthcare, integrating machine learning with optimization frameworks enhances diagnosis and treatment planning, allowing for personalized treatment strategies that optimize resource allocation and improve patient outcomes [28]. These applications demonstrate the transformative impact of optimization techniques across various domains, enhancing operational efficiency and fostering innovation. Advanced models like additive value functions and preference learning frameworks further improve decision-making processes, accommodating multiple criteria and managing large-scale datasets for high-quality predictions in fields such as text mining and recommender systems [4, 24].

7.2 Industrial Optimization Scenarios

In industrial contexts, large-scale dynamic multi-objective optimization enhances both operational efficiency and product quality. In production scheduling, MFEA addresses complex scheduling problems by balancing objectives like minimizing production time and costs while maximizing product quality, thus improving overall efficiency [1]. Supply chain optimization integrates machine learning with evolutionary algorithms, allowing dynamic adjustments to processes in response to demand and supply fluctuations, enhancing resilience and minimizing disruptions [28].

In the automotive sector, computational intelligence techniques, including neural networks and swarm intelligence, optimize vehicle design by exploring design spaces efficiently, leading to innovative models that meet performance and safety standards [13]. In the energy sector, distributed optimization frameworks like Distributed Stochastic Model Predictive Control (SMPC) enable real-time adjustments to power systems, enhancing stability and efficiency while reducing costs and environmental impact [21].

These applications reveal the capacity of optimization techniques to foster innovation and efficiency in industrial settings, driving improvements in performance and cost-effectiveness [4, 1, 24].

7.3 Environmental and Energy Applications

In environmental management, large-scale dynamic multi-objective optimization techniques optimize complex systems like water distribution networks, where the GFT-NN method uses neural networks for efficient sampling and monitoring [20]. Energy optimization leverages machine learning with frameworks like SMPC for real-time power system adjustments, accommodating demand and supply fluctuations to enhance system stability and efficiency [21].

In renewable energy, multi-objective optimization maximizes output and minimizes costs. Swarm intelligence algorithms, such as the Multi-Objective Bee Algorithm for Feature Selection (MOBAFS), explore design spaces for technologies like wind and solar power, optimizing objectives like energy

efficiency and system reliability for sustainable solutions [13]. Optimization also plays a critical role in smart grid management, where distributed methods ensure efficient energy distribution and minimize outage risks [27].

These techniques drive innovation and improve performance in environmental and energy sectors, enhancing sustainability and effectiveness in complex scenarios such as large-scale virtual machine placement and nonlinear model predictive control [1, 15].

7.4 Healthcare and Biomedical Applications

In healthcare and biomedical fields, optimization techniques significantly advance medical procedures and research. Machine learning models integrated with optimization frameworks develop personalized treatment strategies, optimizing therapeutic outcomes and resource allocation [28]. In biomedical research, techniques like parallel and distributed Thompson sampling enhance drug discovery by enabling high-throughput virtual screening and efficient exploration of chemical spaces [12, 3, 24].

Optimization methods also improve medical imaging quality and diagnostic accuracy, with deep learning-based reconstruction techniques enhancing data processing for faster and more reliable condition identification [30, 28, 24, 12]. In surgical planning, multi-objective optimization assists in determining optimal pathways, balancing factors like minimal invasiveness and maximal efficacy, improving precision and safety [29, 28].

These applications highlight the transformative potential of optimization techniques in healthcare and biomedical fields, improving medical practices and advancing research. By leveraging large-scale machine learning and distributed algorithms, these methods enhance predictive accuracy and data analysis efficiency, improving healthcare quality and accessibility [33, 24, 11, 28, 4].

8 Challenges and Future Directions

8.1 Limitations and Future Enhancements

Current large-scale dynamic multi-objective optimization methodologies face several limitations that necessitate further refinement. A primary challenge is the dependency on accurate demand forecasts in distributed model-free ride-sharing systems, where prediction errors can significantly impact matching efficiency and system performance [8]. This underscores the importance of developing robust predictive models to enhance operational efficacy.

The COCOA framework, despite minimizing communication overhead, highlights the need for optimal local optimization procedures to improve adaptability and scalability [25]. Furthermore, the interpretability of Physics-Informed Neural Networks (PINNs) is less robust compared to traditional numerical methods, posing challenges in applications requiring transparency [23].

Methods like those for large-scale virtual machine placement often prioritize resource allocation but overlook critical aspects such as energy consumption and network traffic, which are vital for comprehensive optimization [1]. Addressing these issues could lead to more holistic optimization approaches.

Moreover, reliance on Hessian approximations in some techniques may present challenges in scenarios where these approximations are ill-conditioned, indicating a need for more robust optimization frameworks [9]. Future research should focus on enhancing computational efficiency, improving model interpretability, and developing algorithms adaptable to diverse problem types, including robust predictive models and comprehensive strategies that consider energy consumption and network dynamics. This progress is crucial for creating advanced, scalable solutions, particularly in dynamic environments where traditional machine learning methods struggle with time complexity and computational demands. Techniques like model simplification, optimization approximation, and parallel computation will be essential for analyzing and learning from big data, thus improving decision-making processes across various applications [4, 24].

8.2 Improving Model Interpretability and Robustness

Enhancing the interpretability and robustness of optimization models remains a pivotal research area, especially in dynamic multi-objective optimization. The increasing complexity of deep learning

systems necessitates advancements in model interpretability to ensure effective understanding and application across diverse domains [28]. This is particularly crucial in scenarios requiring transparent decision-making, such as healthcare and environmental management.

Integrating additional decision-making criteria into optimization frameworks can improve model efficiency and applicability. By accommodating a broader range of criteria, models can better meet diverse user needs and preferences, enhancing their practical utility [4]. This approach not only strengthens model robustness but also ensures flexibility and adaptability to changing conditions.

Future research should focus on methodologies that enhance both interpretability and robustness. Exploring advanced techniques for model visualization, developing comprehensive frameworks that accommodate multiple decision-making criteria, and creating robust algorithms are essential for achieving high performance in uncertain and dynamic environments. Implementing a preference learning framework that utilizes diverse additive value models can effectively sort and classify alternatives, even with large-scale datasets. By maximizing credible consistency among reference alternatives and employing regularization techniques to enhance predictive capabilities, these frameworks can adapt to varying importance across classes, thereby improving classification performance. Additionally, leveraging state-of-the-art algorithms can significantly enhance computational efficiency in processing big data, addressing challenges posed by the increasing complexity and volume of real-world applications [4, 24]. Addressing these challenges will advance the field towards more transparent, reliable, and versatile optimization solutions.

8.3 Scalability and Efficiency in Cloud Environments

Scalability and efficiency are critical challenges in cloud-based optimization, where managing large-scale computational tasks across distributed systems is paramount. A primary concern in existing distributed optimization methods is the high communication cost, which significantly hinders scalability and efficiency in cloud environments [25]. To mitigate these challenges, frameworks like Distributed Optimization for Over-Parameterized Learning (DOPL) have been developed, enabling arbitrary local optimization steps before communication, thus reducing overhead and enhancing scalability.

The DANCE algorithm exemplifies the importance of scalability in distributed environments by offering faster convergence rates and reduced computational costs, essential for handling the vast amounts of data and complex computations typical in cloud-based systems [11].

Future research directions should prioritize enhancing interpretability and robustness, particularly in sensitive domains where transparency is crucial [23]. Additionally, integrating multiple optimization objectives, such as energy efficiency and network traffic management, into existing frameworks like Multi-Factorial Optimization (MFO) can significantly enhance their applicability and performance in cloud environments [1].

Moreover, developing hybrid methods that combine various learning and optimization strategies, especially in non-convex problem settings, could further improve efficiency and scalability in cloud-based optimization systems. Tuning hyperparameters and modifying existing methods, such as ARCLQN, may also enhance performance and stability in large-scale optimization tasks [9].

Exploring innovative communication protocols that effectively balance trade-offs between communication costs and control performance in distributed systems is a promising research avenue. Recent findings suggest that local optimization steps can significantly reduce communication requirements, as demonstrated in frameworks like COCOA and in the context of federated learning and large-scale machine learning applications. These advancements highlight the potential for achieving efficient resource allocation and enhanced convergence rates while addressing inherent communication bottlenecks in distributed optimization [33, 32, 24, 27, 25]. Refining such protocols could lead to more efficient cloud-based optimization processes, as illustrated by the Distributed Stochastic Model Predictive Control (SMPC) framework, advocating for flexible and less conservative control strategies. Focusing on these areas will help address scalability and efficiency challenges in cloud-based optimization, paving the way for more robust and adaptable computational solutions.

9 Conclusion

The integration of machine learning, evolutionary algorithms, and computational intelligence is pivotal in addressing the complexities of large-scale dynamic multi-objective optimization. This synergy not only enhances scalability and efficiency but also improves adaptability within dynamic environments. The SOCP method applied to Stackelberg prediction games (SPG-LS) exemplifies substantial efficiency improvements, making it apt for large-scale applications such as cybersecurity. Similarly, advancements in bilevel optimization, particularly through the penalty method, underscore significant gains in computational efficiency for managing complex non-convex challenges.

In circuit design, the application of machine learning techniques like L2DC achieves performances on par with human experts, underscoring the necessity of advanced methodologies in large-scale optimization. The Parallel Distributed Thompson Sampling (PDTS) method further demonstrates the efficacy of machine learning in expediting the exploration of vast chemical spaces, thereby optimizing resource usage in high-throughput screening processes.

TensorFlow's robust framework has been instrumental in advancing large-scale machine learning, providing a platform for innovative research beyond previous systems. The ADA-CVAR method illustrates resilience to distribution shifts, offering superior performance in Conditional Value-at-Risk (CVaR) and predictive accuracy across various applications.

The Unbound Kolmogorov-Arnold Network (UKAN) effectively addresses the computational inefficiencies associated with traditional KANs by combining Multilayer Perceptrons (MLPs) with Kolmogorov-Arnold Networks. Incremental learning frameworks, such as the Incremental Learning Binary-Addition-Tree (IL-BAT), demonstrate enhanced computational efficiency and solution quality in dynamic network reliability analysis.

The Distributed Architecture for Ride-sharing Matching (DARM) framework showcases the practical benefits of these integrated techniques, leading to improved ride acceptance rates and increased driver profits. Collectively, these developments highlight the transformative impact of combining machine learning, evolutionary algorithms, and computational intelligence to optimize large-scale dynamic environments, setting the stage for more effective and scalable solutions across various fields.

References

- [1] Zhengping Liang, Jian Zhang, Liang Feng, and Zexuan Zhu. Multi-factorial optimization for large-scale virtual machine placement in cloud computing, 2020.
- [2] Jiali Wang, He Chen, Rujun Jiang, Xudong Li, and Zihao Li. Fast algorithms for stackelberg prediction game with least squares loss, 2021.
- [3] José Miguel Hernández-Lobato, James Requeima, Edward O. Pyzer-Knapp, and Alán Aspuru-Guzik. Parallel and distributed thompson sampling for large-scale accelerated exploration of chemical space, 2017.
- [4] Jiapeng Liu, Milosz Kadzinski, Xiuwu Liao, Xiaoxin Mao, and Yao Wang. A preference learning framework for multiple criteria sorting with diverse additive value models and valued assignment examples, 2019.
- [5] Martín Abadi, Ashish Agarwal, Paul Barham, Eugene Brevdo, Zhifeng Chen, Craig Citro, Greg S. Corrado, Andy Davis, Jeffrey Dean, Matthieu Devin, Sanjay Ghemawat, Ian Goodfellow, Andrew Harp, Geoffrey Irving, Michael Isard, Yangqing Jia, Rafal Jozefowicz, Lukasz Kaiser, Manjunath Kudlur, Josh Levenberg, Dan Mane, Rajat Monga, Sherry Moore, Derek Murray, Chris Olah, Mike Schuster, Jonathon Shlens, Benoit Steiner, Ilya Sutskever, Kunal Talwar, Paul Tucker, Vincent Vanhoucke, Vijay Vasudevan, Fernanda Viegas, Oriol Vinyals, Pete Warden, Martin Wattenberg, Martin Wicke, Yuan Yu, and Xiaoqiang Zheng. Tensorflow: Large-scale machine learning on heterogeneous distributed systems, 2016.
- [6] Feibo Jiang, Kezhi Wang, Li Dong, Cunhua Pan, Wei Xu, and Kun Yang. Ai driven heterogeneous mec system with uav assistance for dynamic environment – challenges and solutions, 2020.
- [7] Sajad Mousavi, Fatemeh Afghah, Jonathan D. Ashdown, and Kurt Turck. Leader-follower based coalition formation in large-scale uav networks, a quantum evolutionary approach, 2018.
- [8] Marina Haliem, Ganapathy Mani, Vaneet Aggarwal, and Bharat Bhargava. A distributed model-free ride-sharing approach for joint matching, pricing, and dispatching using deep reinforcement learning, 2021.
- [9] Jarad Forristal, Joshua Griffin, Wenwen Zhou, and Seyedalireza Yektamaram. A novel fast exact subproblem solver for stochastic quasi-newton cubic regularized optimization, 2022.
- [10] Camilo Garcia-Tenorio, Duvan Tellez-Castro, Eduardo Mojica-Nava, and Jorge Sofrony. Data-driven analysis of mass-action kinetics, 2017.
- [11] Majid Jahani, Xi He, Chenxin Ma, Aryan Mokhtari, Dheevatsa Mudigere, Alejandro Ribeiro, and Martin Takáč. Efficient distributed hessian free algorithm for large-scale empirical risk minimization via accumulating sample strategy, 2020.
- [12] Gersende Fort and Eric Moulines. The perturbed prox-preconditioned spider algorithm for em-based large scale learning, 2021.
- [13] Nahid Hajizadeh, Peyman Jahanbazi, and Reza Akbari. Mobafs: A multi objective bee algorithm for feature subset selection in software product lines, 2021.
- [14] Ashok Cutkosky, Aaron Defazio, and Harsh Mehta. Mechanic: A learning rate tuner, 2023.
- [15] Q. Tran Dinh, C. Savorgnan, and M. Diehl. Adjoint-based predictor-corrector sequential convex programming for parametric nonlinear optimization, 2011.
- [16] Matilde Gargiani, Andrea Zanelli, Quoc Tran-Dinh, Moritz Diehl, and Frank Hutter. Convergence analysis of homotopy-sgd for non-convex optimization, 2020.
- [17] Maximilian Lucassen, Johan A. K. Suykens, and Kim Batselier. Tensor network kalman filtering for large-scale ls-svms, 2021.
- [18] Zhongwei Yu, Jingqing Ruan, and Dengpeng Xing. Learning causal dynamics models in object-oriented environments, 2024.

-
- [19] Wei-Chang Yeh. Applying incremental learning in binary-addition-tree algorithm for dynamic binary-state network reliability, 2024.
 - [20] Alessio Pagani, Zhuangkun Wei, Ricardo Silva, and Weisi Guo. Neural network approximation of graph fourier transforms for sparse sampling of networked flow dynamics, 2020.
 - [21] V. Rostampour and T. Keviczky. Distributed stochastic model predictive control for large-scale linear systems with private and common uncertainty sources, 2019.
 - [22] Xiaoyu Wang, Mikael Johansson, and Tong Zhang. Generalized polyak step size for first order optimization with momentum, 2023.
 - [23] Zhongkai Hao, Chengyang Ying, Hang Su, Jun Zhu, Jian Song, and Ze Cheng. Bi-level physics-informed neural networks for pde constrained optimization using broyden’s hypergradients, 2023.
 - [24] Meng Wang, Weijie Fu, Xiangnan He, Shijie Hao, and Xindong Wu. A survey on large-scale machine learning. *IEEE Transactions on Knowledge and Data Engineering*, 34(6):2574–2594, 2020.
 - [25] Martin Jaggi, Virginia Smith, Martin Takáč, Jonathan Terhorst, Sanjay Krishnan, Thomas Hofmann, and Michael I. Jordan. Communication-efficient distributed dual coordinate ascent, 2014.
 - [26] Alireza Moradzadeh, Lukasz Wawrzyniak, Miles Macklin, and Saeed G. Paliwal. Ukan: Unbound kolmogorov-arnold network accompanied with accelerated library, 2024.
 - [27] Chi Zhang and Qianxiao Li. Distributed optimization for over-parameterized learning, 2019.
 - [28] Iqbal H Sarker. Deep learning: a comprehensive overview on techniques, taxonomy, applications and research directions. *SN computer science*, 2(6):420, 2021.
 - [29] Vladimir Vovk, Ivan Petej, and Valentina Fedorova. Large-scale probabilistic predictors with and without guarantees of validity, 2015.
 - [30] Esteban Real, Sherry Moore, Andrew Selle, Saurabh Saxena, Yutaka Leon Suematsu, Jie Tan, Quoc V Le, and Alexey Kurakin. Large-scale evolution of image classifiers. In *International conference on machine learning*, pages 2902–2911. PMLR, 2017.
 - [31] Sebastian Curi, Kfir. Y. Levy, Stefanie Jegelka, and Andreas Krause. Adaptive sampling for stochastic risk-averse learning, 2020.
 - [32] Navpreet Kaur, Juntao Chen, and Yingdong Lu. Federated learning for discrete optimal transport with large population under incomplete information, 2024.
 - [33] Nikolay Malitsky, Ralph Castain, and Matt Cowan. Spark-mpi: Approaching the fifth paradigm of cognitive applications, 2018.

Disclaimer:

SurveyX is an AI-powered system designed to automate the generation of surveys. While it aims to produce high-quality, coherent, and comprehensive surveys with accurate citations, the final output is derived from the AI's synthesis of pre-processed materials, which may contain limitations or inaccuracies. As such, the generated content should not be used for academic publication or formal submissions and must be independently reviewed and verified. The developers of SurveyX do not assume responsibility for any errors or consequences arising from the use of the generated surveys.

www.SurveyX.cn