
Microplastics and Plants: A Survey on Biological Effects Soil Contamination and Environmental Impact

www.surveyx.cn

Abstract

Microplastics, defined as plastic particles less than 5 mm in diameter, have become significant environmental pollutants, infiltrating soil ecosystems and impacting plant health and broader ecological balances. This survey paper examines the multifaceted role of microplastics in soil, highlighting their effects on soil structure, nutrient dynamics, and plant physiological processes. Microplastics alter soil aeration and water retention, disrupting plant growth and nutrient uptake. Their persistence and ability to adsorb pollutants exacerbate soil contamination, posing risks to plant and human health through bioaccumulation and trophic transfer. Detection and characterization of microplastics in soil present methodological challenges, necessitating advanced analytical techniques and innovative AI-driven models for accurate assessment. Case studies reveal the pervasive presence of microplastics across diverse environments, from agricultural fields to remote regions like Antarctica, underscoring their global impact. The paper also explores the transport dynamics of microplastics, influenced by their physical and chemical properties, which complicate their management. The ecological implications extend to biodiversity loss and ecosystem disruption, as microplastics act as vectors for pollutants. Addressing these challenges requires comprehensive research, standardized methodologies, and effective mitigation strategies, including innovative removal technologies and sustainable alternatives to plastic products. Collaborative efforts across scientific, regulatory, and societal domains are crucial to mitigating the impacts of microplastic pollution and ensuring ecosystem sustainability. This survey underscores the urgent need for integrated approaches to address the pervasive threat of microplastics in soil ecosystems.

1 Introduction

1.1 Relevance of Microplastics to Soil Ecosystems

Microplastics, defined as plastic particles smaller than 5 mm, are significant pollutants with profound implications for soil ecosystems and plant health. These particles result either from the manufacture of small plastics or the degradation of larger plastic debris, highlighting their pervasive nature and ecological significance. The impact of microplastics on soil ecosystems is multifaceted, influencing the physical, chemical, and biological properties of soil [1].

In soil ecosystems, microplastics can disrupt soil structure, affecting aeration and water retention, which are vital for plant growth. The interfacial dynamics of dispersed particles can hinder the soil's ability to support plant life, potentially leading to adverse effects on plant health [1]. The persistence of microplastics, such as polypropylene, in environments like Antarctic soils underscores the challenges posed by these pollutants due to their resistance to biological degradation [2].

Moreover, microplastics can adsorb and concentrate pollutants, including heavy metals and organic contaminants, exacerbating soil contamination [3]. These interactions threaten plant health by disrupting nutrient uptake and physiological processes, with broader implications for human health and




Figure 1: chapter structure

ecological balance due to the potential for bioaccumulation and trophic transfer [4]. Understanding the dynamics and impacts of microplastics in soil ecosystems is critical for developing strategies to mitigate their effects and protect plant health.

1.2 Structure of the Survey

This survey systematically addresses the complex issue of microplastics, focusing on their role in soil ecosystems and their impact on plant health and the environment. It begins with an introduction to the relevance of microplastics as pollutants and their potential effects on plant health [5]. The background section provides essential definitions and explanations of key concepts such as microplastics, soil contamination, and plant health, laying the groundwork for subsequent discussions.

The survey explores the presence and behavior of microplastics in soil ecosystems, examining detection and characterization methods, case studies, and transport dynamics. It then investigates the biological effects of microplastics on plants, detailing the mechanisms of interaction with plant systems, impacts on physiological processes, and consequences for overall growth and development. Emphasis is placed on how microplastics disrupt nutrient uptake and may lead to toxicological effects that compromise plant health and ecosystem stability [5, 6, 7].

Broader environmental implications are discussed in relation to ecological balance, biodiversity, and the potential for bioaccumulation and long-term ecological consequences. The survey concludes with a review of current research, identifying knowledge gaps and challenges in microplastic research, and suggesting future research directions to address these gaps. This comprehensive approach aims to provide a thorough understanding of the environmental and health impacts of microplastics and the challenges involved in controlling them [5]. The following sections are organized as shown in Figure 1.

2 Background and Definitions

2.1 Key Concepts and Definitions

Microplastics, defined as plastic particles smaller than 5 mm, emerge from the fragmentation of larger plastics or are manufactured at such sizes. They are pervasive pollutants across terrestrial, freshwater, and marine ecosystems, posing significant ecological and health risks due to their ability to adsorb toxins and potential ingestion by organisms. These particles can accumulate in the food chain, causing physical harm and diminishing nutritional value in wildlife, while facilitating the transfer of toxic additives like phthalates and bisphenol A into organisms [7, 6]. The complex dynamics of microplastics influence liquid film behavior and interact with soil and atmospheric particles, affecting ecological and climatic processes.

Soil contamination, stemming from industrial activities, agricultural practices, and pollutant deposition such as microplastics, negatively impacts soil quality, plant health, and ecosystems. The interaction between microplastics and soil ecosystems is particularly concerning as it can disrupt plant physiological processes and exacerbate environmental impacts [8]. Understanding these concepts is crucial for assessing microplastic pollution's implications and devising strategies to mitigate its effects on environmental and human health.

2.2 Sources and Characteristics of Microplastics

Microplastics originate from the degradation of larger plastics, industrial activities, and consumer products like synthetic textiles, tires, and personal care items, characterized by their size—less than 5 mm—and categorized by polymer type, influencing their behavior and persistence [9]. Their size, shape, and chemical composition are vital for assessing environmental impact, as they can adsorb and transport contaminants akin to PM_{2.5} [3]. Transport and distribution are influenced by particle size, density, and environmental conditions, complicating detection and quantification.

Detection methodologies, especially in aquatic environments, face challenges such as high costs and specialized expertise requirements, limiting broader environmental assessments [10]. The absence of standardized analytical methods and regulatory frameworks further complicates microplastic pollution management [5]. Understanding their complex dynamics, including non-spherical atmospheric behavior, is crucial for advancing research and mitigation strategies [11].

2.3 Pathways into Soil Ecosystems

Microplastics enter soil ecosystems through various pathways, primarily from industrial activities, consumer products, and larger plastic degradation [12]. They are transported via atmospheric deposition, surface runoff, and agricultural practices, often introduced through sewage sludge and composts [13]. Their movement within soil ecosystems is influenced by physical and chemical properties, such as size, shape, and polymer type, affecting interactions with soil particles and organic matter [6]. These factors complicate environmental impact assessments and pose detection challenges [7]. The presence of microplastics in regions like Antarctica underscores their widespread distribution and potential for long-range transport, despite research primarily focusing on marine environments [2].

Comprehensive data on sources, transport mechanisms, and accumulation patterns are essential to fully understand microplastics' pathways and impacts in soil ecosystems, vital for developing effective mitigation strategies [13].

The investigation of microplastics in soil ecosystems requires a comprehensive understanding of both the methodologies employed and the complexities involved in their transport and effects. Figure 2 illustrates the hierarchical structure of research on microplastics in soil ecosystems, detailing detection methods, case studies, and transport dynamics. This figure categorizes traditional and advanced techniques, highlights the role of AI and automation in detection, and outlines a multifaceted strategy for addressing microplastic pollution. Furthermore, it presents case studies on the presence of microplastics in various soil types and explores the transport dynamics influenced by physical, chemical, biological, and environmental factors. This structured overview not only enhances our understanding of the current landscape of microplastic research but also underscores the importance of integrating diverse approaches to effectively tackle this pressing environmental issue.




Figure 2: This figure illustrates the hierarchical structure of research on microplastics in soil ecosystems, detailing detection methods, case studies, and transport dynamics. The chart categorizes traditional and advanced techniques, highlights AI and automation in detection, and outlines the multifaceted strategy for addressing microplastic pollution. It also presents case studies on microplastic presence in various soil types and explores the transport dynamics influenced by physical, chemical, biological, and environmental factors.

3 Microplastics in Soil Ecosystems

3.1 Detection and Characterization of Microplastics in Soil

Benchmark	Size	Domain	Task Format	Metric
MiNa[9]	105	Environmental Science	Object Detection	AP50, Precision

Table 1: Table illustrating a representative benchmark dataset used for the detection and characterization of microplastics in soil, detailing the dataset size, domain, task format, and evaluation metrics. The MiNa dataset serves as a critical resource in environmental science, particularly for object detection tasks using metrics such as AP50 and precision.

The assessment of microplastics in soil ecosystems necessitates advanced methodologies to accurately identify and characterize these pollutants. Traditional techniques like visual analysis and spectroscopy provide foundational understanding, while dynamic light scattering and mass spectrometry offer enhanced precision by evaluating particle size distribution and chemical composition [6]. Recent advancements in imaging technologies, such as scanning electron microscopy (SEM), contribute significantly to this field by generating comprehensive datasets like the MiNa dataset, which details the morphological traits of microplastics [9]. Terahertz (THz) spectroscopy also presents a novel, non-destructive method for microplastic identification through unique absorption characteristics [14]. Table 1 provides an overview of a key benchmark dataset employed in the study of microplastic detection and characterization within soil ecosystems.

Artificial intelligence, particularly Deep Learning Segmentation Models (DLSM), has revolutionized microplastic research, enabling automatic identification and quantification in microscopic images, thus enhancing detection speed and accuracy [10]. Autonomous systems, such as the microplastics-collecting semisubmersible (AMCS) with manta trawls, illustrate the potential for automated collection and analysis in various environments [4]. The 'Plastic Cycle' concept underscores the interconnectedness of environmental compartments, crucial for developing methodologies that account for microplastic dynamics across environments [13].

A multifaceted strategy is necessary to address microplastic pollution, incorporating chemical, biological, and physical methods, each with unique mechanisms and limitations [7]. This comprehensive

framework integrates traditional methods like laser diffraction and Fourier-transform infrared spectroscopy with cutting-edge AI-driven models, including deep learning and Generative Adversarial Networks (GANs), to enhance microplastic detection and characterization [15, 6, 9, 10].

3.2 Case Studies on Microplastic Presence in Soils

Research on microplastic presence in various soils reveals significant insights into their environmental distribution and impact, albeit with inconsistencies due to methodological limitations [6]. Agricultural soils are notably contaminated, primarily through sewage sludge and compost applications, posing environmental threats as microplastics persist and accumulate in food chains, affecting terrestrial and aquatic organisms [13, 5, 7, 6, 2]. The prevalence of microplastics varies with agricultural practices and soil management strategies.

Urban soils exhibit higher microplastic concentrations due to proximity to waste and industrial activities, highlighting an urban-rural gradient in contamination. Studies in remote regions like Antarctica indicate microplastics' presence despite minimal local sources, suggesting long-range atmospheric transport as a key pathway [5, 6]. These findings underscore the need for comprehensive monitoring and innovative analytical methods to assess and mitigate microplastic pollution's environmental and public health impacts.

The case studies demonstrate the widespread nature of microplastics in soils and the necessity for improved analytical methods to enhance data reliability. Addressing microplastic contamination challenges is crucial for developing comprehensive mitigation strategies while advancing analytical techniques and pollution control measures [5, 6, 7].

3.3 Transport Dynamics of Microplastics

Microplastic transport in soil ecosystems is influenced by a complex interplay of physical, chemical, and biological factors that affect their distribution and impact. Key determinants include microplastics' size, shape, density, and surface properties, which dictate interactions with soil particles and organic matter, affecting mobility and persistence [6, 13]. Vertical transport is facilitated by water infiltration, potentially reaching groundwater systems, while horizontal movement is driven by surface runoff and erosion, leading to accumulation in specific areas like agricultural fields [12].

Soil fauna, such as earthworms, can enhance microplastic dispersion through bioturbation, while adsorption to organic matter alters buoyancy and mobility, influencing transport pathways and environmental fate [1, 4]. Environmental factors like temperature, moisture content, and soil texture further modulate transport dynamics, with higher moisture increasing solubility and mobility, and temperature variations affecting degradation rates [2].

Understanding these dynamics is essential for assessing environmental impact and developing mitigation strategies, requiring an integrative approach combining field observations, laboratory experiments, and modeling studies to elucidate the complex interactions governing microplastic movement in soil [13].

4 Biological Effects on Plants

4.1 Mechanisms of Microplastic Interaction with Plant Systems

Microplastics interact with plant systems through complex mechanisms that significantly impact plant health and development. Their presence in soil can disrupt liquid film dynamics around roots, impairing water and nutrient uptake, which is crucial for plant growth [1]. Microplastics' physical attributes, such as size and surface properties, enable them to adhere to roots, potentially obstructing root pores and hindering absorption processes [5]. Additionally, they can adsorb contaminants like heavy metals and organic pollutants, exacerbating their harmful effects on plants [3].

Microplastics also affect soil microbial communities, essential for nutrient cycling and plant health, by altering microbial activity and composition, thereby disrupting critical soil-plant interactions [2]. Moreover, microplastics may serve as vectors for pathogenic microorganisms, increasing plant disease susceptibility [4]. Current research emphasizes the need for comprehensive studies to understand the long-term effects of microplastics on plant systems [13]. Non-invasive methods like THz spectroscopy

offer promising avenues for studying these interactions without damaging plant tissues, enhancing our ability to monitor microplastic impacts on plant health [14].

The intricate relationships between microplastics and plant systems underscore the need for targeted research to elucidate these mechanisms and develop strategies to mitigate their adverse effects on plant health and ecosystem stability [7].




Figure 3: Examples of Mechanisms of Microplastic Interaction with Plant Systems

As shown in Figure 3, the interaction of microplastics with plant systems reveals broader environmental impacts of plastic pollution. The example "Microplastic Detection and Classification Using Electron Microscopy and Machine Learning" illustrates a methodological approach for identifying microplastics using electron microscopy and machine learning, crucial for understanding microplastics' environmental presence and characteristics. The example "Microplastics: The Silent Threat" highlights the fragmentation of larger plastics into microplastics, emphasizing their pervasive nature and potential infiltration into plant systems. These examples highlight the urgent need for comprehensive research into microplastics' effects on plants, as they pose a significant, often overlooked threat to ecological health and integrity [9, 7].

4.2 Impact on Plant Physiology and Nutrient Uptake

Microplastic contamination in soil ecosystems poses substantial challenges to plant physiology and nutrient uptake, adversely affecting plant health and productivity. Microplastics can alter soil structure, impacting root growth and access to water and nutrients. Their adsorption onto root surfaces can block pores, hindering essential nutrient and water uptake [3], leading to deficiencies and stunted growth. Furthermore, microplastics can transport pollutants, including heavy metals and organic contaminants, which, upon contact with roots, introduce harmful substances into the plant system, disrupting physiological processes and potentially causing toxic effects [3].

Microplastics' impact on soil microbial communities is also critical for nutrient uptake. Soil bacteria, vital for nutrient cycling, can be adversely affected by microplastics. Research indicates that certain bacteria, such as those from Antarctic environments, can degrade microplastics like polypropylene, potentially altering nutrient dynamics and affecting nutrient uptake [2]. Advanced techniques like THz spectroscopy have been used to identify various plastics based on their absorption bands, providing insights into the types of microplastics in soil and their potential interactions with plant systems [14]. Understanding these interactions is crucial for developing strategies to mitigate microplastics' adverse effects on plant physiology and nutrient uptake, promoting sustainable agricultural practices and ecosystem health.

4.3 Effects on Plant Growth and Development

Microplastics in soil ecosystems can significantly disrupt plant growth and development, affecting morphological characteristics such as root structure and leaf size, as well as physiological functions like nutrient uptake and photosynthesis. These particles, smaller than 5 mm, persist in the environment and carry harmful chemical additives and other contaminants, compounding their impact on plant health and ecosystem stability [5, 7]. Microplastics disrupt soil structure and fertility, critical for

plant growth, leading to changes in soil porosity that affect root penetration and access to water and nutrients.

Physical obstruction by microplastics can hinder root elongation and branching, essential for nutrient and water uptake, ultimately stunting growth and reducing biomass accumulation [3]. Additionally, microplastics can adsorb and transport pollutants, such as heavy metals and organic contaminants, detrimental to plant health when absorbed through roots [4]. These contaminants can disrupt metabolic processes, leading to oxidative stress and cellular damage, further impeding plant development [2].

Microplastics' impact on soil microbial communities also affects plant growth. Disruption of these communities, essential for nutrient cycling and soil health, can lead to imbalances in nutrient availability, negatively influencing plant growth [13]. Furthermore, interactions between microplastics and soil organisms, like earthworms, can alter soil structure and nutrient dynamics, influencing plant development [1]. Research using advanced techniques, such as THz spectroscopy, has elucidated the types of microplastics in soil and their interactions with plant systems, highlighting the complexity of microplastic pollution and its multifaceted impacts on plant growth [14]. Understanding these interactions is crucial for developing strategies to mitigate microplastics' adverse effects on plant growth, ensuring sustainable agricultural practices and ecosystem health [7].

5 Environmental Impact and Ecological Balance

5.1 Impact on Ecological Balance and Biodiversity

Microplastic contamination presents a significant threat to ecological balance and biodiversity in terrestrial, freshwater, and marine ecosystems. In aquatic environments, microplastics disrupt species interactions and food webs, leading to biodiversity declines [4]. Terrestrial ecosystems experience similar disruptions, with microplastics affecting soil health and dependent organisms [13, 6]. These particles alter soil's physical and chemical properties, impacting soil organisms and plant communities, leading to changes in species composition and abundance that compromise ecosystem functionality and biodiversity [8, 12]. Additionally, microplastics interfere with reproductive and feeding behaviors of soil fauna, destabilizing ecological balance. Their persistence and pollutant adsorption capabilities exacerbate their ecological impact, facilitating bioaccumulation and biomagnification within food chains, affecting higher trophic levels and undermining ecosystem resilience [12]. Comprehensive research is crucial to elucidate microplastics' environmental impacts and develop robust analytical methods for detection and characterization, informing policy and raising public awareness about microplastic pollution [8, 6].

5.2 Bioaccumulation and Long-term Ecological Implications

Microplastics pose significant bioaccumulation risks, with long-term ecological implications across ecosystems. These particles adsorb pollutants, including heavy metals and persistent organic pollutants, which transfer through food webs [3]. Ingested by soil organisms, microplastics accumulate in tissues, leading to trophic transfer and potential biomagnification at higher trophic levels [12]. Their environmental persistence increases bioaccumulation potential, resulting in chronic exposure of wildlife to contaminants, causing endocrine disruption, reproductive issues, and impaired growth [4]. Long-term effects include shifts in species composition and ecosystem functioning, harming key species, altering community dynamics, and potentially leading to biodiversity loss [13]. Such changes disrupt essential ecosystem services, including nutrient cycling and soil fertility, crucial for ecological balance and human livelihoods. Understanding bioaccumulation and long-term effects is vital for developing mitigation strategies, comprehensive monitoring, and effective policies to reduce microplastic pollution [5].

5.3 Long-term Consequences for Ecosystems

Microplastic contamination poses significant long-term challenges to environmental sustainability and food security. Their persistent nature and pollutant adsorption capacity have lasting impacts on ecosystem health and functionality, threatening ecological processes and services essential for maintaining ecosystem balance and biodiversity. Microplastics disrupt nutrient cycling, food webs, and habitat integrity, affecting wildlife and human populations [8, 13, 6]. A critical long-term impact is on soil fertility and structure, essential for plant growth and agricultural productivity. Microplastics

alter soil properties, including water retention, aeration, and nutrient availability, compromising plant health and crop yields, threatening food production and ecosystem stability, particularly in subsistence farming regions [5, 7]. Bioaccumulation of microplastics in soil organisms and their trophic transfer can have cascading effects on ecosystem health, affecting higher organisms and potentially leading to biodiversity decline and diminished ecosystem resilience. Biomagnification of associated toxins exacerbates these threats, posing long-term risks to wildlife and human health [2]. Comprehensive strategies are essential to mitigate long-term impacts, including effective waste management, policies to reduce plastic production and consumption, and innovative microplastic removal approaches. Addressing plastic pollution challenges is crucial for maintaining ecosystem sustainability and food security, as microplastics are detected across environments, threatening environmental health and public well-being. Urgent strategies, such as developing biodegradable materials and enhancing pollution control, are needed to mitigate plastic contamination impacts on natural habitats and food sources [5, 8].

6 Current Research and Knowledge Gaps

6.1 State of Current Research

Research into microplastics in soil ecosystems has advanced significantly, identifying key sources such as industrial activities and consumer products, alongside their widespread presence in terrestrial and freshwater systems. Despite these advancements, substantial gaps persist in understanding the ecological risks and environmental impacts of microplastics in non-marine ecosystems [16]. Detecting and characterizing microplastics require a multi-method approach to ensure precision and reliability. Techniques like terahertz (THz) spectroscopy have been proposed for enhanced identification in biological tissues, addressing current methodological limitations [14]. Furthermore, the development of datasets for automatic detection and classification using object detection algorithms has propelled research forward [9]. Challenges remain due to the small size and class imbalance of available datasets, which hinder machine learning methods' effectiveness in microplastic research [15]. Innovative removal strategies, such as the PoPPR method, and the discovery of Antarctic bacteria capable of degrading polypropylene microplastics, offer promising insights into biodegradation processes [3, 2]. In aquatic environments, the lack of effective removal strategies underscores the need for innovative solutions like the autonomous microplastics-collecting semisubmersible (AMCS) [4]. The current research landscape highlights the necessity for comprehensive studies integrating detection techniques, environmental impacts, and mitigation strategies to tackle the multifaceted challenges posed by microplastics, including understanding the dynamics of non-spherical particles [11].

6.2 Current Challenges in Microplastics Research

Microplastics research faces significant challenges in detection, analysis, and understanding ecological impacts. Predicting microplastic behavior dynamics in soil, akin to challenges in suspension flow and film deposition studies, remains a primary difficulty [1]. Variability in particle sizes and overlaps complicate detection, as traditional methods are often labor-intensive and inefficient [9]. A notable gap exists in understanding the long-term effects of microplastic removal methods on ecosystems, with many studies lacking thorough examination of interactions between microplastics and organisms [7]. The limited availability of data poses a hurdle for machine learning applications, necessitating enhanced data augmentation strategies to address small and imbalanced datasets [15]. Quantifying microplastics' impacts in less-studied freshwater and terrestrial systems further complicates the field [16]. Existing detection methods are often costly, complex, and reliant on manual analysis, leading to errors and limiting accessibility for researchers [10]. Current collection methods are inefficient, highlighting the need for scalable solutions to tackle microplastic contamination [4]. Addressing these challenges requires a multidisciplinary strategy incorporating advanced detection technologies, such as deep learning algorithms and state-of-the-art spectroscopic techniques, alongside thorough ecological assessments and innovative, data-driven approaches [10, 4, 5, 6, 9].

6.3 Methodological Gaps and Innovations

The study of microplastics in soil ecosystems is constrained by methodological gaps that hinder a comprehensive understanding of their environmental behavior and impacts. A significant challenge is the lack of standardized methods for sampling and analysis, complicating data comparison across

studies and environments. This inconsistency is especially evident in extreme environments like Antarctica, necessitating tailored detection and analysis approaches [2]. Innovative approaches are emerging, with advancements in data augmentation and machine learning techniques showing promise. The GANsemble method, utilizing conditional generative adversarial networks for automating data augmentation strategy selection, represents a significant innovation in generating synthetic microplastic data [15]. Integrating GAN-generated images into training datasets enhances model performance, providing a robust framework for microplastic identification [10]. Novel experimental setups and particle-resolved numerical simulations are employed to investigate non-spherical particles' behavior, yielding insights into transport dynamics and interaction mechanisms critical for developing accurate predictive models [11]. The ongoing development of these methodologies is crucial for advancing microplastic research, offering new avenues to address complex challenges associated with microplastic pollution. Future research should focus on refining these techniques and establishing standardized methodologies to ensure reliability and comparability across diverse ecosystems [13].

6.4 Future Research Directions

Future research on microplastics should prioritize developing standardized methods for detection and assessment across ecosystems, ensuring consistency and comparability in findings [8]. This involves enhancing data collection methods and validating models with empirical evidence to understand microplastic distribution and impact better [12]. Expanding datasets with real-world samples and improving algorithms to handle overlapping and small particles are essential for advancing morphological detection and classification. There is an urgent need to explore innovative solutions to reduce primary microplastic releases from various sources, necessitating a comprehensive understanding of their origins and pathways into ecosystems [12]. Research should also focus on developing efficient detection methods and understanding microplastics' health implications while promoting sustainable alternatives to plastic products to mitigate environmental impact [5]. Integrating advanced technologies, such as terahertz (THz) spectroscopy with other imaging techniques, could significantly enhance detection capabilities for smaller plastic particles. Improvements to machine learning frameworks, particularly through the innovative GANsemble architecture and diverse data augmentation strategies, could significantly enhance synthetic data quality. This advancement may broaden the scope of machine learning applications in microplastic research, addressing critical data scarcity that hampers effective analysis. The GANsemble framework combines conditional generative adversarial networks (cGANs) with automated augmentation strategy selection, generating high-quality synthetic microplastics data, facilitating better model performance in environments characterized by small and imbalanced datasets [15, 9, 10, 6]. Exploring bacterial consortia for enhanced degradation efficiency presents a promising avenue for biodegradation research. Investigating specific metabolic pathways involved in microplastic degradation could lead to more effective bioremediation strategies [2]. Furthermore, optimizing the design of autonomous systems like the AMCS for different environments and enhancing collection efficiency are critical for better management of microplastic pollution [4]. Lastly, future research should consider the social dimension of microplastic pollution by investigating public perception and behavioral changes related to plastic use and waste management. This comprehensive approach will be instrumental in developing effective policies and interventions to address the multifaceted challenges posed by microplastic pollution [8].

7 Conclusion

Microplastic pollution in soil ecosystems presents a multifaceted challenge with substantial implications for plant health and environmental stability. The intricate interplay of microplastics within soil matrices alters soil structure and nutrient dynamics, thereby affecting plant physiology. Their transport dynamics, governed by distinct physical and chemical properties, complicate both detection and management, necessitating the development of more sophisticated assessment methodologies. The biological impact on plants is profound, with disruptions in nutrient uptake, growth, and development that threaten agricultural productivity and ecosystem services. Ecologically, microplastics contribute to biodiversity loss and ecological imbalance by acting as vectors for pollutants, which can result in bioaccumulation and biomagnification throughout food webs. Addressing these challenges requires comprehensive environmental policies and management strategies, including the development of standardized detection methods, innovative removal technologies, and the promotion of sustainable alternatives to plastics. Increasing public awareness and encouraging behavioral changes in plas-

tic usage and disposal are crucial for mitigating microplastic pollution at its source. A concerted effort from scientific, regulatory, and societal sectors is essential to tackle the pervasive threat of microplastics and ensure the sustainability of ecosystems and human health.

www.SurveyX.cn

References

- [1] Deok-Hoon Jeong, Langqi Xing, Jean-Baptiste Boutin, and Alban Sauret. Particulate suspension coating of capillary tubes, 2022.
- [2] Nur Ain Shuhada Ab Razak, Syahir Habib, Mohd Yunus Abd Shukor, Siti Aisyah Alias, Jerzy Smykla, and Nur Adeela Yasid. Isolation and characterisation of polypropylene microplastic-utilising bacterium from the antarctic soil, 2024.
- [3] Katherine Burgener and M. Saad Bhamla. A polymer-based technique to remove pollutants from soft contact lenses, 2020.
- [4] Ziddane Isahaku. Improvement and empirical testing of a novel autonomous microplastics-collecting semisubmersible, 2024.
- [5] G Lamichhane, A Acharya, R Marahatha, B Modi, R Paudel, A Adhikari, BK Raut, S Aryal, and N Parajuli. Microplastics in environment: global concern, challenges, and controlling measures. *International Journal of Environmental Science and Technology*, 20(4):4673–4694, 2023.
- [6] Zike Huang, Bo Hu, and Hui Wang. Analytical methods for microplastics in the environment: a review. *Environmental chemistry letters*, 21(1):383–401, 2023.
- [7] Mohsen Padervand, Eric Lichtfouse, Didier Robert, and Chuanyi Wang. Removal of microplastics from the environment. a review. *Environmental Chemistry Letters*, 18(3):807–828, 2020.
- [8] Bart Koelmans, Lesley Henderson, SAPEA Working Group, et al. *A scientific perspective on microplastics in nature and society*. 2019.
- [9] Hadi Rezvani, Navid Zarrabi, Ishaan Mehta, Christopher Kolios, Hussein Ali Jaafar, Cheng-Hao Kao, Sajad Saeedi, and Nariman Yousefi. Morphological detection and classification of microplastics and nanoplastics emerged from consumer products by deep learning, 2024.
- [10] Alex Dils, David Raymond, Jack Spottiswood, Samay Kodige, Dylan Karmin, Rikhil Kokal, Win Cowger, and Chris Sadée. Microplastic identification using ai-driven image segmentation and gan-generated ecological context, 2024.
- [11] Taraprasad Bhowmick, Yong Wang, Jonas Latt, and Gholamhossein Bagheri. Twist, turn and encounter: the trajectories of small atmospheric particles unravelled, 2024.
- [12] Julien Boucher and Damien Friot. *Primary microplastics in the oceans: a global evaluation of sources*, volume 10. Iucn Gland, Switzerland, 2017.
- [13] Alice A Horton and Simon J Dixon. Microplastics: An introduction to environmental transport processes. *Wiley Interdisciplinary Reviews: Water*, 5(2):e1268, 2018.
- [14] Identification and characterization of various plastics using thz-spectroscopy.
- [15] Daniel Platnick, Sourena Khanzadeh, Alireza Sadeghian, and Richard Anthony Valenzano. Gansemble for small and imbalanced data sets: A baseline for synthetic microplastics data, 2024.
- [16] <div style="text-align: center;"

Disclaimer:

SurveyX is an AI-powered system designed to automate the generation of surveys. While it aims to produce high-quality, coherent, and comprehensive surveys with accurate citations, the final output is derived from the AI's synthesis of pre-processed materials, which may contain limitations or inaccuracies. As such, the generated content should not be used for academic publication or formal submissions and must be independently reviewed and verified. The developers of SurveyX do not assume responsibility for any errors or consequences arising from the use of the generated surveys.

www.SurveyX.cn