
Contemporary Dominant Hydrogen Production Technologies: A Survey

www.surveyx.cn

Abstract

This survey paper explores contemporary hydrogen production technologies, focusing on both fossil-based and renewable methods, and their integration into the emerging hydrogen economy. It highlights the significance of hydrogen as a clean energy carrier essential for global energy transition and decarbonization. The survey provides a comprehensive analysis of production pathways, including steam methane reforming, coal gasification, and electrolysis, emphasizing the economic and environmental dimensions. Key findings suggest that while fossil-based methods remain cost-effective, renewable hydrogen production through electrolysis is gaining traction due to declining renewable energy costs. The paper also addresses technological advancements in electrolysis, catalyst development, and integration strategies with renewable energy systems. Challenges such as high production costs, scalability, and economic viability are discussed, alongside innovations like advanced catalyst designs and process optimizations. The survey underscores the need for robust infrastructure, policy frameworks, and sector-specific applications to facilitate hydrogen's role in achieving sustainability goals. Future research directions include enhancing catalyst efficiency, integrating hydrogen infrastructure, and developing predictive models for optimizing hydrogen production and deployment. Overall, the survey positions hydrogen as a cornerstone of a sustainable energy future, highlighting its potential to address current energy and environmental challenges.

1 Introduction

1.1 Significance of Hydrogen Production Technologies

Hydrogen production technologies play a pivotal role in addressing the dual challenges of escalating global energy demands and environmental sustainability. As the world transitions from fossil fuel dependence, hydrogen emerges as a crucial carbon-free energy carrier and feedstock, essential for fulfilling energy requirements while minimizing ecological impacts [1]. Green hydrogen production, particularly via water electrolysis powered by renewable energy, presents a sustainable avenue for significantly curtailing greenhouse gas emissions [2]. This shift aligns with global initiatives aimed at replacing fossil-based hydrogen production with renewable alternatives, notwithstanding current high production costs and techno-economic uncertainties [3].

The declining costs associated with renewable energy generation and water electrolysis enhance hydrogen's viability as an energy carrier, promoting its integration into various energy systems [4]. Furthermore, hydrogen mitigates the variability inherent in renewable energy sources, such as offshore wind, thereby bolstering the resilience and stability of energy supply [5]. Its potential as a low-emission energy carrier is critical for achieving a net-zero operating space by 2050.

Innovative hydrogen production methods, such as solar hydrogen generation utilizing carbon-based photocathodes in photoelectrochemical cells, indicate promising breakthroughs in this domain [6]. The development of stable and efficient photocatalysts is vital to overcoming the limitations of




Figure 1: chapter structure

photocatalytic hydrogen generation from water, facilitating the transition to sustainable energy sources [7].

The advancement and deployment of hydrogen production technologies are essential for transitioning to a sustainable energy system, effectively addressing both present and future energy and environmental challenges [8]. Consequently, hydrogen stands as a cornerstone in the pursuit of global sustainability goals.

1.2 Scope and Objectives of the Survey

This survey aims to deliver a comprehensive analysis of contemporary hydrogen production technologies, focusing on both fossil-based and renewable methods while prioritizing renewable feedstocks to align with carbon neutrality objectives [1]. It explores the technological, economic, and environmental dimensions of hydrogen production, emphasizing a comparative analysis of production pathways such as steam methane reforming, coal gasification, and electrolysis [3]. The survey assesses the economic viability of various hydrogen production and synthetic liquid fuel pathways, facilitating comparisons among technologies under emerging policy frameworks like the Inflation Reduction Act [9].

Significant attention is given to hydrogen energy systems from renewable sources, examining their manufacturing, storage, and applications while excluding fossil fuel-based methods [6]. The survey addresses advancements and challenges in membrane strategies for water electrolysis, focusing on acidic, alkaline, and bipolar membranes to enhance production efficiency [7]. It also investigates various hydrogen separation membranes, including polymeric, dense metal, and microporous membranes, while excluding unrelated production methods [3].

The survey encompasses hydrogen production methods utilizing renewable energy sources such as solar and wind, ensuring the inclusion of only those methods that contribute to reducing greenhouse

gas emissions [1]. It benchmarks the costs and carbon intensity of hydrogen production methods across different regions, empowering policymakers to make informed decisions regarding technology deployment [9]. Moreover, it explores the production of green hydrogen using renewable energy, particularly wind power, analyzing various electrolyzer technologies and their operational modes [3].

By addressing these diverse aspects, the survey elucidates the synergies between hydrogen production technologies and other energy systems, providing a holistic view of hydrogen's potential as a renewable energy carrier. It examines current hydrogen demand, production methods, costs, and CO₂ emissions, contributing to a deeper understanding of hydrogen's role in achieving sustainable energy transitions [1]. Additionally, the study seeks to discover, develop, and understand low-cost, high-performance, durable materials for electrolysis, enhancing optimization methods in dynamic environments [7].

1.3 Structure of the Survey

The survey is meticulously structured to conduct an in-depth analysis of the latest hydrogen production technologies, encompassing both fossil-based methods and renewable alternatives such as solar, wind, and hydroelectric power. It evaluates the economic and environmental implications of these technologies, assessing their scalability and efficiency, and highlights the challenges associated with each production method, including feedstock types and integration with purification and storage systems. Furthermore, the survey aims to inform stakeholders about hydrogen's potential as a sustainable energy vector in the context of global energy demands and climate change mitigation [10, 11, 12, 13].

Beginning with an introduction that contextualizes the significance of hydrogen production technologies within the global energy landscape and environmental sustainability, the survey progresses to a detailed exploration of the background, elucidating the hydrogen economy's role as a clean energy carrier and its potential in carbon emission reduction across various sectors.

Subsequently, the survey clarifies definitions and core concepts, distinguishing different hydrogen production methods, including steam methane reforming, coal gasification, and electrolysis, establishing a foundational understanding of the technologies discussed.

The core of the survey is divided into two major sections: hydrogen production from fossil energy and renewable hydrogen production. The former concentrates on steam methane reforming and coal gasification, analyzing their environmental impacts and challenges, while the latter investigates renewable hydrogen production, particularly through water electrolysis, discussing its advantages and limitations. This section categorizes existing research on water electrolysis into three main technologies: alkaline electrolysis, PEM electrolysis, and solid oxide electrolysis [14].

Technological advancements and challenges are reviewed, highlighting recent innovations in hydrogen production methods and the hurdles faced in scaling these technologies for widespread adoption. This section also addresses catalyst technology challenges and the economic viability of scaling up hydrogen production.

The survey provides an in-depth analysis of the integration of hydrogen production technologies within the broader hydrogen economy, focusing on critical aspects such as infrastructure development, technology integration, economic implications of transitioning to hydrogen, and innovations tailored to specific sectors. This examination underscores hydrogen's potential as a sustainable energy source, its role in decarbonizing the energy sector, and its capacity to enhance renewable energy system efficiency, particularly in reducing reliance on fossil fuels and mitigating environmental impacts [15, 2, 12]. This analysis is crucial for understanding hydrogen's role in achieving a sustainable energy transition.

The paper concludes by synthesizing key findings regarding hydrogen production methods, emphasizing the promising future of these technologies, particularly those leveraging renewable energy sources like solar and wind. It underscores the necessity for further research and development in areas such as feedstock optimization, conversion efficiency, and the integration of hydrogen production systems with purification and storage solutions, all vital for overcoming existing technological challenges and enhancing the economic viability of hydrogen as a clean energy vector [16, 13]. This structured approach ensures a thorough understanding of the current landscape and future potential of hydrogen

as a clean energy carrier, ultimately contributing to global sustainability goals. The following sections are organized as shown in Figure 1.

2 Background

2.1 Overview of the Hydrogen Economy

The hydrogen economy plays a vital role in modern energy systems, offering a sustainable route to decarbonization and enhancing energy system adaptability [13]. Hydrogen, as a clean energy carrier, significantly reduces carbon emissions when produced via low-carbon methods like renewable energy-powered electrolysis [2]. This transition is driven by the urgent need to address climate change and improve energy security, utilizing hydrogen's capacity to store and distribute renewable energy efficiently [17].

Central to the hydrogen economy is sustainable hydrogen production, which aligns with global carbon neutrality objectives. This approach not only cuts emissions but also facilitates the integration of intermittent renewable sources such as wind and solar into energy grids, enhancing resilience and reliability [18]. Supportive policy frameworks that encourage low-carbon production methods and the development of hydrogen infrastructure further accelerate the adoption of hydrogen technologies [17].

The hydrogen economy spans sectors like transportation, industry, and power generation. In transportation, hydrogen fuel cells provide a zero-emission alternative, especially for aviation and heavy-duty vehicles [13]. In industry, hydrogen acts as a crucial feedstock in chemical processes and a reducing agent in steel production, offering a low-carbon substitute for conventional methods [19]. Additionally, hydrogen's role in power generation is evident in its capacity to buffer energy supply systems, balancing supply and demand [20].

Achieving a hydrogen economy requires substantial investment in infrastructure, including production facilities, distribution networks, and storage solutions [17]. It also necessitates robust regulatory frameworks and international collaboration to standardize hydrogen quality and safety standards [2]. As the hydrogen economy advances, it promises significant contributions to a sustainable and resilient energy future, addressing environmental and economic challenges in the global energy landscape [21].

2.2 Hydrogen's Role in Carbon Emission Reduction

Hydrogen is crucial in reducing carbon emissions, particularly in hard-to-decarbonize sectors like heavy industry and long-distance transportation [22]. Using pure hydrogen as a reducing agent in steel production can significantly lower CO₂ emissions, addressing a major challenge in industrial carbon mitigation [22]. Hydrogen production from wind energy could potentially reduce CO₂ emissions by over 200 million tons annually, underscoring its environmental benefits [2].

Integrating renewable sources, especially wind, into hydrogen production systems is vital for mitigating the intermittency issues associated with renewables, maximizing efficiency and carbon reduction potential [23]. Green hydrogen from offshore wind can significantly decrease emissions in hard-to-abate sectors by providing a clean energy carrier [5].

Models like PyPSA-GB-H₂ highlight hydrogen's environmental benefits by facilitating informed investment in hydrogen infrastructure, promoting a broader transition to low-carbon energy systems [17]. This transition is critical for addressing challenges like high CO₂ emissions from industrial sectors and reliance on fossil fuel imports [8].

Strategic deployment of hydrogen technologies is key to achieving climate change mitigation within the global carbon budget, emphasizing the need for environmentally sustainable hydrogen production methods [3]. However, integrating hydrogen exports with domestic energy transitions raises concerns about welfare redistribution, energy prices, and emissions, necessitating careful consideration of regulatory frameworks and policy implications [24].

2.3 Sector-Specific Applications of Hydrogen

Hydrogen's versatility as an energy carrier is demonstrated across various sectors, each leveraging its unique properties. In transportation, hydrogen fuel cells offer a zero-emission alternative to fossil fuels, especially in heavy-duty vehicles and aviation, where traditional battery technologies may fall short due to weight and range limitations [20]. The adoption of hydrogen in fuel cell electric vehicles (FCEVs) is increasing, providing a sustainable solution for reducing vehicular emissions and fostering cleaner urban environments.

In industry, hydrogen is a critical feedstock and reducing agent, particularly in ammonia synthesis and steel production. The hydrogenation of acetylene exemplifies hydrogen's role in chemical manufacturing, facilitating the production of various industrial chemicals with lower carbon emissions [20]. Integrating hydrogen into industrial processes enhances efficiency and supports the transition to low-carbon manufacturing practices, essential for meeting global emission reduction targets.

Hydrogen's significance in power generation is notable, providing a means to store and dispatch renewable energy, thus addressing the intermittency challenges of solar and wind power. Hydrogen can be used in gas turbines and fuel cells to generate electricity, offering a flexible and sustainable energy solution that complements existing renewable systems [20]. This capability is particularly beneficial in regions rich in renewable resources, enabling energy grid stabilization and ensuring a reliable power supply.

The diverse applications of hydrogen across transportation, industry, and energy storage underscore its foundational role in transitioning to sustainable energy systems, particularly in overcoming the limitations of fossil fuels and facilitating renewable energy integration [15, 10, 3, 12]. By enabling low-emission transportation, enhancing industrial processes, and supporting renewable energy integration, hydrogen is pivotal in advancing toward a resilient and carbon-neutral energy future.

3 Definitions and Core Concepts

Exploring hydrogen production requires understanding various methods and their environmental impacts. This section categorizes key hydrogen production pathways, emphasizing their operational principles and sustainability profiles, essential for assessing their implications for future energy systems and the transition to a low-carbon economy. Figure 2 illustrates the classification of hydrogen production pathways, highlighting key methods and their environmental impacts. It categorizes hydrogen production into green, blue, and grey pathways, contrasting fossil-based and renewable hydrogen production while emphasizing sustainability and technological advancements.

3.1 Key Hydrogen Production Methods

Hydrogen production can be classified into green, blue, and grey pathways, each with distinct technological principles and environmental impacts. Green hydrogen is primarily produced via water electrolysis powered by renewable energy sources, such as wind and solar, resulting in minimal carbon emissions. Electrolyzer technologies, including alkaline, proton exchange membrane (PEM), and solid oxide electrolyzers, offer unique operational efficiencies [1, 2]. Advances in hydrogen evolution reactions in photoelectrochemical devices are being pursued through efficient photocathodes, notably those using carbon-based materials [6].

Figure 3 illustrates the primary hydrogen production methods, categorized into green, blue, and grey pathways. Each category highlights specific technologies and principles, such as water electrolysis and electrolyzer technologies for green hydrogen, steam methane reforming and carbon capture for blue hydrogen, and the cost-effectiveness of grey hydrogen production.

Blue hydrogen production relies on fossil fuels, particularly natural gas, combined with carbon capture and storage (CCS) technologies to mitigate emissions. A prevalent method is steam methane reforming (SMR), which reacts methane with steam to produce hydrogen and carbon dioxide, with the latter captured to reduce environmental impact [1]. The Hydrogen Supply Chain Planning Model (HSC Model) optimizes hydrogen generation and storage to minimize costs [4].




Figure 2: This figure illustrates the classification of hydrogen production pathways, highlighting key methods and their environmental impacts. It categorizes hydrogen production into green, blue, and grey pathways, and contrasts fossil-based and renewable hydrogen production, emphasizing sustainability and technological advancements.

Grey hydrogen production also utilizes fossil fuels but lacks CCS integration, resulting in higher carbon emissions. Despite its environmental drawbacks, grey hydrogen remains prevalent due to its cost-effectiveness and established infrastructure [1].

Innovative approaches include using boron phosphide monolayers as photocatalysts for water-splitting, enhancing reaction efficiency through their unique electronic properties [7]. The Integrated Techno-Economic Model for Green Hydrogen Production (ITEGHP) evaluates hydrogen production feasibility from offshore wind energy, highlighting the potential of renewables [5].

As the hydrogen economy matures, these production methods will be crucial in sustainably meeting global energy demands. Tools like H2GR assist researchers in identifying and predicting trends, guiding the advancement of green hydrogen technologies [10]. The integration of techno-economic analyses and optimization models fosters a comprehensive understanding of uncertainties and development trajectories in hydrogen production, facilitating informed decision-making [9].




Figure 3: This figure illustrates the primary hydrogen production methods, categorized into green, blue, and grey pathways. Each category highlights specific technologies and principles, such as water electrolysis and electrolyzer technologies for green hydrogen, steam methane reforming and carbon capture for blue hydrogen, and the cost-effectiveness of grey hydrogen production.

3.2 Fossil-based vs. Renewable Hydrogen Production

Hydrogen production methods are broadly categorized into fossil-based and renewable sources, each with distinct environmental and economic implications. Fossil-based methods, such as steam methane reforming (SMR) and biomass gasification, produce hydrogen but often emit carbon dioxide, contributing to greenhouse gas emissions [25]. Biomass gasification, while utilizing organic materials, still faces challenges in achieving significant emission reductions [25].

Renewable hydrogen production, primarily through water electrolysis powered by renewable energy sources, aligns with global carbon neutrality goals by generating minimal carbon emissions [25]. Learning-by-doing models enhance efficiency and cost-effectiveness in renewable hydrogen production by leveraging accumulated knowledge [26].

The transition from fossil-based to renewable hydrogen production is driven by the need to decarbonize energy systems and reduce reliance on finite fossil resources. Renewable methods provide a sustainable pathway, mitigating the environmental impacts associated with traditional fossil-based technologies. However, challenges persist in scaling up renewable hydrogen production, particularly regarding infrastructure development and the integration of advanced materials into manufacturing processes [6].

As the hydrogen economy evolves, the shift toward renewable production is bolstered by technological advancements and policy frameworks that incentivize low-carbon pathways. The integration of Natural Language Processing and Knowledge Graphs in hydrogen research facilitates knowledge discovery, guiding innovative production technologies [10]. These efforts are crucial for addressing the limitations of both fossil-based and renewable hydrogen production, ensuring a sustainable energy future.

4 Hydrogen Production from Fossil Energy

Category	Feature	Method
Steam Methane Reforming (SMR)	Hydrogen Production Efficiency	HSMR[27]
Coal Gasification	Integrated Systems	IESOO[19]
Economic and Environmental Impacts	Techno-Economic Analysis	LAME[28], MWDM[29], HPSM[9]
Integration with Carbon Capture and Storage Technologies	Catalyst Performance	MC[30]

Table 1: Summary of methods and features associated with hydrogen production from fossil energy sources. The table categorizes the methods based on their technological focus, including Steam Methane Reforming, Coal Gasification, and integration with Carbon Capture and Storage technologies, highlighting specific features and corresponding references to recent advancements.

Table 2 provides a structured comparison of Steam Methane Reforming (SMR) and Coal Gasification, focusing on their efficiency, environmental impact, and technological innovations in the context of hydrogen production from fossil energy. The predominance of fossil energy in hydrogen production

is attributed to established infrastructure and economic feasibility. This reliance necessitates an evaluation of these methods in terms of efficiency, environmental impact, and technological advancements. Table 1 provides an organized summary of the methods and features pertinent to hydrogen production from fossil energy, emphasizing technological advancements and their economic and environmental implications. The subsequent subsections delve into prominent techniques like Steam Methane Reforming (SMR) and Coal Gasification, focusing on innovations aimed at enhancing sustainability and efficiency.

4.1 Steam Methane Reforming (SMR)

Steam Methane Reforming (SMR) is the foremost method for hydrogen production, benefiting from established infrastructure and high efficiency [31]. The process involves methane reacting with steam at high temperatures in the presence of a catalyst, producing hydrogen and carbon monoxide, followed by a water-gas shift reaction to generate additional hydrogen and carbon dioxide. Despite its dependence on fossil fuels, SMR's efficiency and cost-effectiveness drive its widespread use [32].

Recent SMR advancements aim to boost efficiency and reduce coke formation, a common issue. Innovations like Hydrogen Sulfide Methane Reforming (HSMR) have shown promise in enhancing hydrogen yield and minimizing coke deposition [27]. Economic analyses indicate that SMR, particularly when integrated with carbon capture and storage (CCS), can achieve competitive leveled costs of hydrogen (LCOH) and reduced carbon intensity compared to electrolysis, although regional variations exist [33]. The integration of CCS is crucial for reducing the environmental impact of SMR and aligning with global carbon reduction targets [34].

While SMR remains the most cost-effective method currently, the decreasing costs of renewable energy are expected to enhance the competitiveness of electrolysis-based hydrogen production [32]. This shift underscores the evolving hydrogen production landscape and the potential rise of renewable methods as technology advances.

4.2 Coal Gasification

Coal gasification is a key method for large-scale hydrogen production, utilizing abundant coal resources. It converts coal into syngas—a mixture of hydrogen, carbon monoxide, and carbon dioxide—via reactions with steam and oxygen at high temperatures and pressures [16]. This syngas can be further processed to increase hydrogen yield, making coal gasification a viable hydrogen production pathway.

Recent technological advancements in coal gasification have improved efficiency and large-scale production potential. Integrated coal-to-hydrogen (C2H) systems, particularly in coal-rich regions, enhance hydrogen production processes and reduce the carbon footprint [19]. The integration of CCS with coal gasification is essential for significantly reducing carbon emissions, aligning with global efforts to minimize the environmental impact of fossil-based hydrogen production [16].

Despite its potential, coal gasification faces challenges related to carbon emissions and the economic feasibility of CCS technologies. Advancing coal gasification requires developing more efficient technologies and establishing policy frameworks that support low-carbon hydrogen production. This is crucial for addressing greenhouse gas emissions while leveraging coal's significant role in energy landscapes, particularly in coal-rich regions like China. Prioritizing clean coal utilization and integrating renewable sources can enhance hydrogen production's sustainability and economic viability [35, 12, 16].

4.3 Economic and Environmental Impacts

The economic and environmental impacts of fossil-based hydrogen production pose significant challenges. SMR and coal gasification, as primary methods, are associated with substantial carbon emissions, necessitating CCS integration to mitigate environmental impacts [3]. However, the high capital costs and technical complexities of CCS hinder widespread adoption [9].

Economically, the viability of hydrogen production from fossil fuels is constrained by high operational costs and the need for improved catalyst performance [4]. The scalability of current technologies is challenged by the high costs of membrane materials under operational conditions [29]. These issues

highlight the importance of transitioning to cleaner hydrogen production methods, reducing reliance on fossil fuels in the absence of carbon pricing mechanisms [3].

The economic landscape is further complicated by country-specific interest rates affecting LCOH, potentially rendering hydrogen production uncompetitive in high-risk financial regions [9]. The hydrogen supply chain planning model demonstrates potential for cost-effective hydrogen generation and infrastructure planning, emphasizing flexible scheduling to optimize resource use and minimize costs [4].

Environmentally, the high life cycle emissions of fossil-based methods exacerbate their carbon-intensive nature. The hydrogen-based direct reduction process offers a promising avenue for reducing CO₂ emissions in industrial applications, such as steelmaking, with initial results indicating substantial emission reductions [28]. However, uncertainty remains regarding the effectiveness of current technologies to achieve net-zero emissions [3].

While fossil-based methods provide economic advantages under current market conditions, their future viability depends on addressing environmental concerns and the high costs of CCS technologies. Developing more efficient production processes and integrating renewable energy technologies into these systems are crucial for aligning fossil-based hydrogen production with global carbon reduction goals [3].

4.4 Integration with Carbon Capture and Storage Technologies

Integrating Carbon Capture, Utilization, and Storage (CCUS) technologies with fossil-based hydrogen production is essential for mitigating substantial carbon emissions. Coal-based hydrogen production, in particular, poses significant environmental challenges due to high CO₂ emissions, necessitating effective CCUS deployment to meet global carbon reduction targets [21]. Incorporating CCUS addresses environmental concerns and enhances the economic viability of coal-to-hydrogen pathways by lowering the carbon footprint, making them more competitive in a carbon-constrained world [36].

Recent advancements in catalyst technology have strengthened CCUS integration with hydrogen production. Innovations such as covalent bonding between metallic disulfide catalysts and substrates enhance mechanical stability and reduce interface resistance, providing a more robust and efficient approach to hydrogen production [30]. These technological improvements are vital for optimizing CCUS performance, ensuring effective carbon capture and storage during hydrogen production.

Figure 4 illustrates the integration of Carbon Capture, Utilization, and Storage (CCUS) with hydrogen production, highlighting environmental benefits, technological advancements, and strategic deployment areas. Strategic CCUS deployment is particularly beneficial in regions with abundant coal resources, where potential cost benefits and significant emission reductions can be realized [36]. Identifying key regions for technology deployment is crucial for maximizing CCUS integration impact, facilitating the transition to a low-carbon hydrogen economy while leveraging existing infrastructure and resources.




Figure 4: This figure illustrates the integration of Carbon Capture, Utilization, and Storage (CCUS) with hydrogen production, highlighting environmental benefits, technological advancements, and strategic deployment areas.

Feature	Steam Methane Reforming (SMR)	Coal Gasification
Efficiency	High Efficiency	Improved Potential
Environmental Impact	Reduced With Ccs	High Emissions
Technological Advancements	Hsmr Innovation	Integrated C2h Systems

Table 2: Comparison of Hydrogen Production Methods: This table presents a comparative analysis of Steam Methane Reforming (SMR) and Coal Gasification based on key features such as efficiency, environmental impact, and technological advancements. The data highlights the advancements in each method and their implications for sustainable hydrogen production from fossil energy sources.

5 Renewable Hydrogen Production

5.1 Electrolysis and its Variants

Electrolysis, a cornerstone of green hydrogen production, splits water into hydrogen and oxygen using electrical energy, ideally from renewable sources, thereby supporting a sustainable hydrogen economy [37]. Key technologies include Alkaline Water Electrolysis (AWE), Proton Exchange Membrane Water Electrolysis (PEMWE), and Solid Oxide Electrolysis Cells (SOECs), each with distinct operational characteristics. Figure 5 illustrates the primary categories and characteristics of these electrolysis technologies for hydrogen production, highlighting key features and innovations in AWE, PEMWE, and SOECs.

Alkaline Water Electrolysers (AWEs) are cost-effective and well-established, making them suitable for large-scale hydrogen production. Recent innovations aim to enhance energy efficiency through improved bubble dynamics [7].

Proton Exchange Membrane Water Electrolysers (PEMWEs) offer high efficiency and adaptability to variable energy inputs, making them ideal for integration with intermittent renewable sources. Innovations like coupling seawater reverse osmosis with PEM electrolysis address challenges related to seawater as a feedstock [38]. Advancements in electrode surface structuring further enhance electrochemical activity [7].

Solid Oxide Electrolysis Cells (SOECs), operating at high temperatures, achieve high conversion efficiencies, especially in industrial settings utilizing waste heat. Their potential as a cost-effective solution by 2030 underscores their significance in future energy systems [37].

Efficient water electrolysis using low-grade and saline water remains a challenge due to impurities. Innovative strategies, such as topology optimization for component design, are being explored to enhance flow distribution and efficiency [38].




Figure 5: This figure illustrates the primary categories and characteristics of electrolysis technologies for hydrogen production, highlighting key features and innovations in Alkaline Water Electrolysis, Proton Exchange Membrane Electrolysis, and Solid Oxide Electrolysis Cells.

5.2 Hydrogen in Renewable Energy Systems

Hydrogen enhances the flexibility and reliability of renewable energy systems by addressing the intermittency of sources like wind and solar power. As a versatile energy carrier, hydrogen facilitates renewable energy integration and storage, crucial for a sustainable energy economy [24]. The combination of electrolysis with renewable sources forms the backbone of the green hydrogen economy, offering significant advantages over fossil-based methods.

Studies highlight electrolysis's potential in hydrogen production and CO₂ conversion, reducing emissions and fossil fuel dependency [39]. Advances in catalyst development, especially with materials like Ni₄₂Li₂₀S₅, provide cost-effective solutions for oxygen evolution in acidic conditions [40].

Catalyst innovations have improved performance in saline environments, with enhanced selectivity and efficiency for oxygen evolution reactions [41]. The X₂₀CoCrW_{Mo10-9}/Co₃O₄ composite's performance in neutral conditions surpasses benchmarks, indicating its practical applicability [42]. Optimizing gas bubble dynamics during electrolysis enhances mass transfer and overall efficiency [43, 44].

Integrating Alkaline Electrolysis (AEL) systems with fluctuating renewable sources requires accurate dynamic parameter estimation for operational flexibility. Techniques like topology optimization for fluid flow geometries enhance efficiency [45]. A decentralized approach to managing multiple electrolysis modules allows scalable operation, minimizing costs and adapting to real-time changes [46].

Hydrogen's role extends beyond energy storage, encompassing various applications as a clean energy source. By leveraging advancements in electrolyzer technology, hydrogen enhances operational efficiency and contributes to global carbon reduction goals, positioning it as a fundamental element in future energy strategies. Its potential to decarbonize hard-to-abate sectors, combined with the urgency to combat climate change, underscores hydrogen's critical role in transitioning to a resilient energy future. This shift from fossil-based systems to renewable hydrogen production supports global efforts towards net-zero emissions, ensuring a sustainable and economically viable energy landscape [10, 3, 47, 12].

5.3 Innovations in Electrolysis Technologies

Recent advancements in electrolysis technologies have significantly enhanced hydrogen production efficiency and sustainability through innovations in catalyst development, electrode design, and process optimization. The dynamic electrodeposition method boosts the synthesis of porous electrocatalysts, improving hydrogen and oxygen evolution reaction efficiencies by optimizing electrochemical processes [48].

Invertible Neural Networks (INNs) enable bijective mapping between measurements and conductivity maps, surpassing traditional methods in reconstructing bubble distributions and optimizing electrode design [49]. Compressive Raman imaging provides real-time insights into cation intercalation dynamics, fostering the development of more effective catalysts [50].

In catalyst design, lanthanum strontium cobaltite (LSCO) nanopowders demonstrate excellent electrocatalytic performance for OER, making them promising candidates for practical applications [51]. A Lewis acid layer over common catalysts enhances direct seawater electrolysis performance, achieving high current densities with stability [28].

Innovations in electrode design, utilizing multifunctional materials to optimize spin configurations during electron transfer, have the potential to improve catalytic performance [52]. The differential-algebraic equation (DAE) model enables sensitivity analysis of current density, providing insights for system optimization [53].

Advanced control systems, such as improved PID temperature controllers, enhance thermal dynamic performance and response times in electrolysis systems, highlighting the role of process control innovations [54]. Tuning magnetic properties in catalysts further emphasizes the potential for enhanced OER performance [55].

Future research should focus on refining catalyst descriptors, exploring new materials, and incorporating criteria like toxicity and abundance in catalyst selection [56]. Standardized testing conditions,

new material exploration, and membranes that filter impurities while maintaining conductivity are essential areas for investigation [41]. A flexible screening framework incorporating thermodynamic stability, overpotential, and cost assessments will enable comprehensive catalyst evaluation, paving the way for sustainable hydrogen production [57].

These innovations highlight the potential for substantial improvements in hydrogen production efficiency and sustainability. By leveraging advanced catalyst designs, real-time monitoring techniques, and integrated systems, these advancements contribute significantly to a resilient and economically viable hydrogen production landscape, essential for fostering a sustainable hydrogen economy [37]. The method's validation through topology optimization of bipolar plates for hydrogen electrolysis cells demonstrates its practical applicability in optimizing electrolysis systems [58].

6 Technological Advancements and Challenges

Exploring technological advancements in hydrogen production is essential for meeting global energy demands while minimizing environmental impacts. This section examines recent innovations in hydrogen production methods, emphasizing their potential to enhance efficiency, sustainability, and cost-effectiveness. Understanding these advancements is vital for evaluating progress in the field and identifying pathways toward a resilient hydrogen economy. The subsequent subsection focuses on advancements in hydrogen production methods, forming the foundation for ongoing developments in this essential energy carrier.

6.1 Advancements in Hydrogen Production Methods

Recent technological advancements have significantly improved the efficiency, sustainability, and cost-effectiveness of hydrogen production, reinforcing its role as a key clean energy carrier. As illustrated in Figure 6, these advancements encompass key innovations in catalyst development, electrolysis enhancements, and modeling approaches, all of which support the transition to a cleaner energy future. The integration of advanced catalysts, including non-noble metal catalysts, has enhanced electrocatalytic activity and stability for water splitting, providing a cost-effective alternative to traditional noble metal catalysts [37]. Emerging trends, such as bioinspired redox mediators and advanced materials, aim to optimize performance [7].

In electrolysis, understanding spin dynamics in the oxygen evolution reaction (OER) has reduced the overpotential required for oxygen evolution, leading to more efficient electrocatalysts [44]. Ferromagnetic ordering is posited to improve OER activity by enhancing spin polarization and reducing charge transfer resistance. Carbon-based photocathodes for solar hydrogen production have demonstrated efficient solar energy harvesting and conversion into chemical energy, offering a scalable and low-cost alternative to traditional materials [7].

Innovations include employing a hard Lewis acid layer to improve seawater electrolysis efficiency and stability by inhibiting chlorine chemistry and reducing precipitate formation. Furthermore, a PID controller optimized for alkaline electrolysis enhances temperature stability and control, contributing to improved system performance [46].

Innovative modeling approaches, such as the H2GR methodology, integrate domain knowledge with advanced AI techniques, facilitating the discovery and prediction of research trends in green hydrogen production technologies. The Adaptive Resource Allocation Method (ARAM) incorporates machine learning to forecast demand shifts, enabling proactive resource management and optimized infrastructure design [59].

The systematic discovery of multiple local minimizers through novel topology optimization approaches reduces sensitivity to penalty parameter choices, enhancing hydrogen production system design. This evolution is crucial for addressing challenges posed by fossil fuel dependence, including environmental degradation and greenhouse gas emissions. By leveraging renewable energy sources such as solar and wind for hydrogen generation and optimizing production techniques through advanced methodologies, the hydrogen sector is poised to create a more resilient and economically viable energy landscape. This transition promises to reduce carbon emissions and facilitates a strategic shift toward a cleaner, sustainable energy future [10, 1, 12, 13].

The introduction of a flexible screening framework that incorporates thermodynamic stability, overpotential, and cost assessments enables comprehensive evaluation of catalyst viability, paving the way for sustainable hydrogen production. By harnessing cutting-edge advancements in hydrogen production technologies, the sector is undergoing significant transformation, creating viable solutions that align with global sustainability objectives, particularly in reducing greenhouse gas emissions and addressing fossil fuel reliance challenges [10, 12, 13].




Figure 6: This figure illustrates the recent advancements in hydrogen production technologies, highlighting key innovations in catalyst development, electrolysis enhancements, and modeling approaches. These advancements contribute to improved efficiency, sustainability, and cost-effectiveness in hydrogen production, supporting the transition to a cleaner energy future.

6.2 Challenges in Catalyst Technology

Developing efficient catalysts for hydrogen production faces numerous challenges, particularly in optimizing activity, stability, and cost-effectiveness. Reliance on noble metal-based catalysts, such as platinum and ruthenium/iridium, is costly and scarce, limiting scalability [60]. Non-precious metal-based electrocatalysts, like nickel and iron, present promising alternatives but often face stability issues and require improvements in electrochemical performance [61].

A critical challenge is the weak adhesion of catalysts to conductive substrates, leading to catalyst peel-off and increased interface resistance, which diminishes energy conversion efficiency [30]. This highlights the need for innovative strategies to enhance the mechanical stability of catalyst-substrate interfaces, thereby improving overall system performance.

Optimizing conditions for hydrogen production poses another challenge, particularly in enhancing bioproduct yields through improved catalytic processes [62]. Historically, the rational design of catalysts has relied on serendipitous discoveries and trial-and-error methods, which remain substantial obstacles in chemistry [56]. Many studies still encounter limitations in long-term stability and operational effectiveness, especially under real seawater conditions that introduce complex impurities [41].

One major challenge is the inability of existing electrode designs to effectively manage bubble growth and detachment, leading to significant efficiency losses during the oxygen evolution reaction [43]. This underscores the need for electrode designs that can better handle bubble dynamics.

Furthermore, the high computational cost associated with exploring multiple local minimizers in catalyst optimization necessitates careful tuning of penalty parameters to balance exploration of the solution space with computational feasibility [63]. The reliance on DFT data, which can be computationally expensive, and potential inaccuracies in predicting real-world performance further complicate the rational design process [57].

Manual tuning of PID parameters in electrolysis systems presents a challenge, as it leads to temperature fluctuations that affect system stability [54]. Addressing these challenges requires a multidisciplinary approach that integrates advanced materials science, computational modeling, and process engineering. By overcoming these limitations, the hydrogen production sector can advance toward more sustainable and economically viable pathways, significantly contributing to global energy transition goals.

6.3 Challenges in Scaling and Economic Viability

Scaling and economic viability of hydrogen technologies face considerable challenges, primarily due to high initial costs and operational complexities associated with current production methods. A significant barrier to the commercial success of renewable hydrogen projects is the inadequacy of traditional methods in accurately estimating wind power potential and associated costs, critical for economic assessments [29]. Additionally, integrating country-specific investment risks significantly impacts the Levelized Cost of Hydrogen (LCOH), complicating economic assessments and investment strategies [9].

One of the primary obstacles in scaling hydrogen technologies is optimizing catalyst materials. While non-noble metal catalysts offer cost advantages, challenges persist in understanding their long-term stability and performance under diverse operational conditions [41]. Future research should focus on refining structuring parameters to maximize performance while maintaining surface homogeneity and exploring the long-term stability of structured electrodes [43]. The reliance on high-quality contextual data for optimizing hydrogen yield, particularly at high temperatures, poses additional limitations, as such data may not always be readily accessible [64].

The economic viability of hydrogen technologies is further complicated by high initial infrastructure costs, necessitating substantial investment to achieve economies of scale. The inherent capacity limitations and variability of renewable energy sources pose additional challenges, complicating the coordination and efficiency of traditional centralized control approaches [46]. Moreover, promoting bubble detachment to enhance local liquid convection and renewal is essential for improving the efficiency of gas-evolving electrochemical processes [65].

Innovative approaches, such as expanding datasets to include additional materials and reaction mechanisms and refining machine learning models to improve prediction accuracy, are crucial for overcoming these challenges [57]. Further validation across a broader range of conditions and the long-term stability of benchmark materials remain necessary areas for investigation [42].

The insulating effect of gas bubbles presents a significant challenge by decreasing effective heat transfer, complicating the scaling and economic viability of hydrogen production technologies [59]. Additionally, unanswered questions regarding the scalability and long-term viability of direct seawater electrolysis technology persist [38]. Future research should focus on refining electrocatalyst designs, developing standardized evaluation protocols, and exploring the integration of emerging strategies for practical applications [37].

Addressing these challenges necessitates a multidisciplinary approach that integrates technological innovations with strategic planning and policy support. By tackling existing challenges in hydrogen production and infrastructure, the hydrogen sector can play a pivotal role in achieving a sustainable energy future, supporting global efforts to reduce carbon emissions and mitigate climate change impacts. This transition involves not only developing green hydrogen technologies but also comprehensively understanding their environmental, economic, and energy implications, particularly in hard-to-abate sectors like heavy-duty transport and industrial processes [3, 12].

7 Integration into the Hydrogen Economy

7.1 Infrastructure and Technological Integration

Integrating hydrogen into the energy economy requires comprehensive infrastructure and advanced technologies for production, distribution, and utilization across various sectors. A critical component is the synergy between hydrogen production and renewable energy sources, especially offshore wind, which can significantly reduce carbon emissions and enhance system resilience. Research suggests that green hydrogen from offshore wind could lower production costs to approximately 2.4 EUR per kg, making it competitive with natural gas-derived hydrogen. Repurposing offshore oil and gas platforms for hydrogen generation could supply around 19 TWh of hydrogen for the European transport sector by 2050, establishing hydrogen as a cornerstone of a carbon-free economy [66, 5, 12]. Such infrastructure is crucial for maximizing renewable energy efficiency and minimizing power curtailment.

The MR-HSC framework offers a structured approach to incorporating hydrogen technologies into the energy landscape, emphasizing adaptive supply chains responsive to market and policy shifts.

By integrating flexible hydrogen production and storage solutions, stakeholders can enhance energy efficiency and cost-effectiveness while ensuring resilient supply chains vital for decarbonizing sectors like transportation and heating [15, 4, 1].

Industries such as steelmaking require substantial upgrades and new supply chains to transition to hydrogen-based processes, driven by the need to decarbonize energy systems. As hydrogen emerges as a clean energy carrier, significant investments and strategic planning are necessary for its integration into industrial applications, particularly through technologies like methane reformation with carbon capture and electrolysis [17, 12, 16]. Establishing pipelines, storage facilities, and distribution networks is critical for ensuring a reliable hydrogen supply.

Integrating hydrogen systems with existing energy infrastructures involves challenges related to compatibility and scalability. Strategies such as leveraging Post-Combustion Carbon Capture (PCCC) in energy-intensive locations can enhance economic viability while reducing emissions, facilitating a transition to sustainable energy systems [10, 2, 12].

Advancements in electrolyzer design improve the profitability and operational flexibility of hydrogen production systems, allowing them to capitalize on market opportunities while meeting growing demand. Utilizing excess renewable electricity can enhance economic viability, with studies suggesting integrated systems may be beneficial up to certain production thresholds, beyond which islanded electrolysis becomes more cost-effective, potentially reducing costs by up to 40% [10, 67, 2].

The integration of coal mining, hydrogen production, and energy systems highlights the potential for optimizing renewable energy use through coordinated infrastructure development. Understanding gas bubble effects on heat transfer can inform integration requirements for hydrogen production systems [59]. This underscores the need for strategic infrastructure investment to support the transition to a hydrogen-based energy economy, ensuring hydrogen's role in global sustainability goals.

Figure 7 illustrates the hierarchical structure of hydrogen integration and infrastructure development, highlighting key areas such as hydrogen production methods, infrastructure development strategies, and technological advancements essential for transitioning to a hydrogen-based energy economy. This visual representation complements the discussion by providing a clear overview of the interconnected elements that must be addressed to facilitate the effective integration of hydrogen technologies into the broader energy landscape.




Figure 7: This figure illustrates the hierarchical structure of hydrogen integration and infrastructure development, highlighting key areas such as hydrogen production methods, infrastructure development strategies, and technological advancements essential for transitioning to a hydrogen-based energy economy.

7.2 Economic and Policy Implications

The integration of hydrogen technologies into the global energy framework has far-reaching economic and policy implications, necessitating a multifaceted approach to maximize their benefits. The economic feasibility of hydrogen technologies is shaped by production, storage, and distribution cost dynamics, with various storage methods presenting distinct economic implications that must be assessed for optimal investments [68].

Policy frameworks play a crucial role in shaping the hydrogen economy by providing incentives and regulatory support for technological adoption. The benchmark established by [69] offers a comprehensive tool for evaluating the economic impacts of green hydrogen regulations, enabling informed decision-making among policymakers and investors. Aligning policy objectives with economic realities is essential for ensuring hydrogen technologies contribute effectively to sustainable energy transitions.

Achieving substantial demand sink capacity in low-carbon power systems requires reducing capital costs while increasing output values [70]. This underscores the necessity for strategic investments and policy interventions that enhance the economic viability of hydrogen technologies. Furthermore, integrating hydrogen into electricity markets demands careful consideration of spatial economic signals when designing subsidies, as noted by [71], to ensure subsidies promote hydrogen adoption without distorting market dynamics.

Enhanced policy support, top-level design for technology integration, and public engagement are critical for fostering the acceptance and development of hydrogen technologies [36]. These elements are essential for building a robust hydrogen economy aligned with broader environmental and economic goals. The impact of temporal hydrogen regulation on domestic electricity costs and hydrogen export prices further illustrates the nuanced interplay between policy measures and market outcomes [24].

Accurate assessments of renewable energy potential, such as wind power, are vital for informed decision-making regarding hydrogen production capacity and investment strategies [29]. These assessments guide policy development and investment decisions, ensuring hydrogen technologies integrate into energy systems in a manner that maximizes economic and environmental benefits.

7.3 Sectoral Applications and Innovations

Hydrogen technologies are undergoing transformative applications across various sectors, driven by innovations that enhance efficiency and sustainability. In transportation, hydrogen fuel cells are emerging as a zero-emission alternative to conventional internal combustion engines, particularly for heavy-duty vehicles and public transportation systems [20]. Advancements in fuel cell technologies and supporting infrastructure are crucial for addressing range and refueling challenges associated with battery electric vehicles [13].

In the industrial sector, hydrogen is increasingly used as a clean feedstock and reducing agent, especially in ammonia synthesis and steel production. Innovations in hydrogen-based direct reduction processes are significantly lowering CO₂ emissions in steel manufacturing, providing sustainable alternatives to traditional carbon-intensive methods [22]. Additionally, hydrogen's role in chemical manufacturing is expanding, particularly in the hydrogenation of acetylene and other processes requiring clean hydrogen [19].

The power generation sector is also moving towards hydrogen integration, utilizing hydrogen to store and dispatch renewable energy. This capability is particularly beneficial in regions rich in renewable resources, where hydrogen can stabilize energy grids and ensure reliable power supply [20]. The development of hydrogen-compatible gas turbines and fuel cells further enhances the flexibility and resilience of power systems, supporting the transition to a low-carbon energy future [20].

Innovations in hydrogen production, including advanced electrolysis technologies and novel catalysts, are driving down costs and improving the environmental performance of hydrogen systems [37]. The integration of renewable energy sources with hydrogen production facilities is facilitating the generation of green hydrogen, aligning with global carbon neutrality goals [24]. These advancements are crucial for scaling hydrogen technologies and achieving widespread adoption across sectors.

8 Conclusion

8.1 Future Prospects and Research Directions

Hydrogen production technologies are on the brink of significant advancements, driven by research aimed at improving efficiency, scalability, and sustainability. Central to this progression is the seamless integration of renewable energy sources with hydrogen production systems, which is vital for achieving a sustainable energy transition. Future research should focus on enhancing advanced

hydrogen production technologies and refining integration strategies to maximize the potential of renewable energies.

Catalyst technology, especially regarding the efficiency of the oxygen evolution reaction (OER), remains a pivotal research area. Understanding the effects of ferromagnetic ordering on OER activity is crucial, as both intrinsic magnetic properties and external magnetic fields have been shown to enhance catalytic performance. Additionally, optimizing modulation parameters and exploring the impact of different electrolytes on bubble dynamics could lead to significant improvements in electrolysis efficiency.

The integration of hydrogen infrastructure within existing energy systems presents a promising avenue for research. Efforts should be directed towards optimizing offshore energy hub designs and enhancing the integration of hydrogen infrastructure to achieve cost efficiencies and bolster system resilience. Furthermore, advancing predictive models for distributed systems, such as the Adaptive Resource Allocation Method (ARAM), will enhance their utility across various energy applications.

In the realm of computational modeling, future research could focus on minimizing the iterations required to identify new local minimizers and expanding models to include more complex fluid dynamics. Refining ontologies and incorporating dynamic cost modeling into tools like H2GR can further advance the forecasting and discovery of trends in hydrogen production technologies.

Demand-side solutions and the establishment of rigorous certification standards for low-carbon hydrogen are essential for improving the efficiency of hydrogen production technologies and aligning them with global carbon reduction targets. Additionally, exploring the physicochemical hydrodynamics of bubbles in non-equilibrium states and developing effective bubble removal techniques are crucial for optimizing hydrogen production processes.

The prospects for hydrogen production technologies are promising, with numerous research pathways set to enhance efficiency, scalability, and sustainability. Addressing these research directions will enable the hydrogen sector to evolve, making a substantial contribution to global sustainability goals and the transition to a low-carbon energy future.

References

- [1] Sunwoo Kim, Joungho Park, and Jay H. Lee. Multi-technology co-optimization approach for sustainable hydrogen and electricity supply chains considering variability and demand scale, 2024.
- [2] Haiyang Lin, Qiuwei Wu, Xinyu Chen, Xi Yang, Xinyang Guo, Jiajun Lv, Tianguang Lu, Shaojie Song, and Michael McElroy. Economic and technological feasibility of using power-to-hydrogen technology under higher wind penetration in china. *Renewable Energy*, 173:569–580, 2021.
- [3] Kevin Dillman and Jukka Heinonen. Towards a safe hydrogen economy: An absolute climate sustainability assessment of hydrogen production. *Climate*, 11(1):25, 2023.
- [4] Guannan He, Dharik S. Mallapragada, Abhishek Bose, Clara F. Heuberger, and Emre Gençer. Hydrogen supply chain planning with flexible transmission and storage scheduling, 2020.
- [5] Alessandro Singlitico, Jacob Østergaard, and Spyros Chatzivasileiadis. Onshore, offshore or in-turbine electrolysis? techno-economic overview of alternative integration designs for green hydrogen production into offshore wind power hubs, 2021.
- [6] Sebastiano Bellani, Maria Rosa Antognazza, and Francesco Bonaccorso. Carbon-based photocathode materials for solar hydrogen production, 2019.
- [7] Tatsuo Suzuki. Theoretical proposal of a revolutionary water-splitting photocatalyst: The monolayer of boron phosphide, 2022.
- [8] Hanxin Zhao. The role of green ammonia in meeting challenges towards a sustainable development in china, 2024.
- [9] Stephan Kigle, Tapio Schmidt-Achert, and Miguel Ángel Martínez Pérez. Modeling global levelized cost of hydrogen production considering country-specific investment risks, 2023.
- [10] Paul Seurin, Olusola Olabanjo, Joseph Wiggins, Lorien Pratt, Loveneesh Rana, Rozhin Yasaei, and Gregory Renard. H2-golden-retriever: Methodology and tool for an evidence-based hydrogen research grantsmanship, 2022.
- [11] Qusay Hassan, Sameer Algburi, Aws Zuhair Sameen, Hayder M Salman, and Ali Khudhair Al-Jiboory. A review of green hydrogen production by renewable resources. *Energy Harvesting and Systems*, 11(1):20220127, 2024.
- [12] Asem Alzoubi. Renewable green hydrogen energy impact on sustainability performance. *International Journal of Computations, Information and Manufacturing (IJCIM)*, 1(1), 2021.
- [13] Santanu Kumar Dash, Suprava Chakraborty, and Devaraj Elangovan. A brief review of hydrogen production methods and their challenges. *Energies*, 16(3):1141, 2023.
- [14] Greig Chisholm, Tingting Zhao, and Leroy Cronin. Hydrogen from water electrolysis. In *Storing Energy*, pages 559–591. Elsevier, 2022.
- [15] Fabian Stockl, Wolf-Peter Schill, and Alexander Zerrahn. Optimal supply chains and power sector benefits of green hydrogen, 2021.
- [16] Chen Zizhan, Zhao Ting, LIU Chao, and ZHOU Fengying. The prospect of coal to hydrogen industry and the path selection of new energy development of china. *China Mining Magazine*, 26(7):35–40, 2017.
- [17] Tatyana Dergunova and Andrew Lyden. Great britain’s hydrogen infrastructure development – investment priorities and locational flexibility, 2023.
- [18] Yuichi Ikeda. Power grid with 100states – nexus of energy, environment, and economic growth, 2019.
- [19] Junjie Yin, Jianhua Wang, Jun You, Hong Chen, and Wei Shi. Integrated energy system optimal operation in coal district with hydrogen heavy trucks. *Frontiers in Energy Research*, 9:748673, 2021.

-
- [20] Amanda R. Hendrix and Yuk L. Yung. Energy options for future humans on titan, 2017.
- [21] Marianna VADÁSZI. A szén szerepe a hidrogén gazdaságban: The role of coal in the hydrogen economy. *Bányászati, Kohászati és Földtani Konferencia*, pages 62–69, 2023.
- [22] Andrea Ranzani Da Costa, D. Wagner, F. Patisson, and D. Ablitzer. Modelling a dr shaft operated with pure hydrogen using a physical-chemical and cfd approach, 2009.
- [23] Mostafa Goodarzi and Qifeng Li. Real-time optimization for wind-to-h2 driven critical infrastructures: High-fidelity active constraints and integer variables prediction enhanced by feature space expansion, 2023.
- [24] Leon Schumm, Hazem Abdel-Khalek, Tom Brown, Falko Ueckerdt, Michael Sterner, Davide Fioriti, and Max Parzen. The impact of temporal hydrogen regulation on hydrogen exporters and their domestic energy transition, 2024.
- [25] Alissa Ganter, Paolo Gabrielli, Hanne Goericke, and Giovanni Sansavini. Minimum-regret hydrogen supply chain strategies to foster the energy transition of european hard-to-abate industries, 2024.
- [26] Elisabeth Zeyen, Marta Victoria, and Tom Brown. Endogenous learning for green hydrogen in a sector-coupled energy model for europe, 2023.
- [27] Elvira Spatolisano, Giorgia De Guido, Laura A Pellegrini, Vincenzo Calemme, Alberto R de Angelis, and Micaela Nali. Hydrogen sulphide to hydrogen via h2s methane reformation: Thermodynamics and process scheme assessment. *International Journal of Hydrogen Energy*, 47(35):15612–15623, 2022.
- [28] Jiaxin Guo, Yao Zheng, Zhenpeng Hu, Caiyan Zheng, Jing Mao, Kun Du, Mietek Jaroniec, Shi-Zhang Qiao, and Tao Ling. Direct seawater electrolysis by adjusting the local reaction environment of a catalyst. *Nature Energy*, 8(3):264–272, 2023.
- [29] M Mohsin, AK Rasheed, and R Saidur. Economic viability and production capacity of wind generated renewable hydrogen. *International Journal of hydrogen energy*, 43(5):2621–2630, 2018.
- [30] Qiangmin Yu, Zhiyuan Zhang, Siyao Qiu, Yuting Luo, Zhibo Liu, Fengning Yang, Heming Liu, Shiyu Ge, Xiaolong Zou, Baofu Ding, Wencai Ren, Hui-Ming Cheng, Chenghua Sun, and Bilu Liu. A ta-tas2 monolithic catalyst with robust and metallic interface for superior hydrogen evolution, 2022.
- [31] Ibrahim Kolawole Muritala, Dorottya Guban, Martin Roeb, and Christian Sattler. High temperature production of hydrogen: Assessment of non-renewable resources technologies and emerging trends. *international journal of hydrogen energy*, 45(49):26022–26035, 2020.
- [32] Caleb Amy and Alex Kunycky. Hydrogen as a renewable energy carrier for commercial aircraft, 2019.
- [33] Mahmoud M. Ramadan, Yuanchen Wang, and Pragya Tooteja. Analysis of hydrogen production costs across the united states and over the next 30 years, 2022.
- [34] Fangwei Cheng, Hongxi Luo, Jesse D. Jenkins, and Eric D. Larson. Inflation reduction act impacts on the economics of clean hydrogen and liquid fuels, 2023.
- [35] Junjie Yin, Jianhua Wang, and Jun You. Electricity-gas integrated energy system optimal operation in typical scenario of coal district considering hydrogen heavy trucks, 2021.
- [36] Xu Mao, Zhang Xian, FAN Jingli, Gao Lin, and Xu Dong. Status quo, opportunities and challenges of integrated application of coal-to-hydrogen and ccus technology in china. *Journal of Mining Science and Technology*, 6(6):659–666, 2021.
- [37] Wei Li, Hanchen Tian, Liang Ma, Yi Wang, Xingbo Liu, and Xuefei Gao. Low-temperature water electrolysis: fundamentals, progress, and new strategies. *Materials Advances*, 3(14):5598–5644, 2022.

-
- [38] MA Khan, Tareq Al-Attas, Soumyabrata Roy, Muhammad M Rahman, Noredine Ghaffour, Venkataraman Thangadurai, Stephen Larter, Jinguang Hu, Pulickel M Ajayan, and Md Golam Kibria. Seawater electrolysis for hydrogen production: a solution looking for a problem? *Energy & Environmental Science*, 14(9):4831–4839, 2021.
- [39] Magda H. Barecka and Joel W. Ager. Towards an accelerated decarbonization of chemical industry by electrolysis, 2022.
- [40] Helmut Schäfer, Karsten Küpper, Mercedes Schmidt, Klaus Müller-Buschbaum, Johannes Stangl, Diemo Daum, Martin Steinhart, Christine Schulz-Kölbel, Weijia Han, Joachim Wollschläger, Ulrich Krupp, Peilong Hou, and Xiaogang Liu. Steel-based electrocatalysts for efficient and durable oxygen evolution in acidic media, 2018.
- [41] Wenming Tong, Mark Forster, Fabio Dionigi, Sören Dresp, Roghayeh Sadeghi Erami, Peter Strasser, Alexander J Cowan, and Pau Farràs. Electrolysis of low-grade and saline surface water. *Nature Energy*, 5(5):367–377, 2020.
- [42] Helmut Schäfer, Daniel M. Chevrier, Karsten Küpper, Peng Zhang, Joachim Wollschläger, Diemo Daum, Martin Steinhart, Claudia Heß, Ulrich Krupp, and Mercedes Schmidt. X₂OcoCrwmo₁₀₋₉//co₃o₄: a metal-ceramic composite with unique efficiency values for water-splitting in neutral regime, 2017.
- [43] Hannes Rox, Fabian Ränke, Jonathan Mädler, Mateusz M. Marzec, Krystian Sokolowski, Robert Baumann, Homa Hamed, Xuegeng Yang, Gerd Mutschke, Leon Urbas, Andrés Fabián Lasagni, and Kerstin Eckert. Boosting electrode performance and bubble management via direct laser interference patterning, 2024.
- [44] Yan B Vogel, Cameron W Evans, Mattia Belotti, Longkun Xu, Isabella C Russell, Li-Juan Yu, Alfred KK Fung, Nicholas S Hill, Nadim Darwish, Vinicius R Gonçalves, et al. The corona of a surface bubble promotes electrochemical reactions. *Nature communications*, 11(1):6323, 2020.
- [45] Leon Baeck, Sebastian Blauth, Christian Leithäuser, René Pinnau, and Kevin Sturm. Topology optimization for uniform flow distribution in electrolysis cells, 2023.
- [46] Vincent Henkel, Maximilian Kiltbau, Felix Gehlhoff, Lukas Wagner, and Alexander Fay. Cost optimized scheduling in modular electrolysis plants, 2024.
- [47] Reza Fazeli, Fiona J Beck, and Matt Stocks. Recognizing the role of uncertainties in the transition to renewable hydrogen. *International Journal of Hydrogen Energy*, 47(65):27896–27910, 2022.
- [48] Hui Jiang, Yujie Sun, and Bo You. Dynamic electrodeposition on bubbles: An effective strategy toward porous electrocatalysts for green hydrogen cycling. *Accounts of Chemical Research*, 56(12):1421–1432, 2023.
- [49] Nishant Kumar, Lukas Krause, Thomas Wondrak, Sven Eckert, Kerstin Eckert, and Stefan Gumhold. Learning to reconstruct the bubble distribution with conductivity maps using invertible neural networks and error diffusion, 2024.
- [50] Raj Pandya, Florian Dorchies, Davide Romanin, Sylvain Gigan, Alex W. Chin, Hilton B. de Aguiar, and Alexis Grimaud. Competing oxygen evolution reaction mechanisms revealed by high-speed compressive raman imaging, 2022.
- [51] Hanlin Yu, N. A. Liedienov, I. V. Zatovsky, D. S. Butenko, I. V. Fesych, Wei Xu, Songchun Rui, Qunjun Li, Bingbing Liu, A. V. Pashchenko, and G. G. Levchenko. The multifunctionality of lanthanum-strontium cobaltite nanopowder: high-pressure magnetic and excellent electrocatalytic properties for oer, 2023.
- [52] Xiaoning Li, Zhenxiang Cheng, and Xiaolin Wang. Understanding the mechanism of oxygen evolution reaction (oer) with the consideration of spin, 2020.
- [53] Harry J. Dudley, Lu Lu, Zhiyong Jason Ren, and David M. Bortz. Sensitivity and bifurcation analysis of a dae model for a microbial electrolysis cell, 2018.

-
- [54] Ruomei Qi, Jiarong Li, Jin Lin, Yonghua Song, Jiepeng Wang, Qiangqiang Cui, Yiwei Qiu, Ming Tang, and Jian Wang. Design of the pid temperature controller for an alkaline electrolysis system with time delays, 2022.
- [55] Emma van der Minne, Lucas Korol, Lidewij M. A. Krakkers, Michael Verhage, Carlos M. M. Rosário, Thijs J. Roskamp, Raymond J. Spiteri, Chiara Biz, Mauro Fianchini, Guus Rijnders, Kees Flipse, Jose Gracia, Guido Mul, Hans Hilgenkamp, Robert J. Green, Gertjan Koster, and Christoph Baeumer. Beyond domain alignment: Revealing the effect of intrinsic magnetic order on electrochemical water splitting, 2023.
- [56] Herve Toulhoat and Pascal Raybaud. Prediction of optimal catalysts for a given chemical reaction, 2022.
- [57] Richard Tran, Liqiang Huang, Yuan Zi, Shengguang Wang, Benjain M. Comer, Xuqing Wu, Stefan J. Raaijman, Nishant K. Sinha, Sajanikumari Sadasivan, Shibin Thundiyil, Kuldeep B. Mamtani, Ganesh Iyer, Lars C. Grabow, Ligang Lu, and Jiefu Chen. Rational design of nanoscale stabilized oxide catalysts for oer with oc22, 2024.
- [58] Leon Baeck, Sebastian Blauth, Christian Leithäuser, René Pinnau, and Kevin Sturm. A novel deflation approach for topology optimization and application for optimization of bipolar plates of electrolysis cells, 2025.
- [59] Hao-Ran Liu, Kai Leong Chong, Rui Yang, Roberto Verzicco, and Detlef Lohse. Turbulent rayleigh-bénard convection with bubbles attached to the plate, 2022.
- [60] Shantanu Singh, Ahamed Irshad, Germany Diaz De la Cruz, Boyang Zhao, Billal Zayat, Qiaowan Chang, Sri Narayan, and Jayakanth Ravichandran. Bifunctional noble metal-free ternary chalcogenide electrocatalysts for overall water splitting, 2024.
- [61] Vikash Kumar, Shrish Nath Upadhyay, Dikeshwar Halba, and Srimanta Pakhira. Electrocatalytic performance of 2d monolayer wsete janus transition metal dichalcogenide for highly efficient h2 evolution reaction, 2023.
- [62] Amanda de Sousa e Silva, Naassom Wagner Sales Morais, Milena Maciel Holanda Coelho, Erlon Lopes Pereira, and André Bezerra dos Santos. Potentialities of biotechnological recovery of methane, hydrogen and carboxylic acids from agro-industrial wastewaters. *Bioresource Technology Reports*, 10:100406, 2020.
- [63] Leon Baeck, Sebastian Blauth, Christian Leithäuser, René Pinnau, and Kevin Sturm. Computing multiple local minimizers for the topology optimization of bipolar plates in electrolysis cells, 2024.
- [64] Xuetao Xing, Jin Lin, Yonghua Song, Qiang Hu, You Zhou, and Shujun Mu. Optimization of hydrogen yield of a high-temperature electrolysis system with coordinated temperature and feed factors at various loading conditions: A model-based study, 2018.
- [65] Pengyu Lv, Pablo Peñas, Hai Le The, Jan Eijkel, Albert van den Berg, Xuehua Zhang, and Detlef Lohse. Self-propelled detachment upon coalescence of surface bubbles, 2021.
- [66] Matteo DAndrea, Mario Garzon Gonzalez, and Russell McKenna. Synergies in offshore energy: a roadmap for the danish sector, 2021.
- [67] Christoph Tries, Fabian Hofmann, and Tom Brown. Benefits from islanding green hydrogen production, 2023.
- [68] Zhiyuan Xie and Gorm Bruun Andresen. Direct and indirect hydrogen storage: Dynamics and interactions in the transition to a renewable energy based system for europe, 2024.
- [69] Erlend Hordvei, Sebastian Emil Hummelen, Marianne Petersen, Stian Backe, and Pedro Crespo del Granado. From policy to practice: The cost of europe’s green hydrogen ambitions, 2024.
- [70] Sam van der Jagt, Neha Patankar, and Jesse Jenkins. Understanding the role and design space of demand sinks in low-carbon power systems, 2023.
- [71] Frederik vom Scheidt, Jingyi Qu, Philipp Staudt, Dharik S. Mallapragada, and Christof Weinhardt. Integrating hydrogen in single-price electricity systems: The effects of spatial economic signals, 2021.

Disclaimer:

SurveyX is an AI-powered system designed to automate the generation of surveys. While it aims to produce high-quality, coherent, and comprehensive surveys with accurate citations, the final output is derived from the AI's synthesis of pre-processed materials, which may contain limitations or inaccuracies. As such, the generated content should not be used for academic publication or formal submissions and must be independently reviewed and verified. The developers of SurveyX do not assume responsibility for any errors or consequences arising from the use of the generated surveys.

www.SurveyX.cn