
Scale-up Reactors and Clean Energy Technologies: A Survey

www.surveyx.cn

Abstract

This survey paper explores the integration of advanced technological processes in clean energy production, emphasizing the role of scale-up reactors, photocatalytic activity, membrane technology, solar desalination, renewable energy integration, and photothermal conversion. Scale-up reactors are pivotal in transitioning from laboratory to industrial-scale clean energy solutions, optimizing energy conversion processes through innovations in materials and methodologies. Photocatalytic technologies, especially those involving novel materials like TiO_2 and plasmonic systems, enhance pollutant degradation and energy generation. Membrane technology advances, including biodegradable polymers and hybrid systems, significantly contribute to water purification and energy production. Solar desalination and photothermal conversion leverage innovative materials to improve efficiency and sustainability, addressing global water scarcity. The integration of these technologies with renewable energy sources presents a comprehensive approach to creating sustainable energy systems. However, challenges persist, including scalability, economic feasibility, and regulatory barriers. The paper highlights the importance of a multifaceted approach, combining technological advancements, strategic policy frameworks, and innovative economic models to overcome these challenges. Future research should focus on optimizing synthesis methods, enhancing material properties, and integrating advanced renewable technologies to drive innovation in clean energy. This comprehensive analysis underscores the potential of these technologies to contribute significantly to a sustainable energy future, addressing both environmental challenges and the growing demand for clean energy.

1 Introduction

1.1 Importance of Transitioning to Clean Energy

The transition to clean energy is a critical global necessity driven by the increasing challenges of energy sustainability and environmental impact. Innovative technologies are pivotal in addressing these issues, as illustrated by the growth of renewable energy sources (RES) in regions like Germany. While the power production sector has significantly increased its RES share, the heating sector remains underdeveloped, indicating a pressing need for advancements [1]. The emphasis on green hydrogen strategies, particularly in Sub-Saharan Africa, highlights the dual objectives of enhancing energy access and achieving climate neutrality [2].

Advanced photocatalytic technologies can effectively address water contamination and health risks from pathogenic bacteria, playing a crucial role in environmental remediation [3]. The annual generation of synthetic dye wastewater, which reaches a trillion tons, exacerbates global water scarcity, necessitating innovative water treatment solutions that intersect with clean energy applications [4].

Energy efficiency in interfacial solar desalination is a significant aspect of the clean energy agenda, underscoring the need for technological advancements in solar technologies to enhance efficiency and sustainability [5]. The integration of renewable energy sources into power grids, as evidenced by




Figure 1: chapter structure

studies on renewable energy community management, is vital for minimizing carbon emissions and optimizing energy utilization.

1.2 Advanced Technological Processes

Advanced technological processes are essential in the transition to clean energy, enhancing production efficiency and environmental sustainability. The integration of solar photovoltaic (PV) systems with Direct Methanol Fuel Cells (DMFC) in microgrids exemplifies such advancements, underscoring the importance of hybrid systems in clean energy production [6]. Semiconductor photocatalysis, utilizing solar energy, significantly contributes to environmental remediation and clean energy production by degrading pollutants and generating renewable energy [7]. The photocatalytic reduction of CO_2 into valuable chemicals such as methanol or methane using sunlight presents a promising carbon-friendly energy conversion solution [8].

Photocatalytic water splitting is another crucial process for sustainable hydrogen production, emphasizing the design of nanostructures and the role of co-catalysts in advancing photocatalytic technologies [9]. The combination of graphene oxide (GO) with hydrogen peroxide (H_2O_2) enhances the photocatalytic degradation of organic pollutants like Methylene Blue under sunlight, demonstrating the synergy between material science and photocatalytic processes [10]. Additionally, optimizing photothermal conversion efficiency through variations in gold nanoparticle diameter represents a significant advancement [11].

Plasmon Enhanced Solar-to-Fuel Energy Conversion (PESFEC) utilizes metallic nanostructures to concentrate sunlight at the semiconductor/liquid interface, showcasing the potential of advanced

technological processes in clean energy production [12]. The fabrication of biocompatible titanium nanosheets via liquid-phase exfoliation as effective photothermal agents [13], along with the creation of hybrid nanostructures comprising shelled CuS particles with MoS₂ layers to enhance catalytic activity [14], highlights innovative approaches being explored.

Thermoplasmonics, which focuses on physics, material selection, and nanostructured designs, represents a frontier in clean energy technologies [15]. The development of enterprise control methodologies that incorporate flexible water-energy resources into the energy market exemplifies an advanced technological process vital for clean energy production [16]. Current CO₂ conversion methods face challenges due to the need for low-cost, scalable, and highly selective catalysts, particularly for the reverse water-gas shift (RWGS) reaction [17].

Political and economic uncertainties continue to impede effective environmental policy implementation, affecting the transition to clean energy and emissions reduction [18]. However, the advancement of thermally-localized solar desalination technologies is crucial for clean energy production [19], and retrofitting coal power plants to utilize iron as a sustainable chemical carrier represents a strategic approach to leveraging existing infrastructure while transitioning to cleaner energy sources [20]. The proposed method for achieving fusion at intermediate energy levels allows for effective exposure of nuclei for controlled synthesis, contributing to advancements in clean energy technologies [21]. Collectively, these advanced technological processes foster the development of a sustainable energy future, addressing current environmental challenges and the growing demand for clean energy.

1.3 Structure of the Survey

This survey is meticulously organized to provide a comprehensive understanding of the role of advanced technological processes in the transition to clean energy. The paper begins with an introduction that underscores the critical importance of implementing clean energy solutions globally, emphasizing the essential role of technological advancements—such as the integration of renewable energy sources like wind, solar, and hydro power—in overcoming the challenges of transitioning from fossil fuels and achieving decarbonization in the energy sector. It discusses the necessity for innovative approaches and data-driven strategies to enhance the reliability and efficiency of power systems, facilitating the seamless integration of these renewable technologies into the evolving smart grid infrastructure [22, 23, 24]. Key areas highlighted include scale-up reactors, photocatalytic activity, membrane technology, solar desalination, renewable energy integration, and photothermal conversion.

The **Background and Core Concepts** section follows, offering an overview of fundamental concepts and technologies relevant to these areas, elucidating the interconnections between these technologies and their collective contribution to sustainable energy solutions.

In **Scale-up Reactors in Clean Energy Production**, the focus shifts to the role of scale-up reactors in facilitating larger-scale production of clean energy, exploring challenges and advancements in scaling up photocatalytic processes and membrane technologies.

The subsequent section, **Photocatalytic Activity and Membrane Technology**, examines recent advancements and applications in these fields, highlighting their significance in clean energy production and environmental remediation.

The study titled provides a comprehensive examination of integrating solar desalination technologies and photothermal conversion into sustainable energy frameworks. It evaluates operational efficiency, highlights innovative designs addressing challenges such as salt accumulation, and discusses compatibility with other renewable energy sources. The review emphasizes optimizing heat and mass transfer mechanisms and developing novel system architectures to enhance water production reliability and economic viability, paving the way for broader commercial adoption of these technologies to address global water scarcity [25, 19, 26, 22, 5].

The survey thoroughly examines , focusing on innovative strategies and the multifaceted challenges of combining diverse renewable technologies—such as wind, solar, and hydro—into a cohesive and efficient energy system. It highlights the need for advanced solutions to address the unique operational hurdles presented by variable renewable energy sources (VREs), including their intermittent nature and lower capacity compared to traditional fossil fuel plants. The analysis emphasizes leveraging technological advancements and smart grid developments to enhance reliability and flexibility in

energy management, ultimately supporting the transition towards a decarbonized energy sector [22, 27, 24].

Finally, the **Conclusion** synthesizes key findings and insights from the survey, discussing potential future directions for research and development in advanced clean energy technologies. This structured approach facilitates a comprehensive examination of the subject matter, yielding critical insights into the challenges and technological solutions associated with the ongoing development and integration of clean energy solutions, particularly in the context of renewable energy sources like wind, solar, and hydro power, and their interaction with evolving electricity grid management systems [22, 27, 23, 24]. The following sections are organized as shown in Figure 1.

2 Background and Core Concepts

2.1 Scale-up Reactors and Clean Energy

Scale-up reactors are pivotal in transitioning laboratory-scale clean energy processes to commercial applications. Continuous stirred tank reactors (CSTRs), known for effective mixing and scalability, are crucial in producing fine chemicals and pharmaceuticals and are applicable to clean energy processes [28]. Enhancements in photocatalytic processes, such as strain engineering of oxide films, optimize material properties, boosting clean energy production [29].

Integrating data science and AI into reactor design is essential for performance optimization, enabling complex data analysis to improve reactor designs for the clean energy transition [23]. Hybrid structures inspired by photosynthesis enhance light absorption and energy conversion, supporting clean energy initiatives [30].

In challenging environments, robust scale-up reactors ensure reliable renewable energy production, as highlighted by techno-economic analyses [31]. Nanotechnology, like photovoltaic nano-panels, provides competitive advantages, enhancing reactor performance [32].

These reactors also address environmental issues, such as the inadequate removal of organic micropollutants from water, posing risks to human health [33]. They facilitate advanced photocatalytic systems crucial for environmental remediation. Research into novel catalysts, such as MoS_2 for hydrogen evolution, aims to improve efficiency and availability [14].

The complexity of integrating green technologies into industrial processes requires comprehensive analyses [34]. The energy-water nexus, focusing on water supply systems' operational flexibility and their role in balancing the electricity grid, is essential for deploying scale-up reactors [27].

2.2 Photocatalytic Activity

Photocatalytic activity, utilizing light to accelerate chemical reactions, is significant for clean energy production and environmental remediation. Semiconductor materials like titanium dioxide (TiO_2) generate electron-hole pairs upon light irradiation, driving chemical transformations [3]. However, TiO_2 's wide bandgap limits absorption to the ultraviolet region.

To overcome this, strategies like co-doping TiO_2 with nitrogen and sulfur extend light absorption into the visible spectrum [35]. Co-cation doping in materials like SrTiO_3 aims to improve efficiency without compromising semiconductor characteristics [36].

Photocatalytic water splitting offers a pathway for large-scale clean energy production through hydrogen generation [37]. Despite its potential, developing efficient, cost-effective photocatalysts remains challenging [38].

Integrating plasmonic materials enhances photocatalytic activity by increasing light absorption and facilitating charge separation [39]. Photocatalytic processes are essential for degrading organic pollutants in wastewater; for example, TiO_2 nanoparticles synthesized via hydrothermal methods effectively degrade methylene blue under sunlight [4].

Advancements in photocatalytic materials are crucial for improving efficiency and applicability in addressing global energy and environmental challenges. The demand for clean energy and potable water underscores the significance of photocatalytic activity in sustainable chemical processes [40].

2.3 Membrane Technology

Membrane technology advances energy production and environmental remediation by offering selective separation based on size, charge, or chemical affinity. It is integral to water purification, gas separation, and energy production processes, optimizing separation efficiency through membrane properties [41]. Performance depends on factors like porosity and pore size distribution [42].

In energy production, membrane technology is pivotal, particularly in membrane distillation (MD) and gas separation. Despite challenges such as high energy consumption, MD shows promise when integrated with low-grade thermal energy sources. Recent advancements in membrane materials enhance efficiency in clean energy systems. For example, integrating photocatalytic processes with membrane technology, such as MgO/GNPs nanocomposites, improves clean energy production [3].

Membrane technology also addresses environmental challenges, like removing organic micropollutants from water. Advanced technologies like reverse osmosis and nanofiltration effectively eliminate pharmaceuticals and endocrine-disrupting chemicals [33]. However, challenges like membrane fouling persist, necessitating ongoing research. Obotey et al. [40] outline various membrane technologies, fouling prevention, and cleaning techniques.

The fabrication of electrospun polymeric nanofibrous membranes enhances water treatment applications [43]. These membranes are effective in treating wastewater from industries like textiles and pharmaceuticals [44]. Achieving high selectivity in membranes with subnanometre pores remains a challenge [45].

The principles of membrane technology and its integration with photocatalytic processes are crucial for advancing clean energy production. Continuous development of efficient membrane systems will play a key role in overcoming challenges and realizing membrane technology's potential in sustainable energy solutions. Warsinger et al. [46] discuss trends in membrane technology, including innovations in configurations and materials.

2.4 Solar Desalination and Photothermal Conversion

Solar desalination and photothermal conversion are critical for sustainable energy solutions, addressing water scarcity and efficient solar energy utilization. Solar desalination harnesses solar energy to purify water, benefiting arid regions. Innovative methods like wave-powered batch reverse osmosis reduce energy consumption while enhancing efficiency [47]. Passive solar desalination systems, focusing on design and economic feasibility, integrate well with renewable energy sources [19]. Challenges like salt accumulation necessitate solutions like closed-loop systems.

Photothermal conversion transforms solar energy into heat, driving processes like desalination. Efficiency is influenced by material properties; for instance, plasmonic nanohelices achieve substantial temperature increases under illumination [48]. The dispersed state of photothermal agents is crucial for maximizing efficiency [49]. Mini-optics solar energy concentrators (M-OSEC) exemplify advancements in solar energy production efficiency [50].

Beyond energy production, photothermal conversion is applied in cancer therapy, where J-Nanojet channels thermal energy to enhance control [51]. Plasmonic photothermal catalysis converts CO₂ and H₂O into value-added products, illustrating potential in sustainable chemical processes [52]. The synthesis of PTC Au@PDA nanoreactors demonstrates enhanced catalytic activity [53].

Continuous development of solar desalination and photothermal conversion technologies enhances efficiency in global sustainability efforts. Interfacial solar desalination techniques show significant improvements in evaporation efficiency [5]. The airing evaporation setup (AES) enhances solar evaporation efficiency, marking advancements in solar desalination technology [54]. These technologies are integral to the clean energy landscape, providing sustainable solutions to water and energy challenges.

2.5 Renewable Energy Integration

Integrating renewable energy sources maximizes energy system efficiency and sustainability by leveraging diverse renewable technologies. This integration is crucial for optimizing energy production and reducing emissions, as evidenced by solar and energy storage systems enhancing energy network

resilience [55]. The variability of renewable sources like solar and wind necessitates advanced communication technologies and smart grids for seamless incorporation [24].

Underground Hydrogen Storage (UHS) offers a solution for managing renewable energy variability, providing long-term storage to buffer supply and demand fluctuations [56]. Optimal sizing of generation and storage resources is critical for offshore hybrid renewable systems, as exemplified by the CORS model for cost savings and efficiency [57].

Integrating local preferences and socio-economic factors is essential for effective renewable energy strategies, particularly for green hydrogen in regions like Sub-Saharan Africa [2]. This ensures solutions are tailored to specific needs, enhancing acceptance and effectiveness.

In microgrids, renewable energy unpredictability necessitates effective storage solutions to balance supply and demand [58]. Thermoplasmonic technologies enhance solar energy harvesting, contributing to renewable system sustainability [15]. Future research should focus on integrating these technologies into existing infrastructures for improved efficiency [15].

Renewable energy integration presents opportunities and challenges. Leveraging advanced technologies creates cohesive energy systems that capitalize on diverse renewable resources. This approach is crucial for a sustainable energy future, facilitating integration of sources like wind, solar, and hydro-electric power while addressing technological challenges and policy uncertainties in transitioning from fossil fuels. Retrofitting coal-fired plants for iron combustion and using data science for energy policies can tackle environmental issues while promoting growth and energy security [20, 22, 23, 18].

In the context of clean energy production, understanding the complexities associated with scale-up reactors is crucial. These reactors play a pivotal role in the transition towards sustainable energy solutions. As depicted in Figure 2, the hierarchical structure of scale-up reactors is illustrated, effectively categorizing their roles, challenges, and the various scaling technologies involved. This figure not only highlights innovative materials and methods that enhance photocatalytic performance but also delineates strategies to overcome the challenges associated with renewable energy. Furthermore, it addresses the inherent difficulties in scaling photocatalytic processes and membrane technologies, emphasizing critical aspects such as material and process limitations, synthesis and stability challenges, advancements in material design, and the issues of fouling and energy efficiency. By integrating this visual representation, we can better appreciate the multifaceted nature of these technologies and their implications for future energy solutions.

3 Scale-up Reactors in Clean Energy Production

3.1 Role of Scale-up Reactors in Clean Energy

Method Name	Technological Innovations	Optimization Strategies	Integration Challenges
M-OSEC[50]	Mini-optics System	Rotatable Optical Elements	Existing Structures
DFT/AIMD[59]	Novel Semiconductor Materials	Machine Learning	Variable Renewable Energy
HEO-MH[60]	Defect Engineering	Bio-inspired Systems	High-cost Technologies
IPEM-XPS[61]	Defect Engineering	Bio-inspired Systems	Renewable Energy Sources
MLIP+BHMC[62]	Defect Engineering	Machine Learning	High-cost Technologies
BSPL[30]	Molecular Aggregates	Bio-inspired Systems	High-cost Technologies
IONRs-	Nanoring Structures	Bio-inspired Systems	Variable Renewable Energy
Co(OH)2[63]			
CPVR[64]	Novel PV Re-phasing	Bacterial Foraging Algorithm	Renewable Energy Integration
MGHAM[2]	Novel Semiconductor Materials	Machine Learning	Variable Renewable Energy

Table 1: Summary of technological innovations, optimization strategies, and integration challenges associated with various clean energy methods. This table highlights the diverse approaches in enhancing clean energy production, emphasizing the role of advanced materials, machine learning, and bio-inspired systems in overcoming industry challenges.

Scale-up reactors are pivotal in transforming laboratory-scale clean energy innovations into industrial applications, thereby enhancing production efficiency and feasibility. These reactors leverage advanced materials and methodologies to optimize energy conversion processes. For instance, mini-optics solar energy concentrators improve solar energy conversion efficiency while reducing installation costs, showcasing the impact of innovative optical designs on reactor performance [50]. The advent of novel semiconductor materials, like 2D materials, has significantly boosted photocatalytic performance, further underscoring the importance of scale-up reactors in clean energy production [59].




Figure 2: This figure illustrates the hierarchical structure of scale-up reactors in clean energy production, highlighting their roles, challenges, and scaling technologies. It categorizes the innovative materials and methods, enhancements in photocatalytic performance, and strategies to address renewable energy challenges. Additionally, it outlines the challenges in scaling photocatalytic processes and membrane technologies, emphasizing material and process limitations, synthesis and stability challenges, material and design advancements, and fouling and energy challenges.

Additionally, high-entropy oxides with multiple heterojunctions enhance visible-light photocatalytic oxygen production from water, highlighting material innovation's role in reactor optimization [60].

Enhancements in photocatalytic performance through strategies such as defect engineering, including surface vacancies and heteroatom doping, are crucial for advancing clean energy production [65]. Insights into the electronic structure of black titania further aid in optimizing photocatalytic processes, enhancing the utility of scale-up reactors [61]. Machine learning models in reactor design and operation can optimize system performance, as demonstrated by $\text{Cu(13n)Pt}/\text{TiO}_2$ systems that improve CO_2 activation and energy conversion [62]. Bio-inspired systems mimicking photosynthetic complexes efficiently harness sunlight, improving energy conversion even under low light conditions [30].

Hydrothermally prepared iron oxide nanorings coated with cobalt hydroxide nanoparticles significantly enhance photocatalytic activity [63]. Interfacial solar evaporation, which localizes heat at the evaporation interface, can also boost clean energy production efficiencies [5]. Furthermore, scale-up reactors help address challenges associated with integrating variable renewable energy sources. The unpredictability of renewable energy generation and the high costs of hydrogen technologies necessitate sophisticated energy management strategies for reliable performance [66]. Innovative approaches, such as the coordinated PV re-phasing strategy, mitigate voltage imbalances, increasing photovoltaic systems' usable capacity in energy networks [64].

Scale-up reactors are integral to advancing clean energy technologies, facilitating the transition from experimental to commercial scales while addressing challenges related to efficiency, reliability, and environmental impact. Their role in enhancing clean energy production is vital for achieving sustainable and resilient energy systems, and integrating technical, environmental, and socio-economic insights is essential for the successful implementation and optimization of these reactors, as evidenced by the multidisciplinary approach to green hydrogen production [2]. Table 1 presents a comprehensive overview of the technological innovations, optimization strategies, and integration challenges faced

by various clean energy methods, illustrating the multifaceted approaches employed to advance clean energy technologies.

3.2 Challenges in Scaling Photocatalytic Processes

Scaling photocatalytic processes from laboratory to industrial applications presents significant challenges due to material inefficiencies and process limitations. A major hurdle is the ineffectiveness of existing methods in removing organic dyes from wastewater, necessitating advancements in photocatalytic techniques [67]. The rapid recombination of electron-hole pairs in conventional photocatalysts like TiO_2 further limits their efficiency under visible light, restricting their applicability in environmental remediation [35]. Materials with large bandgap energies, such as bare MgO and SrTiO_3 , exhibit low efficiency due to poor visible spectrum absorption and rapid charge carrier recombination, limiting their effectiveness in large-scale applications. Existing doping methods, including anion doping, often yield insufficient absorption, complicating the scaling process [36].

Harsh experimental conditions required for current synthesis methods pose significant challenges, complicating the production of effective photocatalysts [68]. Additionally, the instability and inefficiency of existing photocatalysts limit their practical application in large-scale hydrogen production, a critical component of sustainable energy solutions [37]. Addressing these challenges necessitates a comprehensive multidisciplinary approach, leveraging advancements in material science—such as developing novel membrane materials and sustainable manufacturing processes—alongside engineering innovations and process optimization strategies. Enhancing membranes' intrinsic properties, improving performance stability, and minimizing environmental impact can yield versatile and efficient solutions that meet growing industrial demands [22, 41]. This includes developing new materials with enhanced light absorption and charge carrier dynamics, optimizing synthesis methods for scalable production, and refining photocatalytic systems for industrial applications.

3.3 Scaling Membrane Technologies for Energy Production

Scaling membrane technologies for energy production presents numerous challenges and opportunities. A primary concern is the inherent limitations of current membrane materials, necessitating advancements in their intrinsic properties to enhance performance and reduce environmental impact during manufacturing [41]. The development of spiral-wound modules has shown promise in improving thermal efficiency and reducing energy consumption, outperforming traditional plate and frame designs in membrane distillation applications [69]. Ceramic membranes, while offering high thermal and chemical stability, face challenges such as high capital costs and the need for optimization in fabrication processes to enhance selectivity and permeability while minimizing fouling [44].

Fouling remains a significant barrier to the scalability of membrane technologies, with complex mechanisms that are difficult to fully prevent and existing control strategies proving inadequate [70]. This issue is compounded by the necessity to maintain membrane integrity and manage treatment residuals, critical for ensuring consistent performance across various solutes [45]. Additionally, the energy requirements and variability in wastewater composition introduce further complications in membrane-based energy production systems [40]. These factors contribute to high pretreatment costs and challenges in managing contaminant permeation, pivotal for maintaining membrane integrity and public perception [46].

Addressing these challenges requires a multifaceted approach, including the development of advanced materials and innovative module designs, as well as improved fouling control strategies. By overcoming the challenges associated with membrane technology—such as enhancing selectivity, flux, and sustainability—these advanced systems can be effectively scaled to meet the increasing global demand for clean and sustainable energy production, while also contributing to water reclamation efforts and reducing the carbon footprint of membrane manufacturing processes [40, 41].

4 Photocatalytic Activity and Membrane Technology

The fusion of photocatalytic activity with membrane technology offers transformative potential for pollutant degradation and sustainable energy advancement. This section delves into the recent strides in photocatalytic technologies, highlighting their synergy with membrane systems and the interdisciplinary benefits of their integration.

4.1 Advancements in Photocatalytic Technologies

Recent innovations in photocatalytic technologies have markedly improved efficiency and broadened applicability through advanced materials and methodologies. Optimized TiO_2 nanoparticles have significantly enhanced pollutant degradation [4]. BP monolayers, with a direct bandgap of 1.4 eV, have expanded applications in sunlight absorption and hydrogen production [37]. Defect engineering, such as co-cation doping with Mo and Zn, has reduced bandgaps in materials like SrTiO_3 , making them viable under visible light [36].

Innovative synthesis methods, such as one-step microwave-assisted synthesis, have enhanced the photocatalytic activity of Ti^{3+} doped TiO_2 while reducing energy and time demands [68]. Plasmonic materials have advanced plasmon-driven reactions, with systems like gold nanospheres conjugated with dyes achieving superior photothermal conversion [39]. These advancements pave the way for clean energy applications, including solar-driven hydrogen production and CO_2 reduction, by integrating modification strategies and defect engineering in semiconductor photocatalysts [26, 65, 7, 71, 72].

4.2 Integration of Photocatalytic and Membrane Technologies

Integrating photocatalytic and membrane technologies offers a synergistic approach to clean energy and environmental remediation. Two-dimensional oxide layers with graphene and TiO_2 nanoparticles exemplify improved system performance. ZnO incorporation into TiO_2 structures enhances photocatalytic efficiency through optimized light absorption and charge separation [65]. Membrane technologies, including pressure-driven processes and forward osmosis, are crucial for potable water reuse [40]. Insights from photoelectrochemical measurements and XPS guide the optimization of interfacial characteristics.

Addressing membrane fouling is vital for performance maintenance. Synthetic membranes that selectively transport species, inspired by biological mechanisms, offer solutions. Co-doped TiO_2 materials enhance photocatalytic efficiency, improving environmental remediation [35]. Plasmonic systems integrated with catalytic processes, such as gold nanospheres with dyes, enhance photothermal properties, enabling lower nanoparticle concentrations and reduced laser power for cancer treatment [39, 73, 74, 52]. This integration provides a multifaceted approach to global energy and environmental challenges.

4.3 Applications in Clean Energy Production

Photocatalytic and membrane technologies are pivotal in advancing clean energy production, enhancing sustainability and efficiency. Processes like water splitting, hydrogen production, and CO_2 reduction are fundamental to sustainable energy. TiO_2 anatase phase is effective in wastewater treatment, contributing to clean energy [71]. Janus X_2PAs monolayers modulate photocatalytic reactions for water splitting [75].

Material innovation is crucial, with $-\text{PtX}_2$ and Janus $-\text{PtSSe}$ monolayers advancing solar water splitting [59]. MgO/GNPs nanocomposites show promise in clean energy production and wastewater treatment [3]. Membrane technologies contribute significantly, especially in solar-driven desalination and wastewater treatment, with RO systems underpinning potable reuse despite challenges [46]. Enhanced surface area from nanostructuring and plasmonic effects improve membrane efficiency [76].

Interfacial solar evaporation enhances solar desalination efficiency [5]. Favorable band alignment promotes efficient electron transfer, crucial for photocatalytic applications [38]. Microwave-assisted synthesis yields Ti^{3+} doped TiO_2 with enhanced properties [68]. Photocatalytic and membrane technology integration drives innovation, addressing global challenges through material science and system integration. Hybrid plasmonic conjugates further enhance photothermal efficiency, promising advanced clean energy applications [74]. These technologies are essential for sustainable energy solutions, as highlighted by the Multidisciplinary Green Hydrogen Assessment Method in Sub-Saharan Africa [2].

As shown in Figure 3, integrating advanced technologies like photocatalytic activity and membrane technology is crucial for clean energy production. "Optimization Techniques" highlights strategies for enhancing system efficiency, including programming and metaheuristics for resource optimization.




Figure 3: Examples of Applications in Clean Energy Production

The "Virtual Power Plant (VPP) System" showcases an energy management system integrating traditional and renewable sources for a sustainable grid. "Visualization of Hydrogen Injection and Extraction" emphasizes the significance of porosity and permeability in hydrogen energy. These examples underscore the potential of cutting-edge technologies in advancing clean energy solutions and the importance of integrating photocatalytic and membrane technologies for sustainable energy goals [58, 24, 56].

4.4 Innovative Photocatalytic Systems

Innovative photocatalytic systems are central to clean energy production and environmental remediation, driven by material science advancements. Hybrid photocatalysts, combining materials to enhance efficiency, are significant. Plasmonic nanoparticles with semiconductor photocatalysts improve light absorption and charge separation [39]. High-entropy oxides with multiple heterojunctions enhance photocatalytic performance by utilizing sunlight and facilitating charge transfer [60]. Defect engineering, such as surface vacancies and heteroatom doping, optimizes photocatalyst electronic properties [65].

Bio-inspired systems mimicking photosynthesis offer novel pathways for energy conversion efficiency, optimizing sunlight collection [30]. Advanced synthesis techniques, like microwave-assisted synthesis, produce photocatalysts with superior properties [68]. Two-dimensional materials, such as graphene, enhance photocatalytic performance by facilitating charge transport [59].

Advancing innovative photocatalytic systems is crucial for clean energy technologies, utilizing solar energy for efficient production and remediation, including hydrogen generation and pollutant degradation. Optimizing material design and reaction conditions enhances photocatalytic activity, improving system efficiency and cost-effectiveness in addressing energy scarcity and pollution [26, 7]. Leveraging novel materials and strategies holds potential for improving photocatalytic process scalability and efficiency, paving the way for sustainable solutions.

4.5 Membrane Technology Innovations

Recent membrane technology innovations focus on enhancing separation process efficiency and sustainability through material advancements and novel techniques. Biodegradable polymers are promising for sustainable manufacturing [41]. Self-assembly techniques offer efficient production methods [41]. Using sand as a low-cost support for TiO_2 reduces costs while enhancing activity, viable for large-scale applications [77]. Integrating oxidation processes with membrane technologies is promising for optimizing performance [33].

Ångström-scale fabrication techniques and molecular design principles depart from traditional methods, enabling membranes with enhanced selectivity and permeability [45]. Combining indirect and direct methods for membrane characterization is essential for optimal performance [42]. In water treatment, optimizing fabrication processes and enhancing antifouling properties ensure sustainability and feasibility [43]. Exploring new materials and doping concentrations, particularly in TiO_2 systems, is vital for improving properties [78]. Excessive doping, like Zr in TiO_2 , can reduce efficiency, highlighting optimization needs [79].

Integrating membrane technology innovations with photocatalytic systems enhances wastewater treatment, contributing to sustainable energy [67]. As research progresses, these innovations are expected to play a crucial role in addressing global energy and environmental challenges through improved membrane performance and sustainability.

5 Solar Desalination and Photothermal Conversion

Solar desalination has emerged as a vital solution to global water scarcity, driven by technological advancements that enhance system efficiency and sustainability. This section explores innovative materials and methodologies that have improved solar desalination, highlighting the Passive Inverted Single Stage Solar Membrane Desalinators (PISMSD) for its contributions to system performance.

5.1 Technological Advancements in Solar Desalination

Recent developments in solar desalination focus on optimizing efficiency through novel materials and methods. The PISMSD utilizes gravity-driven flow and thin-film condensation for continuous desalination and effective salt rejection, mitigating salt accumulation and enhancing system longevity [80]. Thermally-localized systems achieve efficiencies comparable to active systems by optimizing thermal management [19], while interfacial evaporation techniques improve heat localization at the evaporation interface [5].

The integration of plasmonic materials enhances light absorption and photocatalytic efficiency, suitable for solar-driven desalination [76]. Hybrid plasmonic systems underscore the importance of optimizing nanoparticle size and shape for light absorption and heat generation [74]. Micro- and nano-materials increase surface area and light absorption, leading to more efficient water evaporation [81]. Environmentally friendly methods achieving high degradation rates under natural sunlight eliminate the need for expensive UV lamps [4].

Innovative approaches like self-propelled colloidal hematite dockers leverage osmotic and phoretic transport mechanisms activated by light-induced chemical gradients to enhance desalination [82]. These advancements underscore solar desalination's potential as a sustainable solution to water scarcity, driven by ongoing innovations in materials, processes, and energy integration [83, 19, 25].

5.2 Photothermal Conversion Mechanisms


Photothermal conversion mechanisms transform solar energy into thermal energy, crucial for desalination and energy production. This process's efficiency relies on material capacity to absorb light across a broad spectrum and convert it into heat. Surface plasmon resonance in metallic nanoparticles, particularly gold, plays a crucial role, with larger nanoparticles enhancing light absorption and heat generation [11].

Interactions at material interfaces, such as hydrogen bonding at the MXene-water interface, enhance photothermal conversion efficiency by facilitating rapid energy migration [84]. Femtosecond laser-processed surfaces improve light absorption and thermal efficiency by enhancing optical properties [85]. Microbubble oscillation dynamics also contribute to photothermal conversion, optimizing heat transfer and overall efficiency [86].


Integrating photothermal conversion mechanisms with salt-rejecting continuous passive solar desalination supports continuous operation without salt accumulation, enhancing efficiency and longevity [80]. The solution-based salinity gradient method effectively drives salt discharge and water pumping, preventing salt deposition and maintaining system efficiency [25]. Active systems with nanofluids significantly enhance freshwater output and efficiency [81].

Optimizing inexpensive, abundant materials and employing advanced engineering techniques, such as plasmonic nanostructures and nanomaterial integration, enhance solar-driven applications, contributing to sustainable energy solutions by improving light absorption and minimizing carrier recombination [15, 12, 76, 81].

As shown in Figure 4, understanding photothermal conversion mechanisms is crucial in solar desalination. The synthesis of gold nanoparticles involves a chemical reaction sequence where sodium borohydride, hexamethylenetetramine, and gold chloride are combined under precise conditions,



(a) The image depicts a chemical reaction sequence involving the synthesis of gold nanoparticles.[11]



(b) Light-Induced Electron Transfer in Metal Nanoparticles[87]

Figure 4: Examples of Photothermal Conversion Mechanisms

enhancing photothermal conversion efficiency due to their optical properties. Light-induced electron transfer in metal nanoparticles demonstrates how incident light waves interact with these nanoparticles to facilitate energy conversion processes [11, 87].

5.3 Integration with Renewable Energy Sources

Integrating solar desalination and photothermal conversion with renewable energy sources is a promising pathway for achieving efficient sustainable energy systems. This integration leverages the complementary strengths of various renewable technologies, enhancing overall system performance and reliability. Solar desalination can be effectively combined with wind and photovoltaic systems to create hybrid systems that optimize resource utilization and minimize energy waste. Incorporating micro- and nano-materials in solar desalination systems enhances light absorption and evaporation efficiency, further optimized by integrating with renewable energy sources for a consistent power supply [81].

Photothermal conversion, transforming solar energy into heat, complements renewable energy systems by harnessing thermal energy for processes such as steam generation and electricity production, seamlessly integrating with solar photovoltaic and wind energy systems. This integration enhances energy efficiency and provides a stable and continuous energy supply, mitigating the intermittency challenges typically associated with renewable sources like wind and solar power. Addressing these reliability issues supports the transition to smart grid systems prioritizing renewable energy resources, facilitating a more resilient power generation framework aligned with global decarbonization goals [22, 24].

Future research should focus on developing materials with enhanced salt-rejecting properties, investigating solid-liquid interactions, and optimizing thermal designs to address existing limitations. Improving material properties and optimizing system design can enhance the efficiency and scalability of integrated renewable energy systems, paving the way for sustainable and resilient energy solutions [81].

Integrating solar desalination and photothermal conversion with renewable energy sources, such as wind and hydropower, offers a promising approach to enhancing sustainable energy technologies. This strategy addresses the critical issue of freshwater scarcity, affecting over half of the global population, while leveraging abundant natural resources for efficient freshwater production. Recent advancements in passive solar desalination techniques, which optimize heat and mass transfer while minimizing salt accumulation, demonstrate the potential for high-performance systems capable of reliable operation in diverse environments. By synergistically combining these technologies, we can enhance the reliability and economic feasibility of renewable energy systems, contributing to the decarbonization of the energy sector and fostering a more sustainable future [22, 19, 25]. Leveraging synergies among different renewable technologies can create comprehensive energy systems that meet the growing demand for clean energy while promoting environmental sustainability and resource conservation.

5.4 Challenges and Solutions in Solar Desalination

Solar desalination faces several challenges that impede its widespread adoption and efficiency. A primary challenge is variability in experimental setups, necessitating further validation across diverse environmental conditions to ensure consistent performance and reliability [69]. This variability affects the scalability and adaptability of solar desalination systems, complicating standardization across different regions.

Another significant challenge is the lower energy efficiency of membrane distillation compared to reverse osmosis (RO). Effective heat recovery systems are essential for enhancing membrane distillation performance and making it a viable alternative to RO [83]. Integrating such systems is crucial for improving the overall energy efficiency and sustainability of solar desalination processes.

The salt-rejecting continuous passive solar desalination method has achieved a record-high continuous desalination duration of 7 days with a solar-to-water efficiency of 32.2

Fouling is another persistent issue in solar desalination systems, with many studies focusing on specific types of fouling. Comprehensive solutions addressing all fouling types remain elusive, necessitating further research and development to create more robust antifouling strategies [70].

The use of micro- and nano-materials presents a potential solution to enhance solar still performance by addressing challenges such as low evaporation rates, heat dissipation, and the need for improved thermal design and material properties [81]. By improving material properties and optimizing thermal design, the efficiency and scalability of solar desalination systems can be enhanced.

Addressing these challenges requires a multifaceted approach that combines advancements in material science, engineering, and system integration. Integrating advanced technologies and innovative strategies, such as self-salt-discharge systems and thermal localization, can significantly enhance solar desalination's operational efficiency and sustainability, effectively tackling the pressing global water scarcity crisis. Recent research highlights the potential for high evaporation rates and reduced salt accumulation, which are crucial for long-term viability, while emphasizing the importance of optimizing heat and mass transfer for improved water production and economic feasibility in various settings [25, 19, 5].

6 Renewable Energy Integration

6.1 Challenges in Renewable Energy Integration

The integration of renewable energy into existing infrastructures presents numerous challenges, primarily due to the variability and unpredictability of renewable sources. This inconsistency complicates grid stability, necessitating advanced management and storage solutions to ensure reliability [88]. Current research does not sufficiently address the dynamic nature of renewables and battery degradation, further hindering integration [58]. Hybrid Renewable Energy Systems (HRESs) face additional complexity from component interactions, often overlooked in existing methodologies, leading to inefficiencies [24]. The heterogeneity and lower capacity of renewables compared to fossil fuels compound these challenges, as does the lack of understanding regarding the long-term performance of hybrid systems, particularly with hydrogen technologies [66].

Economic hurdles, especially for wave-powered desalination which demands high initial investment and energy consumption, limit accessibility for coastal areas [47]. Retrofitting infrastructure for renewable applications, such as using iron as a chemical carrier, involves high costs and logistical issues [20]. Scalability and practical application of novel materials in renewable systems remain limited, with studies often relying on unsustainable processes [41]. Long-term stability and reusability of advanced materials, like MXenes, require further investigation [89].

Challenges such as membrane fouling, high operational costs, and inadequate regulatory frameworks that overlook pathogen removal capabilities in membrane technologies persist [46]. High energy demands and the need for specialized membranes that accommodate diverse wastewater characteristics exacerbate these issues [40]. Methodological divergences, particularly concerning the energy-water nexus, impede the alignment of renewable integration studies with energy-water analyses, essential for cohesive energy systems [16]. Many studies operate in isolation, neglecting interactions between energy and water systems and are limited by geographical specificity [27].

Addressing these challenges requires a comprehensive strategy integrating technological, economic, and methodological advancements. This approach aims to enhance the efficiency and reliability of renewables like wind, solar, and hydro, addressing their inherent variability. By leveraging technological solutions and fostering integration into smart grids, cost-effective strategies can improve transparency and support decarbonization goals [22, 16, 27, 24]. Overcoming these obstacles will facilitate the creation of sustainable and resilient energy networks.

6.2 Strategies for Effective Integration

Effective integration of renewable technologies requires a multifaceted approach involving technological innovation, economic considerations, and strategic policy development. Optimizing energy systems through advanced modeling, such as tri-level optimization, enhances photovoltaic system efficiency, energy storage, and reduces emissions, providing a framework for renewable integration [55]. Developing innovative materials and configurations is crucial for improving efficiency and cost-effectiveness, ensuring reliability in extreme environments [31]. Integrating membrane distillation with other thermal processes offers promising efficiency improvements, particularly in water treatment [83].

Nanotechnology is pivotal in optimizing renewable integration by balancing costs and benefits, enhancing system performance [32]. Designing nanostructures, especially plasmonic materials, improves light absorption and heat localization, vital for solar vapor generation [87]. Policy development is essential, with comprehensive policies aligning economic, environmental, and social objectives to facilitate energy transitions and promote clean energy innovation [18]. Auction mechanisms that allow aggregators to procure renewable power while managing risks enhance market efficiency and stability [88].

Strategies for integrating Distributed Energy Resources (DER) within Renewable Energy Communities (RECs) should focus on balancing individual and common objectives to improve efficiency [90]. Aligning stakeholder goals is critical for cohesive energy systems. A holistic approach combining technological advancements, policy frameworks, and economic models supports the transition to decarbonized energy, optimizing energy-water nexus management and creating a reliable, cost-effective energy landscape [22, 27, 24].

6.3 Case Studies and Real-World Applications

Successful renewable integration is demonstrated through various case studies and applications, showcasing advanced optimization models and auction mechanisms. The tri-level optimization model enhances Hybrid Renewable Energy Systems (HRES) efficiency and reduces emissions, providing a comprehensive framework for optimizing energy systems [55]. Auction mechanisms improve renewable integration into electricity markets by enabling aggregators to manage risks and enhance market efficiency [88].

Real-world applications demonstrate the effectiveness of these strategies. Integrating solar photovoltaic systems with energy storage in microgrids improves reliability and reduces emissions, highlighting the potential of combining renewables for cohesive energy systems. These applications emphasize strategic planning and technological innovation's role in addressing integration challenges, enhancing grid reliability and flexibility, and facilitating a sustainable energy transition [22, 16, 27, 24].

Case studies illustrate tangible benefits of advanced modeling and market mechanisms in enhancing renewable integration. Strategies like integrating solar, wind, and hydropower into smart grids and using storage solutions like Underground Hydrogen Storage develop resilient systems, addressing renewable variability, improving reliability, and facilitating fossil fuel transition. Retrofitting coal plants for iron combustion promotes circular energy economies and local energy security [20, 22, 56, 24].

7 Conclusion

7.1 Future Directions for Research and Development

Advancing clean energy technologies necessitates a strategic focus on enhancing efficiency, sustainability, and applicability. Key research avenues include the refinement of high-entropy oxide synthesis to boost surface area and photocatalytic efficiency. Techniques like single-mode microwave-assisted synthesis of TiO_2 offer promising scalability and performance improvements for environmental applications. The exploration of co-doping strategies in TiO_2 , particularly with nonmetal elements, is vital for augmenting photocatalytic capabilities. Additionally, optimizing black phosphorus monolayers for photocatalytic efficacy under realistic conditions could transform water-splitting technologies.

In membrane technology, the emphasis should be on developing fouling-resistant membranes and integrating hybrid systems to elevate their role in clean energy frameworks. Enhancing the stability and reusability of TiO_2 nanoparticles, alongside exploring alternative synthesis methods, could lead to more sustainable photocatalytic processes. Experimental validation and theoretical studies of interface structures, such as the SGO/Si interface, are essential for optimizing electronic properties in photocatalytic systems. Moreover, refining clean energy system models to incorporate uncertainties and advanced renewable technologies can significantly improve design and operational efficiency.

These research directions provide a robust framework for overcoming current challenges and driving innovation in clean energy. By leveraging advancements in material science, system integration, and process optimization, the development of more efficient, sustainable, and resilient clean energy technologies is within reach.

References

- [1] Wilko Heitkoetter, Wided Medjroubi, Thomas Vogt, and Carsten Agert. Regionalised heat demand and power-to-heat capacities in germany – an open data set for assessing renewable energy integration, 2019.
- [2] Shitab Ishmam, Heidi Heinrichs, Christoph Winkler, Bagher Bayat, Amin Lahnaoui, Solomon Agbo, Edgar Ubaldo Pena Sanchez, David Franzmann, Nathan Ojieabu, Celine Koerner, Youpele Micheal, Bamidele Oloruntoba, Carsten Montzka, Harry Vereecken, Harrie-Jan Hendricks-Franssen, Jeerawan Brendt, Simon Brauner, Wilhelm Kuckshinrichs, Sandra Venghaus, Daouda Kone, Bruno Korgo, Kehinde Ogunjobi, Vasco Chiteculo, Jane Olwoch, Zachary Getenga, Jochen Linßen, and Detlef Stolten. Mapping local green hydrogen cost-potentials by a multidisciplinary approach, 2024.
- [3] Aqsa Arshad, Javed Iqbal, M. Siddiq, Qaisar Mansoor, M. Ismail, Faisal Mehmood, M. Ajmal, and Zubia Abid. Graphene nanoplatelets induced tailoring in photocatalytic activity and antibacterial characteristics of mgo/graphene nanoplatelets nanocomposites, 2017.
- [4] Uttama Kumar Saint, Suresh Chandra Baral, Dilip Sasmal, P. Maneesha, Sayak Datta, Farzana Naushin, and Somaditya Sen. Effect of ph on photocatalytic degradation of methylene blue in water by facile hydrothermally grown tio₂ nanoparticles under natural sunlight, 2024.
- [5] Xiao Luo, Jincheng Shi, Changying Zhao, Zhouyang Luo, Xiaokun Gu, and Hua Bao. The energy efficiency of interfacial solar desalination: Insights from detailed theoretical analysis, 2021.
- [6] Mohsen Pasandi. Islanding microgrid with solar and fuel cell for providing load, 2020.
- [7] Nahal Goodarzi, Zahra Ashrafi-Peyman, Elahe Khani, and Alireza Z Moshfegh. Recent progress on semiconductor heterogeneous photocatalysts in clean energy production and environmental remediation. *Catalysts*, 13(7):1102, 2023.
- [8] Min Zhang, Zhihua Zhang, Qiuye Li, Xiaodong Wang, and Jianjun Yang. Self-organized vanadium and nitrogen co-doped titania nanotube arrays with enhanced photocatalytic reduction of co₂ into ch₄, 2014.
- [9] Zhexu Xi. Nanostructures design: the role of cocatalysts for hydrogen and oxygen generation in photocatalytic water splitting, 2021.
- [10] M. Bakhtiar Azim, Farzana Nargis, Sajib Aninda Dhar, Md. Rakibul Qadir, Md. Abdul Gafur, A. S. W Kurny, and Fahmida Gulshan. Effect of dissolved oxygen content on photocatalytic performance of graphene oxide, 2018.
- [11] Ankang Guo, Yang Fu, Gang Wang, and Xianbao Wang. Diameter effect of gold nanoparticles on photothermal conversion for solar steam generation. *Rsc Advances*, 7(8):4815–4824, 2017.
- [12] I. Thomann, B. A. Pinaud, Z. Chen, B. M. Clemens, T. F. Jaramillo, and Mark. L. Brongersma. Plasmon enhanced solar-to-fuel energy conversion, 2011.
- [13] Zhongjian Xie, Shiyu Chen, Quan Liu, Zhitao Lin, Jinlai Zhao, Taojian Fan, Liping Liu, Shiyun Bao, Dianyan Fan, and Han Zhang. Biocompatible two-dimensional titanium nanosheets for efficient plasmonic photothermal cancer therapy, 2018.
- [14] Avraham Bar-Hen, Ronen Bar Ziv, Tsion Ohaion-Raz, Amir Mizrahi, Simon Hettler, Raul Arenal, and Maya Bar Sadan. Shelling with mos₂ functional cus@mos₂ hybrids as electrocatalysts for the oxygen reduction and hydrogen evolution reactions, 2021.
- [15] Bei Yang, Chenyu Li, Zhifeng Wang, and Qing Dai. Thermoplasmonics in solar energy conversion: materials, nanostructured designs, and applications. *Advanced Materials*, 34(26):2107351, 2022.
- [16] Steffi O. Muhanji and Amro M. Farid. An enterprise control methodology for the techno-economic assessment of the energy water nexus, 2019.

-
- [17] Mitchell Juneau, Madeline Vonglis, Joseph Hartvigsen, Lyman Frost, Dylan Bayerl, Mudit Dixit, Giannis Mpourmpakis, James R Morse, Jeffrey W Baldwin, Heather D Willauer, et al. Assessing the viability of k-mo 2 c for reverse water–gas shift scale-up: Molecular to laboratory to pilot scale. *Energy & Environmental Science*, 13(8):2524–2539, 2020.
- [18] Chaokai Xue, Muhammad Shahbaz, Zahoor Ahmed, Mahmood Ahmad, and Avik Sinha. Clean energy consumption, economic growth, and environmental sustainability: what is the role of economic policy uncertainty? *Renewable Energy*, 184:899–907, 2022.
- [19] Lenan Zhang, Zhenyuan Xu, Lin Zhao, Bikram Bhatia, Yang Zhong, Shuai Gong, and Evelyn N Wang. Passive, high-efficiency thermally-localized solar desalination. *Energy & Environmental Science*, 14(4):1771–1793, 2021.
- [20] Paulo Debiagi, Rodolfo Cavaliere da Rocha, Arne Scholtissek, Johannes Janicka, and Christian Hasse. Iron as a sustainable chemical carrier of renewable energy: Analysis of opportunities and challenges for retrofitting coal-fired power plants, 2022.
- [21] Ruggero Maria Santilli. The novel ”controlled intermediate nuclear fusion” and its possible industrial realization as predicted by hadronic mechanics and chemistry, 2006.
- [22] fnm Erdiwansyah, fnm Mahidin, H Husin, fnm Nasaruddin, M Zaki, and fnm Muhibbuddin. A critical review of the integration of renewable energy sources with various technologies. *Protection and control of modern power systems*, 6:1–18, 2021.
- [23] A. Fronzetti Colladon, A. L. Pisello, and L. F. Cabeza. Boosting the clean energy transition through data science, 2024.
- [24] Mubashir Husain Rehmani, Martin Reisslein, Abderrezak Rachedi, Melike Erol-Kantarci, and Milena Radenkovic. Integrating renewable energy resources into the smart grid: Recent developments in information and communication technologies. *IEEE Transactions on Industrial Informatics*, 14(7):2814–2825, 2018.
- [25] Lin Zhu, Lei Sun, Hong Zhang, Hüsni Aslan, Ye Sun, Yudong Huang, Federico Rosei, and Miao Yu. A solution to break the salt barrier for high-rate sustainable solar desalination. *Energy & Environmental Science*, 14(4):2451–2459, 2021.
- [26] Md Ariful Hoque and Marcelo I Guzman. Photocatalytic activity: experimental features to report in heterogeneous photocatalysis. *Materials*, 11(10):1990, 2018.
- [27] Steffi O. Muhanji, Clayton Barrows, Jordan Macknick, and Amro M. Farid. An enterprise control assessment case study of the energy-water nexus for the iso new england system, 2019.
- [28] Nikolay Cherkasov, Samuel J Adams, Edward GA Bainbridge, and Jonty AM Thornton. Continuous stirred tank reactors in fine chemical synthesis for efficient mixing, solids-handling, and rapid scale-up. *Reaction Chemistry & Engineering*, 8(2):266–277, 2023.
- [29] Zhao Liu, Joel Shenoy, Cesar Menéndez, Judy N. Hart, Charles C. Sorrell, and Claudio Cazorla. Strain engineering of oxide thin films for photocatalytic applications, 2019.
- [30] Francesco Mattiotti, William M. Brown, Nicola Piovella, Stefano Olivares, Erik M. Gauger, and G. Luca Celardo. Bio-inspired natural sunlight-pumped lasers, 2021.
- [31] Susan Babinec, Ian Baring-Gould, Amy N. Bender, Nate Blair, Xiangkun Li, Ralph T. Muehleisen, Dan Olis, and Silvana Ovaitt. Techno-economic analysis of renewable energy generation at the south pole, 2024.
- [32] Manuel Alberto M. Ferreira, José António Filipe, and José Chavaglia Neto. Nanotechnology and processes the nanophotovoltaic panels, 2021.
- [33] Noman Khalid Khanzada, Muhammad Usman Farid, Jehad A Kharraz, Jungwon Choi, Chuyang Y Tang, Long D Nghiem, Am Jang, and Alicia Kyoungjin An. Removal of organic micropollutants using advanced membrane-based water and wastewater treatment: A review. *Journal of membrane science*, 598:117672, 2020.

-
- [34] Francesco de Cunzio, Alberto Petri, Andrea Zaccaria, and Angelica Sbardella. The trickle down from environmental innovation to productive complexity, 2022.
- [35] Guotian Yan, Min Zhang, Jian Houa, and Jianjun Yang. Photoelectrochemical and photocatalytic properties of n + s co-doped tio2 nanotube array films under visible light irradiation, 2011.
- [36] M. M. Fadlallah, T. J. H. Vlught, and M. F. Shibl. Towards an efficient perovskite visible-light active photocatalyst, 2015.
- [37] Tatsuo Suzuki. Theoretical proposal of a revolutionary water-splitting photocatalyst: The monolayer of boron phosphide, 2022.
- [38] Tomáš Rauch, Pavel Marton, Silvana Botti, and Jiří Hlinka. Favorable band alignment for photocatalysis at the strontium germanate interface with silicon, 2022.
- [39] Guillaume Baffou, Ivan Bordacchini, Andrea Baldi, and Romain Quidant. Simple experimental procedures to distinguish photothermal from hot-carrier processes in plasmonics. *Light: Science & Applications*, 9(1):108, 2020.
- [40] Elorm Obotey Ezugbe and Sudesh Rathilal. Membrane technologies in wastewater treatment: a review. *Membranes*, 10(5):89, 2020.
- [41] Suzana P Nunes, P Zeynep Culfaz-Emecen, Guy Z Ramon, Tymen Visser, Geert Henk Koops, Wanqin Jin, and Mathias Ulbricht. Thinking the future of membranes: Perspectives for advanced and new membrane materials and manufacturing processes. *Journal of Membrane Science*, 598:117761, 2020.
- [42] Melike Begum Tanis-Kanbur, René I Peinador, José I Calvo, Antonio Hernández, and Jia Wei Chew. Porosimetric membrane characterization techniques: A review. *Journal of Membrane Science*, 619:118750, 2021.
- [43] Yuan Liao, Chun-Heng Loh, Miao Tian, Rong Wang, and Anthony G Fane. Progress in electrospun polymeric nanofibrous membranes for water treatment: Fabrication, modification and applications. *Progress in Polymer Science*, 77:69–94, 2018.
- [44] Seyed Mohsen Samaei, Shirley Gato-Trinidad, and Ali Altaee. The application of pressure-driven ceramic membrane technology for the treatment of industrial wastewaters—a review. *Separation and Purification Technology*, 200:198–220, 2018.
- [45] Razi Epsztein, Ryan M DuChanois, Cody L Ritt, Aleksandr Noy, and Menachem Elimelech. Towards single-species selectivity of membranes with subnanometre pores. *Nature Nanotechnology*, 15(6):426–436, 2020.
- [46] David M Warsinger, Sudip Chakraborty, Emily W Tow, Megan H Plumlee, Christopher Bellona, Savvina Loutatidou, Leila Karimi, Anne M Mikelonis, Andrea Achilli, Abbas Ghassemi, et al. A review of polymeric membranes and processes for potable water reuse. *Progress in polymer science*, 81:209–237, 2018.
- [47] Katie M. Brodersen, Emily A. Bywater, Alec M. Lanter, Hayden H. Schennum, Kumansh N. Furia, Maulee K. Sheth, Nathaniel S. Kiefer, Brittany K. Cafferty, Akshay K. Rao, Jose M. Garcia, and David M. Warsinger. Direct-drive ocean wave-powered batch reverse osmosis, 2021.
- [48] Juan A. Delgado-Notario, David López-Díaz, David McCloskey, and José M. Caridad. Enhanced and spectrally selective near infrared photothermal conversion in plasmonic nanohelices, 2024.
- [49] Jie Li, Jianxing Wang, Jianyu Zhang, Ting Han, Xiyao Hu, Michelle MS Lee, Dong Wang, and Ben Zhong Tang. A facile strategy of boosting photothermal conversion efficiency through state transformation for cancer therapy. *Advanced Materials*, 33(51):2105999, 2021.
- [50] Mark Davidson and Mario Rabinowitz. Mini-optics solar energy concentrator, 2003.
- [51] Javier González-Colsa, Alfredo Franco Pérez, Fernando Bresme, Fernando Moreno, and Pablo Albella. Efficient asymmetric photothermal source: Designing a heating janus-nanojet, 2021.

-
- [52] Shunqin Luo, Xiaohui Ren, Huiwen Lin, Hui Song, and Jinhua Ye. Plasmonic photothermal catalysis for solar-to-fuel conversion: current status and prospects. *Chemical Science*, 12(16):5701–5719, 2021.
- [53] Shilin Mei, Zdravko Kochovski, Rafael Roa, Sasa Gu, Xiaohui Xu, Hongtao Yu, Joachim Dzubiella, Matthias Ballauff, and Yan Lu. Enhanced catalytic activity of gold@polydopamine nanoreactors with multi-compartment structure under nir irradiation, 2020.
- [54] Guilong Peng, Shichen Deng, Swellam W. Sharshir, Dengke Ma, A. E. Kabeel, and Nuo Yang. High efficient solar evaporation by airing multifunctional textile, 2018.
- [55] Eghbal Hosseini. Tri-level model for hybrid renewable energy systems, 2023.
- [56] Alvaro Carbonero, Shaowen Mao, and Mohamed Mehana. Enabling clean energy resilience with machine learning-empowered underground hydrogen storage, 2024.
- [57] Ann Mary Toms, Xingpeng Li, and Kaushik Rajashekara. Optimal sizing of on-site renewable resources for offshore microgrids, 2023.
- [58] Yimy E García Vera, Rodolfo Dufo-López, and José L Bernal-Agustín. Energy management in microgrids with renewable energy sources: A literature review. *Applied Sciences*, 9(18):3854, 2019.
- [59] Pooja Jamdagni, Ashok Kumar, Sunita Srivastava, Ravindra Pandey, and K. Tankeshwar. Photocatalytic properties of anisotropic β -ptx₂ (x= s, se) and janus β -ptsse monolayers, 2023.
- [60] Parisa Edalati, Yuta Itagoe, Hironori Ishihara, Tatsumi Ishihara, Hoda Emami, Makoto Arita, Masayoshi Fuji, and Kaveh Edalati. Visible-light photocatalytic oxygen production on a high-entropy oxide by multiple-heterojunction introduction, 2023.
- [61] Xuemei Zhou, Ewa Wierzbicka, Ning Liu, and Patrik Schmuki. Black and white anatase, rutile and mixed forms: Band-edges and photocatalytic activity, 2020.
- [62] Vaidish Sumaria, Takat B. Rawal, Young Feng Li, David Sommer, Jake Vikoren, Robert J. Bondi, Matthias Rupp, Amrit Prasad, and Deeptanshu Prasad. Machine learning, density functional theory, and experiments to understand the photocatalytic reduction of co₂ by cupt/tio₂, 2024.
- [63] Heberton Wender, Renato V. Gonçalves, Carlos Sato B. Dias, Maximiliano J. M. Zapata, Luiz F. Zagonel, Edielma C. Mendonça, Sérgio R. Teixeira, and Flávio Garcia. Photocatalytic hydrogen production of co(oh)₂ nanoparticle-coated α - fe₂o₃nanorings, 2016.
- [64] W. G. Chaminda Bandara, G. M. R. I. Godaliyadda, M. P. B. Ekanayake, and J. B. Ekanayake. Coordinated pv re-phasing: a novel method to maximize renewable energy integration in lv networks by mitigating network unbalances, 2020.
- [65] Huidong Shen, Mengmeng Yang, Leiduan Hao, Jinrui Wang, Jennifer Strunk, and Zhenyu Sun. Photocatalytic nitrogen reduction to ammonia: Insights into the role of defect engineering in photocatalysts. *Nano Research*, pages 1–37, 2022.
- [66] FJ Vivas, A De las Heras, F Segura, and JM Andújar. A review of energy management strategies for renewable hybrid energy systems with hydrogen backup. *Renewable and Sustainable Energy Reviews*, 82:126–155, 2018.
- [67] AdelekeJ. T, Theivasanthi. T, Thiruppathi. M, Swaminathan. M, Akomolafe. T, and AlabiA. B. Photocatalytic degradation of methylene blue by zno/nife₂o₄ nanoparticles, 2018.
- [68] Kunihiko Katoa, Sebastien Vaucher, Patrik Hoffmann, Yunzi Xin, and Takashi Shirai. A novel single-mode microwave assisted synthesis of metal oxide as visible-light photocatalyst, 2022.
- [69] Guillermo Zaragoza, JA Andrés-Mañas, and A Ruiz-Aguirre. Commercial scale membrane distillation for solar desalination. *NPJ Clean Water*, 1(1):20, 2018.
- [70] Shanxue Jiang, Yuening Li, and Bradley P Ladewig. A review of reverse osmosis membrane fouling and control strategies. *Science of the total environment*, 595:567–583, 2017.

-
- [71] Amir Hossein Navidpour, Sedigheh Abbasi, Donghao Li, Amin Mojiri, and John L Zhou. Investigation of advanced oxidation process in the presence of tio₂ semiconductor as photocatalyst: property, principle, kinetic analysis, and photocatalytic activity. *Catalysts*, 13(2):232, 2023.
- [72] Scott K Cushing, Fanke Meng, Junying Zhang, Bangfu Ding, Chih Kai Chen, Chih-Jung Chen, Ru-Shi Liu, Alan D Bristow, Joeseeph Bright, Peng Zheng, et al. Effects of defects on photocatalytic activity of hydrogen-treated titanium oxide nanobelts. *Acs Catalysis*, 7(3):1742–1748, 2017.
- [73] Emiliano Cortés, Lucas V Besteiro, Alessandro Alabastri, Andrea Baldi, Giulia Tagliabue, Angela Demetriadou, and Prineha Narang. Challenges in plasmonic catalysis. *ACS nano*, 14(12):16202–16219, 2020.
- [74] Viktoriia Savchuk, Ruizheng Wang, Lyle Small, and Anatoliy Pinchuk. Synergistic effect in hybrid plasmonic conjugates for theranostic applications, 2023.
- [75] Qi-Wen He, Yang Wu, Chun-Hua Yang, He-Na Zhang, Dai-Song Tang, Cailong Liu, and Xiao-Chun Wang. Regulating effect of biaxial strain on electronic, optical and photocatalytic properties in promising x₂pas (x = si, ge and sn) monolayers, 2022.
- [76] Desislava Daskalova, Gonzalo Aguila Flores, Ulrich Plachetka, Michael Möller, Julia Wolters, Thomas Wintgens, and Max C. Lemme. Combined structural and plasmonic enhancement of nanometer-thin film photocatalysis for solar-driven wastewater treatment, 2023.
- [77] Dorian A. H. Hanaor and Charles C. Sorrell. Sand supported mixed-phase tio₂ photocatalysts for water decontamination applications, 2021.
- [78] M. P. Ferreira and H. B. de Carvalho. On the processing of anatase la-doped tio₂ nanopowders: structural phase transition and surface defect engineering, 2022.
- [79] Min Zhang, Xinluan Yu, Dandan Lu, and Jianjun Yang. Facile synthesis and enhanced visible light photocatalytic activity of n and zr co-doped tio₂ nanostructures from nanotubular titanic acid precursors, 2013.
- [80] Patrick I. Babb, S. Farzad Ahmadi, Forrest Brent, Ruby Gans, Mabel Aceves Lopez, Jiuxu Song, Qixian Wang, Brandon Zou, Xiangying Zuo, Amanda Strom, Jaya Nolt, Tyler Susko, Kirk Fields, and Yangying Zhu. Salt-rejecting continuous passive solar thermal desalination via convective flow and thin-film condensation, 2023.
- [81] Guilong Peng, Swellam W. Sharshir, Yunpeng Wang, Meng An, A. E. Kabeel, Jianfeng Zang, Lifa Zhang, and Nuo Yang. Micro/nanomaterials for improving solar still and solar evaporation – a review, 2019.
- [82] J. Palacci, S. Sacanna, A. Vatchinsky, P. M. Chaikin, and D. J. Pine. Photoactivated colloidal dockers for cargo transportation, 2013.
- [83] Akshay Deshmukh, Chanhee Boo, Vasiliki Karanikola, Shihong Lin, Anthony P Straub, Tiezheng Tong, David M Warsinger, and Menachem Elimelech. Membrane distillation at the water-energy nexus: limits, opportunities, and challenges. *Energy & Environmental Science*, 11(5):1177–1196, 2018.
- [84] Jiebo Li, Zhen Chi, Ruzhan Qin, Li Yan, Xubo Lin, Mingjun Hu, Guangcun Shan, Hailong Chen, and Yu-Xiang Weng. Hydrogen bond interaction promotes flash energy transport at mxene-water interface, 2020.
- [85] Sohail A Jalil, Bo Lai, Mohamed ElKabbash, Jihua Zhang, Erik M Garcell, Subhash Singh, and Chunlei Guo. Spectral absorption control of femtosecond laser-treated metals and application in solar-thermal devices. *Light: Science & Applications*, 9(1):14, 2020.
- [86] Nao Hiroshige, Shunsuke Okai, Xuanwei Zhang, Samir Kumar, Kyoko Namura, and Motofumi Suzuki. Microbubble oscillation on localized heat source affected by dissolved gases in water, 2024.

-
- [87] Jie Liang, Haizhou Liu, Jianyu Yu, Lin Zhou, and Jia Zhu. Plasmon-enhanced solar vapor generation. *Nanophotonics*, 8(5):771–786, 2019.
- [88] Wenyan Tang and Rahul Jain. Mechanism designs for stochastic resources for renewable energy integration, 2012.
- [89] Shuyan Hao, Hecheng Han, Zhengyi Yang, Mengting Chen, Yanyan Jiang, Guixia Lu, Lun Dong, Hongling Wen, Hui Li, Jiurong Liu, et al. Recent advancements on photothermal conversion and antibacterial applications over mxenes-based materials. *Nano-Micro Letters*, 14(1):178, 2022.
- [90] Anna Rita Di Fazio, Arturo Losi, Mario Russo, Filippo Cacace, Francesco Conte, Giulio Iannello, Gianluca Natrella, and Matteo Saviozzi. Methods and tools for the management of renewable energy communities: the comer project, 2022.

www.SurveyX.cn

Disclaimer:

SurveyX is an AI-powered system designed to automate the generation of surveys. While it aims to produce high-quality, coherent, and comprehensive surveys with accurate citations, the final output is derived from the AI's synthesis of pre-processed materials, which may contain limitations or inaccuracies. As such, the generated content should not be used for academic publication or formal submissions and must be independently reviewed and verified. The developers of SurveyX do not assume responsibility for any errors or consequences arising from the use of the generated surveys.

www.SurveyX.cn