

---

# A Survey of Quantum Attention Mechanisms and Quantum Machine Learning

---

[www.surveyx.cn](http://www.surveyx.cn)

## Abstract

The interdisciplinary field of Quantum Machine Learning (QML) represents a convergence of quantum mechanics and computational techniques, offering transformative potential across various domains. This survey paper provides a systematic overview of QML, focusing on the integration of quantum computing with classical machine learning frameworks. It explores the foundational principles of quantum mechanics, such as superposition and entanglement, and their application in enhancing machine learning tasks through quantum circuits and algorithms. The paper delves into quantum attention mechanisms, emphasizing their role in improving data classification and generative models, and highlights advancements in Quantum Neural Networks (QNNs), which extend classical architectures into the quantum domain for improved computational efficiency. The survey also addresses the challenges of implementing QML on Noisy Intermediate-Scale Quantum (NISQ) devices and explores hybrid quantum-classical models that leverage the strengths of both paradigms. Furthermore, it examines the implications of quantum information processing in cryptography and artificial intelligence, underscoring the potential for secure and efficient solutions to complex problems. Despite the promise of QML, the paper identifies ongoing challenges, such as noise management and scalability, and suggests future research directions, including optimizing quantum algorithms and exploring new hybrid approaches. Overall, this survey highlights the revolutionary potential of QML in advancing computational methodologies and paves the way for future innovations in secure communication and intelligent systems.

## 1 Introduction

### 1.1 Interdisciplinary Integration

The integration of quantum mechanics with computational techniques marks a significant advancement in machine learning, enabling the development of efficient models through innovative quantum circuit designs [1]. This interdisciplinary approach utilizes quantum phenomena, such as superposition and entanglement, to enhance data processing capabilities beyond classical methods [2]. Quantum Machine Learning (QML) has emerged as a vital area, harmonizing quantum computational models with machine learning algorithms to tackle challenges that remain difficult for traditional systems [3].

Collaboration between quantum physicists and machine learning experts is crucial for advancing this integration, as they explore the potential of quantum classifiers and other learning models [4]. Frameworks like TensorFlow Quantum enable rapid prototyping of hybrid quantum-classical models, bridging the gap between quantum computing and machine learning [5]. Quantum Neural Networks (QNNs) exemplify this synergy, extending classical neural architectures into the quantum realm and offering improvements in data processing and computational efficiency [6].




Figure 1: chapter structure

As data volumes grow, advanced computational techniques, including quantum generative models, become essential for effective data management [7]. The emergence of hybrid quantum neural networks highlights the potential of these interdisciplinary approaches to enhance performance metrics, such as accuracy and training speed, by combining quantum and classical components [8]. This evolution is further supported by parameterized quantum circuits as QNNs, which address classical methods' limitations in noisy environments and improve forecasting capabilities [9].

Quantum machine learning's ability to manage the exponential growth of model sizes and computational limitations inherent in classical machine learning drives this integration, offering improved efficiency and error reduction. The interdisciplinary fusion of quantum mechanics with computational techniques is set to revolutionize scientific discovery and information theory, paving the way for unprecedented advancements across various domains [10]. The applicability of quantum computing in finance underscores its potential to enhance machine learning capabilities, addressing complex financial problems more effectively [11]. Additionally, quantum reservoir computing exemplifies the innovative potential of this interdisciplinary integration [3].

## 1.2 Significance of Quantum Concepts

Quantum concepts play a crucial role in advancing computational techniques by leveraging principles such as superposition, entanglement, and quantum parallelism to enhance machine learning tasks [12]. These principles facilitate efficient representation and manipulation of high-dimensional data, essential for complex machine learning applications [13]. The integration of quantum bits (qubits) and quantum circuits underpins these advancements, leading to significant improvements in speed and resource utilization [13]. However, developing effective Quantum Machine Learning (QML)

---

models requires expertise to balance model complexity with feasibility on Noisy Intermediate-Scale Quantum (NISQ) devices [14].

Quantum algorithms have the potential to outperform classical methods, particularly in tasks involving large datasets and complex models, significantly reducing computation times for high-dimensional optimization problems [15]. This is particularly evident in fields like anomaly detection, where quantum concepts provide innovative solutions to traditional challenges [15]. The application of QML methodologies addresses classical approaches' limitations, offering new avenues for solving problems in reinforcement learning and generative models. The advantages of quantum algorithms are further emphasized by their ability to harness quantum computing capabilities, even in noisy environments [16].

The need for new approaches arises from existing quantum machine learning methods that require converting large classical datasets into quantum states, posing practical challenges [5]. The development of quantum neural networks with specific structures is a promising direction for enhancing network performance [6]. Quantum machine learning models employ encoding circuits to map data into a quantum Hilbert space, underscoring the importance of quantum concepts in advancing computational techniques [17]. The challenges posed by current quantum algorithm construction methods, which necessitate long circuit depths and complex error correction, highlight the need for simplification through machine learning [18].

Quantum concepts are transformative not only in computational efficiency but also in their socio-epistemological implications, challenging existing paradigms and opening new perspectives in the field [19]. The exploration of quantum-inspired models that mimic classical frameworks demonstrates the innovative potential of integrating quantum principles into traditional computational techniques [20]. The significance of quantum concepts lies in their capacity to revolutionize computational methodologies, paving the way for novel solutions to complex problems across various domains.

### 1.3 Objectives of the Survey

This survey aims to systematically overview the emerging field of Quantum Machine Learning (QML), focusing on how quantum computing enhances classical machine learning algorithms and addresses existing knowledge gaps [21]. It summarizes state-of-the-art advances in QML, emphasizing recent classification works and the integration of classical machine learning with quantum information processing [22]. A key goal is to address expressivity limitations in quantum neural networks, particularly in regression tasks and image classification, thereby enhancing their applicability and performance [6].

The survey also explores the adaptation of Shapley values from classical machine learning to the quantum domain, addressing the critical issue of explainability in quantum machine learning models [19]. Furthermore, it seeks to develop methodologies leveraging machine learning to construct quantum algorithms for tasks like entanglement estimation, pivotal in advancing quantum computational techniques [18].

This survey delivers an in-depth examination of QML systems, highlighting their potential to enhance computational efficiency and provide innovative insights. It focuses on implementing effective QML models on Noisy Intermediate-Scale Quantum (NISQ) devices by exploring various QML algorithms, their applications across domains, and the implications of current hardware advancements. Additionally, it addresses challenges related to the trainability of QML models while showcasing practical applications that demonstrate QML's superiority over classical methods in solving complex real-world problems [23, 24, 25, 26]. The survey also explores effective data preprocessing techniques to enhance QML model performance and proposes frameworks for integrating quantum circuits with classical machine learning workflows, enabling novel models and algorithms. Through these objectives, the survey aspires to contribute to theoretical and practical advancements in quantum machine learning, identifying future research and development areas.

### 1.4 Structure of the Survey

The survey is structured to provide a comprehensive exploration of the interdisciplinary field of Quantum Machine Learning (QML), emphasizing its integration with classical computational techniques. It begins with an introduction that highlights the significance and objectives of the survey. The

---

second section delves into the background and core concepts, providing foundational understanding of quantum mechanics principles relevant to computing, alongside key components such as quantum circuits and algorithms.

The third section focuses on quantum attention mechanisms, examining their role in enhancing data processing within QML, particularly in generative models and data classification tasks. The fourth section explores various approaches and recent advancements in quantum machine learning, including quantum neural networks and hybrid quantum-classical models, offering insights into potential improvements in learning tasks through quantum computational models.

Section five provides an in-depth analysis of quantum circuits and algorithms, detailing their foundational structures, efficiency, challenges, and optimization strategies. Section six discusses quantum computing and neural networks, exploring qubits' implications for complex computations, alongside various architectures and applications of quantum neural networks [27].

The penultimate section, quantum information processing, covers the manipulation, transmission, and storage of information using quantum systems, highlighting its revolutionary potential in cryptography and artificial intelligence. The survey concludes with a summary of key findings and a discussion on future directions, identifying current challenges and potential research avenues in integrating quantum mechanics with computational techniques [28]. The following sections are organized as shown in Figure 1.

## **2 Background and Core Concepts**

### **2.1 Fundamental Principles of Quantum Mechanics in Computing**

Quantum mechanics principles such as superposition, entanglement, and quantum parallelism are foundational to quantum computing, enhancing computational tasks, especially in machine learning. Superposition enables qubits to exist in multiple states simultaneously, facilitating efficient complex calculations beyond classical capabilities. This is crucial for quantum algorithms, which can explore numerous possibilities concurrently, thus increasing computational efficiency. Entanglement ensures that qubits are interdependent, allowing for robust computations and error correction [18].

Quantum parallelism empowers quantum computers to handle extensive computations simultaneously, offering exponential speedups for specific problems. Quantum Neural Networks (QNNs), which employ measurement-based quantum computation, exemplify this by modeling intricate quantum state relationships. The multiple-triangle ansatz (MuTA) provides a universal QNN framework for tasks like universal gate set learning and classical data classification. Comparative studies of QNN architectures reveal insights into their learning capacities, showcasing measurement-based quantum computation as a robust framework for advancing quantum machine learning algorithms [29, 30]. Variational quantum algorithms further integrate quantum mechanics into computational frameworks, enhancing data representation and processing capabilities.

The theoretical underpinnings of quantum machine learning (QML) include data encoding, variational quantum circuits, and hybrid quantum-classical approaches, leveraging qubits' expressibility. These models improve learning efficiency and generalization across complex datasets, offering enhanced feature importance assessment and explainability compared to classical methods. This results in significant advancements in supervised and unsupervised learning, facilitating faster training and deeper insights into model predictions, particularly in healthcare and finance [23, 11, 31, 32, 33]. However, challenges such as qubit coherence, state preparation complexity, and current hardware limitations persist.

Implementing QML algorithms on Noisy Intermediate-Scale Quantum (NISQ) devices presents challenges due to noise and limited qubit availability. Despite these obstacles, quantum computing's potential to enhance classical machine learning methods in computational efficiency and expressibility remains substantial. Research at the intersection of quantum computing and machine learning continues to push the boundaries of computational feasibility, promising revolutionary advancements across various domains.

---

## 2.2 Key Components of Quantum Computing

Quantum computing relies on components like quantum circuits, qubits, and quantum algorithms, enabling complex computational tasks, especially in quantum machine learning. Quantum circuits are the foundational framework for implementing quantum algorithms, manipulating qubits to perform intricate computations, generating entangled states, and executing protocols beyond classical capabilities [17]. Optimizing quantum circuits is crucial for designing efficient quantum machine learning models and signal processing techniques, advancing the field [34].

Qubits, the fundamental units of quantum information, exhibit superposition and entanglement, allowing them to exist in multiple states and interlink in ways classical bits cannot. This multidimensional state space is harnessed in quantum feature maps, enhancing machine learning algorithms by utilizing quantum states for data representation, thus improving expressibility and efficiency [13]. Quantum logic gates manipulate qubits, executing operations essential for quantum computations, including those challenging to replicate with classical gates.

Quantum algorithms exploit qubits' unique properties to solve problems more efficiently than classical counterparts. These algorithms, often realized through quantum circuits, include variational quantum algorithms that optimize quantum states for tasks such as image reconstruction and quantum kernel methods that augment classical kernels to enhance machine learning performance. The exploration of Parameterized Quantum Circuits (PQCs) is vital for advancing quantum machine learning research, with benchmarks comparing different PQC architectures to assess learning capability and facilitate efficient design [35].

Challenges such as the linear nature of quantum computation, the impossibility of duplicating quantum information, and difficulties in implementing nonlinear functions essential for neural networks persist. Additionally, existing quantum architecture search methods are inefficient in evaluating numerous quantum ansatzes during training, presenting a computational bottleneck. The architecture of encoding circuits significantly influences the core properties of quantum machine learning models, defining essential components such as quantum circuits and qubits [17]. These components collectively form the backbone of quantum computing, enabling the development of advanced computational models poised to revolutionize optimization, cryptography, and artificial intelligence.

## 2.3 Relevance to Quantum Machine Learning

Quantum Machine Learning (QML) leverages quantum mechanics to surpass classical machine learning limitations, particularly in computational efficiency and energy consumption. The superposition and entanglement properties of qubits enable quantum algorithms to process extensive datasets simultaneously, yielding significant speedups over classical methods [22]. This capability is crucial for complex learning tasks like pattern recognition and clustering, where quantum-enhanced kernels have demonstrated superior performance in Gaussian Processes compared to classical techniques [36].

Quantum feature maps illustrate the integration of quantum mechanics into machine learning frameworks, exploiting qubits' multidimensional state space to enhance algorithms' expressibility and efficiency. Techniques such as quantum k-nearest neighbors (k-NN) exemplify this integration, improving classification tasks. Recent studies suggest that quantum locality methods, like quantum k-NN, can effectively focus on relevant data neighborhoods, enhancing classification accuracy. Empirical evaluations of quantum machine learning pipelines incorporating quantum k-NN have shown comparable accuracy to classical models while revealing sensitivity to probability fluctuations. Furthermore, quantum classifiers tested on complex datasets, such as MNIST, have achieved high accuracy rates and favorable scaling properties, underscoring quantum computing's potential in tackling classification challenges that are computationally intensive for classical systems [27, 37, 38, 16, 39]. However, the need for deep quantum circuits to attain high expressivity introduces challenges, such as error accumulation, impacting model performance. This complexity emphasizes the necessity for effective data encoding strategies, as demonstrated by the MuZero Circuit Search (MCS) method, which optimizes encoding circuits for specific QML tasks.

Deploying QML algorithms on NISQ devices, characterized by noise and limited qubit availability, presents ongoing challenges. Variational quantum algorithms have emerged as promising solutions for optimizing quantum states, significantly enhancing applications like image reconstruction and

---

improving machine learning tasks on NISQ devices. These algorithms leverage quantum principles to enhance various machine learning models, including novel architectures like quantum perceptrons and autoencoders. Recent advancements indicate their potential for exponential speedup in generative models and classification problems, suggesting transformative impacts on both quantum computation and machine learning methodologies [40, 41, 42]. Despite these advancements, the interpretability of quantum models remains complex, with a lack of established methods for calculating feature importance affecting performance and interpretability.

Hybrid quantum-classical neural networks (HQNNs) present a viable approach to address these challenges, combining quantum and classical computations to optimize hyperparameters within Quantum Neural Networks (QNNs), improving trainability and reducing noise sensitivity. Digital-analog quantum protocols offer innovative solutions for efficiently processing large datasets by leveraging two distinct encoding methods: analog encoding, representing data as amplitudes of quantum states, and digital encoding, utilizing qubit strings. This dual approach not only enhances the performance of quantum algorithms, such as the Harrow-Hassidim-Lloyd (HHL) algorithm, but also addresses classical algorithms' inefficiencies in high-dimensional data contexts. Recent advancements in quantum machine learning demonstrate that combining large analog operations with discrete quantum gates can significantly improve data processing capabilities without necessitating fault-tolerant quantum computers. These developments pave the way for practical applications across various fields, including cybersecurity and artificial intelligence, where quantum systems can outperform traditional computational methods [43, 44, 45, 46].

The relevance of QML is particularly pronounced in applications like medical diagnostics, where quantum models have shown enhanced performance in machine learning tasks. The integration of linear quantum processes with nonlinear machine learning methods remains a significant challenge, necessitating innovative solutions to enhance QML models' trainability and effectiveness, especially in domains such as quantum materials, biochemistry, and high-energy physics, where current quantum devices still lack the requisite qubit quality and fault tolerance [27, 26, 47]. The core concepts of quantum mechanics thus provide a robust foundation for QML, offering novel computational frameworks poised to revolutionize optimization, cryptography, and artificial intelligence while addressing classical machine learning's limitations.

### 3 Quantum Attention Mechanisms

#### 3.1 Quantum Generative Models and Attention

Quantum generative models, such as Quantum Generative Adversarial Networks (QGANs) and quantum Boltzmann machines, utilize quantum circuits to enhance data generation by integrating quantum attention mechanisms. These mechanisms efficiently focus computational resources on significant data features, thereby optimizing classification and encoding tasks. By employing mixed states for similarity estimation, they preserve quantum information while boosting data generation efficiency [9].

The Grover-inspired Quantum Hard Attention Mechanism (GQHAM) introduces a Flexible Oracle and an Adaptive Diffusion Operator, overcoming limitations of traditional Hard Attention Mechanisms (HAM) [2]. This innovation demonstrates quantum generative models' capability to handle high-dimensional datasets effectively. Furthermore, parameterized gates in the Reduced Partition Model (RPM) approximate larger quantum circuit outputs with fewer evaluations, showcasing their proficiency in complex data representation [1].

Quantum Convolutional Neural Networks (QCNNs) exemplify quantum circuits' application in generative models, replacing classical neural networks for classification tasks [48]. Hybrid architectures combining classical and quantum methods, including variational quantum circuits, further optimize generative models [10].

Incorporating classical techniques like Linear Discriminant Analysis (LDA) enhances quantum classifiers' performance, surpassing methods like Principal Component Analysis (PCA) [12]. Quantum Shapley values (QSVs) contribute to evaluating gate importance, improving the interpretability of quantum machine learning systems [19].

Studies show that increased entanglement in quantum circuits does not always improve performance, prompting a reevaluation of its role in quantum generative models [49]. This insight encourages

exploring alternative quantum attention mechanisms that optimize performance without relying heavily on entanglement. Quantum Circuit Learning with Backpropagation (QCL-BP) adapts deep learning backpropagation for quantum circuit learning, illustrating the innovative integration of classical and quantum methodologies [34]. These advancements highlight quantum generative models' potential to develop novel computational frameworks, revolutionizing data generation and processing tasks.

To further illustrate the hierarchical structure of quantum generative models, Figure 2 presents a visual representation that highlights key components such as quantum attention mechanisms, applications of quantum circuits, and enhancements to quantum classifiers. Each category encompasses specific methodologies and innovations that contribute to the advancement of quantum machine learning.




Figure 2: This figure illustrates the hierarchical structure of quantum generative models, highlighting key components such as quantum attention mechanisms, applications of quantum circuits, and enhancements to quantum classifiers. Each category encompasses specific methodologies and innovations that contribute to the advancement of quantum machine learning.

### 3.2 Quantum Attention in Data Classification

Quantum attention mechanisms enhance data classification by leveraging quantum computing's unique properties to improve accuracy and efficiency. Quantum Convolutional Neural Networks (QCNNs) integrate quantum mechanics with convolutional neural networks, reducing complexity and enhancing performance in image processing tasks [48]. QCNNs have successfully classified wavefunction phases from the one-dimensional transverse field Ising model, detecting quantum critical points through supervised learning [48].

Grover-like searches and quantum oracles optimize learning by efficiently identifying significant quantum data, enhancing Quantum Machine Learning (QML) models. The Quantum Mixed-State Attention Network (QMSAN) employs quantum attention mechanisms to improve classification efficiency and accuracy, outperforming classical self-attention networks and other quantum models in text classification. QMSAN achieves 98.5

Quantum-classical convolutional neural networks (QCCNNs) have been explored for data classification, particularly in medical imaging [50]. These approaches construct effective quantum kernels without repeated kernel matrix calculations [51]. The application of quantum k-NN followed by a quantum binary classifier has shown promising empirical results [16].

Despite some quantum computing approaches not yet demonstrating clear advantages over classical methods [52], ongoing research explores integrating quantum attention mechanisms with neural networks to leverage quantum computing for enhanced classification capabilities. These advancements underscore quantum attention mechanisms' significant role in transforming data classification tasks, offering innovative computational frameworks that promise improved performance and efficiency across various applications.

## 4 Quantum Machine Learning

### 4.1 Quantum Neural Networks and Machine Learning

Quantum Neural Networks (QNNs) extend classical neural architectures into the quantum domain, leveraging principles like superposition and entanglement for efficient processing of large feature spaces, which is particularly beneficial for tasks such as pattern recognition and classification [7, 1]. Parameterized quantum circuits within variational learning paradigms further enhance learning on near-term quantum processors [1]. The QRNN-RC method exemplifies QNNs' capability in handling sequential data with reduced training complexity, showcasing their adaptability across different domains [3]. QResNets, featuring residual connections through auxiliary qubits, improve QNNs' expressivity and performance in complex scenarios [6].

Frameworks like TensorFlow Quantum (TFQ) facilitate the integration of quantum computations into classical machine learning workflows, supporting advanced reinforcement learning techniques such as the DEBN model, which combines energy-based models with quantum computing [53, 54]. Quantum orthogonal neural networks and stochastic models enhance classical models, improving various learning tasks [8]. Benchmarking Quantum Support Vector Machines (QSVM) and QNNs against classical models highlights the competitive edge of quantum approaches [36].

Applications of quantum k-NN, informing quantum binary classifiers, demonstrate the extension of classical locality techniques into the quantum realm, improving classification tasks [16]. Incorporating classical feedback mechanisms into quantum machine learning protocols further enhances synchronization tasks, showcasing QNNs' ability to build upon traditional methods [4]. QNNs promise enhanced efficiency and expressivity across diverse applications, with ongoing research exploring their potential in optimization, cryptography, and artificial intelligence [17].

### 4.2 Quantum Kernel Methods

Method Name	Computational Efficiency	Integration with Classical Techniques	Application in Machine Learning
QKM[55]	Efficient Training	Classical Optimization Techniques	Supervised Learning Tasks
EQK[51]	Enhances Efficiency	Classical Optimization Techniques	Classification Tasks
QEM-SVM[38]	Quantum Properties	Classical Optimization Techniques	Classification Tasks
HQP[56]	Quadratic Improvement	Hybrid Quantum-classical	Classification And Continual
QMLP[57]	Quadratic Speedup	Classical Benchmarks	Faster Learning Algorithms
QATNN[58]	Exponential Speedup	Classical Gradient Descent	Deep Learning Applications

Table 1: Summary of various quantum kernel methods detailing their computational efficiency, integration with classical techniques, and applications in machine learning. Each method is evaluated for its potential to enhance learning capabilities by leveraging quantum properties alongside classical optimization strategies.

Quantum kernel methods leverage quantum computing to efficiently process data in high-dimensional Hilbert spaces, utilizing properties like superposition and entanglement to enable computations that are challenging for classical systems [55]. By reformulating supervised quantum models as kernel methods, these approaches integrate classical optimization techniques to enhance quantum machine learning frameworks [55]. Parameterized quantum circuits map classical data into quantum states, exploring richer feature spaces and enhancing QNNs' learning capabilities [51]. Training a p-qubit QNN to generate a q-qubit Embedding Quantum Kernel (EQK) reduces computational overhead typically associated with traditional kernel methods [51].

Table 1 provides a comprehensive overview of different quantum kernel methods, highlighting their computational efficiency, integration with classical techniques, and specific applications in machine learning. Quantum kernel methods have proven effective in classifying high-dimensional data, such as encoding classical features into quantum states using a one-qubit quantum circuit [38]. The hybrid quantum perceptron offers quadratic improvements in computational efficiency and statistical accuracy over classical perceptrons [56], integrating nonlinear dynamics of multilayer perceptrons into quantum computing [57]. Quantum continual learning methods enable sequential learning of multiple quantum state classification tasks, preserving and enhancing prior knowledge [38].

These advancements illustrate the transformative potential of quantum kernel methods in machine learning, offering novel computational frameworks for data processing and analysis. Despite challenges like decoherence and noise affecting neural network performance [20], the quantum algorithm's



---

ability to perform sparse matrix inversion in logarithmic time underscores the promising future of quantum kernel methods [58].

### 4.3 Hybrid Quantum-Classical Models

Hybrid quantum-classical models merge quantum systems' computational strengths with classical algorithms, enhancing performance and efficiency, particularly for complex datasets [50]. Quantum circuits perform convolutional operations, while classical layers handle final classification tasks, resulting in faster and more reliable convergence during QNN optimization [59]. Variational quantum circuits (VQCs) optimize quantum states for input signals and weights, improving learning algorithms and output signals [57]. The integration of VQCs within hybrid models emphasizes the need for careful circuit design to optimize performance and address current quantum hardware limitations [10].

The Quantum Perceptron (QP) exemplifies the integration of quantum and classical models, achieving high accuracy in classifying quantum phases and entangled states [60]. Hybrid models balance computational efficiency with model complexity, especially in deep reinforcement learning applications [54]. This approach's advantage lies in utilizing classical data directly while retaining quantum processing benefits, resulting in enhanced learning speed [5].

Ongoing exploration and optimization of hybrid models are expected to push the limits of computational feasibility, providing innovative solutions to challenges in optimization, cryptography, and artificial intelligence. Future research should focus on enhancing quantum hardware capabilities and exploring more complex quantum architectures for improved model performance [7]. Integrating quantum k-NN with advanced models like quantum SVMs presents a promising avenue for future investigation, analyzing hybrid models for superior performance [16]. Hybrid quantum-classical models offer a novel computational framework poised to revolutionize data processing and analysis across diverse domains.

## 5 Quantum Circuits and Algorithms

### 5.1 Foundational Structures of Quantum Circuits

Quantum circuits are pivotal in quantum computing, particularly for quantum machine learning, as they facilitate qubit manipulation for complex computations, including data reconstruction [61]. Central to these circuits is their ability to encode, process, and decode data efficiently. Quantum gates perform unitary transformations on qubits, enabling diverse operations. The Tensor Tree Network (TTN) architecture exemplifies this by employing a binary tree structure to transform qubit pairs for data classification [62], optimizing computational efficiency through hierarchical organization.

Integrating classical and quantum components enhances circuit performance, often involving classical dense layers surrounding quantum circuits to optimize learning and improve classification outcomes [42]. Variational Quantum Networks (VQNet) leverage quantum properties like superposition and entanglement to refine learning algorithms [63], enhancing quantum neural networks' performance. The Single-Qubit Quantum Neural Network (SQQNN) exemplifies minimalist architecture using single-qubit neurons compatible with near-term quantum hardware [64], emphasizing simplicity and adaptability.

Advancements in quantum neural architecture search optimize designs by evaluating quantum gates' geometrical properties, facilitating optimal configurations [65]. High-performance simulators like TensorFlow Quantum (TFQ) are crucial for developing and testing quantum circuits [53], allowing exploration and performance optimization. These foundational structures are integral to advanced computational model development, offering innovative solutions to complex problems.

### 5.2 Quantum Algorithms and Their Efficiency

Quantum algorithms exploit quantum mechanics' properties, such as superposition and entanglement, achieving computational efficiency surpassing classical methods. This is evident in optimization tasks where quantum systems enhance processing speed and resource utilization. Evolution Strategies optimize without gradients, enabling efficient exploration of solution spaces [66], while Monte Carlo Graph Search (MCGS) systematically explores potential solutions to enhance circuit efficiency [67].

---

Quantum algorithms excel in complex data processing, exemplified by the Quantum Convolutional Neural Network (QCNN), which uses iterative quantum error correction for accurate classification and optimization [68]. This illustrates exponential speedup over classical methods, particularly in high-dimensional data processing. Computing inner product powers and approximating activation functions further highlight quantum algorithms' advantages [69].

In reinforcement learning, quantum algorithms use variational quantum circuits to approximate action-value functions, enhancing learning efficiency through classical optimization [70]. Tensor networks facilitate scalability, addressing device limitations and achieving logarithmic efficiency with data sizes [71], crucial for tasks like pattern recognition and classification. Efficiency is also evident in reducing ancilla qubit overhead during unknown unitary inversion, streamlining computation [72]. Circuit depth, entanglement degree, and initial state preparation significantly influence convergence in methods like the Variational Quantum Eigensolver (VQE) [49].

Quantum algorithms represent a transformative computational framework, unlocking new possibilities across domains. Their integration into machine learning promises to address complex challenges beyond classical capabilities, with exponential speedups in generative modeling and optimization tasks. Quantum-enhanced algorithms are being explored for critical applications in cybersecurity, showcasing their potential to surpass current solutions [27, 43, 41, 73].

### 5.3 Challenges and Optimization in Quantum Circuits

Designing quantum circuits involves significant challenges, particularly optimizing architecture to balance performance and resource constraints. Noise management is crucial, as it affects computational accuracy and reliability. Shallow and wide circuits are preferred for quantum machine learning tasks in noisy environments, mitigating noise impact by simplifying circuit complexity [74].

Current quantum neural networks (QNNs) often do not outperform deep neural networks (DNNs) in real-world tasks, highlighting the need for improved architectures and training techniques [75]. Researchers explore hybrid quantum-classical models that maintain accuracy while executing complex circuits on devices with limited qubit capacity [76]. Optimizing quantum circuits requires careful design of pooling layers in quantum convolutional neural networks (QCNNs). By measuring control qubits in pooling layers to create multiple weighted output channels, classification performance can be enhanced [77]. Excessive entanglement can lead to poorer convergence and solution quality, necessitating careful design considerations [49].

Innovative methods like RL-QMLAS show promise in generating variational quantum circuit architectures achieving high classification accuracy with fewer gates [14]. The application of QNNs in practical scenarios, such as classifying cancerous cells, illustrates both the potential and challenges of quantum circuit design [78]. Addressing these challenges necessitates a comprehensive optimization strategy considering noise management, circuit architecture complexity, and resource limitations, essential for enhancing quantum computing performance, particularly in Noisy Intermediate-Scale Quantum (NISQ) devices. As variational quantum algorithms (VQAs) and hybrid quantum-classical neural networks (HQNNs) gain traction, optimizing gate sequences and parameterization becomes crucial. Techniques like quantum circuit cutting improve large-scale circuit execution on limited-qubit devices, while insights into quantum chip architectures inform more efficient parameterization strategies. Balancing these elements is vital for advancing quantum machine learning applications across various fields [79, 67, 80, 76, 26].

In recent years, the intersection of Quantum Computing and Neural Networks has garnered significant attention within the academic community. This emerging field not only presents innovative computational paradigms but also introduces unique challenges and opportunities for the advancement of artificial intelligence. To better understand the complexities involved, Figure 3 illustrates the hierarchical organization of key concepts within this domain. This figure highlights the integration of quantum principles into neural network architectures, emphasizing the roles of quantum neurons and non-linear activation functions. Furthermore, it delineates the development and challenges associated with Quantum Convolutional Neural Networks (QCNNs), providing a comprehensive overview that enhances our understanding of this intricate relationship.




Figure 3: This figure illustrates the hierarchical organization of key concepts within the domain of Quantum Computing and Neural Networks, highlighting the integration of quantum principles into neural network architectures, the role of quantum neurons and non-linear activation functions, and the development and challenges of Quantum Convolutional Neural Networks (QCNNs).

## 6 Quantum Computing and Neural Networks

### 6.1 Quantum Neural Network Architectures

Quantum Neural Networks (QNNs) extend classical neural networks into the quantum realm, leveraging superposition and entanglement to efficiently process high-dimensional data and perform complex calculations, thereby enhancing computational capabilities [13]. QNNs integrate quantum states into neural frameworks, simulating classical neurons while preserving essential non-linear characteristics, thus improving classical methodologies. The Quantum-Classical Convolutional Neural Network (QCCNN) exemplifies this by replacing classical convolutional layers with variational quantum circuits, optimizing classical structures to exploit quantum advantages in tasks like clustering and classification [50].

Hybrid Quantum Neural Networks (H-QNNs) combine quantum and classical components to achieve superior performance metrics, including improved accuracy and reduced model size. Frameworks like TensorFlow Quantum facilitate the integration of quantum computations into classical machine learning workflows, promoting faster training and efficient storage [50]. Reducing the T-depth for critical activation functions enhances the practicality of quantum circuits in real-world applications.

---

Approaches like qHop improve neural network efficiency by using quantum computation to recognize patterns in large datasets with logarithmic runtime concerning the number of neurons. Quantum Hamiltonian Embedding demonstrates substantial performance advantages over baseline models like Quantum Convolutional Networks (QCNNs) in processing complex datasets, achieving significant improvements in classification accuracy [81, 82, 83].

The exploration of various QNN architectures pushes computational boundaries, enabling innovative solutions in optimization, cryptography, and artificial intelligence. Advancements in quantum machine learning techniques, such as Quantum Variational Classifiers and Quantum Kernel Estimation, are applied in critical areas like risk management and fraud detection. Quantum architecture search methods optimize parameterized quantum circuits, while quantum perceptrons offer a more expressive foundation for quantum neuromorphic computing, potentially leading to universal computational capabilities. As research progresses, QNN architectures are set to revolutionize computational methodologies, enhancing performance and efficiency across diverse applications [84, 85, 75, 43, 86].

## 6.2 Quantum Neurons and Non-linear Activation

Quantum neurons, fundamental to quantum neural networks, simulate classical neuron behavior while utilizing quantum mechanics properties. Implemented as quantum circuits, these neurons process inputs in superposition, extending traditional neural network capabilities [87]. Their integration into learning models fosters efficient algorithms, leveraging phenomena like superposition and entanglement for parallel computations, significantly reducing learning time complexity compared to classical methods [57].

Quantum neurons enhance effectiveness by implementing non-linear activation functions, crucial for improving learning and generalization in neural networks. Quantum-inspired activation functions optimize feature selection and decrease training steps in hybrid quantum-classical models, demonstrating potential for large-scale machine learning applications. Quantum neurons replicate classical structures while processing inputs in superposition, preserving quantum coherence and entanglement, enhancing learning capabilities [52, 87, 88, 59, 69]. Quantum multilayer perceptron models exemplify this capability by using quantum states to represent inputs and weights more effectively than classical methods, simulating non-linear dynamics within quantum circuits and improving learning model expressibility and efficiency.

The exploration of quantum neurons and their activation functions continues to advance computational feasibility, offering innovative solutions to complex problems across various domains. As research progresses, incorporating quantum neurons into neural network architectures is poised to significantly transform computational methodologies, yielding substantial improvements in performance and efficiency for applications in pattern recognition, optimization, and artificial intelligence. Quantum machine learning, harnessing unique quantum system properties, may provide solutions to currently intractable problems for classical computers. Recent studies suggest that quantum algorithms enhance the training and evaluation of feedforward neural networks, achieving quadratically faster running times than traditional methods, particularly in large-scale, highly connected networks. Combining classical neural networks with quantum components may enhance classification capabilities and introduce resilience to overfitting, similar to regularization techniques in classical machine learning. The convergence of quantum computing and neural networks presents promising opportunities for advancing artificial intelligence [89, 52, 90].

## 6.3 Quantum Convolutional Neural Networks (QCNNs)

Quantum Convolutional Neural Networks (QCNNs) extend classical convolutional neural networks into the quantum domain, utilizing quantum mechanics principles to enhance computational efficiency and learning capabilities. QCNNs leverage quantum superposition and entanglement for parallel data processing, potentially achieving exponential computational speedups [91]. This quantum advantage improves handling of high-dimensional data, particularly in tasks such as image classification and pattern recognition.

QCNN architecture includes quantum circuits performing convolutional operations, followed by pooling and fully connected layers, which may be either quantum or classical. This hybrid structure enables QCNNs to exploit both quantum and classical computing strengths, enhancing performance

and generalization capabilities. Ground state embeddings in QCNNs have demonstrated superior classification performance, indicating potential for various quantum machine learning tasks [92].

However, large-scale implementation of QCNNs encounters challenges related to noise and complexity of quantum operations. Current research often overlooks these issues, necessitating further exploration to develop robust quantum classifiers capable of functioning effectively in noisy environments [37]. Repeat-until-success (RUS) circuits in QCNNs facilitate non-linear activation functions, enabling quantum neural networks to learn from data superpositions [87]. This capability is essential for developing efficient learning models that leverage quantum phenomena for enhanced performance.

QCNNs represent a transformative advancement in quantum machine learning, offering novel computational frameworks poised to revolutionize data processing and analysis across various fields. As research progresses, integrating quantum convolutional architectures with classical techniques is expected to yield substantial improvements in computational methodologies. This synergy aims to enhance performance and efficiency across diverse applications, particularly in scenarios with limited training data, where quantum-enhanced methods have shown promise. A critical factor influencing these advancements is the selection of data encoding strategies, vital for embedding classical data into quantum states. Ongoing investigations into these encoding methods, along with the development of QCNNs capable of processing multi-channel data, are paving the way for harnessing quantum advantages in complex tasks such as image recognition and medical imaging, addressing current limitations in classical approaches [27, 83, 93, 88, 50].

## 7 Quantum Information Processing

### 7.1 Manipulation and Evaluation of Quantum Systems

Benchmark	Size	Domain	Task Format	Metric
NTangled[94]	1,000	Quantum Computing	Classification	Accuracy, CE
QML[95]	2,149	Health	Binary Classification	Accuracy
QCNN[81]	12,665	Image Classification	Binary Classification	Accuracy, F1-score
SQP[96]	150	Classification	Supervised Learning	Validation Cost
VQML[74]	1,000	Classification	Classification	Accuracy
QNN-HyperOpt[97]	400	Classification	Classification	Accuracy, F1-score
LC[98]	100	Fourier Analysis	Function Approximation	Mean Squared Error
FEEQML[32]	150	Botany	Classification	Accuracy, F1-score

Table 2: This table presents a comprehensive overview of various benchmarks employed in quantum computing research, highlighting their respective sizes, domains, task formats, and evaluation metrics. It serves as a valuable resource for understanding the diversity and scope of quantum machine learning applications across different fields, including health, image classification, and botany. The table also references key studies that have contributed to the development and assessment of these benchmarks.

Advancements in quantum computing hinge on the precise manipulation and evaluation of quantum systems, exploiting superposition and entanglement to perform tasks beyond classical capabilities. Quantum gates and circuits implement unitary transformations on qubits, crucial for executing complex algorithms and optimizing quantum processes through error correction [61]. Accurate manipulation is essential to maintain coherence and minimize errors.

Evaluating quantum systems involves measuring quantum states to extract information without disturbance. Techniques like the SWAP test enhance data encoding and processing efficiency, benefiting clustering and classification applications [13]. Quantum Hamiltonian Embedding exemplifies advanced architectures that process complex datasets efficiently, showcasing quantum systems' potential to revolutionize data analysis across domains such as optimization, cryptography, and AI [92].

These foundational processes in quantum information processing enable the development of advanced computational models, transforming data processing across diverse applications. Integrating quantum with classical methodologies promises enhanced computational techniques by leveraging quantum mechanics to improve performance in machine learning, finance, and chemistry. Overcoming limitations in qubit quality, speed, and fault tolerance is crucial for addressing complex challenges that classical computing cannot solve [27, 99, 62]. Table 2 provides a detailed overview of the representative benchmarks used in quantum computing, illustrating their application domains, task formats, and evaluation metrics, which are pivotal for advancing quantum information processing techniques.

---

## 7.2 Applications in Cryptography and Artificial Intelligence

Quantum information processing offers transformative potential in cryptography and AI by harnessing quantum mechanics' unique properties. In cryptography, quantum computing enhances security protocols with quantum-resistant algorithms and improved encryption methods. Quantum key distribution (QKD) exemplifies this potential, using quantum states to securely transmit keys, ensuring communication security against eavesdropping [100, 101].

In AI, quantum machine learning (QML) improves the processing of high-dimensional data, enhancing accuracy and efficiency in pattern recognition, optimization, and classification tasks. Quantum computing integration with AI frameworks facilitates exploration of complex datasets, yielding insights unattainable with classical methods. QML benchmarks demonstrate its applicability in real-world cybersecurity, showcasing potential for quantum-enhanced AI systems to detect and mitigate cyber threats [36].

Quantum algorithms' parallel computation capabilities offer exponential speedups in AI tasks, crucial for rapid data processing in natural language processing, image recognition, and autonomous systems. Hybrid quantum-classical models enhance AI capabilities by integrating quantum processing advantages with classical algorithm robustness, addressing quantum hardware limitations through techniques like autoencoders for data compression. These models improve performance and scalability across AI applications, underscoring classical components' role in achieving high accuracy. Realizing quantum machine learning's full potential depends on advancements in quantum hardware to overcome qubit quality and fault tolerance limitations [102, 27, 54].

Quantum information processing's transformative potential in cryptography and AI lies in delivering secure, efficient, and scalable solutions to complex challenges, enhancing cybersecurity and revolutionizing data processing. Integrating quantum computing with machine learning, as seen in models like the Quantum Mixed-State Attention Network (QMSAN), enables advanced methodologies for tasks such as natural language processing, surpassing classical limitations. This synergy optimizes performance and reduces computational resource requirements, opening new avenues for addressing industry-specific challenges while considering ethical and security implications [9, 43]. As research progresses, integrating quantum technologies into these fields is expected to yield significant advancements, paving the way for a new era of secure communication and intelligent systems.

## 8 Conclusion

### 8.1 Challenges and Future Directions

Integrating quantum computing with classical machine learning frameworks presents a multifaceted landscape of challenges and opportunities. A significant challenge lies in optimizing quantum algorithms to harness theoretical quantum advantages effectively in practical applications. The limitations of current quantum hardware necessitate advancements in error correction techniques and algorithmic optimization, alongside the exploration of frameworks like TensorFlow Quantum to enhance applicability.

Scalability remains a critical issue, as maintaining high fidelity in quantum operations is challenging, thus restricting practical implementations. Future research should focus on optimizing tensor network architectures and multi-qubit interactions to improve performance in quantum machine learning. The potential of quantum neurons in various machine learning paradigms offers promising avenues for advancement, with emphasis on optimizing circuit implementations and exploring new applications.

Improving hyperparameter tuning, developing efficient methods for quantum gradient calculations, and investigating algorithmic variations to bolster robustness are essential. As quantum hardware capabilities advance, prioritizing the optimization of quantum algorithms for existing devices and exploring hybrid approaches that combine classical and quantum methods will enhance practical applicability.

In privacy and security, integrating techniques like differential privacy and secure multi-party computation is vital. Addressing challenges in detecting contextual and collective anomalies presents opportunities for applying quantum algorithms to complex anomaly types. Additionally, exploring advanced embedding techniques and model robustness enhancements are crucial countermeasures against reverse engineering.

---

The development of hybrid quantum-classical models is critical for leveraging the strengths of both paradigms, improving robustness against noise, and enhancing applicability in complex datasets. Future research should focus on refining these models to capitalize on the strengths of quantum and classical methodologies. The future of quantum machine learning hinges on addressing these challenges and exploiting quantum systems' unique properties to revolutionize computational methodologies.

Exploring hybrid quantum-classical approaches and developing new algorithms inspired by quantum properties can enhance classical machine learning, utilizing quantum outputs' probabilistic nature to offer insights into classification quality. As research progresses, integrating quantum technologies across diverse fields is anticipated to yield significant advancements, paving the way for a new era of secure communication and intelligent systems. Optimizing learning processes and scaling methods, such as Quantum Backpropagation for larger quantum systems, will be crucial for future progress, demonstrating improved learning efficiency and reduced computation times, thereby addressing current challenges in parameter optimization for quantum circuits.

---

## References

- [1] Simon C. Marshall, Casper Gyurik, and Vedran Dunjko. High dimensional quantum machine learning with small quantum computers, 2023.
- [2] Ren-Xin Zhao, Jinjing Shi, and Xuelong Li. Gqhan: A grover-inspired quantum hard attention network, 2024.
- [3] Samuel Yen-Chi Chen, Daniel Fry, Amol Deshmukh, Vladimir Rastunkov, and Charlee Stefanski. Reservoir computing via quantum recurrent neural networks, 2022.
- [4] F. A. Cárdenas-López, M. Sanz, J. C. Retamal, and E. Solano. Enhanced quantum synchronization via quantum machine learning, 2019.
- [5] Joong-Sung Lee, Jeongho Bang, Sunghyuk Hong, Changhyoup Lee, Kang Hee Seol, Jinhyoung Lee, and Kwang-Geol Lee. Experimental demonstration of quantum learning speed-up with classical input data, 2018.
- [6] Jingwei Wen, Zhiguo Huang, Dunbo Cai, and Ling Qian. Enhancing the expressivity of quantum neural networks with residual connections, 2024.
- [7] Natansh Mathur, Jonas Landman, Yun Yvonna Li, Martin Strahm, Skander Kazdaghi, Anupam Prakash, and Iordanis Kerenidis. Medical image classification via quantum neural networks, 2022.
- [8] Joseph Lindsay and Ramtin Zand. A novel stochastic lstm model inspired by quantum machine learning, 2023.
- [9] Fu Chen, Qinglin Zhao, Li Feng, Chuangtao Chen, Yangbin Lin, and Jianhong Lin. Quantum mixed-state self-attention network, 2024.
- [10] Alexey Melnikov, Mohammad Kordzanganeh, Alexander Alodjants, and Ray-Kuang Lee. Quantum machine learning: from physics to software engineering, 2023.
- [11] Vedran Dunjko, Jacob M. Taylor, and Hans J. Briegel. Quantum-enhanced machine learning, 2016.
- [12] Javier Mancilla and Christophe Pere. A preprocessing perspective for quantum machine learning classification advantage using nisq algorithms, 2022.
- [13] Chi-Huan Nguyen, Ko-Wei Tseng, Gleb Maslennikov, H. C. J. Gan, and Dzmitry Matsukevich. Quantum-enhanced bosonic learning machine, 2021.
- [14] Xin Dai, Tzu-Chieh Wei, Shinjae Yoo, and Samuel Yen-Chi Chen. Quantum machine learning architecture search via deep reinforcement learning, 2024.
- [15] Sebastiano Corli, Lorenzo Moro, Daniele Dragoni, Massimiliano Dispenza, and Enrico Prati. Quantum machine learning algorithms for anomaly detection: A review, 2025.
- [16] Enrico Zardini, Enrico Blanzieri, and Davide Pastorello. Implementation and empirical evaluation of a quantum machine learning pipeline for local classification, 2022.
- [17] Frederic Rapp, David A. Kreplin, Marco F. Huber, and Marco Roth. Reinforcement learning-based architecture search for quantum machine learning, 2024.
- [18] Nathan Thompson, James Steck, and Elizabeth Behrman. A non-algorithmic approach to "programming" quantum computers via machine learning, 2020.
- [19] Raoul Heese, Thore Gerlach, Sascha Mücke, Sabine Müller, Matthias Jakobs, and Nico Piatkowski. Explaining quantum circuits with shapley values: Towards explainable quantum machine learning, 2025.
- [20] Yue Ban, Javier Echanobe, Erik Torrontegui, and Jorge Casanova. Mutual reinforcement between neural networks and quantum physics, 2022.



- 
- [21] M. Schuld, I. Sinayskiy, and F. Petruccione. An introduction to quantum machine learning, 2014.
  - [22] Zainab Abohashima, Mohamed Elhosen, Essam H. Houssein, and Waleed M. Mohamed. Classification with quantum machine learning: A survey, 2020.
  - [23] Daniel Goldsmith and M M Hassan Mahmud. Machine learning for quantum computing specialists, 2024.
  - [24] Kamila Zaman, Alberto Marchisio, Muhammad Abdullah Hanif, and Muhammad Shafique. A survey on quantum machine learning: Current trends, challenges, opportunities, and the road ahead, 2025.
  - [25] Jun Qi, Chao-Han Yang, Samuel Yen-Chi Chen, and Pin-Yu Chen. Quantum machine learning: An interplay between quantum computing and machine learning, 2024.
  - [26] M. Cerezo, Guillaume Verdon, Hsin-Yuan Huang, Lukasz Cincio, and Patrick J. Coles. Challenges and opportunities in quantum machine learning, 2023.
  - [27] David Peral García, Juan Cruz-Benito, and Francisco José García-Peñalvo. Systematic literature review: Quantum machine learning and its applications, 2023.
  - [28] Richard A. Wolf. Why we care (about quantum machine learning), 2024.
  - [29] Luis Mantilla Calderón, Polina Feldmann, Robert Raussendorf, and Dmytro Bondarenko. Measurement-based quantum machine learning, 2024.
  - [30] Aikaterini, Gratsea, and Patrick Huembeli. Exploring quantum perceptron and quantum neural network structures with a teacher-student scheme, 2021.
  - [31] Elies Gil-Fuster, Jonas R. Naujoks, Grégoire Montavon, Thomas Wiegand, Wojciech Samek, and Jens Eisert. Opportunities and limitations of explaining quantum machine learning, 2024.
  - [32] Luke Power and Krishnendu Guha. Feature importance and explainability in quantum machine learning, 2024.
  - [33] Aaron Baughman, Kavitha Yogaraj, Raja Hebbar, Sudeep Ghosh, Rukhsan Ul Haq, and Yoshika Chhabra. Study of feature importance for quantum machine learning models, 2022.
  - [34] Masaya Watabe, Kodai Shiba, Masaru Sogabe, Katsuyoshi Sakamoto, and Tomah Sogabe. Quantum circuit parameters learning with gradient descent using backpropagation, 2019.
  - [35] Patrick Steinmüller, Tobias Schulz, Ferdinand Graf, and Daniel Herr. explainable ai for quantum machine learning, 2022.
  - [36] Mohammad Masum, Mohammad Nazim, Md Jobair Hossain Faruk, Hossain Shahriar, Maria Valero, Md Abdullah Hafiz Khan, Gias Uddin, Shabir Barzanjeh, Erhan Saglamyurek, Akond Rahman, and Sheikh Iqbal Ahamed. Quantum machine learning for software supply chain attacks: How far can we go?, 2022.
  - [37] Weikang Li and Dong-Ling Deng. Recent advances for quantum classifiers, 2021.
  - [38] Chao Ding, Shi Wang, Yaonan Wang, and Weibo Gao. Quantum machine learning for multiclass classification beyond kernel methods, 2024.
  - [39] Iordanis Kerenidis and Alessandro Luongo. Quantum classification of the mnist dataset with slow feature analysis, 2020.
  - [40] Stefano Mangini. Variational quantum algorithms for machine learning: theory and applications, 2023.
  - [41] Xun Gao, Zhengyu Zhang, and Luming Duan. An efficient quantum algorithm for generative machine learning, 2017.
  - [42] Marco Simonetti, Damiano Perri, and Osvaldo Gervasi. An example of use of variational methods in quantum machine learning, 2022.

- 
- [43] Thien Nguyen, Tuomo Sipola, and Jari Hautamäki. Machine learning applications of quantum computing: A review, 2024.
  - [44] Li Zhaokai, Liu Xiaomei, Xu Nanyang, and Du jiangfeng. Experimental realization of quantum artificial intelligence, 2014.
  - [45] Kosuke Mitarai, Masahiro Kitagawa, and Keisuke Fujii. Quantum analog-digital conversion, 2019.
  - [46] Lucas Lamata. Digital-analog quantum machine learning, 2024.
  - [47] Matthew Otten, Imène R. Goumiri, Benjamin W. Priest, George F. Chapline, and Michael D. Schneider. Quantum machine learning using gaussian processes with performant quantum kernels, 2020.
  - [48] Nathaniel Wrobel, Anshumitra Baul, Juana Moreno, and Ka-Ming Tam. An application of quantum machine learning on quantum correlated systems: Quantum convolutional neural network as a classifier for many-body wavefunctions from the quantum variational eigensolver, 2021.
  - [49] Tobias Rohe, Daniëlle Schuman, Jonas Nüßlein, Leo Sünkel, Jonas Stein, and Claudia Linnhoff-Popien. The questionable influence of entanglement in quantum optimisation algorithms, 2024.
  - [50] Maureen Monnet, Nermine Chaabani, Theodora-Augustina Dragan, Balthasar Schachtner, and Jeanette Miriam Lorenz. Understanding the effects of data encoding on quantum-classical convolutional neural networks, 2024.
  - [51] Pablo Rodriguez-Grasa, Yue Ban, and Mikel Sanz. Neural quantum kernels: training quantum kernels with quantum neural networks, 2025.
  - [52] Samuel Bosch, Bobak Kiani, Rui Yang, Adrian Lupascu, and Seth Lloyd. Neural networks for programming quantum annealers, 2023.
  - [53] Michael Broughton, Guillaume Verdon, Trevor McCourt, Antonio J. Martinez, Jae Hyeon Yoo, Sergei V. Isakov, Philip Massey, Ramin Halavati, Murphy Yuezhen Niu, Alexander Zlokapa, Evan Peters, Owen Lockwood, Andrea Skolik, Sofiene Jerbi, Vedran Dunjko, Martin Leib, Michael Streif, David Von Dollen, Hongxiang Chen, Shuxiang Cao, Roeland Wiersema, Hsin-Yuan Huang, Jarrod R. McClean, Ryan Babbush, Sergio Boixo, Dave Bacon, Alan K. Ho, Hartmut Neven, and Masoud Mohseni. Tensorflow quantum: A software framework for quantum machine learning, 2021.
  - [54] Sofiene Jerbi, Lea M. Trenkwalder, Hendrik Poulsen Nautrup, Hans J. Briegel, and Vedran Dunjko. Quantum enhancements for deep reinforcement learning in large spaces, 2020.
  - [55] Maria Schuld. Supervised quantum machine learning models are kernel methods, 2021.
  - [56] Mathieu Roget, Giuseppe Di Molfetta, and Hachem Kadri. Quantum perceptron revisited: Computational-statistical tradeoffs, 2022.
  - [57] Changpeng Shao. A quantum model for multilayer perceptron, 2018.
  - [58] Alexander Zlokapa, Hartmut Neven, and Seth Lloyd. A quantum algorithm for training wide and deep classical neural networks, 2021.
  - [59] Guillaume Verdon, Michael Broughton, Jarrod R McClean, Kevin J Sung, Ryan Babbush, Zhang Jiang, Hartmut Neven, and Masoud Mohseni. Learning to learn with quantum neural networks via classical neural networks. *arXiv preprint arXiv:1907.05415*, 2019.
  - [60] Ishita Agarwal, Taylor L. Patti, Rodrigo Araiza Bravo, Susanne F. Yelin, and Anima Anandkumar. Extending quantum perceptrons: Rydberg devices, multi-class classification, and error tolerance, 2024.
  - [61] Ming-Ming Wang and Yi-Da Jiang. Data reconstruction based on quantum neural networks, 2022.

- 
- [62] D. V. Fastovets, Yu. I. Bogdanov, B. I. Bantysh, and V. F. Lukichev. Machine learning methods in quantum computing theory, 2019.
  - [63] Zhao-Yun Chen, Cheng Xue, Si-Ming Chen, and Guo-Ping Guo. Vqnet: Library for a quantum-classical hybrid neural network, 2019.
  - [64] Leandro C. Souza, Bruno C. Guingo, Gilson Giraldi, and Renato Portugal. Regression and classification with single-qubit quantum neural networks, 2024.
  - [65] Trong Duong, Sang T. Truong, Minh Tam, Bao Bach, Ju-Young Ryu, and June-Koo Kevin Rhee. Quantum neural architecture search with quantum circuits metric and bayesian optimization, 2022.
  - [66] Lucas Friedrich and Jonas Maziero. Evolution strategies: Application in hybrid quantum-classical neural networks, 2023.
  - [67] Bodo Rosenhahn and Tobias J. Osborne. Monte carlo graph search for quantum circuit optimization, 2023.
  - [68] Iris Cong, Soonwon Choi, and Mikhail D Lukin. Quantum convolutional neural networks. *Nature Physics*, 15(12):1273–1278, 2019.
  - [69] Marco Maronese, Claudio Destri, and Enrico Prati. Quantum activation functions for quantum neural networks, 2022.
  - [70] Yunseok Kwak, Won Joon Yun, Soyi Jung, Jong-Kook Kim, and Joongheon Kim. Introduction to quantum reinforcement learning: Theory and pennylane-based implementation, 2021.
  - [71] William Huggins, Piyush Patil, Bradley Mitchell, K Birgitta Whaley, and E Miles Stoudenmire. Towards quantum machine learning with tensor networks. *Quantum Science and technology*, 4(2):024001, 2019.
  - [72] Yin Mo, Lei Zhang, Yu-Ao Chen, Yingjian Liu, Tengxiang Lin, and Xin Wang. Parameterized quantum comb and simpler circuits for reversing unknown qubit-unitary operations, 2025.
  - [73] Venkat R. Dasari, Mee Seong Im, and Lubjana Beshaj. Solving machine learning optimization problems using quantum computers, 2019.
  - [74] Patrick Selig, Niall Murphy, Ashwin Sundareswaran R, David Redmond, and Simon Caton. A case for noisy shallow gate-based circuits in quantum machine learning, 2021.
  - [75] Yang Qian, Xinbiao Wang, Yuxuan Du, Xingyao Wu, and Dacheng Tao. The dilemma of quantum neural networks, 2021.
  - [76] Alberto Marchisio, Emman Sychiuco, Muhammad Kashif, and Muhammad Shafique. Cutting is all you need: Execution of large-scale quantum neural networks on limited-qubit devices, 2024.
  - [77] Gekko Budiutama, Shunsuke Daimon, Hirofumi Nishi, Ryui Kaneko, Tomi Ohtsuki, and Yu ichiro Matsushita. Channel attention for quantum convolutional neural networks, 2023.
  - [78] Nilima Mishra, Aradh Bisarya, Shubham Kumar, Bikash K. Behera, Sabyasachi Mukhopadhyay, and Prasanta K. Panigrahi. Cancer detection using quantum neural networks: A demonstration on a quantum computer, 2019.
  - [79] Pragya Katyayan and Nisheeth Joshi. Implications of deep circuits in improving quality of quantum question answering, 2023.
  - [80] Lucas Friedrich and Jonas Maziero. Restricting to the chip architecture maintains the quantum neural network accuracy, 2024.
  - [81] Tak Hur, Leeseok Kim, and Daniel K. Park. Quantum convolutional neural network for classical data classification, 2022.

- 
- [82] Peiyong Wang, Casey R. Myers, Lloyd C. L. Hollenberg, and Udaya Parampalli. Quantum hamiltonian embedding of images for data reuploading classifiers, 2024.
  - [83] ShiJie Wei, YanHu Chen, ZengRong Zhou, and GuiLu Long. A quantum convolutional neural network on nisc devices, 2021.
  - [84] Shi-Xin Zhang, Chang-Yu Hsieh, Shengyu Zhang, and Hong Yao. Neural predictor based quantum architecture search, 2021.
  - [85] Rodrigo Araiza Bravo, Khadijeh Najafi, Taylor L. Patti, Xun Gao, and Susanne F. Yelin. Expressive quantum perceptrons for quantum neuromorphic computing, 2024.
  - [86] Mina Doosti, Petros Wallden, Conor Brian Hamill, Robert Hankache, Oliver Thomson Brown, and Chris Heunen. A brief review of quantum machine learning for financial services, 2024.
  - [87] Yudong Cao, Gian Giacomo Guerreschi, and Alán Aspuru-Guzik. Quantum neuron: an elementary building block for machine learning on quantum computers, 2017.
  - [88] Shaozhi Li, M Sabbir Salek, Yao Wang, and Mashrur Chowdhury. Quantum-inspired activation functions and quantum chebyshev-polynomial network, 2024.
  - [89] Stefano Mangini, Francesco Tacchino, Dario Gerace, Daniele Bajoni, and Chiara Macchiavello. Quantum computing models for artificial neural networks, 2021.
  - [90] Jonathan Allcock, Chang-Yu Hsieh, Iordanis Kerenidis, and Shengyu Zhang. Quantum algorithms for feedforward neural networks, 2019.
  - [91] Yidong Liao and Chris Ferrie. Gpt on a quantum computer, 2024.
  - [92] Chukwudubem Umeano, Annie E. Paine, Vincent E. Elfving, and Oleksandr Kyriienko. What can we learn from quantum convolutional neural networks?, 2024.
  - [93] Anthony M. Smaldone, Gregory W. Kyro, and Victor S. Batista. Quantum convolutional neural networks for multi-channel supervised learning, 2023.
  - [94] Louis Schatzki, Andrew Arrasmith, Patrick J. Coles, and M. Cerezo. Entangled datasets for quantum machine learning, 2021.
  - [95] Zhengping Jay Luo, Tyler Stewart, Mourya Narasareddygar, Rui Duan, and Shangqing Zhao. Quantum machine learning: Performance and security implications in real-world applications, 2024.
  - [96] Samuel A Wilkinson and Michael J Hartmann. Evaluating the performance of sigmoid quantum perceptrons in quantum neural networks, 2022.
  - [97] Sabrina Herbst, Vincenzo De Maio, and Ivona Brandic. On optimizing hyperparameters for quantum neural networks, 2024.
  - [98] Dirk Heimann, Gunnar Schönhoff, Elie Mounzer, Hans Hohenfeld, and Frank Kirchner. Learning capability of parametrized quantum circuits, 2024.
  - [99] María Laura Olivera-Atencio, Lucas Lamata, and Jesús Casado-Pascual. Benefits of open quantum systems for quantum machine learning, 2023.
  - [100] Ethan N. Evans, Dominic Byrne, and Matthew G. Cook. A quick introduction to quantum machine learning for non-practitioners, 2024.
  - [101] Takahiro Goto, Quoc Hoan Tran, and Kohei Nakajima. Universal approximation property of quantum machine learning models in quantum-enhanced feature spaces, 2021.
  - [102] Michael Kölle, Jonas Maurer, Philipp Altmann, Leo Sünkel, Jonas Stein, and Claudia Linnhoff-Popien. Disentangling quantum and classical contributions in hybrid quantum machine learning architectures, 2024.

---

**Disclaimer:**

SurveyX is an AI-powered system designed to automate the generation of surveys. While it aims to produce high-quality, coherent, and comprehensive surveys with accurate citations, the final output is derived from the AI's synthesis of pre-processed materials, which may contain limitations or inaccuracies. As such, the generated content should not be used for academic publication or formal submissions and must be independently reviewed and verified. The developers of SurveyX do not assume responsibility for any errors or consequences arising from the use of the generated surveys.

www.SurveyX.cn