Green Methanol Production: A Survey

www.surveyx.cn

Abstract

Green methanol production signifies a transformative approach in sustainable chemistry, primarily through the utilization of CO2 hydrogenation, renewable energy, and carbon capture technologies. This survey paper explores the multifaceted processes and technological advancements that underpin green methanol production, highlighting its substantial environmental benefits in reducing greenhouse gas emissions and supporting a circular carbon economy. The integration of solar-driven catalytic systems and renewable energy hubs demonstrates the potential for cost-effective and scalable methanol synthesis, positioning it as a viable alternative to conventional fossil fuels. The paper examines the comparative advantages of methanol over traditional fuels, emphasizing its lower emissions and economic viability, particularly in the maritime and transportation sectors. Key innovations in catalyst design and process optimization are discussed, underscoring the role of interdisciplinary collaboration and policy development in advancing methanol technologies. Despite challenges such as high production costs and infrastructure barriers, the strategic integration of renewable energy and carbon capture offers promising pathways for enhancing the sustainability of methanol production. The survey concludes by identifying future research opportunities in catalyst performance enhancement, renewable energy integration, and interdisciplinary collaboration, reinforcing the potential of green methanol as a cornerstone in achieving global sustainability goals.

1 Introduction

1.1 Environmental Benefits

Green methanol production offers significant environmental advantages, particularly in mitigating greenhouse gas emissions. Conventional methanol production is resource-intensive and a major contributor to greenhouse gas emissions [1]. In contrast, green methanol processes utilize carbonneutral technologies, enhancing production efficiency and addressing these environmental challenges [2]. These advancements align with green chemistry principles, promoting sustainability and resource efficiency within a circular economy [3].

The synthesis of solar methanol through direct CO2 hydrogenation using solar energy represents a crucial strategy for fostering a sustainable energy economy, directly aiding in the reduction of greenhouse gases [4]. The integration of renewable energy sources with Direct Air Capture (DAC) technology in methanol production signifies substantial progress in climate change mitigation [5]. The role of renewables in supplying energy, feedstock, and processing agents is essential for addressing the urgent need to decrease greenhouse gas emissions [6].

Additionally, the catalytic reduction of CO2 and CO not only lowers greenhouse gas concentrations but also enables renewable energy production [7]. The hydrogenation of CO2 into valuable fuels and chemicals, particularly C2+ hydrocarbons and oxygenates, is a vital method for converting anthropogenic CO2 emissions into useful products [8]. This approach provides significant environmental benefits by reducing carbon emissions and utilizing existing CO2 [9].




Figure 1: chapter structure

In the maritime sector, methanol is recognized as a hybrid fuel that supports ecological production methods, facilitating the industry's transition towards sustainability and compliance with stringent emissions regulations [10]. Collectively, these strategies underscore the environmental benefits of green methanol production, emphasizing its critical role in reducing greenhouse gas emissions and advancing sustainable chemistry.

1.2 Structure of the Survey

This survey on green methanol production is organized to provide a thorough analysis of the associated processes, technologies, and impacts. The introductory section defines green methanol, highlighting its significance as a sustainable chemical in reducing greenhouse gas emissions through CO2 hydrogenation, renewable energy integration, and carbon capture technologies. Following this, the environmental benefits of green methanol production are examined, emphasizing its potential to mitigate climate change.

The second section presents the background and core concepts essential for understanding green methanol production, detailing CO2 hydrogenation processes, the role of renewable energy sources, and the importance of carbon capture technologies. It outlines sustainable chemistry principles and their application in methanol production.

The third section compares traditional methanol production methods with green alternatives, focusing on catalyst roles and renewable energy integration. It investigates catalyst innovations and the incorporation of renewable energy sources to enhance production efficiency.

The survey then addresses technological innovations and challenges in the fourth section, exploring recent advancements while identifying ongoing challenges such as cost and scalability. It discusses

potential solutions and future research directions, highlighting innovative process technologies and computational techniques.

The fifth section assesses the environmental and economic impacts of green methanol production, analyzing its economic viability in comparison to alternative fuels and discussing the influence of policy and regulatory frameworks.

Case studies and applications of green methanol production are illustrated in the sixth section, showcasing successful implementations and industrial applications in sectors such as transportation and energy storage, while also highlighting the role of policy and regulation in technology adoption.

The survey concludes with a comprehensive discussion on future directions and research opportunities in green methanol production, pinpointing critical areas for innovation, including advanced catalyst design, production process optimization, and interdisciplinary collaboration. It emphasizes the importance of integrating renewable energy sources and direct air capture technologies to enhance the sustainability and efficiency of methanol production, addressing the environmental challenges posed by traditional methods [10, 5]. The potential for further integration of renewable energy and carbon capture technologies is also examined, reinforcing the significance of green methanol in achieving global sustainability objectives. The following sections are organized as shown in Figure 1.

2 Background and Core Concepts

2.1 CO2 Hydrogenation

CO2 hydrogenation is a pivotal process in green methanol production, where carbon dioxide is catalytically converted into methanol (CH3OH) using hydrogen (H2), significantly contributing to carbon neutrality and greenhouse gas reduction [1]. The process's effectiveness hinges on catalysts that demonstrate high activity, selectivity, and stability under diverse conditions [1]. Innovations such as the NiZn intermetallic/ZnO catalyst, which facilitates sunlight-driven CO2 hydrogenation at atmospheric pressure without external heating, exemplify the integration of renewable energy to improve efficiency and reduce energy consumption typical of conventional systems [4, 1]. Additionally, the 2D Ni1Ag0.02O1 catalyst has shown significant efficiency improvements [11].

Challenges persist, including the thermodynamic stability of CO2 and the high costs and energy demands of hydrogen production [1]. Traditional systems often exhibit low selectivity, producing unwanted by-products like CO and CH4. To address these, strategies focus on optimizing catalyst design and reactor configurations to enhance selectivity and efficiency [12]. Beyond environmental benefits, CO2 hydrogenation is essential for synthesizing carbon-neutral fuels, reducing fossil fuel dependence, and advancing a sustainable energy economy [1].

2.2 Renewable Energy Sources

Renewable energy sources are integral to sustainable methanol production, providing essential energy for processes like CO2 hydrogenation and carbon capture. Solar, wind, hydroelectric, and geothermal energies offer sustainable alternatives to fossil fuels, significantly reducing the carbon footprint [5]. Utilizing renewables supports carbon-neutral fuel generation and enhances production sustainability [13]. In resource-rich areas, renewable energy hubs can facilitate local methanol production, leveraging available resources for sustainable and economically viable fuels [13]. Tailoring renewable configurations to specific conditions is crucial for optimizing the methanol production life cycle [5].

Solar energy is particularly crucial for CO2 hydrogenation, demonstrating how renewables can lower energy intensity and improve sustainability [5]. Wind and hydroelectric power offer reliable energy supplies, ensuring consistent low-emission production. Strategic integration of renewables into methanol production is vital for reducing greenhouse gas emissions and transitioning to a sustainable energy economy. Coupling renewables with innovative technologies, the methanol industry can significantly support global sustainability efforts and reduce fossil fuel reliance [13].

2.3 Carbon Capture Technologies

Carbon capture technologies are essential for sustainable methanol production, significantly reducing the environmental impact of conventional methods. Technologies like Direct Air Capture (DAC) are critical for capturing atmospheric or industrial CO2, enabling its use in methanol synthesis [5]. Integrating DAC with renewable energy sources marks a major advancement in mitigating greenhouse gas emissions, allowing captured CO2 conversion into valuable products like methanol and facilitating a circular carbon economy.

Implementing carbon capture enhances emission reduction capabilities and aligns with environmental goals. By capturing and utilizing CO2, these technologies lower methanol production's carbon footprint, making it more sustainable than fossil fuel-based methods [14]. This approach addresses the urgent need to reduce atmospheric CO2 levels and supports producing carbon-neutral fuels essential for a sustainable energy economy. Challenges include economic feasibility for large-scale implementation, infrastructure modifications, and safety concerns related to methanol's toxicity and lower flash point [10]. Continued research, development, and supportive policies are necessary for integrating carbon capture technologies into existing systems.

Carbon capture technologies hold significant promise for enhancing methanol production sustainability. Efficient CO2 capture and conversion into methanol through advanced technologies like DAC powered by renewable energy can substantially reduce greenhouse gas emissions compared to traditional techniques. Life cycle assessments indicate that renewable energy configurations, particularly hydroelectric and wind power, can lower methanol production's global warming potential to 2.39 kg CO2 equivalent per kg of methanol, highlighting the environmental benefits of integrating clean energy [5, 9].

2.4 Principles of Sustainable Chemistry

Sustainable chemistry principles are crucial for advancing green methanol production by minimizing environmental impact, maximizing resource efficiency, and ensuring safety. These principles are implemented through pollution prevention, resource sustainability, and energy efficiency, contributing to sustainable production goals [15]. Pollution prevention is achieved by optimizing processes to minimize waste and emissions. Advanced catalyst systems enhance CO2 hydrogenation selectivity and efficiency, facilitating CO2 conversion into valuable hydrocarbons and chemicals [16]. The development of multifunctional catalysts, like the 2D Ni1Ag0.02O1, exemplifies efforts to optimize reaction pathways and improve product selectivity through asymmetric CO2 activation [11]. The Ti2C surface's self-hydrogenation capability further enhances reaction efficiency [7].

Resource sustainability is emphasized through integrating renewable energy sources into methanol production. Selecting appropriate configurations is critical, with methods like Multi-Criteria Decision Making (MCDM) used to evaluate and rank alternatives in complex scenarios [17]. This strategic integration ensures continuous and reliable energy supply, reducing methanol production's carbon footprint and aligning with environmental goals. Energy efficiency is a cornerstone of sustainable chemistry. Optimizing energy use is essential for minimizing chemical processes' environmental impact. Integrating energy storage systems, such as batteries and hydrogen storage, in Power-to-Methanol plants exemplifies efforts to enhance energy efficiency and flexibility [18]. Optimizing these plants' design and scheduling can lead to cost-effective and sustainable methanol production.

Incorporating green chemistry principles into methanol production effectively addresses CO2 thermal stability challenges and advances the transition to a circular carbon economy by reducing greenhouse gas emissions and promoting sustainable energy sources. Recent life cycle assessments highlight the environmental benefits of renewable energy configurations in methanol synthesis processes [5, 3]. Adhering to sustainable chemistry principles enables the methanol industry to significantly contribute to global sustainability goals and decrease fossil fuel reliance.

3 Methanol Production Processes

Technological advancements and process optimization are pivotal in transitioning from conventional to sustainable methanol production methods, addressing environmental challenges linked to fossil fuel reliance and greenhouse gas emissions. This section examines emerging methodologies, contrasting traditional approaches with innovative green alternatives, and provides a comparative analysis of these production processes, emphasizing advancements and sustainability implications. Table 2 presents a comprehensive comparison of traditional and green methanol production methods, underscoring the significance of renewable energy integration and catalyst advancements in enhancing sustainability.

Category	Feature	Method
Traditional vs. Green Methanol Production	Renewable Energy Focus	N/A[15], GMPGS[1]
Catalyst Innovations in CO2 Hydrogenation	Metal Synergy Computational Modeling	Ni-Ag[11], Ni/SiO2[19], CP[20], CuPd(100)[12] PhAST[21]
Integration of Renewable Energy Sources	Solar Energy Utilization	GBOMF[13], NiZn-ZnO[4]

Table 1: This table provides a comprehensive summary of the methodologies employed in the transition from traditional to green methanol production processes. It categorizes key features and methods under three primary areas: traditional versus green methanol production, catalyst innovations in CO2 hydrogenation, and the integration of renewable energy sources. The table highlights the advancements and challenges associated with each category, drawing from recent scholarly references to underscore the ongoing developments in sustainable methanol production.

Additionally, Table 1 presents a detailed summary of the methodologies and innovations in methanol production processes, illustrating the shift from traditional to green methods and emphasizing the integration of renewable energy and catalyst advancements. ?? illustrates the hierarchical structure of methanol production processes, highlighting traditional versus green production methods, catalyst innovations in CO2 hydrogenation, and the integration of renewable energy sources. This figure categorizes the key advancements and challenges in transitioning to sustainable methanol production, thereby enhancing our understanding of the evolving landscape in this field.

3.1 Traditional vs. Green Methanol Production

Traditional methanol production primarily uses steam methane reforming (SMR) to convert natural gas into synthesis gas (syngas) for methanol synthesis, an energy-intensive process contributing significantly to greenhouse gas emissions due to fossil fuel combustion and inherent CO2 emissions [1]. In contrast, green methanol production leverages renewable energy and carbon-neutral technologies, such as CO2 hydrogenation, to mitigate these environmental impacts.

Figure 2 illustrates the classification of methanol production methods, highlighting traditional steam methane reforming alongside various green production techniques, including CO2 hydrogenation and renewable energy integration. This visual representation underscores the recent innovations in the field, which are pivotal for understanding the transition from conventional to sustainable practices.

Recent advancements in green methanol production include turbulence-enhanced flow dynamics, which significantly improve production rates compared to traditional methods [15]. Renewable energy-powered Direct Air Capture (DAC)-to-methanol systems further reduce greenhouse gas emissions, providing a sustainable alternative to conventional SMR processes [1]. Innovations such as artificial photosynthetic systems, which couple solar energy with catalytic processes, have improved efficiency and cost-effectiveness by reducing reliance on expensive noble metal catalysts [4]. The use of Ti2C Mxene surfaces in catalyzing the reverse water gas shift reaction exemplifies cutting-edge methods for CO2 conversion into CO, facilitating subsequent hydrogen production for methanol synthesis.

K-promoted bulk iron catalysts in CO2 hydrogenation have shown superior performance in converting CO2 to lower olefins, highlighting the benefits of green methanol production methods that use renewable energy and innovative technologies like direct air capture and electrochemical synthesis. These methods exhibit improved efficiency and reduced greenhouse gas emissions compared to traditional approaches, offering a sustainable solution to global energy demands and climate change [1, 10, 5]. However, challenges persist in optimizing these processes for economic viability and technical integration with CO2-rich feedstocks.

Transitioning to green methanol production requires overcoming barriers such as optimizing flexible operation and storage utilization to minimize production costs amid fluctuating electricity prices. Recent advancements in renewable energy integration and catalytic innovations underscore green methanol's potential as a sustainable alternative. Life cycle assessments indicate that green methanol production, especially when powered by renewable sources like wind and hydroelectric power, can reduce greenhouse gas emissions by up to 97




Figure 2: This figure illustrates the classification of methanol production methods, highlighting traditional steam methane reforming and various green production techniques, including CO2 hydrogenation and renewable energy integration. It also showcases recent innovations in the field.

3.2 Catalyst Innovations in CO2 Hydrogenation

Catalyst design innovations are crucial for enhancing the efficiency and selectivity of CO2 hydrogenation processes, fundamental to green methanol production. Recent advancements focus on optimizing active site structures and improving catalytic performance through novel material design and synthesis techniques. The synergistic effect between Ag and Ni sites achieves high CO production rates at low temperatures, advancing beyond traditional platinum-based catalysts [11]. This approach enhances catalytic activity and addresses challenges posed by CO2's thermodynamic stability and the energy-intensive nature of hydrogenation reactions.

Developments such as the CuPd(100) interface demonstrate the potential of multi-metal systems in CO2 hydrogenation, showing significantly higher selectivity and efficiency for C2 products compared to traditional Cu catalysts, due to enhanced CO2 adsorption and lower energy barriers for intermediate reactions [12]. Methanol-mediated routes have shown higher selectivity for C2+ products than Fischer-Tropsch synthesis, highlighting the advantages of tailored catalytic pathways [16].

Advanced computational techniques, including graph neural networks (GNNs), have improved catalyst performance predictions by incorporating task-specific enhancements in graph creation and atom representations [21]. These computational advancements facilitate the discovery of more efficient catalysts by accurately predicting energy profiles and reaction mechanisms.

In experimental settings, integrating palladium into the In2O3 lattice has resulted in low-nuclearity clusters that enhance hydrogen activation, improving CO2 hydrogenation efficiency [20]. Size-dependent structure sensitivity significantly influences reaction mechanisms and efficiency, underscoring the need for precise control over catalyst particle size and morphology [19].

Recent advancements in catalyst design for CO2 hydrogenation underscore its critical role in enhancing both efficiency and sustainability. Innovations in heterogeneous catalysts, including smaller metal nanoparticles and the application of cutting-edge technologies like 3D printing and artificial intelligence, are paving the way for improved conversion of CO2 into valuable products such as light olefins, dimethyl ether, and liquid fuels. These breakthroughs address CO2 thermal stability challenges and enable better control over catalytic mechanisms, activity, and selectivity. Optimized catalyst design is essential for transforming CO2 from a greenhouse gas into a zero- or negative-cost carbon feedstock, contributing significantly to climate change mitigation efforts [19, 16]. By leveraging novel materials, computational advancements, and experimental techniques, the development of next-generation catalysts will continue to play a pivotal role in achieving carbon-neutral methanol production.

3.3 Integration of Renewable Energy Sources

Integrating renewable energy sources into methanol production processes is critical for advancing sustainable chemical production. Renewable energy from solar, wind, hydroelectric, and geothermal sources powers the hydrogenation of CO2 and other key steps in green methanol production, reducing the carbon footprint and enhancing overall process efficiency and sustainability [5].

Solar energy is pivotal in driving CO2 hydrogenation, exemplified by the direct utilization of solar energy in catalytic processes, which reduces energy intensity and improves sustainability [4]. Innovative solar-driven catalytic systems, like the NiZn intermetallic/ZnO catalyst, operate efficiently under sunlight without external heating, marking significant advancements in integrating solar energy into methanol production [4].

Wind and hydroelectric power contribute substantially to the methanol production chain by providing consistent, low-emission energy supplies. These renewable sources ensure continuous and reliable energy flow, essential for maintaining the efficiency and sustainability of methanol synthesis [5]. Strategically placing renewable energy facilities in resource-abundant regions supports the establishment of renewable energy hubs that can locally produce methanol, leveraging natural resources for economically viable and sustainable fuel solutions [13].

Integrating renewable energy sources into methanol production aligns with broader environmental goals, addressing the urgent need to reduce greenhouse gas emissions and transition to a sustainable energy economy. By coupling renewable energy with innovative production technologies, the methanol industry can significantly contribute to global sustainability efforts and reduce reliance on conventional fossil fuels [13]. This approach fosters the generation of carbon-neutral fuels and enhances the overall life cycle sustainability of methanol production, from cradle to gate [5].

Feature	Traditional vs. Green Methanol Production	Catalyst Innovations in CO2 Hydrogenation	Integration of Renewable Energy Sources
Energy Source	Fossil/renewable	Renewable	Solar/wind/hydro
Catalyst Type	Various Catalysts	Advanced Catalysts	Not Specified
Environmental Impact	High Emissions	Reduced Emissions	Low Emissions

Table 2: This table provides a comparative analysis of methanol production processes, highlighting the transition from traditional to green methods. It focuses on key features such as energy sources, catalyst types, and environmental impacts, emphasizing the role of renewable energy integration and catalyst innovations in reducing emissions.

4 Technological Innovations and Challenges

4.1 Technological Innovations and Process Optimization

Innovations in technology are pivotal for enhancing the efficiency and sustainability of methanol production. The development of turbulence-enhanced reactor designs significantly boosts methanol production rates by optimizing flow dynamics [2]. Catalyst design, particularly through atomic-scale engineering, is crucial in this domain. Palladium-promoted In2O3 catalysts and Ce-CuZn catalysts have shown enhanced selectivity and stability, underscoring the importance of catalyst development in achieving high conversion rates [20, 22, 8].

Artificial photosynthetic systems represent significant advancements, converting solar energy into chemical fuels with high efficiency [23]. Optimizing these systems' architectures and increasing current densities are essential for practical solar fuel applications [24]. Deep reinforcement learning for process design optimization enhances efficiency and adaptability, showcasing the potential for advanced computational techniques to improve methanol production [25].

As illustrated in Figure 3, the key technological innovations and optimization techniques in methanol production encompass advancements in reactor and catalyst development, as well as process optimization through deep reinforcement learning and the PhAST framework. This figure also emphasizes future research directions focusing on Direct Air Capture (DAC) systems and renewable energy supply chains.

The PhAST framework, a Physics-Aware, Scalable, and Task-specific graph neural network, improves prediction accuracy in electrocatalysis, aiding in the discovery of more effective catalysts [21]. Understanding the correlation between particle size and catalytic performance has led to the rational design of catalysts, optimizing their effectiveness in methanol production [19].

Future research should focus on optimizing DAC systems and exploring innovative regeneration technologies to enhance renewable energy efficiency and DAC [5]. Comprehensive optimization frameworks, such as graph-based models for renewable energy supply chains, can significantly impact methanol production [13]. The proposed carbon-energy coupling management framework integrates carbon trading with energy scheduling to optimize economic and environmental outcomes

in industrial clusters [14]. These advancements highlight the importance of technological innovations and process optimization in achieving sustainable methanol production.




Figure 3: This figure illustrates the key technological innovations and optimization techniques in methanol production, highlighting advancements in reactor and catalyst development, process optimization through deep reinforcement learning and the PhAST framework, and future research directions focusing on direct air capture systems and renewable energy supply chains.

4.2 Challenges and Future Directions

The production of green methanol faces several challenges that need addressing to enhance feasibility and sustainability. High production costs and inadequate infrastructure for green fuels present significant economic barriers, necessitating innovations in cost-effective production methods and infrastructure development [26]. Catalyst performance is a critical concern, with challenges in achieving high selectivity and stability, particularly with competing reactions and nanoparticle sintering [16, 22]. Research should focus on optimizing metal components and reducing CO selectivity to enhance methanol yield.

Dependence on a continuous water supply for hydrogenation and precise calcination conditions pose practical challenges for large-scale implementation [27]. Integration of renewable technologies into methanol production is hindered by high costs and infrastructure investment needs [28]. Addressing these challenges requires financial resources and technological advancements to ensure economic viability.

Regulatory barriers, public unawareness, and insufficient cross-departmental collaboration complicate the adoption of green chemistry principles [3]. Policy reforms and public engagement initiatives are crucial for fostering sustainable practices. Despite advancements from frameworks like PhAST, scalability with large datasets or complex catalyst systems remains a challenge [21]. The VE-GNN method has shown promise in enhancing catalyst discovery [29], but deep reinforcement learning for process optimization often lacks generalization capabilities [25].

Interdisciplinary collaboration is vital for advancing methanol production technologies, yet existing methods often overlook the nuances of collaboration across domains, leading to stagnation in innovation [30]. Future research should focus on fostering interdisciplinary networks to stimulate innovative solutions. Exploring stable and scalable catalyst systems, alternative metal catalysts, and optimizing light conditions are critical areas for future research [31, 19, 20].

Focusing on innovative methodologies and technologies is essential to tackle challenges associated with green methanol production. This focus will enhance production efficiency and sustainability, particularly through integrating renewable energy sources and advanced carbon capture techniques, while contributing to the shipping industry's transition towards low-emission fuels. Prioritizing cost-effective and environmentally friendly production processes can reduce greenhouse gas emissions, support global decarbonization efforts, and lessen dependence on fossil fuels, paving the way for a more sustainable energy future [5, 3, 32, 26, 10].

4.3 Innovative Process Technologies

Innovative process technologies are crucial for improving methanol production efficiency and sustainability. Recent advancements emphasize integrating cutting-edge technologies and novel approaches to optimize methanol synthesis. Artificial photosynthetic systems, coupling solar energy with catalytic processes, show substantial potential for high efficiency and scalability [23]. Optimizing device architectures and increasing current densities are critical for advancing solar fuel technologies [24].

Deep reinforcement learning in process design optimization enhances process efficiency and adaptability, enabling more effective methanol production strategies [25]. The PhAST framework improves prediction accuracy and computational efficiency in electrocatalysis, facilitating the discovery of more effective catalysts [21].

Advancements in catalyst design focus on atomic-scale engineering to enhance selectivity and stability. Palladium-promoted In2O3 catalysts and Ce-CuZn catalysts exemplify the benefits of atomic-scale engineering, showcasing enhanced stability and selectivity [20, 22]. These advancements underscore the critical role of catalyst innovation in achieving high conversion rates and selectivity, particularly with Fe- and Co-based catalysts [8].

Methanol-mediated routes have shown higher selectivity for C2+ products compared to Fischer-Tropsch synthesis, highlighting the advantages of tailored catalytic pathways [16]. Understanding the relationship between particle size and catalytic performance enables the rational design of catalysts, optimizing their effectiveness in methanol production [19].

Innovative process technologies, such as low-temperature solid sorbent direct air capture (DAC) systems powered by renewable energy sources, significantly enhance methanol production efficiency and sustainability by reducing greenhouse gas emissions. This advancement supports climate change mitigation efforts and positions methanol as a viable eco-friendly marine fuel, aligning with global decarbonization goals and the increasing demand for sustainable shipping solutions [10, 5]. By integrating novel approaches and cutting-edge technologies, the methanol industry can substantially contribute to global sustainability efforts and reduce reliance on conventional fossil fuels.

4.4 Computational and Modeling Techniques

Computational and modeling techniques are crucial for advancing methanol production by enhancing the understanding of catalyst behavior and optimizing reaction conditions. The relationship between particle size and catalytic activity in CO2 hydrogenation has been significantly advanced through silica-supported nickel nanoclusters, providing insights into particle size influences on catalytic performance and enabling rational catalyst design [19].

The Open Catalyst Project dataset, encompassing a wide array of crystal structures and catalytic systems, has been pivotal in validating computational models and enhancing heterogeneous catalyst discovery. These datasets facilitate developing predictive models that accurately forecast catalytic behavior across various systems, aiding in identifying promising catalyst candidates for methanol production [29].

Future research should prioritize optimizing catalyst synthesis processes, focusing on exploring additional promoters or modifications to enhance selectivity and minimize byproduct formation. Such advancements are essential for improving CO2 hydrogenation processes' overall efficiency and achieving higher methanol yields [27].

Integrating advanced computational techniques, such as machine learning and graph neural networks, augments modeling capabilities. These technologies enable rapid screening of catalyst materials and prediction of reaction mechanisms, accelerating optimized methanol production processes. Utilizing advanced computational tools, including deep learning models and graph neural networks, allows researchers to expand the exploration of diverse catalyst compositions and reaction conditions. This innovative approach enhances catalyst design efficiency and accuracy, ultimately leading to more sustainable methanol production methodologies. Additionally, integrating cutting-edge techniques like Voronoi tessellation and physics-aware modeling improves predictions of catalytic performance, crucial for accelerating the transition to lower-carbon energy solutions. These advancements facilitate the discovery of high-performance catalysts and contribute to effectively utilizing captured CO2 and renewable hydrogen in synthesizing valuable fuels and chemicals [29, 21, 19, 16].

5 Environmental and Economic Impacts

5.1 Economic Viability of Green Methanol Processes

The economic viability of green methanol production is influenced by production costs, market demand, and the integration of renewable energy. Production costs average around \$1539.26 per ton, with economic feasibility improving when market prices exceed \$363.34 per ton [1]. Renewable energy integration plays a pivotal role in reducing costs, as evidenced by Power-to-Methanol plants that optimize production during low electricity cost periods [18].

Innovative technologies, such as artificial photosynthetic systems paired with photovoltaics, highlight the economic potential of green methanol by offering rapid cost recovery and sustainable large-scale solar energy storage [4]. The internal rate of return for systems without subsidies is estimated at 11.394%, indicating a promising economic outlook [1]. Methanol's use as a vehicle fuel further enhances its economic and environmental appeal, providing lower emissions and energy security [32].

Biocatalysis using renewable resources offers a cost-effective production approach, enhancing economic feasibility [15]. Additionally, integrated trading mechanisms and carbon management strategies improve operational efficiency by reducing costs and emissions [14].

To further illustrate these concepts, Figure 4 presents a comprehensive overview of the economic viability of green methanol production, highlighting key aspects such as production costs, innovative technologies, and economic benefits. This figure emphasizes the importance of renewable energy integration, advanced technologies, and economic strategies in enhancing the feasibility and attractiveness of green methanol as a sustainable energy solution.

Green methanol's economic viability is strengthened by renewable energy advancements, innovative technologies, and supportive strategies. As the energy sector shifts towards sustainability, green methanol emerges as a viable alternative to fossil fuels, primarily produced from renewable sources like hydrogen and captured carbon dioxide. Its high octane rating, ease of storage, and compatibility with existing infrastructure make it an attractive solution for the shipping industry, aligning with international decarbonization goals. Recent technological advancements, including renewable energy configurations and direct air capture systems, enhance its economic and environmental benefits, positioning green methanol as a key player in the sustainable energy transition [5, 10, 9, 1, 18].




Figure 4: This figure illustrates the economic viability of green methanol production, highlighting key aspects such as production costs, innovative technologies, and economic benefits. It emphasizes the importance of renewable energy integration, advanced technologies, and economic strategies in enhancing the feasibility and attractiveness of green methanol as a sustainable energy solution.

5.2 Comparative Analysis of Methanol and Alternative Fuels

Methanol stands out as a versatile chemical and energy carrier, offering economic and environmental advantages over fuels like gasoline, diesel, and hydrogen. Its production cost can be competitive with traditional fossil fuels, especially when integrated with renewable energy sources, and utilizing CO2 as a feedstock transforms waste into a valuable resource [1].

Environmentally, methanol significantly lowers greenhouse gas emissions compared to conventional fossil fuels. Its synthesis from CO2 hydrogenation and renewable sources supports a circular carbon economy, reducing fossil fuel dependence and climate change impacts [5]. Methanol's use in internal combustion engines results in lower nitrogen oxides (NOx) and particulate matter emissions, improving air quality [32].

Compared to hydrogen, methanol offers logistical advantages in storage and transportation, being a liquid at ambient conditions, unlike hydrogen, which requires high-pressure or cryogenic storage. This practicality makes methanol a more feasible fuel for widespread adoption within existing infrastructure [32].

Challenges for methanol adoption include its lower energy density compared to gasoline and diesel, affecting vehicle range and performance, and its toxicity, which necessitates careful handling and regulation [10].

Methanol's potential as a sustainable alternative fuel is underscored by its economic viability and environmental benefits, particularly its renewable source production and infrastructure compatibility. Life cycle assessments show that methanol production using renewable energy, such as wind and hydroelectric power, results in significantly lower greenhouse gas emissions. This positions methanol as an effective solution for reducing the carbon footprint in the shipping industry. Its cost-effectiveness and compatibility with current marine fuel systems make it a financially prudent choice for ecological sustainability in global transportation [10, 5]. Continued advancements in production technologies and supportive policies are crucial for overcoming challenges and realizing methanol's full potential in the sustainable energy transition.

5.3 Policy and Regulatory Frameworks

Policy and regulatory frameworks are essential for promoting green methanol production technologies. These frameworks provide incentives and guidelines for integrating renewable energy and carbon capture technologies crucial for sustainable methanol production. Life cycle assessments show that using renewable energy, such as solar and wind, significantly reduces greenhouse gas emissions. Power-to-X hubs, combining renewable energy with carbon capture and hydrogen production, demonstrate the economic viability of carbon-neutral synthetic fuels, promoting environmental sustainability and cost-effectiveness in methanol production [33, 5, 6, 10, 13].


Effective policies can drive the shift from fossil fuel-based processes to environmentally friendly alternatives by offering financial incentives for green technology investments. Establishing benchmarks and standards encourages sustainable energy sector practices. The Energy-Water-Hydrogen nexus benchmark analysis highlights carbon reuse's potential to generate revenue and reduce costs, supporting policy development [28].

Regulatory measures mandating greenhouse gas reductions can drive green methanol technology adoption, stimulating demand for low-carbon fuels and incentivizing investment in innovative production methods, including green hydrogen and advanced biofuels [6, 34, 26, 3]. Aligning policy objectives with environmental goals fosters a regulatory environment that supports innovation and green methanol technology deployment.


International cooperation and regulatory harmonization are crucial for global green methanol adoption. Collaborative efforts can establish common standards and guidelines, facilitating cross-border trade and investment in sustainable energy solutions. A unified regulatory framework enhances methanol production sustainability, reducing carbon emissions and promoting renewable energy, such as direct air capture systems powered by wind and hydroelectric energy. This approach supports climate change mitigation and aligns with global carbon neutrality initiatives, promoting green technologies across various sectors, including transportation and industry [6, 32, 10, 5].

Policy and regulatory frameworks shape green methanol production by providing deployment guidelines, promoting sustainable practices, and facilitating renewable energy integration to reduce greenhouse gas emissions and achieve carbon neutrality [33, 32, 10, 5]. Economic incentives, environmental standards, and international collaboration support the sustainable energy transition and contribute to global climate change mitigation efforts.


As shown in Figure 5, the provided example explores the intersection of environmental and economic impacts within the context of policy and regulatory frameworks. It employs three distinct graphical



(a) A graph with nodes and edges representing different mathematical concepts[13]



(b) The graph compares the cost per ton of ammonia produced by different electrolysis methods over varying full load hours.[6]



(c) Graphical Representation of Research Trends Over Time[30]

Figure 5: Examples of Policy and Regulatory Frameworks

representations to illustrate various aspects of this complex relationship. The first graph presents a network of mathematical concepts, highlighting the intricate connections and constraints that inform policy decisions. This visual metaphor underscores the complexity of formulating effective environmental policies that balance multiple objectives. The second graph delivers a comparative analysis of the economic implications of different electrolysis methods used in ammonia production, emphasizing cost variations associated with each method over varying full load hours. This analysis underscores the economic considerations integral to environmental policymaking, particularly in the context of transitioning to renewable energy sources. Finally, the third graph depicts research trends over time, categorized into different fields, reflecting the evolving landscape of interdisciplinary research that informs policy and regulatory frameworks. Collectively, these visuals provide a comprehensive overview of the interwoven nature of environmental and economic factors within policy frameworks, highlighting the necessity for informed and adaptive regulatory strategies [13, 6, 30].

6 Case Studies and Applications

6.1 Successful Implementation of Green Methanol Production

Several pioneering projects exemplify the successful implementation of green methanol production by integrating renewable energy and carbon capture technologies. Power-to-Methanol plants utilize renewable electricity to produce hydrogen via electrolysis, which reacts with captured CO2 to synthesize methanol, demonstrating operational flexibility and economic viability amidst fluctuating electricity prices [18]. The integration of solar energy through artificial photosynthetic systems has achieved high efficiency and scalability, converting CO2 into methanol with advanced device architectures and increased current densities [23].

Figure 6 illustrates the hierarchical structure of green methanol production, emphasizing not only the integration of renewable energy sources but also the economic and environmental benefits stemming from these technologies. This visual representation underscores the sustainability and feasibility of green methanol initiatives, reinforcing the narrative of innovation within this sector. Renewable energy-powered Direct Air Capture (DAC)-to-methanol systems further showcase significant reductions in greenhouse gas emissions by capturing atmospheric CO2 and converting it into methanol [5]. Establishing renewable energy hubs in resource-rich areas facilitates local methanol production, fostering local economies, reducing fossil fuel reliance, and contributing to global sustainability [13]. These initiatives highlight the transformative potential of green methanol technologies in the chemical industry, underscoring their feasibility and sustainability through comprehensive life cycle assessments that reveal significantly lower emissions compared to traditional methods [5, 3].

6.2 Industrial Applications

Green methanol is increasingly recognized for its versatile applications across industries, particularly in transportation and energy storage. As a promising alternative fuel, methanol reduces greenhouse gas emissions and enhances energy security in transportation, offering lower emissions of nitrogen oxides (NOx) and particulate matter in internal combustion engines, thus improving air quality and meeting stringent regulations [32]. Its compatibility with existing fuel infrastructure and liquid




Figure 6: This figure illustrates the hierarchical structure of green methanol production, highlighting the integration of renewable energy sources, the economic and environmental benefits, and the sustainability and feasibility of these technologies.

state at ambient conditions further supports its widespread adoption [10]. In the maritime sector, methanol emerges as a hybrid fuel, aiding the transition towards sustainability by complying with the International Maritime Organization's sulfur emissions regulations [10]. Beyond transportation, green methanol plays a significant role in energy storage, converting surplus renewable electricity into methanol in Power-to-Methanol systems, balancing energy supply and demand, and facilitating renewable energy integration into the grid [18]. Its industrial applications underscore its potential as a sustainable chemical, supporting environmental goals and offering economic advantages by reducing fossil fuel dependence. As technological advancements enhance methanol production efficiency and sustainability, its applications are expected to broaden, contributing to a low-carbon economy and serving as a solution for energy storage, clean fuels, and high-value chemicals [10, 5, 9].

6.3 Role of Policy and Regulation

Policy and regulation are pivotal in driving the adoption and development of green methanol technologies by providing frameworks and incentives that promote innovation and investment in sustainable practices. Regulatory mandates for reducing greenhouse gas emissions create market demand for low-carbon fuels, encouraging industries to transition to environmentally friendly alternatives and aligning policy objectives with environmental goals [28]. Financial incentives, such as subsidies and tax credits, lower financial barriers for new technologies, enabling the integration of renewable energy and carbon capture in methanol production, thus enhancing economic viability [14]. International cooperation and regulatory harmonization are crucial for the global adoption of green methanol as a sustainable marine fuel, aligning policies, promoting eco-friendly investments, and ensuring infrastructure compatibility [10, 5, 3]. Collaborative initiatives establish common standards and guidelines, facilitating cross-border trade and investment in sustainable energy solutions. Policy frameworks emphasizing carbon reuse's economic benefits drive investment in green methanol, highlighting its potential for revenue generation and cost reduction, as demonstrated by the Energy-Water-Hydrogen (EWH) nexus benchmark analysis [28]. These frameworks shape the future of green methanol by implementing economic incentives, setting environmental standards, and promoting international collaboration, thus facilitating the transition to a sustainable energy economy and supporting global climate change mitigation efforts [6, 28, 3].

7 Future Directions and Research Opportunities

Advancing methanol production technologies requires a thorough exploration of catalyst design and performance enhancement. This section delves into recent developments and research opportunities in catalyst optimization, crucial for enhancing the efficiency and sustainability of methanol synthesis processes.

7.1 Catalyst Design and Performance Enhancement

Optimizing catalyst design is pivotal for sustainable methanol synthesis. Future research should focus on in situ characterization techniques to elucidate structure-activity relationships, crucial

for enhancing catalyst performance and selectivity [8]. Investigating novel catalyst compositions, such as Mxene materials, and optimizing catalytic processes are essential for industrial scalability [7]. Advanced computational techniques like graph neural networks (GNNs) present significant opportunities for catalyst discovery and optimization. Efforts should refine graph representations and explore additional features to improve prediction accuracy and broaden the applicability of methods like VE-GNN [29]. Deep reinforcement learning in process design optimization can further enhance information representation and address stochastic decision-making challenges, boosting process efficiency [25].

Optimizing reactor designs for small-scale applications and exploring alternative hydrogen sources are vital for enhancing the economic viability of green methanol technologies [9]. Refining Multi-Criteria Decision Making (MCDM) techniques to incorporate additional criteria can bolster decision-making frameworks across diverse energy contexts [17]. Biocatalysis offers promising avenues for catalyst design, focusing on improving enzyme stability and integrating biocatalysis into existing industrial processes, aligning with sustainable chemistry principles [15]. Utilizing advanced technologies like AI and 3D printing for catalyst development, alongside optimizing reaction conditions and novel catalytic materials, can significantly enhance catalyst performance [16].

Future research should also aim to improve the stability of catalysts like Ni1Ag0.02O1, investigate alternative synthesis methods, and optimize artificial photosynthesis systems for broader applications [11]. Addressing stability issues, including CO* poisoning on catalysts, and exploring other bimetallic combinations are critical areas for future investigation [12]. Developing innovative business models, public awareness initiatives, and supportive policies is essential for fostering interdisciplinary collaboration and advancing catalyst design, thereby achieving global sustainability goals and reducing fossil fuel reliance [32].

7.2 Integration of Renewable Energy and Carbon Capture

Integrating renewable energy sources with carbon capture technologies is crucial for enhancing methanol production's sustainability and efficiency. Future research should focus on utilizing run-of-river hydroelectric and onshore wind power as sustainable energy sources for Direct Air Capture (DAC) systems, achieving carbon neutrality in synthetic methanol production [5]. These renewable sources provide a low-carbon footprint and reliable energy supply, ideal for powering DAC systems and minimizing methanol synthesis's environmental impact.

Further advancements can be achieved by extending the Energy-Water-Hydrogen (EWH) nexus model to microgrid applications, facilitating localized and efficient energy resource management [28]. Developing frameworks for broader applications, such as optimizing larger industrial parks and integrating advanced real-time data processing technologies, is essential for improving decision-making and achieving efficient renewable energy integration [14]. Optimizing catalyst composition and structure is critical for enhancing CO2 reduction and methanol production processes. Integrating these optimized catalysts with renewable energy systems can improve methanol synthesis efficiency by maximizing energy resource utilization [4].

Enhancing hydrogen production efficiency and exploring energy storage solutions are vital for stabilizing methanol production systems [1]. By ensuring a reliable hydrogen supply and effectively managing energy storage, the integration of renewable energy and carbon capture technologies can be optimized for continuous methanol production. Prioritizing research in methanol as a marine fuel can enhance global sustainability initiatives, reducing reliance on conventional fossil fuels while aligning with international goals for complete fuel desulphurization and a 50% reduction in greenhouse gas emissions by 2050. Methanol, especially when derived from renewable sources through innovative methods like direct air capture and hydrogenation, presents a viable alternative that is economically advantageous and environmentally friendly. Its compatibility with existing maritime infrastructure positions methanol as a key player in the transition to a sustainable energy future, particularly in the shipping sector as a hybrid fuel, facilitating a greener maritime industry [32, 10, 5].

7.3 Interdisciplinary Collaboration and Policy Development

Interdisciplinary collaboration is essential for advancing methanol production technologies, uniting expertise from chemistry, engineering, environmental science, and economics. Future research should investigate the integration of diverse data sources and qualitative assessments to provide

a comprehensive understanding of interdisciplinary collaboration dynamics [30]. By leveraging insights from various disciplines, researchers can develop innovative solutions to complex challenges in methanol production, such as optimizing catalyst design and enhancing process efficiency.

Collaboration with other research institutions is encouraged to broaden the benchmark's scope [33]. Such partnerships can facilitate knowledge sharing, resource allocation, and best practices, accelerating the development and deployment of sustainable methanol production technologies. Joint research initiatives can promote the exchange of ideas and the adoption of cutting-edge technologies, driving progress in the field.

Policy development plays a vital role in supporting interdisciplinary collaboration by creating an environment conducive to innovation and investment in green methanol technologies. Policymakers can facilitate collaboration through funding for joint research projects, establishing knowledge exchange platforms, and promoting public-private partnerships. Implementing policies that incentivize sustainable practices and technologies can significantly encourage industries to invest in research and development, enhancing the efficiency and scalability of methanol production technologies critical for reducing greenhouse gas emissions and supporting the transition to green energy sources [32, 10, 5].

Interdisciplinary collaboration and strategic policy development are crucial for fostering innovation and ensuring sustainability in methanol production. Recent studies underscore the importance of diverse research networks in advancing renewable energy technologies and integrating low-emission production methods, such as direct air capture and renewable energy sources, which significantly reduce greenhouse gas emissions compared to traditional processes. Effective policy frameworks, exemplified by methanol vehicles in China, are essential for optimizing resource utilization and advancing green methanol technologies, thereby contributing to broader climate change mitigation efforts [30, 32, 10, 5]. By fostering collaboration across disciplines and creating supportive policy frameworks, stakeholders can contribute to a sustainable energy economy and the achievement of global sustainability goals.

7.4 Innovations in Renewable Energy Integration

Innovations in the integration of renewable energy into methanol production processes are critical for enhancing the sustainability and efficiency of green methanol synthesis. Strategically incorporating renewable energy sources such as solar, wind, hydroelectric, and geothermal energy into methanol production reduces carbon footprints and enhances overall process efficiency [5]. Solar energy, in particular, is significant in driving CO2 hydrogenation, with innovative solar-driven catalytic systems being developed to maximize sunlight utilization in methanol synthesis [4].

Recent advancements have concentrated on optimizing renewable energy integration through Power-to-Methanol systems, which convert surplus renewable electricity into methanol, providing a viable solution for balancing energy supply and demand [18]. These systems demonstrate flexible operation potential, allowing for cost optimization by aligning production schedules with lower electricity costs, thereby improving economic efficiency [18].

Establishing renewable energy hubs in resource-rich regions is another innovative approach to integrating renewable energy into methanol production. These hubs support local methanol production by leveraging natural resource availability, creating economically viable and sustainable fuel solutions [13]. By strategically positioning renewable energy facilities, these hubs contribute to local economies centered around sustainable methanol production, reducing fossil fuel reliance and supporting global sustainability efforts [13].

Further innovations involve exploring advanced technologies for real-time data processing and control, enhancing energy management efficiency and optimizing methanol production system performance [14]. Developing comprehensive optimization frameworks, such as graph-based models for analyzing renewable energy supply chains, represents a technological innovation that can significantly impact methanol production [13].

Innovations in renewable energy integration are pivotal for advancing methanol production sustainability. By targeting these research opportunities, the methanol industry can significantly enhance global sustainability initiatives and diminish dependence on traditional fossil fuels. This shift is crucial as methanol, especially when derived from renewable sources and produced through innovative methods like direct air capture, presents a viable pathway for substantial greenhouse gas (GHG) reductions.

The industry's focus on eco-friendly production techniques and compatibility with existing infrastructure positions methanol as an efficient, cost-effective alternative that meets the rising demands of the shipping sector while aligning with international goals for complete fuel desulphurization and a 50% decarbonization target by 2050. By advancing these initiatives, the methanol sector can play a pivotal role in steering the global energy landscape towards a more sustainable future [10, 5].

8 Conclusion

Green methanol represents a transformative step in sustainable chemistry, especially within the maritime industry, where it emerges as a leading candidate for reducing emissions. The synergy of CO2 hydrogenation, renewable energy integration, and carbon capture technologies is pivotal in redefining methanol production, offering significant environmental advantages by curtailing greenhouse gas emissions and supporting global sustainability initiatives. The utilization of waste CO2 as a methanol feedstock not only combats climate change but also promotes the shift towards a circular carbon economy.

Analyzing methanol vehicles in comparison to conventional and alternative fuels demonstrates methanol's potential to decrease emissions and costs, affirming its role as a viable sustainable option in transportation. The deployment of renewable energy-driven systems and the development of innovative catalysts enhance the efficiency and sustainability of methanol production, making it an economically viable choice for extensive application.

The progress in green methanol production highlights its importance as a sustainable chemical with the capacity to significantly impact environmental and economic domains. Through the adoption of advanced technologies and fostering interdisciplinary collaboration, the methanol sector is well-positioned to contribute to global sustainability targets, reduce reliance on fossil fuels, and promote a more sustainable energy landscape.

References

- [1] Qiliang Ye, Yipeng Bao, Hui Pan, Yulan Liu, and Peiqing Yuan. Thermodynamic and economic evaluation of a novel green methanol poly-generation system. *Processes*, 11(1):206, 2023.
- [2] Marko Korhonen, Daulet Izbassarov, Judit Nyári, Annukka Santasalo-Aarnio, and Ville Vuorinen. Turbulence impacts synthetic methanol production in a square duct flow: a direct numerical simulation (dns) study, 2023.
- [3] Tse-Lun Chen, Hyunook Kim, Shu-Yuan Pan, Po-Chih Tseng, Yi-Pin Lin, and Pen-Chi Chiang. Implementation of green chemistry principles in circular economy system towards sustainable development goals: Challenges and perspectives. *Science of the Total Environment*, 716:136998, 2020.
- [4] Linjia Han, Fanqi Meng, Xianhua Bai, Qixuan Wu, Yanhong Luo, Jiangjian Shi, Yaguang Li, Dongmei Li, and Qingbo Meng. High efficient sunlight-driven co2 hydrogenation to methanol over nizn intermetallic catalysts under atmospheric pressure, 2024.
- [5] Nicholas Badger, Rahim Boylu, Valentine Ilojianya, Mustafa Erguvan, and Shahriar Amini. A cradle-to-gate life cycle assessment of green methanol production using direct air capture. *Energy Advances*, 3(9):2311–2327, 2024.
- [6] Cédric Philibert. Renewable energy for industry. Paris: International Energy Agency, 65, 2017.
- [7] Tewodros Eyob Ada, Kenate Nemera Nigussa, and Cecil N. M. Ouma. Mxenes for co₂ reduction and catalytically improved liquid hydrogen storage vie reverse water gas shift reaction, 2023.
- [8] Yunnan Gao, Shizhen Liu, Zhenqing Zhao, Hengcong Tao, and Zhenyu Sun. Heterogeneous catalysis of co2 hydrogenation to c2+ products. *Acta Phys.-Chim. Sin*, 34(8):858–872, 2018.
- [9] S Haag, F Castillo-Welter, T Schuhmann, BA Williams, T Oelmann, A Günther, and M Gorny. How to convert co 2 to green methanol. Technical report, 2018.
- [10] Dimitrios Parris, Konstantinos Spinthiropoulos, Konstantina Ragazou, Anna Giovou, and Constantinos Tsanaktsidis. Methanol, a plugin marine fuel for green house gas reduction—a review. *Energies*, 17(3):605, 2024.
- [11] Yaguang Li, Fanqi Meng, Qixuan Wu, Dachao Yuan, Haixiao Wang, Bang Liu, Junwei Wang, Xingyuan San, Lin Gu, Shufang Wang, and Qingbo Meng. Ni-o-ag catalyst enables 103-m² artificial photosynthesis with >16
- [12] Li Zhu, Yiyang Lin, Kang Liu, Emiliano Cortés, Hongmei Li, Junhua Hu, Akira Yamaguchi, Ying-Rui Lu, Ting-Shan Chan, Xiaoliang Liu, Masahiro Miyauchi, Junwei Fu, and Min Liu. Tuning the intermediate reaction barriers by cupd catalyst to improve the selectivity of electroreduction co2 to c2 products, 2021.
- [13] Mathias Berger, David Radu, Ghislain Detienne, Thierry Deschuyteneer, Aurore Richel, and Damien Ernst. Remote renewable hubs for carbon-neutral synthetic fuel production, 2021.
- [14] Dafeng Zhu, Bo Yang, Yu Wu, Haoran Deng, Zhaoyang Dong, Kai Ma, and Xinping Guan. Joint trading and scheduling among coupled carbon-electricity-heat-gas industrial clusters, 2023.
- [15] Roger A Sheldon and John M Woodley. Role of biocatalysis in sustainable chemistry. *Chemical reviews*, 118(2):801–838, 2018.
- [16] Run-Ping Ye, Jie Ding, Weibo Gong, Morris D Argyle, Qin Zhong, Yujun Wang, Christopher K Russell, Zhenghe Xu, Armistead G Russell, Qiaohong Li, et al. Co2 hydrogenation to high-value products via heterogeneous catalysis. *Nature communications*, 10(1):5698, 2019.
- [17] Mahak Bhatia and Aled Williams. Selection of criteria using mcdm techniques an application in renewable energy, 2023.
- [18] Simone Mucci, Alexander Mitsos, and Dominik Bongartz. Cost-optimal power-to-methanol: Flexible operation or intermediate storage?, 2023.

- [19] Charlotte Vogt, Esther Groeneveld, Gerda Kamsma, Maarten Nachtegaal, Li Lu, Christopher J Kiely, Peter H Berben, Florian Meirer, and Bert M Weckhuysen. Unravelling structure sensitivity in co2 hydrogenation over nickel. *Nature Catalysis*, 1(2):127–134, 2018.
- [20] Matthias S Frei, Cecilia Mondelli, Rodrigo García-Muelas, Klara S Kley, Begoña Puértolas, Núria López, Olga V Safonova, Joseph A Stewart, Daniel Curulla Ferré, and Javier Pérez-Ramírez. Atomic-scale engineering of indium oxide promotion by palladium for methanol production via co2 hydrogenation. *Nature communications*, 10(1):3377, 2019.
- [21] Alexandre Duval, Victor Schmidt, Santiago Miret, Yoshua Bengio, Alex Hernández-García, and David Rolnick. Phast: Physics-aware, scalable, and task-specific gnns for accelerated catalyst design, 2024.
- [22] Runping Ye, Lixuan Ma, Jianing Mao, Xinyao Wang, Xiaoling Hong, Alessandro Gallo, Yanfu Ma, Wenhao Luo, Baojun Wang, Riguang Zhang, et al. A ce-cuzn catalyst with abundant cu/zn-ov-ce active sites for co2 hydrogenation to methanol. *Nature Communications*, 15(1):2159, 2024.
- [23] Yaguang Li, Fanqi Meng, Xianhua Bai, Dachao Yuan, Xingyuan San, Baolai Liang, Guangsheng Fu, Shufang Wang, Lin Gu, and Qingbo Meng. A new artificial photosynthetic system coupling photovoltaic electrocatalysis with photothermal catalysis, 2022.
- [24] Valentino Romano, Giovanna D'Angelo, Siglinda Perathoner, and Gabriele Centi. Current density in solar fuel technologies, 2022.
- [25] Qinghe Gao and Artur M. Schweidtmann. Deep reinforcement learning for process design: Review and perspective, 2023.
- [26] Jie Shi, Yuanqing Zhu, Yongming Feng, Jun Yang, and Chong Xia. A prompt decarbonization pathway for shipping: green hydrogen, ammonia, and methanol production and utilization in marine engines. *Atmosphere*, 14(3):584, 2023.
- [27] Carlo Giorgio Visconti, Michela Martinelli, Leonardo Falbo, Antonia Infantes-Molina, Luca Lietti, Pio Forzatti, Gaetano Iaquaniello, Emma Palo, Barbara Picutti, and Fabio Brignoli. Co2 hydrogenation to lower olefins on a high surface area k-promoted bulk fe-catalyst. *Applied Catalysis B: Environmental*, 200:530–542, 2017.
- [28] Mostafa Goodarzi and Qifeng Li. Economic viability of the energy-water-hydrogen nexus for power system decarbonization, 2023.
- [29] Alexey N. Korovin, Innokentiy S. Humonen, Artem I. Samtsevich, Roman A. Eremin, Artem I. Vasilyev, Vladimir D. Lazarev, and Semen A. Budennyy. Boosting heterogeneous catalyst discovery by structurally constrained deep learning models, 2022.
- [30] Georgios A. Tritsaris and Afreen Siddiqi. Interdisciplinary collaboration in research networks: Empirical analysis of energy-related research in greece, 2019.
- [31] Chanyeon Kim, Seokwon Hyeon, Jonghyeok Lee, Whi Dong Kim, Doh C Lee, Jihan Kim, and Hyunjoo Lee. Energy-efficient co2 hydrogenation with fast response using photoexcitation of co2 adsorbed on metal catalysts. *Nature communications*, 9(1):3027, 2018.
- [32] Chengjiang Li, Tingwen Jia, Shiyuan Wang, Xiaolin Wang, Michael Negnevitsky, Honglei Wang, Yujie Hu, Weibin Xu, Na Zhou, and Gang Zhao. Methanol vehicles in china: a review from a policy perspective. *Sustainability*, 15(12):9201, 2023.
- [33] Alberto Alamia, Behzad Partoon, Eoghan Rattigan, and Gorm Brunn Andresen. Optimizing hydrogen and e-methanol production through power-to-x integration in biogas plants, 2024.
- [34] G. Ali Mansoori, L. Barnie Agyarko, L. Antonio Estevez, Behrooz Fallahi, Georgi Gladyshev, Ronaldo Gonçalves dos Santos, Shawn Niaki, Ognjen Perišić, Mika Sillanpää, Kaniki Tumba, and Jeffrey Yen. Fuels of the future for renewable energy sources (ammonia, biofuels, hydrogen), 2021.

Disclaimer:

SurveyX is an AI-powered system designed to automate the generation of surveys. While it aims to produce high-quality, coherent, and comprehensive surveys with accurate citations, the final output is derived from the AI's synthesis of pre-processed materials, which may contain limitations or inaccuracies. As such, the generated content should not be used for academic publication or formal submissions and must be independently reviewed and verified. The developers of SurveyX do not assume responsibility for any errors or consequences arising from the use of the generated surveys.

