Date of Thorough Examination: 01/09/2045

Job Number: SJB1167623

Client Order Number: JK4087476

Date of Last Thorough Examination : First Issued for Use

Due Date of Next Thorough Examination : 01/04/2065

Name Address

Harbour Energy

Address of the premises at which the examination was made :

				_
Identification Number	Quantity	Description of Equipment and detail of any test conducted by Competent Person as part of the examination. If known indicate date of manufacture and reference to original supply documentation	SWL or WLL	Proof Load Applied
218545-94	1.00	Crane Pennant: Single Leg: 20t x 30ft: M/Link & Eye Type Hook: Flemish Single Leg Wire Rope Crane Pennant 44mm Dia IWRC Galv Wire Rope - 30ft EWL c/w Flemish Eye Spliced Hard Eyes HA40ML Master Link one end, BK26-10 Eye Type Safety Hook other end c/w Hi-Viz Pennant Cover Between the Ferrules Flemish Splice with Steel Sleeves Original E.C. Declaration Cert No: 729848294 Colour Code: Green	20t	N/A

Basis of Examination	
Basis of Examination	State Yes or No
	NO
	NO
	YES
	NO
Is This Equipment Safe to Operate	YES
Particulars of any defect that could become a danger to persons (If None state None)	NONE
Particulars of any repair or alteration required to remedy defects identified and latest date by which action should be undertaken (If None State None)	NONE

Date of Thorough Examination: 01/09/2045

Job Number: SJB1167623

Client Order Number: JK4087476

Date of Last Thorough Examination : First Issued for Use

Due Date of Next Thorough Examination : 01/04/2065

Name Address

Harbour Energy

Address of the premises at which the examination was made :

			_	_
Identification Number	Quantity	Description of Equipment and detail of any test conducted by Competent Person as part of the examination. If known indicate date of manufacture and reference to original supply documentation	SWL or WLL	Proof Load Applied
638784-94	3.00	Crane Pennant : Single Leg : 20t x 30ft : M/Link & Eye Type Hook : Flemish Single Leg Wire Rope Crane Pennant 44mm Dia IWRC Galv Wire Rope - 30ft EWL c/w Flemish Eye Spliced Hard Eyes HA40ML Master Link one end,	20t	N/A
		Original E.C. Declaration Cert No: 7583492 Colour Code: Green		

Basis of Examination				
Basis of Examination	State Yes or No			
NO				
NO				
YES				
NO	,			
Is This Equipment Safe to Operate	YES			
Particulars of any defect that could become a danger to persons (If None state None)	NONE			
Particulars of any repair or alteration required to remedy defects identified and latest date by which action should be undertaken (If None State None)	NONE			

Date of Thorough Examination: 01/09/2057

Job Number: SJB136467

Client Order Number: JK9589378

Date of Last Thorough Examination : First Issued for Use

Due Date of Next Thorough Examination : 01/04/2082

Name Address

Harbour Energy

Address of the premises at which the examination was made :

Identification Number	Quantity	Description of Equipment and detail of any test conducted by Competent Person as part of the examination. If known indicate date of manufacture and reference to original supply documentation	SWL or WLL	Proof Load Applied
623886-768	1.00	Crane Pennant: Single Leg: 20t x 30ft: M/Link & Eye Type Hook: Flemish Single Leg Wire Rope Crane Pennant 44mm Dia IWRC Galv Wire Rope - 30ft EWL c/w Flemish Eye Spliced Hard Eyes HA40ML Master Link one end, BK26-10 Eye Type Safety Hook other end c/w Hi-Viz Pennant Cover Between the Ferrules Flemish Splice with Steel Sleeves	20t	N/A

Basis of Examination	
Basis of Examination	State Yes or No
	NO
	NO
	YES
	NO
Is This Equipment Safe to Operate	YES
Particulars of any defect that could become a danger to persons (If None state None)	NONE
Particulars of any repair or alteration required to remedy defects identified and latest date by which action should be undertaken (If None State None)	NONE

Date of Thorough Examination : 01/09/2045

Job Number: SJB00099

Client Order Number: JK734783

Date of Last Thorough Examination : First Issued for Use

Due Date of Next Thorough Examination: 01/04/2026

Name Address

Harbour Energy

Address of the premises at which the examination was made :

				_
Identification Number	Quantity	Description of Equipment and detail of any test conducted by Competent Person as part of the examination. If known indicate date of manufacture and reference to original supply documentation	SWL or WLL	Proof Load Applied
827382-4	3.00	Crane Pennant : Single Leg : 20t x 30ft : M/Link &	20t	N/A
		Single Leg Wire Rope Crane Pennant 44mm Dia IWRC Galv Wire Rope - 30ft EWL c/w Flemish Eye Spliced Hard Eyes HA40ML Master Link one end,		

Basis of Examination		
Basis of Examination	State Yes or No	
NO NO		
NO		
YES		
NO	_	
Is This Equipment Safe to Operate	YES	
Particulars of any defect that could become a danger to persons (If None state None)	NONE	
Particulars of any repair or alteration required to remedy defects identified and latest date by which action should be undertaken (If None State None)	NONE	

Date of Thorough Examination : 01/09/2045

Job Number: **SJB7287498**

Client Order Number: JK4087476

Date of Last Thorough Examination : First Issued for Use

Due Date of Next Thorough Examination: 01/04/2065

Name Address

Harbour Energy

Address of the premises at which the examination was made :

Identification Number	Quantity	Description of Equipment and detail of any test conducted by Competent Person as part of the examination. If known indicate date of manufacture and reference to original supply documentation	SWL or WLL	Proof Load Applied
2783445-09	6.00	Crane Pennant: Single Leg: 20t x 30ft: M/Link & Eye Type Hook: Flemish Single Leg Wire Rope Crane Pennant 44mm Dia IWRC Galv Wire Rope - 30ft EWL c/w Flemish Eye Spliced Hard Eyes HA40ML Master Link one end, BK26-10 Eye Type Safety Hook other end c/w Hi-Viz Pennant Cover Between the Ferrules Flemish Splice with Steel Sleeves Colour Code: Green	20t	N/A

Basis of Examination	
Basis of Examination	State Yes or No
	NO
	NO
	YES
	NO
Is This Equipment Safe to Operate	YES
Particulars of any defect that could become a danger to persons (If None state None)	NONE
Particulars of any repair or alteration required to remedy defects identified and latest date by which action should be undertaken (If None State None)	NONE

Date of Thorough Examination: 01/09/2045

Job Number: SJB1167623

Client Order Number: JK4087776

Date of Last Thorough Examination : First Issued for Use

Due Date of Next Thorough Examination: 01/04/2065

Name Address

Harbour Energy

Address of the premises at which the examination was made :

Identification Number	Quantity	Description of Equipment and detail of any test conducted by Competent Person as part of the examination. If known indicate date of manufacture and reference to original supply documentation	SWL or WLL	Proof Load Applied
638004-94	3.00	Crane Pennant: Single Leg: 20t x 30ft: M/Link & Eye Type Hook: Flemish Single Leg Wire Rope Crane Pennant 44mm Dia IWRC Galv Wire Rope - 30ft EWL c/w Flemish Eye Spliced Hard Eyes HA40ML Master Link one end, Original E.C. Declaration Cert No: 45743654 Colour Code: Green	20t	N/A

Basis of Examination			
Basis of Examination	State Yes or No		
NO NO			
NO NO			
YES			
NO NO			
Is This Equipment Safe to Operate	YES		
Particulars of any defect that could become a danger to persons (If None state None)			
Particulars of any repair or alteration required to remedy defects identified and latest date by which action should be undertaken (If None State None)	NONE		

Date of Thorough Examination: 01/09/2057

Job Number: SJB136533

Client Order Number: JK95876678

Date of Last Thorough Examination : First Issued for Use

Due Date of Next Thorough Examination : 01/04/2082

Address

Harbour Energy

Name

Address of the premises at which the examination was made :

Identification Number	Quantity	Description of Equipment and detail of any test conducted by Competent Person as part of the examination. If known indicate date of manufacture and reference to original supply documentation	SWL or WLL	Proof Load Applied
623886-768	1.00	Crane Pennant : Single Leg : 20t x 30ft : M/Link & Eye Type Hook : Flemish Single Leg Wire Rope Crane Pennant 44mm Dia IWRC Galv Wire Rope - 30ft EWL c/w Flemish Eye Spliced Hard Eyes HA40ML Master Link one end, BK26-10 Eye Type Safety Hook other end c/w Hi-Viz Pennant Cover Between the Ferrules Flemish Splice with Steel Sleeves	20t	N/A

Basis of Examination		
Basis of Examination	State Yes or No	
	NO	
	NO	
	YES	
	NO	
Is This Equipment Safe to Operate	YES	
Particulars of any defect that could become a danger to persons (If None state None)	NONE	
Particulars of any repair or alteration required to remedy defects identified and latest date by which action should be undertaken (If None State None)	NONE	

Date of Thorough Examination: 01/09/2045

Job Number: SJB00777

Client Order Number: JK734783

Date of Last Thorough Examination : First Issued for Use

Due Date of Next Thorough Examination : 01/04/2026

Name Address

Harbour Energy

Address of the premises at which the examination was made :

Identification Number	Quantity	Description of Equipment and detail of any test conducted by Competent Person as part of the examination. If known indicate date of manufacture and reference to original supply documentation	SWL or WLL	Proof Load Applied
839843-5	3.50	Crane Pennant : Single Leg : 20t x 30ft : M/Link &	20t	N/A
		Single Leg Wire Rope Crane Pennant 44mm Dia IWRC Galv Wire Rope - 30ft EWL c/w Flemish Eye Spliced Hard Eyes HA40ML Master Link one end,		

Basis of Examination	
Basis of Examination	State Yes or No
NO NO	
NO NO	
YES	
NO NO	
Is This Equipment Safe to Operate	YES
Particulars of any defect that could become a danger to persons (If None state None)	NONE
Particulars of any repair or alteration required to remedy defects identified and latest date by which action should be undertaken (If None State None)	NONE

Date of Thorough Examination: 01/09/2057

Job Number: SJB787909

Client Order Number: JK9588038

Date of Last Thorough Examination : First Issued for Use

Due Date of Next Thorough Examination : 01/04/2082

Name Address

Harbour Energy

Address of the premises at which the examination was made :

	_			
Identification Number	Quantity	Description of Equipment and detail of any test conducted by Competent Person as part of the examination. If known indicate date of manufacture and reference to original supply documentation	SWL or WLL	Proof Load Applied
600886-78	1.00	Crane Pennant : Single Leg : 20t x 30ft : M/Link & Eye Type Hook : Flemish Single Leg Wire Rope Crane Pennant 44mm Dia IWRC Galv Wire Rope - 30ft EWL BK26-10 Eye Type Safety Hook other end c/w Hi-Viz Pennant Cover Between the Ferrules Flemish Splice with Steel Sleeves	20t	N/A

Basis of Examination		
Basis of Examination	State Yes or No	
	NO	
	NO	
	YES	
	NO	
Is This Equipment Safe to Operate	YES	
Particulars of any defect that could become a danger to persons (If None state None)	NONE	
Particulars of any repair or alteration required to remedy defects identified and latest date by which action should be undertaken (If None State None)	NONE	

Date of Thorough Examination: 01/09/2045

Job Number: SJB066777

Client Order Number: JK73424383

Date of Last Thorough Examination : First Issued for Use

Due Date of Next Thorough Examination : 01/04/2026

Name Address

Harbour Energy

Address of the premises at which the examination was made :

				_
Identification Number	Quantity	Description of Equipment and detail of any test conducted by Competent Person as part of the examination. If known indicate date of manufacture and reference to original supply documentation	SWL or WLL	Proof Load Applied
839843-0	3.50	Crane Pennant : Single Leg : 20t x 30ft : M/Link &	20t	N/A
		Single Leg Wire Rope Crane Pennant 44mm Dia IWRC Galv Wire Rope - 30ft EWL c/w Flemish Eye Spliced Hard Eyes HA40ML Master Link one end,		

Basis of Examination			
Basis of Examination	State Yes or No		
NO NO			
NO NO			
YES YES			
NO NO			
Is This Equipment Safe to Operate	YES		
Particulars of any defect that could become a danger to persons (If None state None)	NONE		
Particulars of any renair or alteration required to remedy defects identified and latest date by which action should be undertaken (If None State None)	NONE		