STOWZA · ANDROID

Release 1.3.1 Changelog & Audit

A visual-language rework taking its form from Zepto, its colour from Stowza, and replacing the pixel dissolve with a loader that only appears when there is something to wait for.

VERSION	VERSION CODE	FILES CHANGED	SCREENS TOUCHED
1.3.1	6	69	46 / 54

Prepared 23 September 2026 and shipped to dikkiconnect-download.vercel.app. Part 1 is the changelog. Part 2 is the audit: what was verified and how, the defects found and fixed, and — in §8 — the one thing this audit still cannot claim.

1. What changed, in plain terms

The five things a person using the app will actually notice.

CHANGE	BEFORE	AFTER
Parcel categories	A grey square with a thin outline glyph, the same shape for all eight.	A drawn object on its own colour — documents blue, food amber, gifts pink. A list of parcels is scannable before a word is read.
Screen transitions	A grid of blue squares flooded the frame, swapped the screens underneath, and drained. ~620ms on every tap.	Gone. Navigation is a 120ms crossfade and feels instant.
Waiting	A small spinner and a rotating fact.	A parcel riding a road that draws itself, under a short quote. It appears only after 350ms, so most waits never show it at all.
Corners and weight	A 22px card read as a panel. Fares sat at the same weight as the words around them.	Softer corners throughout; fares, ETAs and counts are the loudest thing on their row.
Urgency	"2 seats left" wore the same amber the app uses for failures.	One rationed yellow, used 16 times in 54 screens, meaning only: this expires, this saves money, this is nearly gone.

THE ONE RULE BEHIND ALL OF IT

Zepto's *form* was adopted — density, radius, weight, the way it makes objects feel touchable. Zepto's *colour* was not. Stowza's blue ramp is byte-for-byte unchanged, and no hue in the app was altered. The brief allowed a full palette swap; it was declined so the product stays Stowza's rather than becoming a clone of the reference.

2. Design system

Three token groups changed. Everything downstream inherited them without edits.

2.1 Radius — the loudest form signal

The whole ramp moved one step together, so relationships between nested corners hold. Two corners were given their own names because they carry the product's character and should be able to move without dragging every card with them.

TOKEN	WAS	NOW	TOKEN	WAS	NOW
`--radius-xs`	**4px**	**6px**	`--radius-xl`	**18px**	**24px**
`--radius-sm`	**8px**	**10px**	`--radius-2xl`	**22px**	**28px**
`--radius-md`	**12px**	**14px**	`--radius-tile`	**—**	**20px**
`--radius-lg`	**14px**	**18px**	`--radius-sheet`	**—**	**28px**

2.2 Signal — one rationed yellow

A new seven-step ramp (`--color-signal-50` … `-700` , primary `#ffc531`). It is permitted on badges, notes and counters only. It is never a button, never a heading, and never a status. Used on a heading it

stops meaning urgent and starts meaning decorative — and then it is unavailable when something genuinely is urgent.

2.3 Category tints

Eight washes, one per parcel category, each the palest reading of that category's own artwork. They sit under an illustration and never under type, so they are tuned to roughly 1.05:1 against white — enough to bound a tile, not enough to become a colour in the UI.

2.4 Elevation and type

No new shadows; three existing ones were removed during the sweep. Surfaces separate by hairline border and tint. Inter stays the only family — what changed is hierarchy, not typeface.

---

3. New and removed

3.1 Added

FILE	WHAT IT IS
`domain/ParcelArt.tsx`	Eleven hand-drawn flat SVGs — eight categories, three sizes — plus `ArtTile`, the tinted tile the category grid is built from. One 48×48 viewBox, a shared y=38 baseline, flat fill only, at most three colours each.
`brand/WaitMark.tsx`	The waiting animation. A road draws between two points, a parcel rides the arc, the far point lands as it arrives. 2.2s, four parts on one shared clock, transform and `stroke-dashoffset` only.
`lib/chrome.tsx`	One fact — whether a tab bar sits below this subtree — so `ActionBar` stops paying the safe-area inset twice. See §6.2.
`CategoryMark`, `SizeMark`	Added to `domain/CategoryIcon.tsx`. The drawn object on its tint, for list rows. The old line icons stay for dense chips that must inherit `currentColor`.
`QUOTES`, `QUOTE_FAMILY`	Added to `lib/copy.ts`. Twenty short lines in five families, mapped from each loading context, so a line about shared fuel never appears under a payment spinner.
`useDelayedLoader`	Added to `lib/hooks.ts`. 350ms before anything shows, 600ms minimum once shown.

3.2 Removed

`layout/PixelWipe.tsx` is deleted, unwired from `AppShell` and `App.tsx`, and its CSS keyframes removed from `index.css`. The launch screen, which previously unmounted under the wipe's cover and so had no exit of its own, now carries a 420ms dissolve.

---

4. Screens, by area

46 of 54 screens changed. The eight untouched are listed with the reason.

AREA	FILES	THE SUBSTANTIVE CHANGES
Sender	**9**	Category grid rebuilt as `ArtTile`. Marks on tracking, review, QR. Savings, corridor distance and promo discount made number-forward; the applied-promo saving became the first `signal` badge. UPI chips and corridor rows to 48px with a 2px edge in both states, so selecting one changes colour and never layout.
Traveler	**9**	Marks on job detail, handoff, navigation, scan. Earnings restructured so "this week" leads. Seats-left and job-expiry badges to `signal`; the final 20 minutes stays danger red. Size picker adopted the sender's `ArtTile` — see §7.
Passenger	**10**	Fares, departure times and durations number-forward. Scarcity chips on seats and imminent departures. Chat bubbles to the softened ramp with small tail corners; composer targets to 48px. Tip tiles moved from a border swap to a ring, which was visibly shuffling the row of four between states.
Hub	**7**	The highest-value area for the mark swap — a worker matching a physical box to a screen row. Inventory's three stat tiles rebuilt as one divided counts strip; its action moved into the shared sticky bar. Shelf capacity and aging counts number-forward.
Common & auth	**11**	Wallet and profile figures number-forward; settings rows to a tinted leading icon at 48px; role picker to large pressable objects. OTP countdown pulled out of its sentence; the expiry note moved to `signal`.
Untouched	**8**	Splash (out of scope — the opening is its own change), Login, Onboarding, NotFound, Download, Ops, and two list screens whose content is entirely shared components. In each case there was nothing to change that would not have been cosmetic churn.

5. Version and distribution

MARKER	WAS	NOW
`app/package.json`	**1.2.1**	**1.3.1**
`lib/brand.ts` → `APP_VERSION`	**1.2.1**	**1.3.1**
`android/app/build.gradle` → `versionName`	**1.2.1**	**1.3.1**
`android/app/build.gradle` → `versionCode`	**4**	**6**

The download page's version paragraph was rewritten for 1.3.1, keeping the 1.2.1 and 1.2.0 history below it. Both APKs were rebuilt from this source with `VITE_API_ORIGIN` set, so sign-in inside the APK reaches the real host rather than `localhost`.

1.3.0 was never published. Its APKs were built and then superseded by the fixes in §6.5 before release; shipping a second, different binary under the same version number would have made the two impossible to tell apart, so the release went out as 1.3.1 / versionCode 6.

ARTEFACT	BYTES	MD5
`Stowza-full.apk`	**5,708,708**	`9452D6ADA3A823AF419DF98B776307D3`
`Stowza-demo.apk`	**5,708,884**	`6B5E5BE7AE283FE6178483D5C483E1AB`


Both were verified by unzipping the shipped file: the new `#8a5f00` signal step is present in the CSS, the old `#b87f00` is absent, the pixel-wipe keyframes are gone, and the binary manifest carries `1.3.1` with no trace of `1.3.0`. The live site serves both at byte-identical length to the local builds.

6. Audit — what was verified, and what was found


Evidence first, then the three defects the work surfaced.

6.1 Verification performed


CHECK	RESULT	EVIDENCE
TypeScript	PASS	`tsc -b --noEmit --force`, exit 0, run after every stage including the final one.
Production build	PASS	`vite build` succeeded. Pre-existing chunk-size warnings on `Map` (954kB) and `index` (559kB) are unchanged by this work.
Rendered screens	PASS	13 screens driven and captured over CDP against a demo build at 412×892 @2×, across all four roles. Shown below.
Waiting mark	PASS	Rendered at four frozen phases to confirm the road draws, the parcel travels the arc and the destination lands. Two art defects found and fixed this way.
Quote loader	PASS	Assembled loader rendered in the app; quote rotation confirmed across two frames. Caveat in §8.1.
Contrast	12 / 12	Programmatic WCAG ratio check over every new and adjacent pair. Seven initially failed — §7.1.
Shipped APKs	VERIFIED	Unzipped and inspected: new tokens present, old absent, manifest reads 1.3.1.
Security review	NO FINDINGS	§6.4.




Category tiles



Marks in list rows



Hub counts + sticky bar



Quote loader, assembled

6.2 Defects found and fixed

None of these were in the brief. All were found by doing the work and looking at the result. The second pass in §7 found four more.

A · The tracking class was inert on every number it was applied to FIXED

`.tabular` is declared unlayered in `index.css` and set `letter-spacing:-0.012em`, which outranks Tailwind's layered `tracking-*` utility. So `tabular tracking-title` on a fare rendered at the tabular value and the tracking class did nothing — on *precisely* the big figures the rework existed to tighten. It was invisible because the two values differ by under a hundredth of an em. `.tabular` now does only its real job: same-width digits.

B · The safe-area inset was paid twice on tab screens FIXED

`ActionBar` carried `pb-safe-4`; `BottomNav` already carries `pb-safe`. On any device with a home indicator that is roughly 34px of dead white between the button and the tabs — and exactly 0px on desktop and in the device-shell preview, which is how it would have shipped unseen. A `pb-*` override could not fix it at the call site, because the `.pb-safe*` rules are unlayered and beat it. Fixed at the component: `RoleLayout` states once that a tab bar is below, and every `ActionBar` beneath reads it.

C · The demo badge covered the product it labels FIXED

The demo-build marker floated at top centre and sat squarely on every screen's title — "Parcel details" and "Bookings" were both half covered in the shipped demo APK. Moving it to the bottom left put it on top of the sticky action bar, which is worse, because that one is a button. The real problem was that a floating badge has no position free on all 54 screens. It is now a strip in the layout beside the network banner: it pushes the app down by 20px instead of covering it, and is more visible than before. This matters beyond aesthetics — the badge exists so nobody is shown the demo and believes they were shown the product.

6.3 Art defects caught by looking

Three, all found only by rendering and inspecting: the size boxes were drawn too small to compare and read as one blob at three widths; their ghost stacks were within a few percent of the tile behind them; and the waiting parcel at `rx=4.5` on a 13px box rendered as a coin with a stripe. All three corrected.

6.4 Security review

NO FINDINGS AT OR ABOVE THE REPORTING THRESHOLD

This change is presentational. The security-relevant boundaries were confirmed untouched rather than assumed: `lib/demo.ts`, `lib/auth.tsx`, `lib/otp.ts`, `lib/store.tsx` and the whole `api/` directory have zero changed lines.

- **No dangerous sinks introduced.** The added lines contain no `dangerouslySetInnerHTML`, `innerHTML`, `eval`, `new Function`, `document.write`, `srcdoc` or `javascript:` URL.
- **No new I/O.** No `fetch`, `XMLHttpRequest`, `localStorage`, `sessionStorage`, `indexedDB` or `postMessage` call was added anywhere in the diff.
- **The demo bypass is unchanged and still build-time.** `DEMO` is inlined by Vite and dead-code-eliminated, so the real bundle does not contain the bypass. `DemoBadge` still returns `null` behind `if (!DEMO)`; only its position changed, and defect C made it harder to miss, not easier.
- **The OTP screen's diff is styling only** — no change to verification, attempt counting, or error handling.
- The two new components render static, author-written SVG and string constants. No user-controlled value reaches either.

7. Second pass — the audit's own findings, closed

Everything §7 previously left for a human, and every gap in §8 that could be closed, was closed. This is what changed after the first audit and before release.

7.1 Contrast was measured, and seven pairs failed

The first audit admitted no contrast tooling had been run. It was run. Seven of twelve pairs failed, three of them introduced by this work:

PAIR	WAS	NOW	CHANGE
Signal badge text on its wash	**3.05**	**4.98**	`signal-700` #b87f00 → **#8a5f00**
Signal note text on its wash	**3.28**	**5.37**	same token
Signal dot on its wash	**1.90**	**3.58**	`signal-600` #e8a400 → **#a87400**
Quote line under the mark	**2.39**	**6.49**	`ink-400` → `ink-600`
Tile sub-label	**4.42**	**6.89**	`ink-500` → `ink-600`
Nav inactive label (pre-existing)	**2.53**	**6.89**	`ink-400` → `ink-600`
Nav inactive glyph (pre-existing)	**2.53**	**4.42**	`ink-400` → `ink-500`

The last two predate this rework: a 10px bold tab label and a 22px glyph, both under the floor since before any of this. They were fixed because the file was already open. The active tab keeps its edge — it is still the only saturated colour on the bar and the only filled glyph. All twelve pairs now pass.

WHY A YELLOW RAMP HAS TWO DARK STEPS

`signal-600` and `-700` are darker than a yellow wants to be, deliberately: they are the only two steps that ever carry text or a dot, and they only ever sit on `-50` and `-100`. The first cut chose #b87f00, which looks correct and measures 3.05:1. Eyeballing yellow does not work.

7.2 The invented thresholds now live in one file

Six scarcity cut-offs were hard-coded across five screens — two seats here, ninety minutes there, eighteen hours in the hub, seventy per cent on a shelf. Each was defensible alone; together they were not a rule, they were six opinions. They are now named constants and predicates in `lib/scarcity.ts`, with the reasoning attached, and every screen asks rather than decides. **If the PRD grows real windows, that is the only file to change.**

7.3 The rationed yellow was on a button

The wallet's referral row rendered `INVITE` as a signal badge inside a button — so the app's one colour for "this expires or runs out" was sitting on an action. It is doubly wrong: "invite" is a verb, not a scarcity fact, and a colour that appears on something you can simply press stops meaning urgency the first time anybody sees it. The chip is brand blue now; the ₹100 already carries that row. **All twelve remaining signal uses were re-checked one by one: every one is a badge or note on an expiry, a saving or a shortage. None is an action.**

7.4 Selection is one treatment

The first audit flagged tiles selecting with a ring-plus-offset while rows used a solid brand edge, and left it for a human. Both outliers now use `ring-2 ring-brand-600`, which the role picker, signup picker, help-centre filter and tip tiles already used. Seven call sites, one treatment, zero ring offsets.

7.5 The other decisions, ratified

The new copy strings, the traveler size picker adopting the sender's tile, and the seats badge moving off warn amber were all kept. The reasoning stands: one size picker with one form beats two that disagree, and a ride down to two seats is not a fault — warn is what this app uses for things going wrong.

---

8. What this audit still cannot claim

Shorter than it was, and deliberately not empty.

8.1 The quote loader — now shown, with one caveat

The first audit could not photograph it. It is photographed now, rendered by the real component with the real stylesheet inside the running app: the mark animating, the contextual line, and a quote drawn from the correct family for a booking wait — then a different quote from the same family 3.6 seconds later, confirming rotation.

THE CAVEAT, STATED PRECISELY

It was rendered through a temporary route that mounts `ScreenLoader` directly, not by a genuinely slow chunk load. Three attempts to force a real Suspense wait failed for reasons outside the app: the dev server pre-bundles, the production build emits `modulepreload` for every route chunk, and this headless Chromium accepts `Fetch.enable` with a success reply and then never emits a single `requestPaused` event, so request stalling does not work here at all. **What is proven is the loader's appearance and quote rotation. What is not proven by photograph is the 350ms gate and the 600ms hold** — those are plain `setTimeout` logic in `useDelayedLoader`, reviewed but not observed firing. One look on a real device on a bad connection would close this.

8.2 CodeRabbit still did not run

NOT RUN The CLI is not installed on this machine and nothing is on `PATH`. No CodeRabbit pass happened and none is claimed. What did run: TypeScript (exit 0, after every stage), a production build, a rendered-screen pass across all four roles, a programmatic twelve-pair contrast audit, a security review of the diff, and an unzip-and-inspect of both shipped APKs.

8.3 Still true from the first audit

- **No automated tests.** The repository has no suite, so "verified" here means the compiler passed and the screens were rendered and looked at. There is no regression net under any of this.
- **Contrast was audited, not the whole of accessibility.** Twelve colour pairs pass and touch targets are at 48px, but no screen reader was run and no focus-order pass was made.
- **One sweep was interrupted** by a session rate limit partway through the common and auth screens. It finished the six prioritised ones; the rest were completed by hand and the central typecheck passes.

REPRODUCING THIS

Typecheck: `npx tsc -b --noEmit --force` in `app/`. Build: `VITE_API_ORIGIN=… npx vite build`. APKs: `vite build` → `node scripts/strip-apk.mjs` → `npx cap sync android` → `gradlew assembleDebug` (add `-PdemoBuild` for the demo), with `JAVA_HOME` pinned to JDK 21 — Gradle rejects the JDK 25 that leads `PATH`. Publish: `npx vercel --prod --yes` in `download-site/`.