



TEST CERTIFICATE

Test Certificate No.	DMSPL-000001
Report No.	R-20251220165538
Date of Issue	20-12-2025
Sample No.	25-000001
Test Name	Full Analysis
Customer Name	Harsh Gujral
Sample Received On	05-12-2025
Customer Address	Bengaluru, KA, India
Test Performed At	DMSPL, Ahmedabad

Customer Details

Customer Name	Harsh Gujral
Customer Address	Bengaluru, KA, India

Sample Details

Sample No	25-000001
Case No	DMSPL-000001
Material	
Condition	

Full Analysis

Test Results

Parameter	Result	Unit	Min	Max
Ag - (Chemical)	1.00	%	1.00	3.00
As - (Chemical)	3.00	%	1.00	2.00
Al - (Chemical)	2.00	%	1.30	1.20

Statement of Conformity

The result does not meet the specified requirements.

Full Analysis

Parameter	T1	T2	T3
Ag - (Chemical)	1.2	-	1.2
As - (Chemical)	-	1.4	-
Al - (Chemical)	-	-	-



Condition of Reporting:

1) DMSPL clarifies that sampling is not conducted by us. The report pertains only to the sample submitted by the customer. 2) Reproduction of this report, in full or part, requires written consent of DMSPL. 3) DMSPL is not responsible for authenticity of reproduced copies. 4) Samples are stored for 15 days from reporting date unless specified. 5) Statement of conformity is issued without considering measurement uncertainty unless specified.



TEST CERTIFICATE

Test Certificate No.	DMSPL-000001
Report No.	R-20251220165538
Date of Issue	20-12-2025
Sample No.	25-000001
Test Name	Spectro
Customer Name	Harsh Gujral
Sample Received On	05-12-2025
Customer Address	Bengaluru, KA, India
Test Performed At	DMSPL, Ahmedabad

Customer Details

Customer Name	Harsh Gujral
Customer Address	Bengaluru, KA, India

Sample Details

Sample No	25-000001
Case No	DMSPL-000001
Material	
Condition	

Spectro

Test Results

Parameter	Result	Unit	Min	Max
Ag - (Chemical)	3.00	%	1.00	3.00
As - (Chemical)	4.00	%	1.00	2.00

Statement of Conformity

The result does not meet the specified requirements.



Condition of Reporting:

1) DMSPL clarifies that sampling is not conducted by us. The report pertains only to the sample submitted by the customer. 2) Reproduction of this report, in full or part, requires written consent of DMSPL. 3) DMSPL is not responsible for authenticity of reproduced copies. 4) Samples are stored for 15 days from reporting date unless specified. 5) Statement of conformity is issued without considering measurement uncertainty unless specified.



TEST CERTIFICATE

Test Certificate No. DMSPL-000001
Report No. R-20251220165538
Date of Issue 20-12-2025
Sample No. 25-000001
Test Name Tensile Test
Customer Name Harsh Gujral
Sample Received On 05-12-2025
Customer Address Bengaluru, KA, India
Test Performed At DMSPL, Ahmedabad

Customer Details

Customer Name Harsh Gujral
Customer Address Bengaluru, KA, India

Sample Details

Sample No 25-000001
Case No DMSPL-000001
Material
Condition

Tensile Test

Test Results

Parameter	Result	Unit	Min	Max
Diameter - (Mechanical)	3.00	mm		
Outer Diameter - (Mechanical)	1.00	mm		
Inner Diameter - (Mechanical)	2.00	mm		
Width of specimen - (Mechanical)	1.00	mm		
Thickness of specimen - (Mechanical)	1.00	mm		

Observation

Inner Diameter - (Mechanical) update



Condition of Reporting:

1) DMSPL clarifies that sampling is not conducted by us. The report pertains only to the sample submitted by the customer. 2) Reproduction of this report, in full or part, requires written consent of DMSPL. 3) DMSPL is not responsible for authenticity of reproduced copies. 4) Samples are stored for 15 days from reporting date unless specified. 5) Statement of conformity is issued without considering measurement uncertainty unless specified.



While testing



Condition of Reporting:

1) DMSPL clarifies that sampling is not conducted by us. The report pertains only to the sample submitted by the customer. 2) Reproduction of this report, in full or part, requires written consent of DMSPL. 3) DMSPL is not responsible for authenticity of reproduced copies. 4) Samples are stored for 15 days from reporting date unless specified. 5) Statement of conformity is issued without considering measurement uncertainty unless specified.



TEST CERTIFICATE

Test Certificate No.	DMSPL-000001
Report No.	R-20251220165538
Date of Issue	20-12-2025
Sample No.	25-000001
Test Name	XRF
Customer Name	Harsh Gujral
Sample Received On	05-12-2025
Customer Address	Bengaluru, KA, India
Test Performed At	DMSPL, Ahmedabad

Customer Details

Customer Name	Harsh Gujral
Customer Address	Bengaluru, KA, India

Sample Details

Sample No	25-000001
Case No	DMSPL-000001
Material	
Condition	

XRF

Test Results

Parameter	Result	Unit	Min	Max
Ag - (Chemical)	2.00	%	1.00	3.00
As - (Chemical)	3.00	%	1.00	2.00

Statement of Conformity

The result does not meet the specified requirements.

XRF

Parameter	T1
Ag - (Chemical)	1
As - (Chemical)	-



Condition of Reporting:

1) DMSPL clarifies that sampling is not conducted by us. The report pertains only to the sample submitted by the customer. 2) Reproduction of this report, in full or part, requires written consent of DMSPL. 3) DMSPL is not responsible for authenticity of reproduced copies. 4) Samples are stored for 15 days from reporting date unless specified. 5) Statement of conformity is issued without considering measurement uncertainty unless specified.