Experiment No: 7

AIM: Implement the embedding wallet (Metamask) and transaction using Solidity

Theory:

Blockchain is a decentralized and distributed digital ledger that records transactions securely across multiple systems. It ensures transparency, security, and immutability, meaning once data is recorded, it cannot be changed.

Ethereum is a popular blockchain platform that allows the execution of Smart Contracts. Smart contracts are self-executing programs written in Solidity that automatically perform actions when predefined conditions are met, eliminating the need for intermediaries.

MetaMask is a cryptocurrency wallet and browser extension used to interact with blockchain networks. It stores user accounts and private keys securely and allows users to send, receive, and sign transactions. It also acts as a bridge between Remix IDE and the blockchain network.

Testnets such as Sepolia and RSK Testnet are used for testing purposes. They provide free tokens, allowing developers to deploy and test smart contracts without using real cryptocurrency, reducing financial risk.

Remix IDE is a web-based development environment used to write, compile, deploy, and test smart contracts. It provides a user-friendly interface and supports direct integration with MetaMask for deploying contracts on blockchain networks.

The smart contract deployment process includes writing the contract in Solidity, compiling it to remove errors, connecting MetaMask to Remix, and deploying the contract on a testnet by paying gas fees using test tokens.

A blockchain transaction refers to any interaction with the network, such as deploying a contract or calling its functions. Each transaction requires authentication through a digital signature and is permanently recorded on the blockchain. These transactions can be verified using blockchain explorers.

Implementation

Step 1: Install MetaMask

Install MetaMask extension and create a wallet







Step 2: Add Sepolia Testnet

Configure MetaMask to connect to Sepolia network.









Step 3: Fund Wallet
Use faucet to get test ETH



Step4: Connect the Sepolia Testnet / RSK Testnet to Remix IDE

1. In the Remix IDE, select the Environment as Injected Web3.

Note : Injected Web3 connects Remix with the active account in Metamask.





Compile the Contract

1. Open Remix
2. Paste your contract code
3. Go to Solidity Compiler (left panel)
4. Select version 0.8.x (match ^0.8.0)
5. Click Compile PharmaSupply.sol



Connect MetaMask (Injected Provider)

1. Go to Deploy & Run Transactions tab
2. In Environment → select Injected Provider - MetaMask
3. MetaMask popup will open → click Connect

Make sure:

- Network = Sepolia Test Network
- You have 0.05 Sepolia ETH



Deploy Contract

Your constructor needs a pharmacy address

Steps:

1. Copy your second MetaMask account address (pharmacy)
    - MetaMask → Account 2 → Copy address
2. Paste that address in constructor field
3. Click Deploy
4. MetaMask will pop up → Confirm transaction

Wait a few seconds…

After success → your contract appears under Deployed Contracts


Accounts
Search your accounts
Account 1
$0.00
Pharmacy
$0.00
Add account
Add wallet


MetaMask
Account 1
Deploy a contract
This site wants you to deploy a contract
Estimated changes
No changes
Network
Sepolia
Request from
remix.ethereum.org
Signing with
Account 1
Network fee
0.0002 SepoliaETH
Speed
Market ~12 sec
Cancel
Confirm


Sepolia Testnet
Search by Address / Txn Hash /
TRANSACTION ACTION
Call 0x60806040 Method by 0x9130A3e1...eE03ed023
[This is a Sepolia Testnet transaction only]
Transaction Hash:
0xcddf8c1dfbd86ce5d053935093cfc7b5d6e7e0a6989b936941a70ed9a55e69af
Status:
Success
Block:
10470717
2 Block Confirmations
Timestamp:
19 secs ago (Mar-18-2026 03:11:24 PM +UTC)
UTC
From:
0x9130A3e1A265192B4607E0E4e03aa00eE03ed023
To:
[0x4f9c35d9dc77f34a1470072cc8e30304cf88ab58 Created]
Value:
0 ETH
Transaction Fee
Gas Price:
This website uses cookies to improve your experience. By continuing to use this website, you agree to its Term


Contract deployment
Status
Confirmed
View on block explorer
Copy transaction ID
From
To
0x9130A...ed023
New contract
Transaction
Nonce
1
Amount
-0 SepoliaETH
Gas Limit (Units)
828833
Gas Used (Units)
821149
Base fee (GWEI)
0.000000012
Priority fee (GWEI)
1.5
Total gas fee
0.001232 SepoliaETH
Max fee per gas
0.000000002 SepoliaETH
Total
0.00123172 SepoliaETH


REMIX
1.5.1
DEPLOY & RUN TRANSACTIONS
0x913...ed023 (0.04753655298
Create Smart Account
GAS LIMIT
Estimated Gas
Custom
3000000
VALUE
0
Wei
CONTRACT
PharmaSupply - PharmaSupply.sol
evm version: osaka
Verify Contract on Explorers
Deploy & Verify
address _pharmacy
At Address
Load contract from Address
Transactions recorded
Deployed Contracts
PHARMASUPPLY AT 0XBC2...BE
Welcome to Remix 1.5.1
Your files are stored in indexedDB, 398.24 KB
You can use this terminal to:
Check transactions details and start debugging.
Execute JavaScript scripts:
The following libraries are accessible:
ethers.js
Type the library name to see available commands
view on Etherscan
view on Blockscout
[block:10470717 txIndex:46] from: 0x913.
[Verification] Contract deployed. Checking expl
Etherscan verification skipped: API key not pro
Please input the API key in Remix Settings - Co
[Blockscout] Verification submitted. Awaiting c
[Routescan] Verification submitted. Awaiting co
[Sourcify] Verification Error: Contract 0xBc2ef
[Sourcify] Please open the "Contract Verificati
[Blockscout] Verification Successful!
[Routescan] Verification Successful!

Interact with Contract

Step 1: Add Medicine (Manufacturer only)

- Make sure MetaMask is on Account 1 (manufacturer)
- In Remix:
  - Enter:
    - _name: "Paracetamol"
    - _quantity: 100
- Click addMedicine

Confirm in MetaMask





Step 2: Ship Medicine

- Still on Account 1
- Click shipMedicine
- Confirm transaction







Step 3: Receive Medicine (Pharmacy)

- Switch MetaMask to Account 2 (pharmacy)
- Click receiveMedicine
- Confirm transaction





Step 4: Check Data

- Click getMedicine

Output will be like:

"Paracetamol"
100
true (shipped)
true (received)



Compiled PharmaSupply.sol

Copy contract address → paste in Etherscan (Sepolia) See all transactions + status





Conclusion

The experiment successfully demonstrated MetaMask integration with Remix IDE and execution of blockchain transactions. It provided hands-on experience with smart contracts, ensuring secure and transparent interactions on a testnet