


Berik Alisher – Lab 1 – Week 8

Report



I also connected with MongoDB Atlas. So, if you want to try to execute CRUD operations on database, add -mng to books part (For example, URL/books-mng/...). They will do same input and output as just /books/...

Screenshots from Postman

GET /books – Retrieve all books from array



POST /books – Create new book and insert to array



PUT /books/id – Update existing book data

PUT ▼ | <https://lab1-8.onrender.com/books/1>

Params Authorization Headers (8) **Body ●** Scripts

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw

```
1 {
2   "title": "Some other title for book",
3   "author": "Another Author",
4   "genre": "Some genres",
5   "year": 1985
6 }
```

```
"book_id": 1,
"title": "Some other title for book",
"author": "Another Author",
"genre": "Some genres",
"year": 1985
```

GET ▼ | <https://lab1-8.onrender.com/books/1>

DELETE /books/id – Delete existing book

DELETE ▼ | <https://lab1-8.onrender.com/books/1>

GET ▼ | <https://lab1-8.onrender.com/books/1>

Body ▼ 🔄 **404 Not Found**

{} **JSON** ▼ ▶ Preview 🔍 Visualize ▼

```
1 {
2   "message": "Book not found"
3 }
```