

VELARIS

Who is Velaris

Velaris is a leading global provider of laboratory automation systems, consumables and services, which provides for multiple applications within the environmental, life sciences and energy markets.

Our portfolio combines robots and integrated devices which scale with the needs of our end users, allowing them reliable, precise analysis in their important daily work. Sold under a collection of well-established brands including Skalar Analytical, PromoChrom, LCTech, GERSTEL, and TRACE, we combine over 50 years of experience in the field.

Aspire for the bigger horizon, quiet confidence, together as a team, integrity, respect and trust, are our core values, building the foundation for our high quality and trusted customer service amongst chemistry experts for decades.

Introduction
Logos & usage
Color
Typography
Prints

VELARIS

Our Visual Identity

The Velaris identity combines **design precision** with **brand clarity**.
Built on clean geometry, balanced typography, and a modern color palette,
it communicates **trust, innovation, and quality** at every level.

This system provides a consistent foundation for all brand expressions.
Confident, professional, and **unmistakably Velaris**.

Introduction

Logos & usage

Color

Typography

Prints

VELARIS



The name Velaris is rooted in meaning. **Velox** represents **speed and precision**, while **-aris** suggests **connection or belonging**. Together, Velaris reflects a brand dedicated to precise, efficient solutions that are closely aligned with the needs of modern laboratories.

Introduction
Logos & usage
Color
Typography
Prints

Introduction
Logos & usage
Color
Typography
Prints



The Velaris logo is approachable, clear, and built for strong recognition. Balanced spacing, refined proportions, and carefully defined clear space ensure it remains readable and instantly identifiable in any context.
The Velaris wordmark uses all capitals for impact and recognition, but the **written name** uses only a **starting capital** to maintain a more natural and balanced tone.

Introduction
Logos & usage
Color
Typography
Prints



Horizontal logo



Stacked logo

The horizontal logomark is the **primary logo** for Velaris. It is the preferred version and should be used whenever possible, as it offers the most flexible and recognizable representation of the brand. This version is ideal for **website headers, document footers, email signatures, and general brand communication.**

The stacked logomark should be used when vertical space is more prominent or when a **compact, emblem-like presence is desired**. Typical applications include **covers, signage, exhibition materials, and special brand expressions.**

Both versions are equally valid within their intended contexts, but the horizontal logo should always be the first choice to ensure consistent and strong brand recognition.













Velaris consists of three sub-brands, each operating within the same brand guidelines as the main Velaris identity. For each sub-brand, **two logo variations are available**. The version including a tagline is the **primary choice** and should be used as a **standalone logo** whenever possible.

The second variation, without a tagline, is intended for use **alongside other brand logos or when presented in combination with the Velaris master brand**. This approach ensures clarity while maintaining a consistent and unified brand presence across all touchpoints.

Introduction
Logos & usage
Color
Typography
Prints











To maintain visual consistency, the logo **may not be altered, recolored, or adjusted** without consultation with the Marketing team. This prevents misuse and ensures the brand remains unified across all platforms.

Introduction
Logos & usage
Color
Typography
Prints











The logo must maintain a **minimum clear space of 25%** of its height on all sides. It may **only** be displayed in the official blue palette on white, or reversed in white on dark backgrounds.

Introduction
Logos & usage
Color
Typography
Prints

Examples of *wrong* logo usage



Full black logos



To little contrast from the background



unspecified color usage



Noisy backgrounds



Logo too close to the edges


Introduction
Logos & usage
Color
Typography
Prints

Introduction
Logos & usage
Color
Typography
Prints

"Prussian Blue"	*"Aegean Blue"*	*"Arctic Blue"*	*"Tuscan Sun"*
PANTONE 534 C	**PANTONE** 7682 C	**PANTONE** 2708 C	**PANTONE** 137 C
RGB 27 53 93	**RGB** 102 134 183	**RGB** 183 203 233	**RGB** 255 164 0
CMYK 98 84 37 28	**CMYK** 64 42 9 0	**CMYK** 26 13 1 0	**CMYK** 0 42 100 0
RAL 5013	**RAL** RAL 610-3	**RAL** RAL 580-2	**RAL** RAL 1003
HEX 1b355d	**HEX** 6686b7	**HEX** b7cbe9	**HEX** ffa400

Prussian Blue is the **core color** of our brand. This is the hue that the world associates with Velaris.
Aegean Blue complements it as a secondary tone in the logo and brand, while **Arctic Blue** offers contrast on darker backgrounds.

Alongside the core blue palette, Velaris uses the **accent color Tuscan Sun.** This warm, saturated orange provides strong contrast against the blue tones. It is used exclusively for **calls to action** and to **guide attention** to important elements.



The Velaris color palette follows a **60–30–10** rule. The primary Prussian blue is used approximately 60% per application, the secondary Aegean and Arctic blue 30%, and the orange accent in the remaining 10% to create contrast and focus.

Accent colors are primarily used for **calls to action** to ensure visibility and contrast. They may also be used selectively to **emphasize key terminology, establish hierarchy, and guide attention** where clarity is required. Accent colors should be used sparingly and should not replace primary brand colors.

Introduction
Logos & usage
Color
Typography
Prints

VELARIS

Typography usage for Desktop Publishing:

Museo Sans 300 | Body text

abcdefghijklm
nopqrstuvwxyz

ABCDEFGHIJKLM
NOPQRSTUVWXYZ

Museo Slab 700 | Headers and titles

abcdefghijklm
nopqrstuvwxyz

ABCDEFGHIJKLM
NOPQRSTUVWXYZ

The logotype is based on **Mr Eaves OT**, subtly modified to create a more balanced and original appearance. While this typeface is exclusive to the logo, **all other DTP/ marketing materials use Museo as the primary brand font.** Museo offers exceptional versatility, with a wide range of weights and styles including serif, sans serif, slab, and slab rounded. **The bold slab variants** are used for **headlines and titles**, while the **lighter sans serif styles** ensure clarity and readability in **body text**.

Introduction
Logos & usage
Color
Typography
Prints

VELARIS

Typography usage for Desktop Publishing:

Bebas Neue Pro | Secondary font

abcdefghijklm
nopqrstuvwxyz

ABCDEFGHIJKLM
NOPQRSTUVWXYZ

Bebas Neue Pro is used as a secondary font in various design applications. Its condensed, bold character complements Museo perfectly, creating a strong visual balance. A key example of its use is in our tagline, **“Power Science.”**

Introduction
Logos & usage
Color
Typography
Prints

VELARIS

Typography usage for Microsoft software (Word, Powerpoint etc.)

Segoe UI Light | Body text

abcdefghijklm
nopqrstuvwxyz

ABCDEFGHIJKLM
NOPQRSTUVWXYZ

Segoe UI | Body text

abcdefghijklm
nopqrstuvwxyz

ABCDEFGHIJKLM
NOPQRSTUVWXYZ

Segoe UI Bold | Headers and titles

abcdefghijklm
nopqrstuvwxyz

ABCDEFGHIJKLM
NOPQRSTUVWXYZ

In all Microsoft-based documents and software, the standard typeface **Segoe UI** is used to ensure consistency.

Introduction
Logos & usage
Color
Typography
Prints

VELARIS







All marketing materials must follow the defined layout structure. On A4 or Letter formats, content is primarily arranged in **single or double columns**, ensuring clarity and visual balance. **Generous margins** provide sufficient breathing room between the page edges and content, while **consistent spacing between elements** maintains a clean, easy-to-read composition. Example layouts are shown on the following pages.

Introduction
Logos & usage
Color
Typography
Prints


VELARIS

Brochure page examples

Museo slab 700 30pt.

Introduction

22mm



22mm

width 80mm

width 80mm

Museo sans 300 13pt.

Skalar launches its new automation technology, the BLUVISION® discrete analyzer, for the analysis of colorimetric parameters.

Baseline grid 13 pt. increments

With the BLUVISION® discrete analyzer we omplement our range of products for the automation of colorimetric analysis, which already consists of the SAN++® segmented flow analyzer and the SP2000 test kit robotic analyzer.

The Discrete analyzer is ideal for environmental and industrial laboratories analyzing a wide variety of sample types and matrices. This system integrates years of experience in the field of spectrophotometric analysis and robot automation in one design. Advantages are the low ppb level detection limits, high accuracy and the large sample capacity.

"Black" 80% tint

Museo sans 300 9pt.

Typical application areas for the BLUVISION® are for example drinking water, wastewater, ground water and surface water.

Parameters:

- Alkalinity
- Free Aluminum
- Ammonia
- Calcium
- Chloride
- Chromium VI
- Color
- Free Cyanide
- Total Hardness
- Free Iron
- Magnesium
- Nitrate+Nitrite
- Nitrite
- Free Phenols
- Ortho Phosphate
- Silicate
- Sulfate

All our applications conform to regulatory bodies such as NEN-ISO 15923-1, CMA/2/I/C.8, EPA, Standard Methods for Water and Wastewater (SMWW), ASTM, WAC/III/C/002 etc.

width 80mm

width 80mm

Advancing Automation Together

The BLUVISION® Discrete analyzer

two lines

The BLUVISION® automates the sample & reagent pipetting into the cuvettes, mixing, heating, blank correction and photometric measurement.

The BLUVISION® discrete analyzer has 100 sample positions and 32 positions for reagents, (stock) standards and QC's. The sample and reagent racks are cooled during the analysis run.


One needle is used for dispensing sample and reagent into the cuvettes. This needle can be optionally equipped with a heated head to pre-heat the samples and reagents prior to dispensing.

The cuvette tray of 160 test positions is temperature controlled. The cuvette blocks are automatically loaded into the cuvette tray via an autoloader system. The autoloader holds an additional 48 cuvette blocks, giving a total of 640 tests running without operator intervention.

The detector is equipped with a halogen light-source and a filter wheel containing 8 filters with different wavelengths. The BLUVISION® is capable of running up to 15 different parameters simultaneously. The filters can be easily exchanged for different chemistry wavelengths.

The cuvette has an optical path-length of 15 mm which allows accurate low ppb level detection. The cuvette blocks are disposable, which eliminates any carry-over between tests. Used cuvette blocks are automatically stored in a waste bin for safe removal after analysis. The BLUVISION® has a separate waste container for toxic reagents which is automatically selectable per method.

In addition the analyzer can create calibrations from stock solutions; auto dilutions of over-ranged samples or perform re-analysis of samples.




1pt. white border


light drop shadow fx

1 pt. rounded corners

Samples and reagents Museo sans 300 9 pt.



Pipetting / dispense needle



Autoloader for cuvette blocks

SKALAR a Velaris brand

Logo Master page

Introduction
Logos & usage
Color
Typography
Prints

VELARIS

Flyer examples

SKALAR
a Velaris brand

THE SPE-03
AUTOMATION

Your Manual SPE method, Perfected Through Automation

Manual to Automated SPE, without compromise

Step 1 – **Initial Contact & Method Discovery**

We learn about your current manual workflow (sample type, cartridges, solvents, flow rates).

Step 2 – **Custom Method Development**

We adapt your manual SPE procedure into an automated method.

Step 3 – **Free Online demo at Purchase phase**

Try a free online demo, or proceed with purchase with guided setup support.

Step 4 – **Extraction & Optimisation**

Run your first samples, fine-tune recoveries, and benefit from built-in logging.

Step 5 – **Ongoing Success & Support**

Edit methods easily, pre-built cleaning and easy maintenance, prevent clogs, and rely on long-term support.



The SPE-03 makes it simple to convert your manual solid phase extraction (SPE) method into a streamlined, fully automated process. Whether you're running EPA, DIN or ISO accredited methods, or even a lab-specific protocol, our system ensures consistency, reliability, and ease of use.

Why Automate?
Key Benefits of the SPE-03

- **Time Savings:** Cut extraction time in half
- **Walkaway Simplicity:** Fully automates conditioning, loading, rinsing, drying, and elution
- **Clog-Resistant Design:** Inline filters, coarse tips, frits, and built-in reverse-flow cleaning
- **Traceability:** Each run is logged and viewable for QC and compliance
- **Compact Footprint:** Fits inside fume hoods or tight lab spaces (35,6 x 35,6 x 45,7 cm)
- **Scalable:** Perfect for adding more units to save time and free up staff
- **Aquaris SPE cartridges:** Quality-tested and pre-qualified for various methods

Supported methods include a wide range of popular EPA and ISO standards (e.g., EPA 525.3, EPA 537.1, ISO 21676) as well as the new DIN EN 17892:2024-08.

Skalar Analytical B.V.
Headquarters

Tinstraat 12
4823 AA, Breda
The Netherlands

+31 (0)76 5486 486
info@skalar.com
www.skalar.com

VELARIS

SKALAR
a Velaris brand

BLUVISION
DISCRETE ANALYSIS


Looking to **upgrade your lab?** Double the power with **BLUVISION®** — and unlock a **special offer!**


High throughput. Low detection. Minimum effort

Discrete analysis offers unparalleled flexibility for environmental laboratories that analyse water matrices like drinking water, surface water, waste water, and saline water, as well as soil extracts. Measure up to 15 parameters in a single configuration with the lowest detection limits in the field. All while keeping running costs to a minimum and automate the daily workload.

Purchase the **BLUVISION® Discrete Analyser** as a complementary product to your Skalar product and get a **special offer on both!**

Challenge your Skalar representative to explore the possibilities.





Valid for purchases of one or more Skalar products completed before 31 December 2026.

Skalar Analytical B.V.
Headquarters

Tinstraat 12
4823 AA, Breda
The Netherlands

+31 (0)76 5486 486
info@skalar.com
www.skalar.com

VELARIS

Introduction

Logos & usage

Color

Typography

Prints

VELARIS

Business card example



Introduction

Logos & usage

Color

Typography

Prints

VELARIS

All logo and brand materials can be found on our Marketing Portal.
If you have any questions about branding, for example when multiple brands are involved, feel free to contact Siebe Hooghwinkel at hooghwinkel.s@skalar.com



VELARIS