

RAJALAKSHMI ENGINEERING COLLEGE
RAJALAKSHMI NAGAR, THANDALAM – 602 105



RAJALAKSHMI
ENGINEERING COLLEGE

CS23A34 USER INTERFACE AND DESIGN LAB
Laboratory Observation Notebook

Ex. No. : 5b

Register No. : 230701322

Name : SKANDAN KAMAL

Simulate the life cycle stages for UI design using the RAD model and develop a small interactive interface using OpenProj.

Aim:

The aim is to recreate the lifecycle stages of UI design using the RAD model and design a small interactive interface with OpenProj.

Procedure:

Step 1: Requirements Planning

- Gather Requirements:
- Identify key features and functionalities needed for your interface.
- Example: A simple "Login" and "Register" interface with debug logs.
- Define Use Cases:
- Specify use cases for user login and registration.
- Example: User logs in with valid credentials, user registers with a new account.

Step 2: User Design

- Sketch Initial Designs:
- Draw rough sketches of the "Login" and "Register" screens on paper.
- Create Digital Wireframes:
- Use a tool like Figma or Sketch to create digital wireframes.

Example Wireframes:

- Login Screen: Username field, Password field, Login button, Register link.
- Register Screen: Username field, Email field, Password field, Confirm Password field, Register button.

Step 3: Rapid Prototyping

- Develop Prototypes:
- Use a tool like Axure RP to convert wireframes into interactive prototypes.
- Test Prototypes:
- Share prototypes with stakeholders for feedback.
- Collect feedback and iterate on the design.


Step 4: User Acceptance/Testing

- Review Prototype:
- Conduct user and stakeholder reviews.
- Conduct Usability Testing:
- Perform usability testing and document feedback.


Step 5: Implementation

- Develop Functional Interface:
- Implement final designs and functionalities based on feedback.
- Integrate Backend (if required):
- Connect the UI with backend services for tasks like user authentication.

Output:



The login form for SAFENODE features a dark blue background. At the top left is a white shield icon, followed by the text "SAFENODE" in large, bold, light blue capital letters. Below this are two light beige rounded rectangular input fields: the first is labeled "Username" and the second is labeled "Password". Under the password field is a blue rounded rectangular button with the word "LOGIN" in white capital letters. Below the button is the text "Forgot password? mail" in a smaller white font. At the bottom is a yellow rounded rectangular button with the word "REGISTER" in bold black capital letters.



The "JOIN SAFENODE" form has a dark blue background. At the top, the text "JOIN SAFENODE" is displayed in bold, light blue capital letters. Below this are four light beige rounded rectangular input fields stacked vertically, labeled "Username", "Email", "Password", and "Confirm Password" in a light gray font.

Result:

Hence the recreation of the lifecycle stages of UI design using the RAD model and successfully designed a small interactive interface with OpenProj.