```
Danicas-MacBook-Pro:CSE110Lab1 danica$ https://github.com/Skarlys/CSE110Lab1.git
-bash: https://github.com/Skarlys/CSE110Lab1.git: No such file or directory
[Danicas-MacBook-Pro:CSE110Lab1 danica$ git clone https://github.com/Skarlys/CSE110Lab1.git
Cloning into 'CSE110Lab1'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), done.
Danicas-MacBook-Pro:CSE110Lab1 danica$ ls
CSE110Lab1
Danicas-MacBook-Pro:CSE110Lab1 danica$ cd CSE110Lab1/
[Danicas-MacBook-Pro:CSE110Lab1 danica$ git checkout -b add-read-me
[Switched to a new branch 'add-read-me'
Danicas-MacBook-Pro:CSE110Lab1 danica$ ls
[README.md
Danicas-MacBook-Pro:CSE110Lab1 danica$ vim README.md
[Danicas-MacBook-Pro:CSE110Lab1 danica$ git add README.md
[Danicas-MacBook-Pro:CSE110Lab1 danica$ git commit -m "Update readme file"
[add-read-me cd93fda] Update readme file
 Committer: Danica <danica@Danicas-MacBook-Pro.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
    git config --global --edit
After doing this, you may fix the identity used for this commit with:
    git commit --amend --reset-author
 1 file changed, 2 insertions(+)
[Danicas-MacBook-Pro:CSE110Lab1 danica$ git push -u origin add-read-me
Counting objects: 3, done.
Writing objects: 100% (3/3), 286 bytes | 31.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
To https://github.com/Skarlys/CSE110Lab1.git
   82712ed..cd93fda add-read-me -> add-read-me
Branch 'add-read-me' set up to track remote branch 'add-read-me' from 'origin'.
[Danicas-MacBook-Pro:CSE110Lab1 danica$ git push -u origin add-read-me
Counting objects: 3, done.
Writing objects: 100% (3/3), 286 bytes | 31.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
To https://github.com/Skarlys/CSE110Lab1.git
   82712ed..cd93fda add-read-me -> add-read-me
Branch 'add-read-me' set up to track remote branch 'add-read-me' from 'origin'.
```





