SKELETON ECOSYSTEM

SMART CONTRACT AUDIT

Baby Maga
BMAGA

BEP20

0x2eB4b89C37F25648dE6e0e416aafD13c17F2F

Table of Contents

Global Disclaimer

This document serves as a disclaimer for the crypto smart contract audit conducted by Skeleton Ecosystem. The purpose of the audit was to review the codebase of the smart contracts for potential vulnerabilities and issues. It is important to note the following:

Limited Scope: The audit is based on the code and information available up to the audit completion date. It does not cover external factors, system interactions, or changes made after the audit. The audit itself can not guarantee 100% safaty and can not detect common scam methods like farming and developer sell-out.

No Guarantee of Security: While we have taken reasonable steps to identify vulnerabilities, it is impossible to guarantee the complete absence of security risks or issues. The audit report provides an assessment of the contract's security as of the audit date.

Continued Development: Smart contracts and blockchain technology are evolving fields. Updates, forks, or changes to the contract post-audit may introduce new risks that were not present during the audit.

Third-party Code: If the smart contract relies on third-party libraries or code, those components were not thoroughly audited unless explicitly stated. Security of these dependencies is the responsibility of their respective developers.

Non-Exhaustive Testing: The audit involved automated analysis, manual review, and testing under controlled conditions. It is possible that certain vulnerabilities or issues may not have been identified.

Risk Evaluation: The audit report includes a risk assessment for identified vulnerabilities. It is recommended that the development team carefully reviews and addresses these risks to mitigate potential exploits.

Not Financial Advice: This audit report is not intended as financial or investment advice. Decisions regarding the use, deployment, or investment in the smart contract should be made based on a comprehensive assessment of the associated risks.

By accessing and using this audit report, you acknowledge and agree to the limitations outlined above. Skeleton Ecosystem and its auditors shall not be held liable for any direct or indirect damages resulting from the use of the audit report or the smart contract itself.

Please consult with legal, technical, and financial professionals before making any decisions related to the smart contract.

Overview

Contract Name	BABYMAGA
Ticker/Simbol	BMAGA
Blockchain	Binance Smart Chain BEP20
Contract Address	0x2eB4b89C37F25648dE6e0e416aafD13c17F2F046
Creator Address	0x2A77d127FFBA13ffFB6f2a205FdB042547Fc07e1
Current Owner Address	0x0000000000000000000000000000000000000000
Contract Explorer	https://bscscan.com/token/0x2eB4b89C37F25648dE6e0e416aafD13c17F2F046#code
Compiler Version	v0.8.10+commit.fc410830
License	MIT
Optimisation	Yes with 200 Runs
Total Supply	46,622,316.971608 BMAGA
Decimals	9

Creation/Audit

Contract Deployed	28.02.2024
Audit Created	05.03.2024
Audit Update	V 1.0

Verified Socials

Website	https://baby-maga.xyz
Telegram	https://t.me/baby_maga
Twitter (X)	https://x.com/MAGA_BAB

BABY MAGA BEP20

Contract Function Analysis

✅ Pass ⚠️ Attention Item 🔺 Risky Item

	Pass
🟨	Attention
🟥	Risk

Pass: 19
Attention: 0
Risk: 0

Contract Verified	✅	The contract source code is uploaded to blockchain explorer and is open source, so everybody can read it.
Contract Ownership		0x0000000000000000000000000000000000000000 Sometimes referred to as the "zero address" or "dead address" and is not owned by anyone.
Buy Tax	5 %	Shows the taxes for purchase transactions. Above 10% may be considered a high tax rate. More than 50% tax rate means may not be tradable. Fee can be set!
Sell Tax	5 %	Shows the taxes for sell transactions. Above 10% may be considered a high tax rate. More than 50% tax rate means may not be tradable. Fee can be set!
Honeypot Analyse	✅	Holder is able to buy and sell. If honeypot: The contract blocks sell transfer from holder wallet. Multiple events may cause honeypot. Trading disabled, extremely high tax
Liqudity Status	✅	Liqudity status on 05.03.2024 Lp Locked: 86.71% Pinklock for 366 days. Lp Burned: 11.53%
Trading Disable Functions	✅	No Trading suspendable function found. If a suspendable code is included, the token maybe neither be bought or sold (honeypot risk). If contract is renounced this function can't be used
Set Fees function	✅	No Fee Setting function found. The contract owner may contain the authority to modify the transaction tax. If the transaction tax is increased to more than 49%, the tokens may not be able to be traded (honeypot risk).
Proxy Contract	✅	Not a Proxy contract.
Mint Function	✅	No Mint Function detected Mint function is transparent or non-existent. Hidden mint functions may increase the amount of tokens in circulation and effect the price of the token. Owner can mint new tokens and sell.

Balance Modifier Function	✅	No Balance Modifier function found. If there is a function for this, the contract owner can have the authority to modify the balance of tokens at other addresses. For example revoke the bought tokens from the holders wallet. Common form of scam: You buy the token, but it's disappearing from your wallet.
Blacklist Function	✅	No Blacklist Setting function found. If there is a blacklist, some addresses may not be able to trade normally. Example: you buy the token and right after your Wallet getting blacklisted. Like so you will be unable to sell. Honeypot Risk.
Whitelist Function	✅	No Whitelist Setting function found. If there is a function for this Developer can set zero fee or no max wallet size for adresses (for example team wallets can trade without fee. Can cause farming)
Hidden Owner Analysis	✅	No Hidden or multi owner with authorisation For contract with a hidden owner, developer can still manipulate the contract even if the ownership has been abandoned.
Retrieve Ownership Function	✅	No Functions found which can retrieve ownership of the contract. If this function exists, it is possible for the project owner to regain ownership even after relinquishing it. Also known as fake renounce.
Self Destruct Function	✅	No Self Destruct function found. If this function exists and is triggered, the contract will be destroyed, all functions will be unavailable, and all related assets will be erased.
Specific Tax Changing Function	✅	No Specific Tax Changing Functions found. If it exists, the contract owner may set a very outrageous tax rate for assigned address to block it from trading. Can assign all wallets at once!
Trading Cooldown Function	✅	No Trading Cooldown Function found. If there is a trading cooldown function, the user will not be able to sell the token within a certain time or block after buying. Like a temporary honeypot.
Max Transaction and Holding Modify Function	✅	No Max Transaction and Holding Modify function found. If there is a function for this, the maximum trading amount or maximum position can be modified. Can cause honeypot
Transaction Limiting Function	✅	No Transaction Limiter Function Found. The number of overall token transactions may be limited (honeypot risk)

Details of Risk - Attention Items

Skeleton Ecosystem 6

Removing Risk of contract function based on renounced ownership

✅ No Risky contract functions found

Transaction Receipt Event Logs

Address 0x2eb4b89c37f25648de6e0e416aafd13c17f2f046

Name OwnershipTransferred (index_topic_1 address previousOwner, index_topic_2 address newOwner) View Source

Topics 0 0x8be0079c531659141344cd1fd0a4f28419497f9722a3daafe3b4186f6b6457e0

1: previousOwner Dec → 0x2A77d127FFBA13ffFB6f2a205FdB042547Fc07e1

2: newOwner Dec → 0x0000000000000000000000000000000000000000

Data 0x

Contract Security

Total Findings: 5

■ High 0

■ Medium 1

■ Low 3

■ Info 1

■ **High Severity Issues**: High possibility to cause problems, need to be resolved.

■ **Medium Severity Issue**: Will likely cause problems, recommended to resolve.

■ **Low Severity Issues**: Won't cause problems, but for improvement purposes could be adjusted.

■ **Informational Severity Issues:** Not harmful in any way, information for the developer team.

Contract Security

List of Found Issues

High severity Issues: (0)

Medium severity issues: (1)

- Using Extcodesize to check for external accounts

Low severity issues: (3)

- Missing Events
- Long number literals
- Outdated Compiler Version

Informational severity issues: (1)

- Public Functions Should be Declared External

Contract Weakness Classisication

THE SMART CONTRACT WEAKNESS CLASSIFICATION REGISTRY (SWC REGISTRY) IS AN IMPLEMENTATION OF THE WEAKNESS CLASSIFICATION SCHEME PROPOSED IN EIP-1470. IT IS LOOSELY ALIGNED TO THE TERMINOLOGIES AND STRUCTURE USED IN THE COMMON WEAKNESS ENUMERATION (CWE) WHILE OVERLAYING A WIDE RANGE OF WEAKNESS VARIANTS THAT ARE

ID	Description	AI	Manual	Result
SWC-100	Function Default Visibility	Passed	Passed	Passed
SWC-101	Integer Overflow and Underflow	Passed	Passed	Passed
SWC-102	Outdated Compiler Version	low	Passed	Passed
SWC-103	Floating Pragma	Passed	Passed	Passed
SWC-104	Unchecked Call Return Value	Passed	Passed	Passed
SWC-105	Unprotected Ether Withdrawal	Passed	Passed	Passed
SWC-106	Unprotected SELFDESTRUCT Instruction	Passed	Passed	Passed
SWC-107	Reentrancy	Passed	Passed	Passed
SWC-108	State Variable Default Visibility	Passed	Passed	Passed
SWC-109	Uninitialized Storage Pointer	Passed	Passed	Passed
SWC-110	Assert Violation	Passed	Passed	Passed
SWC-111	Use of Deprecated Solidity Functions	Passed	Passed	Passed
SWC-112	Delegatecall to Untrusted Callee	Passed	Passed	Passed
SWC-113	DoS with Failed Call	Passed	Passed	Passed
SWC-114	Transaction Order Dependence	Passed	Passed	Passed
SWC-115	Authorization through tx.origin	Passed	Passed	Passed
SWC-116	Block values as a proxy for time	Passed	Passed	Passed
SWC-117	Signature Malleability	Passed	Passed	Passed
SWC-118	Incorrect Constructor Name	Passed	Passed	Passed
SWC-119	Shadowing State Variables	Passed	Passed	Passed

SWC-120	Weak Sources of Randomness from Chain Attributes	Passed	Passed	Passed
SWC-121	Missing Protection against Signature Replay Attacks	Passed	Passed	Passed
SWC-122	Lack of Proper Signature Verification	Passed	Passed	Passed
SWC-123	Requirement Violation	Passed	Passed	Passed
SWC-124	Write to Arbitrary Storage Location	Passed	Passed	Passed
SWC-125	Incorrect Inheritance Order	Passed	Passed	Passed
SWC-126	Insufficient Gas Griefing	Passed	Passed	Passed
SWC-127	Arbitrary Jump with Function Type Variable	Passed	Passed	Passed
SWC-128	DoS With Block Gas Limit	Passed	Passed	Passed
SWC-129	Typographical Error	low	Passed	Passed
SWC-130	Right-To-Left-Override control character (U+202E)	Passed	Passed	Passed
SWC-131	Presence of unused variables	Passed	Passed	Passed
SWC-132	Unexpected Ether balance	Passed	Passed	Passed
SWC-133	Hash Collisions With Multiple Variable Length Arguments	Passed	Passed	Passed
SWC-134	Message call with hardcoded gas amount	Passed	Passed	Passed
SWC-135	Code With No Effects	Passed	Passed	Passed
SWC-136	Unencrypted Private Data On-Chain	Passed	Passed	Passed

Detected High and Medium Severity Vulnerability Description.

⚠️ Using Extcodesize to check for external accounts. (1 Item)

Item: 1	Location:	Line 76		Severity:	🟨 Medium

Function	extcodesize is used to check if a contract is an externally owned account or another contract. extcodesize returns 0 for externally owned accounts but there's a specific condition here that when an extcodesize check is made to a contract that is still under construction or when the contract's constructor is running, extcodesize for its address returns zero. This may give erroneous outputs for checking externally owned contracts.
Remedation	It is recommended to manually check and validate at compile-time that the contract/account address being checked inside extcodesize does not return improper values due to the external contract's construction.

```
73
      ftrace | funcSig
74    function isContract(address account) internal view returns (bool) {
75        uint256 size;
76        assembly { size := extcodesize(account) }
77        return size > 0;
78    }
79
```

⚠️ Outdated Compiler Version

Skeleton Ecosystem 12

Item: 1	Location:	Line 10		Severity:	🟩 Low

| Function	Using an outdated compiler version can be problematic especially if there are publicly disclosed bugs and issues that affect the current compiler version. The following outdated versions were detected: /bmaga.sol - 0.8.10
Remedation	It is recommended to use a recent version of the Solidity compiler that should not be the most recent version, and it should not be an outdated version as well. Using very old versions of Solidity prevents the benefits of bug fixes and newer security checks. Consider using the solidity version v0.8.23, which patches most solidity vulnerabilities.

Contract Flow Graph

Contract Interaction Graph

Inheritance Graph

Contract Functions

Contract	Type	Bases		
L	Function Name	Visibility	Mutability	Modifiers
IERC20	Interface			
L	totalSupply	External		NO
L	balanceOf	External		NO
L	transfer	External	◉	NO
L	allowance	External		NO
L	approve	External	◉	NO
L	transferFrom	External	◉	NO
SafeMath	Library			
L	add	Internal 🔒		
L	sub	Internal 🔒		
L	mul	Internal 🔒		
L	div	Internal 🔒		
L	sub	Internal 🔒		
L	div	Internal 🔒		
Context	Implementation			
L	_msgSender	Internal 🔒		
L	_msgData	Internal 🔒		
Address	Library			

Contract	Type	Bases		
L	isContract	Internal 🔒		
L	sendValue	Internal 🔒	⬡	
L	functionCall	Internal 🔒	⬡	
L	functionCall	Internal 🔒	⬡	
L	functionCallWithValue	Internal 🔒	⬡	
L	functionCallWithValue	Internal 🔒	⬡	
L	functionStaticCall	Internal 🔒		
L	functionStaticCall	Internal 🔒		
L	functionDelegateCall	Internal 🔒	⬡	
L	functionDelegateCall	Internal 🔒	⬡	
L	_verifyCallResult	Private 🔐		
IUniswapV2Factory	Interface			
L	feeTo	External ▯		NO▯
L	feeToSetter	External ▯		NO▯
L	getPair	External ▯		NO▯
L	allPairs	External ▯		NO▯
L	allPairsLength	External ▯		NO▯
L	createPair	External ▯	⬡	NO▯

Contract	Type	Bases		
∟	setFeeTo	External ▯	◉	NO▯
∟	setFeeToSetter	External ▯	◉	NO▯
IUniswapV2Pair	Interface			
∟	name	External ▯		NO▯
∟	symbol	External ▯		NO▯
∟	decimals	External ▯		NO▯
∟	totalSupply	External ▯		NO▯
∟	balanceOf	External ▯		NO▯
∟	allowance	External ▯		NO▯
∟	approve	External ▯	◉	NO▯
∟	transfer	External ▯	◉	NO▯
∟	transferFrom	External ▯	◉	NO▯
∟	DOMAIN_SEPARATOR	External ▯		NO▯
∟	PERMIT_TYPEHASH	External ▯		NO▯
∟	nonces	External ▯		NO▯
∟	permit	External ▯	◉	NO▯
∟	MINIMUM_LIQUIDITY	External ▯		NO▯
∟	factory	External ▯		NO▯
∟	token0	External ▯		NO▯

Contract	Type	Bases		
L	token1	External ▯	▧	NO▯
L	getReserves	External ▯		NO▯
L	price0Cumulative Last	External ▯		NO▯
L	price1Cumulative Last	External ▯		NO▯
L	kLast	External ▯		NO▯
L	burn	External ▯	⬢	NO▯
L	swap	External ▯	⬢	NO▯
L	skim	External ▯	⬢	NO▯
L	sync	External ▯	⬢	NO▯
L	initialize	External ▯	⬢	NO▯
IUniswapV2R outer01	Interface			
L	factory	External ▯		NO▯
L	WETH	External ▯		NO▯
L	addLiquidity	External ▯	⬢	NO▯
L	addLiquidityE TH	External ▯	🔒	NO▯
L	removeLiquid ity	External ▯	⬢	NO▯
L	removeLiquid ityETH	External ▯	⬢	NO▯
L	removeLiquid ityWithPermit	External ▯	⬢	NO▯

Contract	Type	Bases		
L	removeLiquidityETHWithPermit	External ▯	◉	NO▯
L	swapExactTokensForTokens	External ▯	◉	NO▯
L	swapTokensForExactTokens	External ▯	◉	NO▯
L	swapExactETHForTokens	External ▯	▥	NO▯
L	swapTokensForExactETH	External ▯	◉	NO▯
L	swapExactTokensForETH	External ▯	◉	NO▯
L	swapETHForExactTokens	External ▯	▥	NO▯
L	quote	External ▯		NO▯
L	getAmountOut	External ▯		NO▯
L	getAmountIn	External ▯		NO▯
L	getAmountsOut	External ▯		NO▯
L	getAmountsIn	External ▯		NO▯
IUniswapV2Router02	Interface	IUniswapV2Router01		
L	removeLiquidityETHSupportingFeeOnTransferTokens	External ▯	◉	NO▯
L	removeLiquidityETHWithPe	External ▯	◉	NO▯

Contract	Type	Bases		
	rmitSupportingFeeOnTransferTokens			
L	swapExactTokensForTokensSupportingFeeOnTransferTokens	External ▯	◉	NO▯
L	swapExactETHForTokensSupportingFeeOnTransferTokens	External ▯	▦	NO▯
L	swapExactTokensForETHSupportingFeeOnTransferTokens	External ▯	◉	NO▯
BABYMAGA	Implementation	Context, IERC20		
L	owner	Public ▯		NO▯
L	renounceOwnership	Public ▯	◉	NO▯
L		Public ▯	◉	NO▯
L	name	Public ▯		NO▯
L	symbol	Public ▯		NO▯
L	decimals	Public ▯		NO▯
L	totalSupply	Public ▯		NO▯
L	balanceOf	Public ▯		NO▯
L	transfer	Public ▯	◉	NO▯
L	allowance	Public ▯		NO▯

Contract	Type	Bases		
L	approve	Public ⦚	◉	NO⦚
L	transferFrom	Public ⦚	◉	NO⦚
L	increaseAllowance	Public ⦚	◉	NO⦚
L	decreaseAllowance	Public ⦚	◉	NO⦚
L		External ⦚	💷	NO⦚
L	_getCurrentSupply	Private 🥖		
L	_approve	Private 🥖	◉	
L	_transfer	Private 🥖	◉	
L	sendToWallet	Private 🥖	◉	
L	swapAndLiquify	Private 🥖	◉	lockTheSwap
L	swapTokensForBNB	Private 🥖	◉	
L	addLiquidity	Private 🥖	◉	
L	_tokenTransfer	Private 🥖	◉	

◉	Function can modify state	💷	Function is payable

Audit Scope

Audit Method.

Our smart contract audit is an extensive methodical examination and analysis of the smart contract's code that is used to interact with the blockchain. Goal: discover errors, issues and security vulnaribilities in the code. Findings getting reported and improvements getting suggested.

Automatic and Manual Review
We are using automated tools to scan functions and weeknesses of the contract. Transfers, integer over-undeflow checks such as all CWE events.

Tools we use:
Visual Studio Code
CWE
SWC
Solidity Scan
SVD

In manual code review our auditor looking at source code and performing line by line examination. This method helps to clarify developer's coding decisions and business logic.

Skeleton Ecosystem

https://skeletonecosystem.com

https://github.com/SkeletonEcosystem/Audits